

Annex B

Water Quality Monitoring Results

Table B1 *Action and Limit Levels of Water Quality for Dredging, Disposal and Capping Activities at ESC CMP V*

Parameter	Action Level	Limit Level
Dissolved Oxygen (DO) ⁽¹⁾	<u>Surface and Mid-depth</u> ⁽²⁾ 5%-ile of baseline data for surface and middle layer = 3.76 mg L⁻¹	<u>Surface and Mid-depth</u> ⁽²⁾ 1%-ile of baseline data for surface and middle layer = 3.11 mg L⁻¹ ⁽³⁾
	and	and
	Significantly less than the reference stations mean DO (at the same tide of the same day)	Significantly less than the reference stations mean DO (at the same tide of the same day)
	<u>Bottom</u> 5%-ile of baseline data for bottom layers = 2.96 mg L⁻¹	<u>Bottom</u> The average of the impact station readings are <2 mg/L⁻¹
	and	and
	Significantly less than the reference stations mean DO (at the same tide of the same day)	Significantly less than the reference stations mean DO (at the same tide of the same day)
Depth-averaged Suspended Solids (SS) ^{(4) (5)}	95%-ile of baseline data for depth average = 37.88 mg L⁻¹	99%-ile of baseline data for depth average = 61.92 mg L⁻¹
	and	and
	120% of control station's SS at the same tide of the same day	130% of control station's SS at the same tide of the same day
Depth-averaged Turbidity (Tby) ^{(4) (5)}	95%-ile of baseline data = 28.14 NTU	99%-ile of baseline data = 38.32 NTU
	and	and
	120% of control station's Tby at the same tide of the same day	130% of control station's Tby at the same tide of the same day

Notes:

- (1) For DO, non-compliance of the water quality limits occurs when monitoring result is lower than the limits.
- (2) The Action and Limit Levels for DO for Surface & Middle layers were calculated from the combined pool of baseline surface layer data and baseline middle layer data.
- (3) Given the Action Level for DO for Surface & Middle layers has already been lower than 4 mg L⁻¹, it is proposed to set the Limit Level at 3.11 mg L⁻¹ which is the first percentile of the baseline data.
- (4) "Depth-averaged" is calculated by taking the arithmetic means of reading of all three depths.
- (5) For turbidity and SS, non-compliance of the water quality limits occurs when monitoring result is higher than the limits.

Table B2 Water Column Profiling Results for ESC CMP Vb in February 2020

Stations	Temp (°C)	Salinity (ppt)	Turbidity (NTU)	Dissolved Oxygen		pH	Suspended Solids (mg L ⁻¹)
				(%)	(mg L ⁻¹)		
WCP 1 (Downstream)	18.60	32.30	4.56	102.30	7.89	8.29	5.65
WCP 2 (Upstream)	18.81	32.45	2.66	102.88	7.90	8.25	7.68
WQO (Dry Season)	N/A	29.21-35.70#	N/A	N/A	>4	6.5-8.5	13.6

Note:

#Not exceeding 10% of natural ambient level which is the result obtained from the Reference Station.

Cell shaded yellow / red indicate value exceeding the Action/Limit levels.

Cell shaded grey indicate value exceeding the WQO.

Table B3 In-situ Monitoring Results for Routine Water Quality Monitoring of ESC CMPs in February 2020

Sampling Period	Stations	Temp (°C)	Salinity (ppt)	Turbidity (NTU)	Dissolved Oxygen		pH (mg L ⁻¹)
					(%)	(mg L ⁻¹)	
February 2020	RFE (Reference)	19.53	33.09	2.28	90.04	6.79	8.20
	IPE (Impact)	19.09	32.60	3.16	97.11	7.41	8.23
	INE (Intermediate)	18.98	32.52	2.90	97.86	7.49	8.23
	Ma Wan	19.13	32.50	2.44	95.13	7.27	8.13
	WQO	N/A	29.78- 36.40#	N/A	N/A	>4	6.5-8.5

Notes:

#Not exceeding 10% of natural ambient level which is the result obtained from the Reference Station.

Cell shaded yellow / red indicate value exceeding the Action/Limit levels.

Cell shaded grey indicate value exceeding the WQO.

Table B4 Laboratory Results for Routine Water Quality Monitoring of ESC CMPs in February 2020

Sampling Period	Stations	As (µg/L)	Cd (µg/L)	Cr (µg/L)	Cu (µg/L)	Pb (µg/L)	Hg (µg/L)	Ni (µg/L)	Ag (µg/L)	Zn (µg/L)	NH ₃ (mg/L)	TIN (mg/L)	BOD ₅ (mg/L)	SS (mg/L)
February 2020	RFE	1.88	<0.5	1.68	10.30	1.98	0.77	0.84	<1	43.70	0.09	0.16	1.60	4.50
	IPE	1.93	<0.5	2.13	15.47	1.61	0.71	1.54	<1	9.94	0.08	0.18	1.50	6.37
	INE	1.79	<0.5	1.76	9.29	1.21	0.41	1.16	<1	17.92	0.06	0.17	1.30	7.58
	Ma Wan	1.74	<0.5	1.49	7.11	1.33	0.25	0.50	<1	12.73	0.14	0.22	1.31	5.01

WQO of TIN: 0.5 mg/L

Dry Season WQO of SS : 13.6 mg/L

Notes:

Cell shaded yellow / red indicate value exceeding the Action/Limit levels.

Cell shaded grey indicate value exceeding the WQO.

Table B5 *Monitoring Results for Water Quality Monitoring during Capping of ESC on 10 February 2020*

Sampling Period	Stations	Temp (°C)	Salinity (ppt)	Turbidity (NTU)	Dissolved Oxygen (%)	Dissolved Oxygen (mg L ⁻¹)	pH (mg L ⁻¹)	SS (mg L ⁻¹)
February 2020	RFF (Reference)	18.59	32.28	9.15	93.06	7.18	8.21	11.7
	IPF (Impact)	18.56	32.37	12.39	94.43	7.29	8.24	14.8
	INF (Intermediate)	18.76	32.64	6.91	91.35	7.01	8.24	9.21
	Ma Wan	18.99	33.00	7.77	82.08	6.26	8.17	11.7
	WQO	N/A	29.05-35.50*	N/A	N/A	>4	6.5-8.5	13.6

Notes:

Not exceeding 2°C of change of the results from the Reference Station.

#Not exceeding 10% of natural ambient level which is the result obtained from the Reference Station.

Cell shaded yellow / red indicate value exceeding the Action/Limit levels.

Cell shaded grey indicate value exceeding the WQO.

