

Table B1 *Summary Table of DO, Turbidity and TSS Levels recorded in January 2011*

Sampling Date	Tidal Period	Station	Average DO Levels (mg/L)		Average Turbidity Level (NTU)	Average TSS Level (mg/L)
			Bottom	Surface and Mid Depth		
2011/01/04	ME	DS1	7.40	7.29	29.68	39.50
		DS2	7.59	7.30	12.98	16.00
		DS3	7.29	7.23	7.92	10.00
		DS4	7.31	7.20	6.35	9.00
		DS5	7.37	7.19	6.08	8.83
		MW1	7.03	6.98	7.95	14.83
		US1	7.89	7.38	7.32	12.33
	MF	US2	7.41	7.32	8.78	11.83
		DS1	7.46	7.26	9.52	12.33
		DS2	7.49	7.26	19.78	25.67
		DS3	7.56	7.35	19.20	20.33
		DS4	7.49	7.35	15.80	21.17
		DS5	7.50	7.28	8.92	13.00
		MW1	6.88	6.82	7.18	11.00
		US1	7.44	7.24	7.77	10.00
		US2	7.28	7.16	10.05	12.83

1. Cell shaded yellow indicates value exceeding the Action Level.
2. Cell shaded red indicates value exceeding the Limit Level.