

Trawling Data in February 2019

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acanthopagrus schlegelii</i>															
	<i>Acentrogobius caninus</i>															
	<i>Apogon kiensis</i>															
	<i>Arius arius</i>										2	240		1	220	
	<i>Bothidae sp.</i>															
	<i>Butis koilomatodon</i>															
	<i>Callionymus curvicornis</i>															
	<i>Calliurichthys japonicus</i>													1	40	
	<i>Cryptocentrus filifer</i>															
	<i>Cynoglossus arel</i>										1	60				
	<i>Cynoglossus puncticeps</i>															
	<i>Cynoglossus roulei</i>															
	<i>Cynoglossus semilaevis</i>															
	<i>Dasyatis akajei</i>				1	980		1	900							
	<i>Dasyatis zugei</i>															
	<i>Drepane punctata</i>				1	150		2	300		7	1200		1	130	
	<i>Dendrophysa russelii</i>															
	<i>Diplogrannus xenicus</i>										1	30				
	<i>Gerres abbreviatus</i>															
	<i>Glossogobius olivaceus</i>															
	<i>Grammoplites scaber</i>										1	10		2	40	
	<i>Gymnura japonica</i>															
	<i>Ilisha elongata</i>															
	<i>Inegocia japonicus</i>	1	10					1	10		2	80		3	40	
	<i>Inimicus japonicus</i>				2	140								2	340	
	<i>Johnius amblycephalus</i>															
	<i>Johnius belangerii</i>	1	30													
	<i>Konosirus punctatus</i>															
	<i>Lagocephalus sp.</i>							1	300							
	<i>Lateolabrax japonicus</i>															
	<i>Leiognathus nuchalis</i>													1	10	
	<i>Lisa macrolepis</i>										1	50				
	<i>Lutjanus dodecacanthoides</i>															
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>															
	<i>Oxyurichthys tentacularis</i>															
	<i>Parachaeturichthys polynema</i>													1	20	
	<i>Paralichthys lethostigma</i>															
	<i>Pennahia anea</i>							1	10							
	<i>Pisodonophis boro</i>															
	<i>Platycephalus indicus</i>										1	20				
	<i>Polydactylus sextarius</i>															
	<i>Pseudorhombus oligodon</i>										1	10				
	<i>Saurida elongata</i>															
	<i>Scatophagus argus</i>															
	<i>Sebastiscus marmoratus</i>	1	20								3	80				
	<i>Siganus fuscescens</i>				1	90										
	<i>Sillago sihama</i>										1	30				
	<i>Solea ovata</i>	2	20		6	90		1	10		1	10		2	20	
	<i>Takifugu niphbles</i>										1	120				
	<i>Takifugu ocellatus</i>															

Trawling Data in February 2019

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Takifugu oblongus</i>										1	740				
	<i>Takifugu poecilonotus</i>															
	<i>Takifugu xanthopterus</i>															
	<i>Thamnaconus modestus</i>										1	90				
	<i>Thryssa dussumieri</i>															
	<i>Trachycephalus uranoscopa</i>												1	20		
	<i>Trypauchen vagina</i>															
	<i>Zebrias zebra</i>															
Prawn or shrimp	<i>Alpheus brevicristatus</i>							1	10							
	<i>Exopalaemon carinicauda</i>															
	<i>Fenneropenaeus penicillatus</i>															
	<i>Metapenaeopsis barbata</i>															
	<i>Metapenaeus affinis</i>															
	<i>Metapenaeus ensis</i>															
	<i>Metapenaeus joyneri</i>															
	<i>Parapenaeopsis cultirostris</i>															
	<i>Parapenaeopsis hardwickii</i>															
	<i>Parapeneopsis hungerfordii</i>															
	<i>Parapeneopsis tenella</i>															
	<i>Penaeus merguensis</i>															
	<i>Penaeus penicillatus</i>															
	<i>Solenocera crassicornis</i>															
Crab	<i>Arcania undecimspinosa</i>												1	6.4		
	<i>Calappa philargius</i>												1	117		
	<i>Charybdis affinis</i>										3	100	1	30		
	<i>Charybdis annulata</i>															
	<i>Charybdis bimaculata</i>							1	30							
	<i>Charybdis brevispinosa</i>															
	<i>Charybdis cruciata</i>															
	<i>Charybdis japonica</i>	1	110													
	<i>Charybdis natator</i>							1	20							
	<i>Charybdis helerii</i>															
	<i>Charybdis truncata</i>															
	<i>Charybdis variegata</i>	2	20										3	20		
	<i>Charybdis spp.</i>	20	230	*	9	104		30	380	*	20	240	20	230	*	
	<i>Doclea sp.</i>				1	2.1		2	6.8		5	46	5	41.7		
	<i>Doclea sinensis</i>															
	<i>Dorippe dorsipes</i>	2	4.2		20	240	*	7	68.8		3	9.8	20	240	*	
	<i>Dorippe polita</i>	3	36					2	21.6				3	29.4		
	<i>Eucrate crenata</i>															
	<i>Eucrate solaris</i>															
	<i>Galene bispinosa</i>															
	Hermit crab	20	86	*	6	15					2	5.3				
	<i>Leucosia craniolaris</i>															
	<i>Parapanope euagora</i>										1	4.8				
	<i>Parthenope validus</i>	5	53		4	42		6	62		20	240	20	260	*	
	<i>Porcellanella picta</i>															
	<i>Portunus hastatoides</i>							1	10		1	10				
	<i>Portunus pelagicus</i>															
	<i>Portunus trituberculatus</i>															
	<i>Portunus spp.</i>															

Trawling Data in February 2019

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Typhlocarcinus sp.</i>															
Mantis shrimp	<i>Dictyosquilla foveolata</i>															
	<i>Harpisquilla harpax</i>										1	60				
	<i>Oratosquilla interrupta</i>															
	<i>Oratosquilla oratoria</i>															
	<i>Oratosquilla kempfi</i>															
Gastropod	<i>Bursa rana</i>															
	<i>Calyptrea sp.</i>	20	6.2	*	8	4.2		5	1.6		3	1.2		4	1.8	
	<i>Drupa musiva</i>	2	6.8		3	17.6		2	14.6		5	32		3	18	
	<i>Inquistor flavidula</i>															
	<i>Lophiotoma leucotropis</i>															
	<i>Murex trapa</i>	7	66		5	42		5	42							
	<i>Nassarius hepaticus</i>															
	<i>Nassarius succinctus</i>															
	<i>Philine sp.</i>															
	<i>Pilosabia pilosa</i>															
	<i>Siphopatella walshi</i>	6	5.2		20	14	*				20	16	*	4	5.2	
	<i>Turritella terebra</i>	20	210	*	7	72		10	110					6	58	
	UNID Nudibranch										1	4.2				
	UNID Nudibranch 2															
Bivalve	<i>Anomia chinensis</i>										1	3.4				
	<i>Chione isabellina</i>															
	<i>Chlamys spp.</i>	20	270	*	20	260	*	20	260	*	30	360	*	30	380	*
	<i>Crossostrea sp.</i>										2	190		1	110	
	<i>Paphia undulata</i>															
	<i>Perna viridis</i>															
	<i>Pinctada martensii</i>	6	310		3	180		5	290		5	460		4	198.4	
	<i>Placuna placenta</i>							2	29.4							
	<i>Ruditapes philippinarum</i>	3	12		20	110	*	11	62		5	23		7	32	
	<i>Scapharca subcrenata</i>															
	<i>Tolonostrea talonata</i>	7	14		3	8.2					6	18.5		2	7.2	
	<i>Vepricardium asiaticum</i>															
Cephalopod	<i>Lolingid squid</i>															
	<i>Octopus</i>															
	<i>Sepiid cuttlefish</i>															
Echinoderm	<i>Acaudina molpadioides</i>										1	6.2				
	<i>Amphioplus sp.</i>															
	<i>Pseudocolochirus sp.</i>															
	<i>Styela plicata</i>	5	28		4	21		4	21		4	23		2	16.3	
	<i>Temnopleurus toreumaticus</i>	30	360	*	40	470	*	30	360	*	30	360	*	40	480	*
Cnidaria	<i>Carcinactis ichikawai</i>													1	0.8	
	<i>Cavernularia habereri</i>										1	3.2				
	<i>Edwardsia japonica (c.f.)</i>															
	<i>Ellisella laevis</i>	1	23.4					1	59.4							
	Jelly fish															
	<i>Pteroeides chinense</i>										2	48.6				
	<i>Gorgonia spp.</i>	2	78		3	140		2	106					2	118	
	<i>Sea anomea</i>	3	18.4					2	11.2		1	7.6				
	<i>Virgularia gustaviana</i>				1	17.8		2	31.8							
Urochordata	Sea Squirts															
Cirripedia	<i>c.f. Bananus spp.</i>	60	180	*	70	190	*	120	230	*	50	42	*	50	42	*

Trawling Data in February 2019

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acanthopagrus schlegelii</i>															
	<i>Acentrogobius caninus</i>															
	<i>Apogon kiensis</i>															
	<i>Arius arius</i>															
	<i>Bothidae sp.</i>															
	<i>Butis koilomatodon</i>															
	<i>Callionymus curvicornis</i>															
	<i>Calliurichthys japonicus</i>															
	<i>Cryptocentrus filifer</i>															
	<i>Cynoglossus arel</i>															
	<i>Cynoglossus puncticeps</i>															
	<i>Cynoglossus roulei</i>															
	<i>Cynoglossus semilaevis</i>															
	<i>Dasyatis akajei</i>															
	<i>Dasyatis zugei</i>															
	<i>Drepane punctata</i>															
	<i>Dendrophysa russelii</i>															
	<i>Diplogrannus xenicus</i>															
	<i>Gerres abbreviatus</i>															
	<i>Glossogobius olivaceus</i>															
	<i>Grammolites scaber</i>				3	50		1	27		3	49		1	30	
	<i>Gymnura japonica</i>															
	<i>Ilisha elongata</i>															
	<i>Inegocia japonicus</i>															
	<i>Inimicus japonicus</i>	2	380								3	390				
	<i>Johnius amblycephalus</i>															
	<i>Johnius belangerii</i>	6	150		4	130		6	170		23	720				
	<i>Konosirus punctatus</i>															
	<i>Lagocephalus sp.</i>															
	<i>Lateolabrax japonicus</i>															
	<i>Leiognathus nuchalis</i>															
	<i>Lisa macrolepis</i>															
	<i>Lutjanus dodecacanthoides</i>										1	5				
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>															
	<i>Oxyurichthys tentacularis</i>															
	<i>Parachaeturichthys polynema</i>															
	<i>Paralichthys lethostigma</i>	1	90													
	<i>Pennahia anea</i>															
	<i>Pisodonophis boro</i>															
	<i>Platycephalus indicus</i>															
	<i>Polydactylus sextarius</i>															
	<i>Pseudorhombus oligodon</i>															
	<i>Saurida elongata</i>															
	<i>Scatophagus argus</i>															
	<i>Sebastiscus marmoratus</i>	1	70		1	20		5	220		4	78				
	<i>Siganus fuscescens</i>															
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>	7	80		3	30		1	10		5	30		2	10	
	<i>Takifugu niphobles</i>															
	<i>Takifugu ocellatus</i>															

Trawling Data in February 2019

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Takifugu oblongus</i>															
	<i>Takifugu poecilonotus</i>															
	<i>Takifugu xanthopterus</i>															
	<i>Thamnaconus modestus</i>															
	<i>Thryssa dussumieri</i>															
	<i>Trachycephalus uranoscopa</i>	2	26								1	11				
	<i>Trypauchen vagina</i>															
	<i>Zebrias zebra</i>															
Prawn or shrimp	<i>Alpheus brevicristatus</i>															
	<i>Exopalaemon carinicauda</i>															
	<i>Fenneropenaeus penicillatus</i>															
	<i>Metapenaeopsis barbata</i>										1	4				
	<i>Metapenaeus affinis</i>															
	<i>Metapenaeus ensis</i>															
	<i>Metapenaeus joyneri</i>															
	<i>Parapenaeopsis cultirostris</i>															
	<i>Parapenaeopsis hardwickii</i>															
	<i>Parapeneopsis hungerfordii</i>															
	<i>Parapeneopsis tenella</i>															
	<i>Penaeus merguensis</i>															
	<i>Penaeus penicillatus</i>															
	<i>Solenocera crassicornis</i>															
Crab	<i>Arcania undecimspinosa</i>															
	<i>Calappa philargius</i>															
	<i>Charybdis affinis</i>	1	20													
	<i>Charybdis annulata</i>															
	<i>Charybdis bimaculata</i>															
	<i>Charybdis brevispinosa</i>															
	<i>Charybdis cruciata</i>															
	<i>Charybdis japonica</i>	4	76								3	165				
	<i>Charybdis natator</i>															
	<i>Charybdis helerii</i>				1	240										
	<i>Charybdis truncata</i>															
	<i>Charybdis variegata</i>	1	8													
	<i>Charybdis spp.</i>	12	108		20	230	*	7	74		5	53		10	96	
	<i>Doclea sp.</i>	2	94.2		4	13.1		6	26.8		4	14.6		3	84	
	<i>Doclea sinensis</i>															
	<i>Dorippe dorsipes</i>	4	34.1		15	153.4		6	63.8		8	71.3		18	179.3	
	<i>Dorippe polita</i>	6	63.2					8	81.5		3	28.2				
	<i>Eucrate crenata</i>															
	<i>Eucrate solaris</i>															
	<i>Galene bispinosa</i>															
	Hermit crab				3	6.8										
	<i>Leucosia craniolaris</i>															
	<i>Parapanope euagora</i>	2	8.8		1	6.1		1	5.2							
	<i>Parthenope validus</i>	16	204		6	56		4	41.2		9	86.6		3	27.9	
	<i>Porcellanella picta</i>															
	<i>Portunus hastatoides</i>	4	20													
	<i>Portunus pelagicus</i>	1	370		1	320										
	<i>Portunus trituberculatus</i>															
	<i>Portunus spp.</i>															

Trawling Data in February 2019

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Typhlocarcinus sp.</i>															
Mantis shrimp	<i>Dictyosquilla foveolata</i>															
	<i>Harpisquilla harpax</i>															
	<i>Oratosquilla interrupta</i>															
	<i>Oratosquilla oratoria</i>	1	30													
	<i>Oratosquilla kempfi</i>															
Gastropod	<i>Bursa rana</i>															
	<i>Calyptraea sp.</i>	2	0.8		4	1.9		1	0.6		3	1.1		3	1.6	
	<i>Drupa musiva</i>	6	56.6		2	16.4		1	5.6		2	15.8				
	<i>Inquistor flavidula</i>															
	<i>Lophiotoma leucotropis</i>															
	<i>Murex trapa</i>							3	14.8							
	<i>Nassarius hepaticus</i>															
	<i>Nassarius succinctus</i>															
	<i>Philine sp.</i>															
	<i>Pilosabia pilosa</i>															
	<i>Siphopatella walshi</i>	4	2.8		2	2.3		5	3.6		20	9.6	*	1	0.6	
	<i>Turritella terebra</i>				7	72.2		2	21.6							
	UNID Nudibranch	1	3.8		1	4.2										
	UNID Nudibranch 2															
Bivalve	<i>Anomia chinensis</i>															
	<i>Chione isabellina</i>															
	<i>Chlamys spp.</i>	4	42		13	136		4	39.4		20	214	*	14	139.1	
	<i>Crossostrea sp.</i>				1	146		2	410		1	380				
	<i>Paphia undulata</i>															
	<i>Perna viridis</i>	1	14.8													
	<i>Pinctada martensii</i>	2	116		1	32.4		2	96.6		4	210		2	110	
	<i>Placuna placenta</i>															
	<i>Ruditapes philippinarum</i>	8	54		5	24		2	8.4		20	142	*	11	72	
	<i>Scapharca subcrenata</i>															
	<i>Tolonostrea talonata</i>	1	3.1		4	11.4		3	6.4		1	3.2				
	<i>Vepricardium asiaticum</i>															
Cephalopod	<i>Lolingid squid</i>															
	<i>Octopus</i>															
	<i>Sepiid cuttlefish</i>				1	590										
Echinoderm	<i>Acaudina molpadioides</i>	1	18.6		1	6.2										
	<i>Amphioplus sp.</i>															
	<i>Pseudocolochirus sp.</i>															
	<i>Styela plicata</i>	13	78.4		2	18.4		7	25.8		6	31		4	15.2	
	<i>Temnopleurus toreumaticus</i>	20	230	*	15	156		30	350	*	14	64.6		12	121	
Cnidaria	<i>Carcinactis ichikawai</i>	1	0.7					1	0.6							
	<i>Cavernularia habereri</i>							2	6.8		4	11.7				
	<i>Edwardsia japonica (c.f.)</i>															
	<i>Ellisella laevis</i>				1	14					2	61				
	Jelly fish															
	<i>Pteroeides chinense</i>	1	26.7		1	11.2										
	<i>Gorgonia spp.</i>	1	16					3	48.6		2	49.2		3	56.8	
	<i>Sea anomea</i>	2	11.6		1	8.1		3	21		2	14.2		2	16.2	
	<i>Virgularia gustaviana</i>				1	11.4		1	12.4							
Urochordata	Sea Squirts															
Cirripedia	<i>c.f. Bananus spp.</i>	60	112	*	60	120	*	50	63	*	70	116	*	60	110	*

Trawling Data in February 2019

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acanthopagrus schlegelii</i>															
	<i>Acentrogobius caninus</i>															
	<i>Apogon kiensis</i>															
	<i>Arius arius</i>															
	<i>Bothidae sp.</i>															
	<i>Butis koilomatodon</i>															
	<i>Callionymus curvicornis</i>															
	<i>Calliurichthys japonicus</i>															
	<i>Cryptocentrus filifer</i>															
	<i>Cynoglossus arel</i>				1	16										
	<i>Cynoglossus puncticeps</i>	1	11													
	<i>Cynoglossus roulei</i>							1	140							
	<i>Cynoglossus semilaevis</i>															
	<i>Dasyatis akajei</i>															
	<i>Dasyatis zugei</i>															
	<i>Drepane punctata</i>															
	<i>Dendrophysa russelii</i>															
	<i>Diplogrannus xenicus</i>															
	<i>Gerres abbreviatus</i>															
	<i>Glossogobius olivaceus</i>							2	20							
	<i>Grammoplites scaber</i>				1	37		1	30		2	60				
	<i>Gymnura japonica</i>															
	<i>Ilisha elongata</i>	1	30													
	<i>Inegocia japonicus</i>															
	<i>Inimicus japonicus</i>															
	<i>Johnius amblycephalus</i>	2	10		1	10		4	30		3	20				
	<i>Johnius belangerii</i>	3	90		6	140		7	140		7	140				
	<i>Konosirus punctatus</i>															
	<i>Lagocephalus sp.</i>															
	<i>Lateolabrax japonicus</i>													1	3	
	<i>Leiognathus nuchalis</i>															
	<i>Lisa macrolepis</i>															
	<i>Lutjanus dodecacanthoides</i>															
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>												1	5		
	<i>Oxyurichthys tentacularis</i>															
	<i>Parachaeturichthys polynema</i>	1	8													
	<i>Paralichthys lethostigma</i>															
	<i>Pennahia anea</i>															
	<i>Pisodonophis boro</i>															
	<i>Platycephalus indicus</i>															
	<i>Polydactylus sextarius</i>				1	10		3	60							
	<i>Pseudorhombus oligodon</i>															
	<i>Saurida elongata</i>															
	<i>Scatophagus argus</i>															
	<i>Sebastiscus marmoratus</i>															
	<i>Siganus fuscescens</i>															
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>	25	246		110	970		82	750		129	1090		110	840	
	<i>Takifugu niphobles</i>															
	<i>Takifugu ocellatus</i>															

Trawling Data in February 2019

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Takifugu oblongus</i>															
	<i>Takifugu poecilonotus</i>															
	<i>Takifugu xanthopterus</i>															
	<i>Thamnaconus modestus</i>															
	<i>Thryssa dussumieri</i>				1	9		2	23							
	<i>Trachycephalus uranoscopa</i>															
	<i>Trypauchen vagina</i>															
	<i>Zebrias zebra</i>	1	40		2	30										
Prawn or shrimp	<i>Alpheus brevicristatus</i>	1	5													
	<i>Exopalaemon carinicauda</i>	1	4													
	<i>Fenneropenaeus penicillatus</i>	7	36		17	80		17	99		6	41		6	40	
	<i>Metapenaeopsis barbata</i>	8	12		2	6		5	10							
	<i>Metapenaeus affinis</i>															
	<i>Metapenaeus ensis</i>	10	33		6	20		15	40							
	<i>Metapenaeus joyneri</i>	3	30		1	10		1	10							
	<i>Parapenaeopsis cultirostris</i>															
	<i>Parapenaeopsis hardwickii</i>	11	95		17	150		31	260		7	50		7	40	
	<i>Parapeneopsis hungerfordii</i>	7	50		6	40		9	70							
	<i>Parapeneopsis tenella</i>													3	10	
	<i>Penaeus merguensis</i>	3	140		9	395		5	160		4	120		2	60	
	<i>Penaeus penicillatus</i>															
	<i>Solenocera crassicornis</i>							2	10							
Crab	<i>Arcania undecimspinosa</i>															
	<i>Calappa philargius</i>															
	<i>Charybdis affinis</i>	2	40		6	140		18	330		11	190		7	100	
	<i>Charybdis annulata</i>															
	<i>Charybdis bimaculata</i>															
	<i>Charybdis brevispinosa</i>															
	<i>Charybdis cruciata</i>				1	80										
	<i>Charybdis japonica</i>							1	60							
	<i>Charybdis natator</i>															
	<i>Charybdis helerii</i>															
	<i>Charybdis truncata</i>															
	<i>Charybdis variegata</i>															
	<i>Charybdis spp.</i>	20	220	*	30	310	*	20	220	*	11	116		20	210	*
	<i>Doclea sp.</i>				20	160	*	6	58					5	42	
	<i>Doclea sinensis</i>							4	38.6		2	10.2				
	<i>Dorippe dorsipes</i>															
	<i>Dorippe polita</i>	20	210	*	5	42					3	18.4		5	40	
	<i>Eucrater crenata</i>															
	<i>Eucrater solaris</i>										1	4.8				
	<i>Galene bispinosa</i>							1	39.4							
	Hermit crab	20	160	*	10	42		30	180	*				5	14	
	<i>Leucosia craniolaris</i>							2	6.8							
	<i>Parapanope euagora</i>															
	<i>Parthenope validus</i>															
	<i>Porcellanella picta</i>	1	0.4		3	0.9					2	0.6				
	<i>Portunus hastatoides</i>															
	<i>Portunus pelagicus</i>															
	<i>Portunus trituberculatus</i>															
	<i>Portunus spp.</i>															

Trawling Data in February 2019

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Typhlocarcinus sp.</i>															
Mantis shrimp	<i>Dictyosquilla foveolata</i>															
	<i>Harpisquilla harpax</i>															
	<i>Oratosquilla interrupta</i>	2	30					5	90		1	30		1	10	
	<i>Oratosquilla oratoria</i>							2	10							
	<i>Oratosquilla kempii</i>															
Gastropod	<i>Bursa rana</i>															
	<i>Calyptrea sp.</i>							3	1.2							
	<i>Drupa musiva</i>	2	9.6													
	<i>Inquistor flavidula</i>							11	28							
	<i>Lophiotoma leucotropis</i>										1	4.8				
	<i>Murex trapa</i>				7	42		5	31					6	39	
	<i>Nassarius hepaticus</i>															
	<i>Nassarius succinctus</i>				5	11.2								9	19.3	
	<i>Philine sp.</i>															
	<i>Pilosabia pilosa</i>															
	<i>Siphopatella walshi</i>							20	9.2	*	7	2.8		1	0.4	
	<i>Turritella terebra</i>	30	280	*	30	290	*	40	380	*	30	280	*	50	420	*
	UNID Nudibranch	2	16.4													
	UNID Nudibranch 2													1	310	
Bivalve	<i>Anomia chinensis</i>															
	<i>Chione isabellina</i>															
	<i>Chlamys spp.</i>													1	8.6	
	<i>Crossostrea sp.</i>															
	<i>Paphia undulata</i>															
	<i>Perna viridis</i>															
	<i>Pinctada martensii</i>															
	<i>Placuna placenta</i>															
	<i>Ruditapes philippinarum</i>															
	<i>Scapharca subcrenata</i>															
	<i>Tolonostrea talonata</i>							2	6.3							
	<i>Vepricardium asiaticum</i>															
Cephalopod	<i>Lolingid squid</i>										1	30				
	<i>Octopus</i>															
	<i>Sepiid cuttlefish</i>															
Echinoderm	<i>Acaudina molpadioides</i>				2	37		6	170		7	190		3	46	
	<i>Amphioplus sp.</i>															
	<i>Pseudocolochirus sp.</i>															
	<i>Styela plicata</i>	3	11.8								1	6.8				
	<i>Temnopleurus toreumaticus</i>	30	420	*	20	310	*	30	410	*	20	308	*	30	420	*
Cnidaria	<i>Carcinactis ichikawai</i>	1	0.6													
	<i>Cavernularia habereri</i>	24	121		30	260	*	30	240	*	15	92		20	180	*
	<i>Edwardsia japonica (c.f.)</i>															
	<i>Ellisella laevis</i>										1	21				
	Jelly fish															
	<i>Pteroeides chinense</i>	8	380		3	58		7	140		2	48		4	102	
	<i>Gorgonia spp.</i>				1	44										
	<i>Sea anomea</i>	3	36					1	8.6		3	21		1	12	
	<i>Virgularia gustaviana</i>							1	11.4							
Urochordata	Sea Squirts				1	2.3										
Cirripedia	<i>c.f. Bananus spp.</i>	40	46	*	5	6.2								20	23	*

Trawling Data in February 2019

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acanthopagrus schlegelii</i>															
	<i>Acentrogobius caninus</i>															
	<i>Apogon kiensis</i>						1	10								
	<i>Arius arius</i>	1	140		1	150					2	490				
	<i>Bothidae sp.</i>	5	40		5	50					1	10		4	38	
	<i>Butis koilomatodon</i>				1	10										
	<i>Callionymus curvicornis</i>															
	<i>Calliurichthys japonicus</i>															
	<i>Cryptocentrus filifer</i>															
	<i>Cynoglossus arel</i>	3	50		4	40		1	20					3	40	
	<i>Cynoglossus puncticeps</i>															
	<i>Cynoglossus roulei</i>	1	880								1	1080				
	<i>Cynoglossus semilaevis</i>															
	<i>Dasyatis akajei</i>															
	<i>Dasyatis zugei</i>	8	1310		4	610					2	620		4	870	
	<i>Drepane punctata</i>													1	240	
	<i>Dendrophysa russelii</i>	9	180		4	80					4	50		2	30	
	<i>Diplogrannus xenicus</i>															
	<i>Gerres abbreviatus</i>															
	<i>Glossogobius olivaceus</i>															
	<i>Grammoplites scaber</i>				1	6		1	10					2	70	
	<i>Gymnura japonica</i>										2	1390		1	1510	
	<i>Ilisha elongata</i>	1	15		1	20		1	10							
	<i>Inegocia japonicus</i>															
	<i>Inimicus japonicus</i>	3	620								1	150				
	<i>Johnius amblycephalus</i>							3	70		2	10				
	<i>Johnius belangerii</i>							2	20		4	40		3	70	
	<i>Konosirus punctatus</i>	1	50								3	340		2	150	
	<i>Lagocephalus sp.</i>															
	<i>Lateolabrax japonicus</i>										1	5				
	<i>Leiognathus nuchalis</i>	5	50		21	210		20	260		2	21		4	50	
	<i>Lisa macrolepis</i>										2	100		1	40	
	<i>Lutjanus dodecacanthoides</i>															
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>															
	<i>Oxyurichthys tentacularis</i>	1	5													
	<i>Parachaeturichthys polynema</i>	1	10													
	<i>Paralichthys lethostigma</i>															
	<i>Pennahia anea</i>															
	<i>Pisodonophis boro</i>				1	460										
	<i>Platycephalus indicus</i>	4	110		9	410		2	100		5	160		4	280	
	<i>Polydactylus sextarius</i>	3	60		2	40		1	30					1	22	
	<i>Pseudorhombus oligodon</i>															
	<i>Saurida elongata</i>				1	10		2	10							
	<i>Scatophagus argus</i>															
	<i>Sebastiscus marmoratus</i>															
	<i>Siganus fuscescens</i>															
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>	35	340		32	390		51	490		41	380		64	570	
	<i>Takifugu niphobles</i>															
	<i>Takifugu ocellatus</i>				2	90										

Trawling Data in February 2019

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Takifugu oblongus</i>															
	<i>Takifugu poecilonotus</i>													1	20	
	<i>Takifugu xanthopterus</i>															
	<i>Thamnaconus modestus</i>															
	<i>Thryssa dussumieri</i>	1	50					1	9							
	<i>Trachycephalus uranoscopa</i>												1	10		
	<i>Trypauchen vagina</i>	16	90		7	70		2	20		2	10		2	10	
	<i>Zebrias zebra</i>															
Prawn or shrimp	<i>Alpheus brevicristatus</i>															
	<i>Exopalaemon carinicauda</i>															
	<i>Fenneropenaeus penicillatus</i>															
	<i>Metapenaeopsis barbata</i>															
	<i>Metapenaeus affinis</i>	1	7		1	7							1	7		
	<i>Metapenaeus ensis</i>															
	<i>Metapenaeus joyneri</i>				1	10		1	10		6	50		3	30	
	<i>Parapenaeopsis cultirostris</i>	2	10													
	<i>Parapenaeopsis hardwickii</i>	1	6		1	7		2	20		3	30				
	<i>Parapeneopsis hungerfordii</i>				3	20		2	18		1	8				
	<i>Parapeneopsis tenella</i>															
	<i>Penaeus merguensis</i>	5	270		1	70		1	70		2	90		4	230	
	<i>Penaeus penicillatus</i>															
	<i>Solenocera crassicornis</i>															
Crab	<i>Arcania undecimspinosa</i>															
	<i>Calappa philargius</i>															
	<i>Charybdis affinis</i>	3	70		1	10		5	150		1	20		4	90	
	<i>Charybdis annulata</i>															
	<i>Charybdis bimaculata</i>															
	<i>Charybdis brevispinosa</i>															
	<i>Charybdis cruciata</i>	1	10													
	<i>Charybdis japonica</i>										1	20		1	120	
	<i>Charybdis natator</i>															
	<i>Charybdis helerii</i>	1	220													
	<i>Charybdis truncata</i>															
	<i>Charybdis variegata</i>							1	3							
	<i>Charybdis spp.</i>	20	210	*	20	210	*	30	320	*	20	208	*	30	320	
	<i>Doclea sp.</i>										2	11.3				
	<i>Doclea sinensis</i>	2	11.6								4	18.6		6	48	
	<i>Dorippe dorsipes</i>															
	<i>Dorippe polita</i>	20	220	*	40	470	*	8	69.4		30	340	*	6	53.2	
	<i>Eucrete crenata</i>															
	<i>Eucrete solaris</i>															
	<i>Galene bispinosa</i>															
	Hermit crab							20	150	*	7	22.4				
	<i>Leucosia craniolaris</i>										3	12.4		1	4.4	
	<i>Parapanope euagora</i>															
	<i>Parthenope validus</i>	2	24.2													
	<i>Porcellanella picta</i>	2	0.8					1	0.3		4	1.2		1	0.3	
	<i>Portunus hastatooides</i>	3	10		1	3		2	9		1	8		1	6	
	<i>Portunus pelagicus</i>				1	320										
	<i>Portunus trituberculatus</i>															
	<i>Portunus spp.</i>															

Trawling Data in February 2019

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Typhlocarcinus sp.</i>															
Mantis shrimp	<i>Dictyosquilla foveolata</i>															
	<i>Harpisquilla harpax</i>															
	<i>Oratosquilla interrupta</i>	1	30		2	30		2	60		2	30		1	10	
	<i>Oratosquilla oratoria</i>										2	30				
Gastropod	<i>Oratosquilla kempii</i>				1	14										
	<i>Bursa rana</i>															
	<i>Calyptrea sp.</i>	4	2.1		1	0.4							2	0.6		
	<i>Drupa musiva</i>															
	<i>Inquistor flavidula</i>	6	11.4													
	<i>Lophiotoma leucotropis</i>															
	<i>Murex trapa</i>	20	160	*	11	88					9	84		20	160	*
	<i>Nassarius hepaticus</i>															
	<i>Nassarius succinctus</i>				7	14.4		20	46	*				3	6.2	
	<i>Philine sp.</i>															
	Bivalve	<i>Pilosabia pilosa</i>														
<i>Siphopatella walshi</i>		5	2.1				3	1.2								
<i>Turritella terebra</i>		180	1770	*	400	3820	*	640	6370	*	300	2960	*	150	1470	*
<i>UNID Nudibranch</i>					1	6.3										
<i>UNID Nudibranch 2</i>																
<i>Anomia chinensis</i>																
<i>Chione isabellina</i>																
<i>Chlamys spp.</i>					2	16.2										
<i>Crossostrea sp.</i>																
<i>Paphia undulata</i>																
Cephalopod	<i>Perna viridis</i>															
	<i>Pinctada martensii</i>															
	<i>Placuna placenta</i>															
	<i>Ruditapes philippinarum</i>															
	<i>Scapharca subcrenata</i>										2	87.4				
	<i>Tolonostrea talonata</i>				1	2.6										
	<i>Vepricardium asiaticum</i>															
	<i>Lolingid squid</i>															
	<i>Octopus</i>													1	45	
	<i>Sepiid cuttlefish</i>										2	710				
Echinoderm	<i>Acaudina molpadioides</i>	30	1120	*	20	470	*	5	76		9	180		20	430	*
	<i>Amphiplus sp.</i>	2	4.2		1	2.3		1	2.4							
	<i>Pseudocolochirus sp.</i>				1	310										
	<i>Styela plicata</i>				4	18		3	28							
	<i>Temnopleurus toreumaticus</i>	20	310	*	20	310	*	18	210		20	310	*	10	130	
Cnidaria	<i>Carcinactis ichikawai</i>	4	2.1		7	4.8					6	3.4				
	<i>Cavernularia habereri</i>	40	290	*	30	160	*	27	136		20	88	*	20	80	*
	<i>Edwardsia japonica (c.f.)</i>															
	<i>Ellisella laevis</i>															
	Jelly fish															
	<i>Pteroeides chinense</i>	7	180		20	860	*	3	74		11	210		5	120	
	<i>Gorgonia spp.</i>				1	26										
Urochordata	<i>Sea anomea</i>	3	21		20	280		2	31		5	59		20	260	*
	<i>Virgularia gustaviana</i>															
	Sea Squirts															
Cirripedia	<i>c.f. Bananus spp.</i>	7	6.6		20	20	*				20	22	*	20	22	*

Trawling Data in February 2019

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acanthopagrus schlegelii</i>	2	1230													
	<i>Acentrogobius caninus</i>	1	20					2	30		3	60		1	20	
	<i>Apogon kiensis</i>	4	20		15	90		1	10		2	10		1	10	
	<i>Arius arius</i>	2	680		1	210		3	500					1	150	
	<i>Bothidae sp.</i>	13	120		19	170		18	170		12	110		11	100	
	<i>Butis koilomatodon</i>															
	<i>Callionymus curvicornis</i>															
	<i>Calliurichthys japonicus</i>															
	<i>Cryptocentrus filifer</i>															
	<i>Cynoglossus arel</i>	5	110		9	240		16	480		2	50		5	180	
	<i>Cynoglossus puncticeps</i>															
	<i>Cynoglossus roulei</i>															
	<i>Cynoglossus semilaevis</i>							1	30							
	<i>Dasyatis akajei</i>										1	2300				
	<i>Dasyatis zugei</i>	2	680		4	1430		3	540		2	270		1	80	
	<i>Drepane punctata</i>															
	<i>Dendrophysa russelii</i>	12	190		7	110		4	60		3	40		3	60	
	<i>Diplogrannus xenicus</i>															
	<i>Gerres abbreviatus</i>	3	70		3	80		1	30		1	30		4	90	
	<i>Glossogobius olivaceus</i>															
	<i>Grammolites scaber</i>										1	20				
	<i>Gymnura japonica</i>	2	3720		2	4140										
	<i>Ilisha elongata</i>													2	60	
	<i>Inegocia japonicus</i>	13	500		25	1140		13	550		7	390		9	390	
	<i>Inimicus japonicus</i>															
	<i>Johnius amblycephalus</i>															
	<i>Johnius belangerii</i>													2	100	
	<i>Konosirus punctatus</i>							1	40		3	170		6	350	
	<i>Lagocephalus sp.</i>															
	<i>Lateolabrax japonicus</i>															
	<i>Leiognathus nuchalis</i>	19	250		28	370		17	260		9	170		16	220	
	<i>Lisa macrolepis</i>	10	480		12	570		1	50		7	350		26	1320	
	<i>Lutjanus dodecacanthoides</i>															
	<i>Muraenesox cinereus</i>	1	80													
	<i>Nemipterus japonicus</i>													1	30	
	<i>Oxyurichthys tentacularis</i>	6	30		6	30		6	30		2	10		2	10	
	<i>Parachaeturichthys polynema</i>															
	<i>Paralichthys lethostigma</i>	2	140		3	230		3	240		1	170				
	<i>Pennahia anea</i>															
	<i>Pisodonophis boro</i>															
	<i>Platycephalus indicus</i>	7	190		20	720		10	760		2	90		5	240	
	<i>Polydactylus sextarius</i>							1	10							
	<i>Pseudorhombus oligodon</i>															
	<i>Saurida elongata</i>															
	<i>Scatophagus argus</i>				1	470					1	200				
	<i>Sebastiscus marmoratus</i>															
	<i>Siganus fuscescens</i>															
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>													1	10	
	<i>Takifugu niphobles</i>															
	<i>Takifugu ocellatus</i>	1	20		1	20		1	20		1	20				

Trawling Data in February 2019

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Takifugu oblongus</i>															
	<i>Takifugu poecilonotus</i>															
	<i>Takifugu xanthopterus</i>				1	440					3	930				
	<i>Thamnaconus modestus</i>															
	<i>Thryssa dussumieri</i>															
	<i>Trachycephalus uranoscopa</i>	7	130		6	80		4	50		7	70		9	130	
	<i>Trypauchen vagina</i>	2	20		7	60		5	50					4	40	
	<i>Zebrias zebra</i>															
Prawn or shrimp	<i>Alpheus brevicristatus</i>							1	10							
	<i>Exopalaemon carinicauda</i>															
	<i>Fenneropenaeus penicillatus</i>															
	<i>Metapenaeopsis barbata</i>															
	<i>Metapenaeus affinis</i>	24	470		14	230		6	120		2	30		2	40	
	<i>Metapenaeus ensis</i>															
	<i>Metapenaeus joyneri</i>				2	20		1	10		4	40		3	30	
	<i>Parapenaeopsis cultirostris</i>															
	<i>Parapenaeopsis hardwickii</i>															
	<i>Parapenaeopsis hungerfordii</i>	4	30		4	20		3	30					2	20	
	<i>Parapenaeopsis tenella</i>															
	<i>Penaeus merguensis</i>	21	1150		28	1720		15	800		10	640		17	860	
	<i>Penaeus penicillatus</i>															
	<i>Solenocera crassicornis</i>	3	10		2	10		2	10		2	10				
Crab	<i>Arcania undecimspinosa</i>															
	<i>Calappa philargius</i>															
	<i>Charybdis affinis</i>	12	300		8	200		21	440		10	260		8	220	
	<i>Charybdis annulata</i>															
	<i>Charybdis bimaculata</i>															
	<i>Charybdis brevispinosa</i>										9	30		19	60	
	<i>Charybdis cruciata</i>	1	130		12	910		6	370		9	880		6	230	
	<i>Charybdis japonica</i>															
	<i>Charybdis natator</i>															
	<i>Charybdis helerii</i>															
	<i>Charybdis truncata</i>				1	10		4	30					1	10	
	<i>Charybdis variegata</i>															
	<i>Charybdis spp.</i>										30	320	*	20	210	
	<i>Doclea sp.</i>							2	21.4		1	8.8		5	63.8	
	<i>Doclea sinensis</i>															
	<i>Dorippe dorsipes</i>													4	46.6	
	<i>Dorippe polita</i>	7	66.4		20	240	*	8	78.2		30	360	*	20	240	
	<i>Eucrate crenata</i>							1	10		1	8.1				
	<i>Eucrate solaris</i>							1	5.1					2	7.9	
	<i>Galene bispinosa</i>				3	120					3	156		2	110	
	Hermit crab										30	116	*	11	32	
	<i>Leucosia craniolaris</i>				2	8.2		7	29		1	4.1		5	21	
	<i>Parapanope euagora</i>															
	<i>Parthenope validus</i>	3	41.6					5	78		20	220	*	20	230	
	<i>Porcellanella picta</i>	4	1.8		2	0.7		3	0.9		1	0.3		3	1.1	
	<i>Portunus hastatoides</i>	19	70		25	80		23	90							
	<i>Portunus pelagicus</i>				1	220										
	<i>Portunus trituberculatus</i>	1	710					1	240							
	<i>Portunus spp.</i>															

Trawling Data in February 2019

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Typhlocarcinus sp.</i>				1	3.2		3	11.4							
Mantis shrimp	<i>Dictyosquilla foveolata</i>							1	10							
	<i>Harpiosquilla harpax</i>	4	130					6	240		5	200		10	340	
	<i>Oratosquilla interrupta</i>	5	80		4	80		3	60		2	20		2	30	
	<i>Oratosquilla oratoria</i>	5	120		5	130		9	200		4	80		4	80	
	<i>Oratosquilla kempii</i>															
Gastropod	<i>Bursa rana</i>										1	9.3				
	<i>Calyptreaea sp.</i>															
	<i>Drupa musiva</i>															
	<i>Inquistor flavidula</i>															
	<i>Lophiotoma leucotropis</i>	3	11.4					1	6.7							
	<i>Murex trapa</i>	20	160	*	11	92		20	160	*	20	150	*	30	190	*
	<i>Nassarius hepaticus</i>													3	6.2	
	<i>Nassarius succinctus</i>				7	16		20	52	*						
	<i>Philine sp.</i>													1	5.4	
	<i>Pilosabia pilosa</i>															
	<i>Siphopatella walshi</i>	5	3.1													
	<i>Turritella terebra</i>	50	520	*	50	510	*	40	408	*	30	290	*	40	410	*
	UNID Nudibranch										1	16.3		1	14.8	
	UNID Nudibranch 2															
Bivalve	<i>Anomia chinensis</i>				3	16.4										
	<i>Chione isabellina</i>				5	23								5	38	
	<i>Chlamys spp.</i>	30	190	*	20	170	*	7	38					5	32	
	<i>Crossostrea sp.</i>															
	<i>Paphia undulata</i>										20	150	*			
	<i>Perna viridis</i>													6	48	
	<i>Pinctada martensii</i>							1	31							
	<i>Placuna placenta</i>															
	<i>Ruditapes philippinarum</i>	3	12.4													
	<i>Scapharca subcrenata</i>	6	380		20	1160	*	5	280		2	92		8	430	
	<i>Tolonostrea talonata</i>				2	6.3					5	21.6				
	<i>Vepricardium asiaticum</i>															
Cephalopod	<i>Lolingid squid</i>															
	<i>Octopus</i>															
	<i>Sepiid cuttlefish</i>	1	190		2	70		3	90		1	30		5	170	
Echinoderm	<i>Acaudina molpadioides</i>	5	156		5	168		4	160		1	14.9		2	46	
	<i>Amphioplus sp.</i>															
	<i>Pseudocolochirus sp.</i>															
	<i>Styela plicata</i>							3	11		1	8.2				
	<i>Temnopleurus toreumaticus</i>	6	64.6		14	207		5	59.4		20	230	*	2	24	
Cnidaria	<i>Carcinactis ichikawai</i>	1	0.8					2	1.1		4	2.8		2	1.1	
	<i>Cavernularia habereri</i>	6	32					3	16		4	33		20	160	*
	<i>Edwardsia japonica (c.f.)</i>													1	3.6	
	<i>Ellisella laevis</i>															
	Jelly fish							1	66							
	<i>Pteroeides chinense</i>	40	1860	*	30	860	*	9	290		8	360		20	930	*
	<i>Gorgonia spp.</i>	2	42.3					1	18.4		2	36				
	<i>Sea anomea</i>	1	11.2		3	29.8								5	26	
	<i>Virgularia gustaviana</i>	2	18.6		2	21.6		1	7.6							
Urochordata	Sea Squirts															
Cirripedia	<i>c.f. Bananus spp.</i>				30	48	*	50	86	*						

Trawling Data in February 2019

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acanthopagrus schlegelii</i>															
	<i>Acentrogobius caninus</i>	3	28		1	20		2	30		4	38				
	<i>Apogon kiensis</i>										1	5				
	<i>Arius arius</i>	7	510		6	200		1	110		6	1370		3	240	
	<i>Bothidae sp.</i>	4	10		1	7		3	30		12	100		3	27	
	<i>Butis koilomatodon</i>															
	<i>Callionymus curvicornis</i>													1	10	
	<i>Calliurichthys japonicus</i>															
	<i>Cryptocentrus filifer</i>	1	3		1	3		2	9		1	3				
	<i>Cynoglossus arel</i>	3	80		3	150								1	40	
	<i>Cynoglossus puncticeps</i>															
	<i>Cynoglossus roulei</i>															
	<i>Cynoglossus semilaevis</i>															
	<i>Dasyatis akajei</i>	1	2310											1	2600	
	<i>Dasyatis zugei</i>	2	73		3	82		1	140		3	750		1	470	
	<i>Drepane punctata</i>															
	<i>Dendrophysa russelii</i>	1	20					1	30		2	50				
	<i>Diplogrannus xenicus</i>															
	<i>Gerres abbreviatus</i>	2	40		2	60					2	50				
	<i>Glossogobius olivaceus</i>															
	<i>Grammoplites scaber</i>	1	38								1	16		1	32	
	<i>Gymnura japonica</i>	1	315													
	<i>Ilisha elongata</i>													1	30	
	<i>Inegocia japonicus</i>															
	<i>Inimicus japonicus</i>	1	3											2	330	
	<i>Johnius amblycephalus</i>															
	<i>Johnius belangerii</i>				1	50		2	60		1	50		2	80	
	<i>Konosirus punctatus</i>	3	131		3	160		4	230		2	90		4	250	
	<i>Lagocephalus sp.</i>															
	<i>Lateolabrax japonicus</i>															
	<i>Leiognathus nuchalis</i>	14	160		11	60		22	250		23	330		8	110	
	<i>Lisa macrolepis</i>	16	780		24	1100		10	510		5	235		7	290	
	<i>Lutjanus dodecacanthoides</i>															
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>	1	30		1	33		2	570		1	250				
	<i>Oxyurichthys tentacularis</i>															
	<i>Parachaeturichthys polynema</i>													1	10	
	<i>Paralichthys lethostigma</i>	1	18								1	50				
	<i>Pennahia anea</i>															
	<i>Pisodonophis boro</i>															
	<i>Platycephalus indicus</i>	5	60		1	19		1	50		1	40				
	<i>Polydactylus sextarius</i>				1	30		1	24					1	30	
	<i>Pseudorhombus oligodon</i>															
	<i>Saurida elongata</i>				6	55										
	<i>Scatophagus argus</i>															
	<i>Sebastiscus marmoratus</i>															
	<i>Siganus fuscescens</i>															
	<i>Sillago sihama</i>													1	60	
	<i>Solea ovata</i>	6	12		5	20		7	80		15	170		8	90	
	<i>Takifugu niphobles</i>															
	<i>Takifugu ocellatus</i>										4	80				

Trawling Data in February 2019

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Takifugu oblongus</i>															
	<i>Takifugu poecilonotus</i>															
	<i>Takifugu xanthopterus</i>										1	360				
	<i>Thamnaconus modestus</i>															
	<i>Thryssa dussumieri</i>															
	<i>Trachycephalus uranoscopa</i>													2	30	
	<i>Trypauchen vagina</i>	1	8					1	10							
	<i>Zebrias zebra</i>															
Prawn or shrimp	<i>Alpheus brevicristatus</i>				1	4										
	<i>Exopalaemon carinicauda</i>															
	<i>Fenneropenaeus penicillatus</i>															
	<i>Metapenaeopsis barbata</i>															
	<i>Metapenaeus affinis</i>										1	10				
	<i>Metapenaeus ensis</i>				1	10										
	<i>Metapenaeus joyneri</i>	4	31		1	8		2	10		2	22		1	10	
	<i>Parapenaeopsis cultirostris</i>															
	<i>Parapenaeopsis hardwickii</i>															
	<i>Parapenaeopsis hungerfordii</i>	2	9								2	10				
	<i>Parapenaeopsis tenella</i>															
	<i>Penaeus merguensis</i>	7	302		7	370		2	120		12	640		2	130	
	<i>Penaeus penicillatus</i>										2	10				
	<i>Solenocera crassicornis</i>															
Crab	<i>Arcania undecimspinosa</i>															
	<i>Calappa philargius</i>															
	<i>Charybdis affinis</i>	10	120		8	110		8	160		15	300		1	20	
	<i>Charybdis annulata</i>							1	10							
	<i>Charybdis bimaculata</i>															
	<i>Charybdis brevispinosa</i>															
	<i>Charybdis cruciata</i>	7	120		1	13		3	280		5	60				
	<i>Charybdis japonica</i>	1	10													
	<i>Charybdis natator</i>										1	20				
	<i>Charybdis helerii</i>															
	<i>Charybdis truncata</i>															
	<i>Charybdis variegata</i>															
	<i>Charybdis spp.</i>															
	<i>Doclea sp.</i>	4	13.6		1	3.1										
	<i>Doclea sinensis</i>															
	<i>Dorippe dorsipes</i>	2	19.4											5	44.7	
	<i>Dorippe polita</i>	20	240	*	3	28.6		20	240	*	20	250	*	20	260	*
	<i>Eucrate crenata</i>															
	<i>Eucrate solaris</i>				1	5.2		3	14.6							
	<i>Galene bispinosa</i>	5	380								2	112				
	Hermit crab	10	42								3	10.4				
	<i>Leucosia craniolaris</i>	5	20		3	11		1	3.6		3	12		5	22	
	<i>Parapanope euagora</i>															
	<i>Parthenope validus</i>	12	150		20	260	*	20	260	*	20	280	*	12	110	
	<i>Porcellanella picta</i>				3	1.1		3	1.1		2	0.6		5	2.2	
	<i>Portunus hastatoides</i>	5	10		2	9					1	4		1	10	
	<i>Portunus pelagicus</i>															
	<i>Portunus trituberculatus</i>															
	<i>Portunus spp.</i>										15	50				

Trawling Data in February 2019

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Typhlocarcinus sp.</i>	3	11.2		1	3.4									1	2.9
Mantis shrimp	<i>Dictyosquilla foveolata</i>															
	<i>Harpiosquilla harpax</i>	1	22		6	199		4	180		2	50		3	120	
	<i>Oratosquilla interrupta</i>	3	20		3	10		3	50		1	8		2	30	
	<i>Oratosquilla oratoria</i>	1	10								1	30		3	60	
	<i>Oratosquilla kempii</i>															
Gastropod	<i>Bursa rana</i>															
	<i>Calyptrea sp.</i>										2	0/8		5	2.1	
	<i>Drupa musiva</i>															
	<i>Inquistor flavidula</i>							6	13.2							
	<i>Lophiotoma leucotropis</i>							1	6.4					2	13	
	<i>Murex trapa</i>	18	166		36	460	*	20	160	*	20	160	*	12	104	
	<i>Nassarius hepaticus</i>										4	8.6				
	<i>Nassarius succinctus</i>															
	<i>Philine sp.</i>				5	59										
	<i>Pilosabia pilosa</i>										1	2.1				
	<i>Siphopatella walshi</i>										3	0.8				
	<i>Turritella terebra</i>	30	310	*	40	410	*	60	580	*	50	490	*	50	480	*
	UNID Nudibranch				1	6.3		1	4.1							
	UNID Nudibranch 2															
Bivalve	<i>Anomia chinensis</i>															
	<i>Chione isabellina</i>				30	190	*									
	<i>Chlamys spp.</i>	3	13		20	140	*				3	14		2	28.6	
	<i>Crossostrea sp.</i>															
	<i>Paphia undulata</i>															
	<i>Perna viridis</i>										12	520				
	<i>Pinctada martensii</i>										1	48		2	98.2	
	<i>Placuna placenta</i>				1	22										
	<i>Ruditapes philippinarum</i>															
	<i>Scapharca subcrenata</i>	2	88		20	1120	*	5	420		1	46				
	<i>Tolonostrea talonata</i>							5	18.4							
	<i>Vepricardium asiaticum</i>	1	6.4													
Cephalopod	<i>Lolingid squid</i>													1	10	
	<i>Octopus</i>															
	<i>Sepiid cuttlefish</i>				1	250		1	12							
Echinoderm	<i>Acaudina molpadioides</i>	5	230		1	19.8		5	210		3	137		7	310	
	<i>Amphioplus sp.</i>															
	<i>Pseudocolochirus sp.</i>															
	<i>Styela plicata</i>							1	4.1		1	6.2				
	<i>Temnopleurus toreumaticus</i>	20	260	*	7	92.3		11	178		9	120		7	86	
Cnidaria	<i>Carcinactis ichikawai</i>	3	1.7		4	2.2		7	4.6		4	2.6		1	0.6	
	<i>Cavernularia habereri</i>	20	150	*	5	28		6	31		1	3.2		5	40	
	<i>Edwardsia japonica (c.f.)</i>							1	4.2					1	6.8	
	<i>Ellisella laevis</i>															
	Jelly fish															
	<i>Pteroeides chinense</i>	11	320		20	610	*	20	610	*	11	420		10	470	
	<i>Gorgonia spp.</i>	1	21.8					1	18		2	54				
	<i>Sea anomea</i>				2	18.4		1	8.4		3	22				
	<i>Virgularia gustaviana</i>							1	11.2		2	31				
Urochordata	Sea Squirts															
Cirripedia	<i>c.f. Bananus spp.</i>							40	50	*	50	60	*			