

Trawling Data in August 2024

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Arnoglossus waitei</i>															
	<i>Acanthopagrus schlegeli</i>										1	560.0				
	<i>Acentrogobius caninus</i>															
	<i>Anchoviella commersonii</i>															
	<i>Apogon kiensis</i>	2	33.0				2	16.0			3	35.0		3	33.0	
	<i>Apogon lineatus</i>															
	<i>Arius arius</i>				1	27.0					2	190.0		1	20.0	
	<i>Callionymus sp.</i>	1	16.0				1	4.0						1	11.0	
	<i>Chrysochir aureus</i>															
	<i>Collichthys lucida</i>															
	<i>Cryptocentrus filifer</i>															
	<i>Cynoglossus arel</i>										1	4.0				
	<i>Cynoglossus puncticeps</i>				1	16.0										
	<i>Dasyatis akajei</i>						2	240.0								
	<i>Dasyatis zugei</i>															
	<i>Dendrophysa russelli</i>															
	<i>Drepane punctata</i>	1	340.0				1	190.0			1	230.0		1	780.0	
	<i>Epinephelus awoara</i>															
	<i>Gerres filamentosus</i>															
	<i>Grammolites scaber</i>	1	10.0				4	21.0						1	32.0	
	<i>Gymnura japonica</i>															
	<i>Ilisha elongata</i>															
	<i>Inegocia japonicus</i>										4	22.0		1	28.0	
	<i>Inimicus japonicus</i>										1	190.0		1	105.0	
	<i>Johnius belangerii</i>	1	20.0		1	12.0					3	50.0		3	30.0	
	<i>Konosirus punctatus</i>															
	<i>Lagocephalus wheeleri</i>															
	<i>Leiognathus brevisrostris</i>	2	90.0													
	<i>Liza macrolepis</i>															
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>										1	106.0				
	<i>Parachaeturichthys polynema</i>															
	<i>Pennahia anea</i>															
	<i>Platycephalus indicus</i>	1	12.0		3	72.0		3	110.0							
	<i>Plectorhynchus pictus</i>				1	230.0										
	<i>Plotosus lineatus</i>	1	18.0													
	<i>Polydactylus sextarius</i>															
	<i>Pseudorhombus arsius</i>				3	130.0		2	50.0		1	25.0		2	63.0	
	<i>Sebastiscus marmoratus</i>	2	42.0								3	82.0		4	52.0	
	<i>Scatophagus argus</i>															
	<i>Siganus fuscescens</i>	1	25.0		1	33.0										
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>	1	2.0													
	<i>Scatophagus argus</i>															
	<i>Stephanolepis cirrifer</i>	3	110.0		2	52.0		4	405.0		3	480.0		6	520.0	

Trawling Data in August 2024

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Takifugu bimaculatus</i>															
	<i>Takifugu poecilonotus</i>															
	<i>Terapon jarbua</i>	3	54.0				1	40.0								
	<i>Thryssa dussumieri</i>															
	<i>Thryssa hamiltonii</i>															
	<i>Thryssa kammalensis</i>									1	9.0					
	<i>Trachicephalus uranoscopus</i>															
	<i>Trypauchen vagina</i>															
	<i>Tridentiger sp.</i>									1	8.0					
Prawn or shrimp	<i>Alpheus distinguendus</i>	1	3.0				1	2.0								
	<i>Alpheus brevicristatus</i>															
	<i>Metapenaeopsis barbata</i>						1	1.0								
	<i>Metapenaeus affinis</i>															
	<i>Metapenaeus ensis</i>															
	<i>Metapenaeus joyneri</i>															
	<i>Parapeneopsis hardwickii</i>															
	<i>Parapeneopsis hungerfordii</i>															
	<i>Parapeneopsis tenella</i>															
	<i>Penaeus japonicus</i>															
	<i>Penaeus latisulcatus</i>															
	<i>Penaeus merguensis</i>															
	<i>Solenocera crassicornis</i>															
Crab	<i>Carcinoscorpius rotundicauda</i>															
	<i>Charybdis affinis</i>				1	13.0							2	40.0		
	<i>Charybdis bimaculata</i>															
	<i>Charybdis cruciata</i>															
	<i>Charybdis hellerii</i>												2	11.0		
	<i>Charybdis japonica</i>															
	<i>Charybdis truncata</i>															
	<i>Charybdis variegata</i>															
	<i>Charybdis spp.</i>															
	<i>Doclea spp.</i>	1	42.0				1	88.0								
	<i>Dorippe dorsipes</i>	3	96.0				2	92.0								
	<i>Dorippe granulata</i>															
	<i>Eucrate crenata</i>															
	<i>Eucrate solaris</i>															
	<i>Galene bispinosa</i>															
	Hermit crab									5	18.0		3	11.0		
	<i>Leucosia craniolaris</i>															
	<i>Maorophthalmus japonicus</i>	1	4.8										1	4.6		
	<i>Macromedaeus distinguendus</i>	1	6.2													
	<i>Parthenope validus</i>				2	31.0		3	38.0							
	<i>Porcellanella picta</i>															
	<i>Portunus pelagicus</i>	1	130.0										1	120.0		
	<i>Portunus sanguinolentus</i>															
	<i>Portunus trituberculatus</i>															
	<i>Portunus hastatoides</i>															
	<i>Scylla serrata</i>															
	<i>Typhlocarcinus sp.</i>															
	<i>Varuna litterata</i>	2	8.2													

Trawling Data in August 2024

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Mantis shrimp	<i>Dictyosquilla foveolata</i>															
	<i>Harpisquilla harpax</i>															
	<i>Oratosquilla oratoria</i>															
	<i>Oratosquilla interrupta</i>															
	<i>Oratosquilla kempfi</i>															
Gastropod	<i>Murex trapa</i>															
	<i>Calyptraea sp.</i>															
	<i>Inquistor flavidula</i>															
	<i>Lophiotoma leucotropis</i>															
	<i>Nassarius succinctus</i>															
	<i>Turritella terebra</i>															
Bivalve	<i>Arcuatula senhousia</i>															
	<i>Perna viridis</i>										1	31.0				
	<i>Pinctada martensii</i>															
	<i>Ruditapes philippinarum</i>															
	<i>Vepricardium asiaticum</i>															
Cephalopod	<i>Lolingid squid</i>															
	<i>Octopus</i>															
Echinoderm	<i>Acaudina molpadioides</i>															
	<i>Colochirus quadrangularis</i>				1	56.0					1	46.0		1	32.0	
	<i>Luidia maculata</i>															
	<i>Ophiocnemis sp.</i>															
	<i>Siyela plicata</i>	1	3.6		2	8.4										
	<i>Tennopleurus toreumaticus</i>	34	330.0		20	190.0		16	150.0		20	190.0		24	230.0	
Cnidaria	<i>Cavernularia habereri</i>															
	<i>Carcinactis ichikawai</i>															
	<i>Ellisella laevis</i>							1	7.0		1	4.8		2	12.0	
	<i>Pteroeides chinense</i>															
	Sea anomea															
	<i>Virgularia gustaviana</i>															
Cirripedia	<i>c.f. Balanus spp.</i>	6	14.0		10	20.0		20	36.0		5	10.0		6	13.0	

Trawling Data in August 2024

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Arnoglossus waitei</i>															
	<i>Acanthopagrus schlegeli</i>															
	<i>Acentrogobius caninus</i>															
	<i>Anchoviella commersonii</i>															
	<i>Apogon kiensis</i>				2	8.0		1	4.0							
	<i>Apogon lineatus</i>															
	<i>Arius arius</i>	1	50.0											1	40.0	
	<i>Callionymus sp.</i>															
	<i>Chrysochir aureus</i>															
	<i>Collichthys lucida</i>															
	<i>Cryptocentrus filifer</i>															
	<i>Cynoglossus arel</i>															
	<i>Cynoglossus puncticeps</i>				1	17.0										
	<i>Dasyatis akajei</i>															
	<i>Dasyatis zugei</i>															
	<i>Dendrophysa russelli</i>															
	<i>Drepane punctata</i>															
	<i>Epinephelus awoara</i>															
	<i>Gerres filamentosus</i>															
	<i>Grammolites scaber</i>															
	<i>Gymnura japonica</i>															
	<i>Ilisha elongata</i>										1	4.0				
	<i>Inegocia japonicus</i>	2	26.0		5	42.0										
	<i>Inimicus japonicus</i>															
	<i>Johnius belangerii</i>	1	10.0		3	42.0		4	50.0		8	130.0		6	90.0	
	<i>Konosirus punctatus</i>															
	<i>Lagocephalus wheeleri</i>															
	<i>Leiognathus brevisrostris</i>															
	<i>Liza macrolepis</i>				1	22.0										
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>															
	<i>Parachaeturichthys polynema</i>															
	<i>Pennahia anea</i>	1	6.0		1	5.0		2	7.0		3	10.0		5	30.0	
	<i>Platycephalus indicus</i>							1	13.0							
	<i>Plectorhynchus pictus</i>															
	<i>Plotosus lineatus</i>				1	30.0										
	<i>Polydactylus sextarius</i>															
	<i>Pseudorhombus arsius</i>				1	16.0										
	<i>Sebastes marmoratus</i>															
	<i>Scatophagus argus</i>															
	<i>Siganus fuscescens</i>	2	43.0								2	55.0		1	20.0	
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>	1	2.0		1	20.0		2	22.0							
	<i>Scatophagus argus</i>															
	<i>Stephanolepis cirrhifer</i>	3	120.0		2	150.0		2	58.0		1	58.0		1	210.0	

Trawling Data in August 2024

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Takifugu bimaculatus</i>															
	<i>Takifugu poecilonotus</i>															
	<i>Terapon jarbua</i>							1	25.0							
	<i>Thryssa dussumieri</i>															
	<i>Thryssa hamiltonii</i>															
	<i>Thryssa kammalensis</i>															
	<i>Trachicephalus uranoscopus</i>							1	16.0							
	<i>Trypauchen vagina</i>															
	<i>Tridentiger sp.</i>										1	3.0				
Prawn or shrimp	<i>Alpheus distinguendus</i>															
	<i>Alpheus brevirostratus</i>							2	6.0					1	2.0	
	<i>Metapenaeopsis barbata</i>							3	10.0							
	<i>Metapenaeus affinis</i>										2	21.0				
	<i>Metapenaeus ensis</i>				3	10.0										
	<i>Metapenaeus joyneri</i>															
	<i>Parapeneopsis hardwickii</i>										1	8.0				
	<i>Parapeneopsis hungerfordii</i>				1	7.0										
	<i>Parapeneopsis tenella</i>															
	<i>Penaeus japonicus</i>															
	<i>Penaeus latisulcatus</i>															
	<i>Penaeus merguensis</i>										1	23.0				
	<i>Solenocera crassicornis</i>															
Crab	<i>Carcinoscorpius rotundicauda</i>															
	<i>Charybdis affinis</i>				2	30.0		1	20.0							
	<i>Charybdis bimaculata</i>															
	<i>Charybdis cruciata</i>															
	<i>Charybdis hellerii</i>															
	<i>Charybdis japonica</i>															
	<i>Charybdis truncata</i>															
	<i>Charybdis variegata</i>				1	3.0										
	<i>Charybdis spp.</i>										2	50.0				
	<i>Doclea spp.</i>															
	<i>Dorippe dorsipes</i>				1	19.0					1	14.0		2	26.0	
	<i>Dorippe granulata</i>															
	<i>Eucrate crenata</i>															
	<i>Eucrate solaris</i>															
	<i>Galene bispinosa</i>															
	Hermit crab	2	4.6					1	2.3							
	<i>Leucosia craniolaris</i>															
	<i>Maorophthalmus japonicus</i>															
	<i>Macromedaeus distinguendus</i>															
	<i>Parthenope validus</i>	2	32.0		3	32.0		2	24.0		1	11.8		3	39.4	
	<i>Porcellanella picta</i>															
	<i>Portunus pelagicus</i>															
	<i>Portunus sanguinolentus</i>															
	<i>Portunus trituberculatus</i>															
	<i>Portunus hastatoides</i>															
	<i>Scylla serrata</i>															
	<i>Typhlocarcinus sp.</i>															
	<i>Varuna litterata</i>															

Trawling Data in August 2024

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Mantis shrimp	<i>Dictyosquilla foveolata</i>															
	<i>Harpisquilla harpax</i>															
	<i>Oratosquilla oratoria</i>															
	<i>Oratosquilla interrupta</i>															
	<i>Oratosquilla kempfi</i>															
Gastropod	<i>Murex trapa</i>															
	<i>Calyptraea sp.</i>															
	<i>Inquistor flavidula</i>															
	<i>Lophiotoma leucotropis</i>															
	<i>Nassarius succinctus</i>															
Bivalve	<i>Turritella terebra</i>															
	<i>Arcuatula senhousia</i>															
	<i>Perna viridis</i>	1	29.0		2	84.0										
	<i>Pinctada martensii</i>							1	4.5							
	<i>Ruditapes philippinarum</i>															
Cephalopod	<i>Vepricardium asiaticum</i>							1	11.2							
	<i>Lolingid squid</i>															
	<i>Octopus</i>															
Echinoderm	<i>Acaudina molpadioides</i>	1	320.0													
	<i>Colochirus quadrangularis</i>															
	<i>Luidia maculata</i>															
	<i>Ophiocnemis sp.</i>															
	<i>Styela plicata</i>															
Cnidaria	<i>Temnopleurus toreumaticus</i>	15	180.0		16	163.0		4	42.0		3	38.0		4	41.0	
	<i>Cavernularia habereri</i>	2	8.6		3	11.8		4	36.0							
	<i>Carcinactis ichikawai</i>															
	<i>Ellisella laevis</i>	2	11.0		3	16.0		1	7.6		2	11.0		3	16.0	
	<i>Pteroeides chinense</i>	8	280.0		11	370.0		10	360.0							
Cirripedia	Sea anomea															
	<i>Virgularia gustaviana</i>															
	<i>c.f. Balanus spp.</i>	10	12.0					12	17.0		20	36.0		6	9.2	

Trawling Data in August 2024

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Arnoglossus waitei</i>							1	4.0							
	<i>Acanthopagrus schlegeli</i>															
	<i>Acentrogobius caninus</i>															
	<i>Anchoviella commersonii</i>															
	<i>Apogon kiensis</i>										1	8.0				
	<i>Apogon lineatus</i>										4	310.0		1	6.0	
	<i>Arius arius</i>							2	140.0					1	27.0	
	<i>Callionymus sp.</i>															
	<i>Chrysochir aureus</i>															
	<i>Collichthys lucida</i>	1	30.0		1	20.0										
	<i>Cryptocentrus filifer</i>	1	5.0													
	<i>Cynoglossus arel</i>							3	26.0					1	15.0	
	<i>Cynoglossus puncticeps</i>	1	6.0		1	9.0										
	<i>Dasyatis akajei</i>				1	160.0					1	60.0		2	440.0	
	<i>Dasyatis zugei</i>				1	53.0								1	12.0	
	<i>Dendrophysa russelli</i>				1	105.0										
	<i>Drepane punctata</i>															
	<i>Epinephelus awoara</i>															
	<i>Gerres filamentosus</i>															
	<i>Grammolites scaber</i>	1	9.0					1	70.0							
	<i>Gymnura japonica</i>													1	80.0	
	<i>Ilisha elongata</i>															
	<i>Inegocia japonicus</i>										2	110.0				
	<i>Inimicus japonicus</i>															
	<i>Johnius belangerii</i>	2	60.0					7	120.0		2	20.0		1	90.0	
	<i>Konosirus punctatus</i>															
	<i>Lagocephalus wheeleri</i>										1	33.0				
	<i>Leiognathus brevisrostris</i>										6	110.0				
	<i>Liza macrolepis</i>															
	<i>Muraenesox cinereus</i>										1	140.0		1	182.0	
	<i>Nemipterus japonicus</i>															
	<i>Parachaeturichthys polynema</i>										1	12.0				
	<i>Pemahia anea</i>	13	80.0		4	30.0		1	20.0							
	<i>Platycephalus indicus</i>				1	256.0										
	<i>Plectorhynchus pictus</i>															
	<i>Plotosus lineatus</i>															
	<i>Polydactylus sextarius</i>															
	<i>Pseudorhombus arsius</i>													1	24.0	
	<i>Sebastes marmoratus</i>															
	<i>Scatophagus argus</i>															
	<i>Siganus fuscescens</i>															
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>															
	<i>Scatophagus argus</i>															
	<i>Stephanolepis cirrhifer</i>															

Trawling Data in August 2024

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
		number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)
	<i>Takifugu bimaculatus</i>															
	<i>Takifugu poecilonotus</i>															
	<i>Terapon jarbua</i>															
	<i>Thryssa dussumieri</i>													1	36.0	
	<i>Thryssa hamiltonii</i>															
	<i>Thryssa kammalensis</i>										1	21.0				
	<i>Trachicephalus uranoscopus</i>	1	4.0					3	33.0					1	4.0	
	<i>Trypauchen vagina</i>							2	30.0							
	<i>Tridentiger sp.</i>										1	5.0				
Prawn or shrimp	<i>Alpheus distinguendus</i>															
	<i>Alpheus brevirostratus</i>															
	<i>Metapenaeopsis barbata</i>										1	3.0				
	<i>Metapenaeus affinis</i>	105	920.0		80	960.0		110	1270.0		70	650.0		61	640.0	
	<i>Metapenaeus ensis</i>															
	<i>Metapenaeus joyneri</i>										2	13.0		1	6.0	
	<i>Parapeneopsis hardwickii</i>															
	<i>Parapeneopsis hungerfordii</i>	1	12.0		2	12.0					2	8.0				
	<i>Parapeneopsis tenella</i>	1	55.0								1	6.0				
	<i>Penaeus japonicus</i>															
	<i>Penaeus latisulcatus</i>															
	<i>Penaeus merguensis</i>	6	63.0		2	45.0		5	74.0		30	450.0		18	280.0	
	<i>Solenocera crassicornis</i>							1	12.0							
Crab	<i>Carcinoscorpius rotundicauda</i>															
	<i>Charybdis affinis</i>	11	190.0		10	220.0		18	320.0		2	32.0		6	160.0	
	<i>Charybdis bimaculata</i>															
	<i>Charybdis cruciata</i>	2	210.0					1	10.0							
	<i>Charybdis hellerii</i>															
	<i>Charybdis japonica</i>	2	70.0		9	303.0		3	150.0							
	<i>Charybdis truncata</i>										1	7.0		1	8.0	
	<i>Charybdis variegata</i>															
	<i>Charybdis spp.</i>										8	250.0		8	250.0	
	<i>Doclea spp.</i>															
	<i>Dorippe dorsipes</i>	9	78.0		6	58.0		9	76.0		11	86.0				
	<i>Dorippe granulata</i>															
	<i>Eucrate crenata</i>															
	<i>Eucrate solaris</i>															
	<i>Galene bispinosa</i>	1	46.0					1	52.0							
	Hermit crab															
	<i>Leucosia craniolaris</i>	1	4.2					1	5.2							
	<i>Maorophthalmus japonicus</i>															
	<i>Macromedaeus distinguendus</i>															
	<i>Parthenope validus</i>										1	14.0		3	52.0	
	<i>Porcellanella picta</i>															
	<i>Portunus pelagicus</i>	3	80.0		1	60.0		3	135.0					1	6.0	
	<i>Portunus sanguinolentus</i>	3	22.0		5	70.0								1	5.0	
	<i>Portunus trituberculatus</i>	2	160.0		3	360.0		3	470.0							
	<i>Portunus hastatoides</i>							1	2.0							
	<i>Scylla serrata</i>															
	<i>Typhlocarcinus sp.</i>															
	<i>Varuna litterata</i>															

Trawling Data in August 2024

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Mantis shrimp	<i>Dictyosquilla foveolata</i>	2	33.0													
	<i>Harpisquilla harpax</i>						1	62.0		1	55.0		1	52.0		
	<i>Oratosquilla oratoria</i>	1	10.0		1	15.0										
	<i>Oratosquilla interrupta</i>	32	540.0		17	320.0		40	780.0		3	80.0		6	140.0	
	<i>Oratosquilla kempfi</i>	1	7.0													
Gastropod	<i>Murex trapa</i>	9	76.0		4	43.0		6	48.0		15	110.0		9	80.0	
	<i>Calyptraea sp.</i>							2	1.2					3	12.0	
	<i>Inquistor flavidula</i>							30	110.0		5	12.0		6	13.0	
	<i>Lophiotoma leucotropis</i>															
	<i>Nassarius succinctus</i>							16	38.0		10	21.0		15	34.0	
	<i>Turritella terebra</i>	560	5300.0	*	410	3900.0	*	390	3700.0	*	310	2800.0	*	290	2500.0	*
Bivalve	<i>Arcuatula senhousia</i>	80	160.0		40	78.0		40	76.0							
	<i>Perna viridis</i>															
	<i>Pinctada martensii</i>															
	<i>Ruditapes philippinarum</i>															
	<i>Vepricardium asiaticum</i>															
Cephalopod	<i>Loligid squid</i>															
	<i>Octopus</i>															
Echinoderm	<i>Acaudina molpadioides</i>															
	<i>Colochirus quadrangularis</i>															
	<i>Luidia maculata</i>												2	26.0		
	<i>Ophiocnemis sp.</i>							10	110.0							
	<i>Styela plicata</i>															
Cnidaria	<i>Temnopleurus toreumaticus</i>															
	<i>Cavernularia habereri</i>	5	24.0		4	19.0		3	11.0		5	26.0		4	21.0	
	<i>Carcinactis ichikawai</i>	5	3.6		4	2.9		5	3.6		7	6.8				
	<i>Ellisella laevis</i>															
	<i>Pteroeides chinense</i>	11	380.0		12	410.0		11	380.0		20	610.0		26	720.0	
	Sea anomea				1	4.1					1	3.1		1	8.2	
Cirripedia	<i>Virgularia gustaviana</i>															
	<i>c.f. Balanus spp.</i>															

Trawling Data in August 2024

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Arnoglossus waitei</i>	3	11.0													
	<i>Acanthopagrus schlegeli</i>															
	<i>Acentrogobius caninus</i>															
	<i>Anchoviella commersonii</i>															
	<i>Apogon kiensis</i>	2	35.0		1	5.0		4	13.0							
	<i>Apogon lineatus</i>															
	<i>Arius arius</i>															
	<i>Callionymus sp.</i>															
	<i>Chrysochir aureus</i>															
	<i>Collichthys lucida</i>															
	<i>Cryptocentrus filifer</i>	2	14.0		1	12.0										
	<i>Cynoglossus arel</i>	5	120.0								1	40.0				
	<i>Cynoglossus puncticeps</i>															
	<i>Dasyatis akajei</i>															
	<i>Dasyatis zugei</i>	8	953.0		8	930.0		5	804.0							
	<i>Dendrophysa russelli</i>															
	<i>Drepane punctata</i>				3	520.0		1	130.0							
	<i>Epinephelus awoara</i>	3	18.0		8	63.0										
	<i>Gerres filamentosus</i>													1	22.0	
	<i>Grammoplites scaber</i>													2	50.0	
	<i>Gymnura japonica</i>															
	<i>Ilisha elongata</i>															
	<i>Inegocia japonicus</i>															
	<i>Inimicus japonicus</i>															
	<i>Johnius belangerii</i>							1	10.0					2	20.0	
	<i>Konosirus punctatus</i>															
	<i>Lagocephalus wheeleri</i>													1	23.0	
	<i>Leiognathus brevisrostris</i>										3	30.0		3	40.0	
	<i>Liza macrolepis</i>															
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>															
	<i>Parachaeturichthys polynema</i>															
	<i>Pennahia anea</i>				4	11.0		2	5.0		2	20		9	30.0	
	<i>Platycephalus indicus</i>	1	13.0		2	30.0		1	10.0					2	80.0	
	<i>Plectorhynchus pictus</i>															
	<i>Plotosus lineatus</i>															
	<i>Polydactylus sextarius</i>															
	<i>Pseudorhombus arsius</i>	1	21.0		2	50.0					1	16.0				
	<i>Sebastiscus marmoratus</i>															
	<i>Scatophagus argus</i>							1	90.0							
	<i>Siganus fuscescens</i>															
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>				3	20.0		2	11.0							
	<i>Scatophagus argus</i>							1	90.0							
	<i>Stephanolepis cirrhifer</i>				1	180.0										

Trawling Data in August 2024

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Takifugu bimaculatus</i>															
	<i>Takifugu poecilonotus</i>	1	16.0													
	<i>Terapon jarbua</i>															
	<i>Thryssa dussumieri</i>															
	<i>Thryssa hamiltonii</i>															
	<i>Thryssa kammalensis</i>															
	<i>Trachicephalus uranoscopus</i>	9	56.0		14	110.0							1	3.0		
	<i>Trypauchen vagina</i>	1	14.0		3	23.0		1	4.0							
	<i>Tridentiger sp.</i>															
Prawn or shrimp	<i>Alpheus distinguendus</i>															
	<i>Alpheus brevicristatus</i>															
	<i>Metapenaeopsis barbata</i>															
	<i>Metapenaeus affinis</i>	3	22.0		8	50.0					11	70.0		5	22.0	
	<i>Metapenaeus ensis</i>															
	<i>Metapenaeus joyneri</i>															
	<i>Parapeneopsis hardwickii</i>															
	<i>Parapeneopsis hungerfordii</i>										3	15.0				
	<i>Parapeneopsis tenella</i>															
	<i>Penaeus japonicus</i>															
	<i>Penaeus latisulcatus</i>							1	3.0							
	<i>Penaeus merguensis</i>	3	32.0		1	14.0										
	<i>Solenocera crassicornis</i>															
Crab	<i>Carcinoscorpius rotundicauda</i>															
	<i>Charybdis affinis</i>	3	50.0		4	70.0		2	30.0		5	90.0		4	60.0	
	<i>Charybdis bimaculata</i>				1	2.0										
	<i>Charybdis cruciata</i>															
	<i>Charybdis hellerii</i>															
	<i>Charybdis japonica</i>							1	80.0					1	30.0	
	<i>Charybdis truncata</i>															
	<i>Charybdis variegata</i>															
	<i>Charybdis spp.</i>				6	54.0								3	18.0	
	<i>Doclea spp.</i>															
	<i>Dorippe dorsipes</i>	20	190.0		30	280.0		26	254.0		28	270.0		16	156.0	
	<i>Dorippe granulata</i>															
	<i>Eucrate crenata</i>															
	<i>Eucrate solaris</i>															
	<i>Galene bispinosa</i>	2	120.0		1	52.0					1	58.0				
	Hermit crab															
	<i>Leucosia craniolaris</i>	2	8.6		3	12.0		2	8.2		1	4.9				
	<i>Maorophthalmus japonicus</i>															
	<i>Macromedaeus distinguendus</i>															
	<i>Parthenope validus</i>							3	34.0							
	<i>Porcellanella picta</i>															
	<i>Portunus pelagicus</i>							1	50.0					1	10.0	
	<i>Portunus sanguinolentus</i>	1	4.0											1	130.0	
	<i>Portunus trituberculatus</i>															
	<i>Portunus hastatoides</i>	1	3.0					1	2.0							
	<i>Scylla serrata</i>															
	<i>Typhlocarcinus sp.</i>	1	3.2		2	4.2								2	4.3	
	<i>Varuna litterata</i>															

Trawling Data in August 2024

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Mantis shrimp	<i>Dictyosquilla foveolata</i>															
	<i>Harpisquilla harpax</i>				1	44.0								1	32.0	
	<i>Oratosquilla oratoria</i>	1	14.0					1	7.0							
	<i>Oratosquilla interrupta</i>				1	10.0		2	30.0		1	8.0		6	30.0	
	<i>Oratosquilla kempii</i>															
Gastropod	<i>Murex trapa</i>	13	86.0		15	196.0		5	52.0		4	46.0		2	19.0	
	<i>Calyptraea sp.</i>															
	<i>Inquistor flavidula</i>				4	9.0		8	18.0							
	<i>Lophiotoma leucotropis</i>															
	<i>Nassarius succinctus</i>				8	16.0										
Bivalve	<i>Turritella terebra</i>	860	8300.0	*	530	5100.0	*	290	2600.0	*	240	2100.0	*	250	2300.0	
	<i>Arcuatula senhousia</i>	5200	11000.0	*	2840	3400.0	*	2100	4020.0	*						
	<i>Perna viridis</i>															
	<i>Pinctada martensii</i>															
	<i>Ruditapes philippinarum</i>															
Cephalopod	<i>Vepricardium asiaticum</i>															
	<i>Lolingid squid</i>															
Echinoderm	<i>Octopus</i>															
	<i>Acaudina molpadioides</i>															
	<i>Colochirus quadrangularis</i>															
	<i>Luidia maculata</i>															
	<i>Ophiocnemis sp.</i>	30	320.0		40	430.0		20	240.0							
Cnidaria	<i>Styela plicata</i>															
	<i>Temnopleurus toreumaticus</i>	18	210.0		20	230.0		4	46.0							
	<i>Cavernularia habeneri</i>	6	28.0		3	9.6		2	9.0		3	12.0		6	24.0	
	<i>Carcinactis ichikawai</i>	5	4.8		8	8.8		2	2.3		6	6.6		4	4.2	
	<i>Ellisella laevis</i>															
Cirripedia	<i>Pteroeides chinense</i>	20	510.0		6	180.0		5	150.0		18	460.0		23	570.0	
	Sea anomea							1	6.1							
	<i>Virgularia gustaviana</i>															
	<i>c.f. Balanus spp.</i>															

Trawling Data in August 2024

Group	Species Name	TSA-1			TSA-2			TSA			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Arnoglossus waitei</i>										2	24.0							
	<i>Acanthopagrus schlegeli</i>																		
	<i>Acentrogobius caninus</i>																		
	<i>Anchoviella commersonii</i>	2	5.0		1	4.0		1	6.0										
	<i>Apogon kiensis</i>																		
	<i>Apogon lineatus</i>																		
	<i>Arius arius</i>	187	9042.0		129	12520.0		5	510.0		2	130.0		55	2420.0				
	<i>Callionymus sp.</i>																		
	<i>Chrysochir aureus</i>													1	70.0				
	<i>Collichthys lucida</i>																		
	<i>Cryptocentrus filifer</i>																		
	<i>Cynoglossus arel</i>										1	10.0		1	13.0				
	<i>Cynoglossus puncticeps</i>	1	13.0																
	<i>Dasvatis akajei</i>													1	120.0				
	<i>Dasvatis zugei</i>	3	510.0		2	320.0		2	360.0		6	435.0		2	390.0				
	<i>Dendrophysa russelli</i>										1	50.0							
	<i>Drepane punctata</i>				1	170.0		2	270.0										
	<i>Epinephelus awoara</i>	1	7.0		3	13.0					3	9.0		4	15.0				
	<i>Gerres filamentosus</i>	2	37.0																
	<i>Grammolites scaber</i>													1	14.0				
	<i>Gymnura japonica</i>																		
	<i>Ilisha elongata</i>													1	4.0				
	<i>Inegocia japonicus</i>	6	62.0		4	38.0								3	34.0				
	<i>Inimicus japonicus</i>																		
	<i>Johnius belangerii</i>										1	20.0		1	70.0				
	<i>Konosirus punctatus</i>	29	2630.0		7	496.0								16	1380.0				
	<i>Lagocephalus wheeleri</i>										1	70.0							
	<i>Leiognathus brevirostris</i>	55	470.0		75	480.0		16	195.0		118	670.0		40	750.0				
	<i>Liza macrolepis</i>																		
	<i>Muraenesox cinereus</i>							1	180.0					1	6.0				
	<i>Nemipterus japonicus</i>				1	10.0					5	150.0		2	72.0				
	<i>Parachaeturichthys polynema</i>				1	13.0													
	<i>Pennahia anea</i>										4	140.0		3	90.0				
	<i>Platycephalus indicus</i>	4	58.0		20	290.0		5	57.0		1	14.0		5	80.0				
	<i>Plectorhynchus pictus</i>																		
	<i>Plotosus lineatus</i>																		
	<i>Polydactylus sextarius</i>																		
	<i>Pseudorhombus arsius</i>	1	24.0		1	22.0		2	30.0		1	43.0		4	60.0				
	<i>Sebastiscus marmoratus</i>																		
	<i>Scatophagus argus</i>																		
	<i>Siganus fuscescens</i>	14	220.0		30	590.0		5	73.0		3	32.0		5	110.0				
	<i>Sillago sihama</i>	1	34.0		1	32.0					1	22.0							
	<i>Solea ovata</i>	7	50.0		10	86.0		6	40.0		1	15.0		1	10.0				
	<i>Scatophagus argus</i>																		
	<i>Stephanolepis cirrifer</i>																		

Trawling Data in August 2024

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Takifugu bimaculatus</i>	4	1100.0		3	893.0		5	2100.0		9	3600.0		7	2800.0	
	<i>Takifugu poecilonotus</i>															
	<i>Terapon jarbua</i>															
	<i>Thryssa dussumieri</i>															
	<i>Thryssa hamiltonii</i>															
	<i>Thryssa kammalensis</i>															
	<i>Trachicephalus uranoscopus</i>				1	6.0		1	6.0					2	31.0	
	<i>Trypauchen vagina</i>				1	2.0		1	3.0		3	34.0		5	60.0	
	<i>Tridentiger sp.</i>															
Prawn or shrimp	<i>Alpheus distinguendus</i>															
	<i>Alpheus brevicristatus</i>															
	<i>Metapenaeopsis barbata</i>															
	<i>Metapenaeus affinis</i>															
	<i>Metapenaeus ensis</i>															
	<i>Metapenaeus joyneri</i>															
	<i>Parapeneopsis hardwickii</i>															
	<i>Parapeneopsis hungerfordii</i>															
	<i>Parapeneopsis tenella</i>										1	8.0				
	<i>Penaeus japonicus</i>													1	40.0	
	<i>Penaeus latisulcatus</i>															
	<i>Penaeus merguensis</i>	2	38.0		4	60.0					2	54.0				
	<i>Solenocera crassicornis</i>															
Crab	<i>Carcinoscorpius rotundicauda</i>															
	<i>Charybdis affinis</i>	2	50.0		2	60.0		4	50.0		5	90.0		4	50.0	
	<i>Charybdis bimaculata</i>															
	<i>Charybdis cruciata</i>															
	<i>Charybdis hellerii</i>															
	<i>Charybdis japonica</i>															
	<i>Charybdis truncata</i>															
	<i>Charybdis variegata</i>															
	<i>Charybdis spp.</i>	3	27.0		12	180.0					4	46.0		6	135.0	
	<i>Doclea spp.</i>										1	72.0				
	<i>Dorippe dorsipes</i>	3	16.0					6	58.0		7	62.0		4	32.0	
	<i>Dorippe granulata</i>															
	<i>Eucrate crenata</i>										1	6.2				
	<i>Eucrate solaris</i>							1	8.2		2	11.0				
	<i>Galene bispinosa</i>	2	184.0		12	1320.0		2	210.0		8	620.0		6	610.0	
	Hermit crab															
	<i>Leucosia craniolaris</i>										2	11.0		1	6.1	
	<i>Maorophthalmus japonicus</i>															
	<i>Macromedaeus distinguendus</i>															
	<i>Parthenope validus</i>							3	46.0		1	12.0		2	28.0	
	<i>Porcellanella picta</i>	4	2.2		5	2.7		3	1.2					2	0.9	
	<i>Portunus pelagicus</i>	6	300.0		3	180.0		3	470.0		4	250.0		6	550.0	
	<i>Portunus sanguinolentus</i>				1	70.0										
	<i>Portunus trituberculatus</i>										1	50.0				
	<i>Portunus hastatoides</i>	2	4.0								1	2.0				
	<i>Scylla serrata</i>															
	<i>Typhlocarcinus sp.</i>															
	<i>Varuna litterata</i>															

Trawling Data in August 2024

Group	Species Name	TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Mantis shrimp	<i>Dictyosquilla foveolata</i>										1	25.0				
	<i>Harpisquilla harpax</i>				1	35.0					1	70.0				
	<i>Oratosquilla oratoria</i>										1	10.0				
	<i>Oratosquilla interrupta</i>										3	14.0		1	10.0	
	<i>Oratosquilla kempii</i>															
Gastropod	<i>Murex trapa</i>															
	<i>Calyptraea sp.</i>															
	<i>Inquistor flavidula</i>															
	<i>Lophiotoma leucotropis</i>															
	<i>Nassarius succinctus</i>															
Bivalve	<i>Turritella terebra</i>															
	<i>Arcuatula senhousia</i>	3500	7300.0	*	7000	8200.0	*	3000	3100.0	*	2300	3500.0	*	2100	2080.0	*
	<i>Perna viridis</i>															
	<i>Pinctada martensii</i>															
	<i>Ruditapes philippinarum</i>															
Cephalopod	<i>Vepricardium asiaticum</i>															
	<i>Lolingid squid</i>				1	32.0										
Echinoderm	<i>Octopus</i>															
	<i>Acaudina molpadioides</i>	2	140.0													
	<i>Colochirus quadrangularis</i>															
	<i>Luidia maculata</i>	13	160.0		11	162.0		11	120.0		2	48.0		3	72.0	
	<i>Ophiocnemis sp.</i>	16	140.0		18	170.0		60	790.0	*	410	4100.0	*	340	3600.0	*
Cnidaria	<i>Styela plicata</i>															
	<i>Temnopleurus toreumaticus</i>	18	210.0		8	72.0		19	196.0		20	270.0		30	340.0	
	<i>Cavernularia habereri</i>	12	92.0		15	110.0		19	130.0		17	74.0		18	78.0	
	<i>Carcinactis ichikawai</i>							4	42.0					4	41.0	
	<i>Ellisella laevis</i>															
Cirripedia	<i>Pteroeides chinense</i>	20	460.0		26	530.0		30	640.0		84	1510.0		44	1260.0	
	Sea anomea															
	<i>Virgularia gustaviana</i>				1	62.0					2	12.0		1	7.2	
	<i>c.f. Balanus spp.</i>															

Trawling Data in August 2024

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Arnoglossus waitei</i>											1	43.0			
	<i>Acanthopagrus schlegeli</i>															
	<i>Acentrogobius caninus</i>							1	10.0							
	<i>Anchoviella commersonii</i>	1	4.0													
	<i>Apogon kiensis</i>											1	24.0			
	<i>Apogon lineatus</i>															
	<i>Arius arius</i>	8	610.0		11	1160.0		5	500.0		10	460.0		4	290.0	
	<i>Callionymus sp.</i>										1	13.0				
	<i>Chrysochir aureus</i>				1	70.0										
	<i>Collichthys lucida</i>															
	<i>Cryptocentrus filifer</i>										1	6.0				
	<i>Cynoglossus arel</i>							3	50.0		2	12.0		1	6.0	
	<i>Cynoglossus puncticeps</i>															
	<i>Dasyatis akajei</i>															
	<i>Dasyatis zugei</i>	5	1450.0		2	450.0		1	336.0					1	304.0	
	<i>Dendrophysa russelli</i>							2	55.0		2	50.0		1	12.0	
	<i>Drepane punctata</i>				1	58.0		1	53.0							
	<i>Epinephelus awoara</i>	3	22.0					2	14.0		3	11.0		3	22.0	
	<i>Gerres filamentosus</i>															
	<i>Grammolites scaber</i>															
	<i>Gymnura japonica</i>	1	180.0		2	1240.0										
	<i>Ilisha elongata</i>				1	46.0		2	57.0		8	35.0				
	<i>Inegocia japonicus</i>				5	49.0		1	17.0					1	11.0	
	<i>Inimicus japonicus</i>	2	390.0													
	<i>Johnius belangerii</i>	4	250.0					3	140.0		1	50.0		3	180.0	
	<i>Konosirus punctatus</i>	1	80.0		1	42.0										
	<i>Lagocephalus wheeleri</i>										1	37.0		2	18.0	
	<i>Leiognathus brevisrostris</i>	120	2360.0		85	1354.0		50	796.0		49	820.0		35	620.0	
	<i>Liza macrolepis</i>															
	<i>Muraenesox cinereus</i>													1	210.0	
	<i>Nemipterus japonicus</i>	1	53.0													
	<i>Parachaeturichthys polynema</i>															
	<i>Pennahia anea</i>	15	390.0		10	190.0		6	140.0		1	30.0		1	15.0	
	<i>Platycephalus indicus</i>										1	2.0		1	28.0	
	<i>Plectorhynchus pictus</i>															
	<i>Plotosus lineatus</i>															
	<i>Polydactylus sextarius</i>										2	28.0		1	10.0	
	<i>Pseudorhombus arsius</i>	2	270.0					3	62.0		1	22.0		1	104.0	
	<i>Sebastiscus marmoratus</i>															
	<i>Scatophagus argus</i>															
	<i>Siganus fuscescens</i>	2	42.0					2	56.0		1	10.0				
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>	1	2.0					6	50.0		1	3.0		2	12.0	
	<i>Scatophagus argus</i>															
	<i>Stephanolepis cirrhifer</i>															

Trawling Data in August 2024

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Takifugu bimaculatus</i>	36	11400.0		18	5970.0		9	3100.0		2	840.0		4	1590.0	
	<i>Takifugu poecilonotus</i>															
	<i>Terapon jarbua</i>															
	<i>Thryssa dussumieri</i>															
	<i>Thryssa hamiltonii</i>	1	90.0											1	48.0	
	<i>Thryssa kammalensis</i>										5	56.0		4	53.0	
	<i>Trachicephalus uranoscopus</i>	1	4.0		4	55.0		4	43.0		1	12.0		1	7.0	
	<i>Trypauchen vagina</i>															
	<i>Tridentiger sp.</i>															
Prawn or shrimp	<i>Alpheus distinguendus</i>															
	<i>Alpheus brevirostratus</i>															
	<i>Metapenaeopsis barbata</i>															
	<i>Metapenaeus affinis</i>															
	<i>Metapenaeus ensis</i>															
	<i>Metapenaeus joyneri</i>															
	<i>Parapeneopsis hardwickii</i>															
	<i>Parapeneopsis hungerfordii</i>										1	5.0		1	8.0	
	<i>Parapeneopsis tenella</i>															
	<i>Penaeus japonicus</i>															
	<i>Penaeus latissulcatus</i>															
	<i>Penaeus merguensis</i>	1	28.0		2	33.0					4	55.0		1		
	<i>Solenocera crassicornis</i>															
Crab	<i>Carcinoscorpius rotundicauda</i>	1	420.0													
	<i>Charybdis affinis</i>	4	95.0		7	204.0		1	15.0		4	80.0		5	102.0	
	<i>Charybdis bimaculata</i>															
	<i>Charybdis cruciata</i>															
	<i>Charybdis hellerii</i>															
	<i>Charybdis japonica</i>															
	<i>Charybdis truncata</i>															
	<i>Charybdis variegata</i>															
	<i>Charybdis spp.</i>	6	62.0		2	24.0		12	210.0		8	76.0		7	102.0	
	<i>Doclea spp.</i>															
	<i>Dorippe dorsipes</i>															
	<i>Dorippe granulata</i>	1	7.0													
	<i>Eucrate crenata</i>															
	<i>Eucrate solaris</i>															
	<i>Galene bispinosa</i>	2	170.0		2	100.0		7	630.0		12	1060.0		8	920.0	
	Hermit crab															
	<i>Leucosia craniolaris</i>							1	4.2							
	<i>Maorophthalmus japonicus</i>															
	<i>Macromedaeus distinguendus</i>															
	<i>Parthenope validus</i>	8	146.0		8	140.0		14	158.0		7	91.0		3	38.0	
	<i>Porcellanella picta</i>	4	1.8													
	<i>Portunus pelagicus</i>	5	395.0		9	530.0		7	360.0		3	240.0		3	260.0	
	<i>Portunus sanguinolentus</i>							1	8.0							
	<i>Portunus trituberculatus</i>	2	320.0					1	90.0					1	50.0	
	<i>Portunus hastatoides</i>	1	3.0		1	3.0										
	<i>Scylla serrata</i>	1	76.0													
	<i>Typhlocarcinus sp.</i>															
	<i>Varuna litterata</i>	1	8.6					2	13.0							

Trawling Data in August 2024

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Mantis shrimp	<i>Dictyosquilla foveolata</i>	1	15.0		2	23.0		1	24.0							
	<i>Harpisquilla harpax</i>							1	50.0					1	46.0	
	<i>Oratosquilla oratoria</i>	3	10.0													
	<i>Oratosquilla interrupta</i>							12	130.0		2	8.0		2	6.0	
	<i>Oratosquilla kempii</i>										1	4.0				
Gastropod	<i>Murex trapa</i>															
	<i>Calyptraea sp.</i>															
	<i>Inquistor flavidula</i>															
	<i>Lophiotoma leucotropis</i>													1	5.0	
	<i>Nassarius succinctus</i>															
Bivalve	<i>Turritella terebra</i>										4	18.0		3	9.0	
	<i>Arcuatula senhousia</i>	3100	6200.0	*	1160	2200.0	*	1120	2300.0	*	810	1530.0	*	1600	2800.0	
	<i>Perna viridis</i>															
	<i>Pinctada martensii</i>															
	<i>Ruditapes philippinarum</i>										1	4.0				
Cephalopod	<i>Vepricardium asiaticum</i>															
	<i>Lolingid squid</i>										1	7.0				
Echinoderm	<i>Octopus</i>										1	23.0				
	<i>Acaudina molpadioides</i>															
	<i>Colochirus quadrangularis</i>															
	<i>Liuidia maculata</i>	3	84.0		12	146.0		5	180.0					1	18.0	
	<i>Ophiocnemis sp.</i>	400	4200.0	*	700	7100.0	*	1300	12000.0	*	1100	10300.0	*	900	8300.0	
Cnidaria	<i>Styela plicata</i>															
	<i>Temnopleurus toreumaticus</i>	28	310.0		19	196.0		15	155.0		6	82.0		9	130.0	
	<i>Cavernularia habereri</i>	5	26.0		3	14.0		5	21.0		6	21.0		3	14.0	
Cirripedia	<i>Carcinactis ichikawai</i>															
	<i>Ellisella laevis</i>															
	<i>Pteroeides chinense</i>	24	520.0		16	380.0		14	360.0		18	510.0		12	420.0	
	<i>Sea anomea</i>															
	<i>Virgularia gustaviana</i>															
	<i>c.f. Balanus spp.</i>															