

Trawling Data in February 2024

| Group | Species Name | INA | | | | | | | | | | | | | | |
|-----------------|------------------------------------|--------------|-----------------|-----------------|--------------|-----------------|-----------------|--------------|-----------------|-----------------|--------------|-----------------|-----------------|--------------|-----------------|-----------------|
| | | INA-1 | | | INA-2 | | | INA-3 | | | INA-4 | | | INA-5 | | |
| | | Total number | Total weight(g) | Subsampling (*) | Total number | Total weight(g) | Subsampling (*) | Total number | Total weight(g) | Subsampling (*) | Total number | Total weight(g) | Subsampling (*) | Total number | Total weight(g) | Subsampling (*) |
| Fish | <i>Arnoglossus waitei</i> | | | | | | | | | | | | | | | |
| | <i>Acanthopagrus schlegeli</i> | | | | | | | | | | | | | | | |
| | <i>Acentrogobius caninus</i> | | | | | | | | | | | | | | | |
| | <i>Apogon kiensis</i> | | | | | | | | | | | | | | | |
| | <i>Arius arius</i> | | | | | | | | | | | | | | | |
| | <i>Butis koilomatodon</i> | | | | | | | | | | | | | | | |
| | <i>Callionymus sp.</i> | | | | 1 | 8.0 | | | | | | | | | | |
| | <i>Cynoglossus arel</i> | | | | | | | | | | | | | | | |
| | <i>Cynoglossus puncticeps</i> | | | | | | | | | | | | | | | |
| | <i>Cynoglossus trigrammus</i> | | | | | | | | | | | | | | | |
| | <i>Dasvatis akajei</i> | | | | | | | 3 | 430.0 | | | | | | | |
| | <i>Dasvatis zugei</i> | | | | | | | | | | | | | | | |
| | <i>Dendrophysa russelli</i> | | | | | | | | | | | | | | | |
| | <i>Diagramma pictum</i> | | | | | | | | | | | | | | | |
| | <i>Drepane punctata</i> | 1 | 190.0 | | | | | | | | | | | | | |
| | <i>Epinephelus awoara</i> | | | | | | | | | | | | | | | |
| | <i>Gerres filamentosus</i> | | | | 1 | 130.0 | | | | | | | | | | |
| | <i>Grammolites scaber</i> | | | | | | | | | | | | | | | |
| | <i>Gymnura japonica</i> | 1 | 2760.0 | | | | | | | | | | | | | |
| | <i>Inegocia japonicus</i> | | | | 2 | 28.0 | | 2 | 24.0 | | | | | | | |
| | <i>Inimicus japonicus</i> | 1 | 140.0 | | 1 | 80.0 | | | | | | | | | | |
| | <i>Johnius belangerii</i> | | | | | | | | | | | | | | | |
| | <i>Konosirus punctatus</i> | | | | | | | | | | | | | | | |
| | <i>Leiognathus brevirostris</i> | | | | | | | | | | | | | | | |
| | <i>Monacanthus chinensis</i> | | | | 3 | 50.0 | | | | | | | | 1 | 60.0 | |
| | <i>Micrognathus spirostris</i> | | | | | | | | | | | | | 1 | 5.0 | |
| | <i>Muraenesox cinereus</i> | | | | | | | | | | | | | | | |
| | <i>Parachaeturichthys polynema</i> | | | | | | | | | | | | | | | |
| | <i>Pennahia anea</i> | | | | | | | | | | | | | | | |
| | <i>Platycephalus indicus</i> | | | | | | | | | | | | | | | |
| | <i>Plotosus lineatus</i> | | | | | | | | | | | | | | | |
| | <i>Pseudorhombus arsius</i> | | | | | | | | | | | | | | | |
| | <i>Saurida elongata</i> | | | | | | | | | | | | | | | |
| | <i>Sebastiscus marmoratus</i> | | | | 2 | 30.0 | | | | | 1 | 24.0 | | 1 | 22.0 | |
| | <i>Scatophagus argus</i> | | | | | | | | | | | | | | | |
| | <i>Siganus fuscescens</i> | 1 | 90.0 | | | | | 2 | 77.0 | | | | | | | |
| | <i>Solea ovata</i> | | | | | | | | | | 3 | 29.0 | | | | |
| | <i>Takifugu niphobles</i> | | | | | | | | | | | | | | | |
| | <i>Trachicephalus uranoscopus</i> | | | | | | | | | | | | | | | |
| | <i>Trypauchen vagina</i> | | | | | | | | | | | | | | | |
| Prawn or shrimp | <i>Alpheus distinguendus</i> | | | | | | | | | | | | | | | |
| | <i>Alpheus brevicristatus</i> | | | | | | | | | | | | | | | |
| | <i>Alpheus heterochaelis</i> | | | | | | | | | | | | | | | |
| | <i>Metapenaeopsis barbata</i> | | | | | | | | | | | | | | | |
| | <i>Metapenaeus affinis</i> | | | | | | | | | | | | | | | |
| | <i>Parapeneopsis hardwickii</i> | | | | | | | | | | | | | | | |
| | <i>Parapeneopsis hungerfordii</i> | | | | | | | | | | | | | | | |
| | <i>Parapeneopsis tenella</i> | | | | | | | | | | | | | | | |
| | <i>Penaeus merguensis</i> | | | | | | | | | | | | | | | |
| | <i>Penaeus semisulcatus</i> | | | | | | | | | | | | | | | |

Trawling Data in February 2024

| Group | Species Name | INA | | | | | | | | | | | | | | | |
|-----------------------------|----------------------------------|--------------|-----------------|-----------------|--------------|-----------------|-----------------|--------------|-----------------|-----------------|--------------|-----------------|-----------------|--------------|-----------------|-----------------|--|
| | | INA-1 | | | INA-2 | | | INA-3 | | | INA-4 | | | INA-5 | | | |
| | | Total number | Total weight(g) | Subsampling (*) | Total number | Total weight(g) | Subsampling (*) | Total number | Total weight(g) | Subsampling (*) | Total number | Total weight(g) | Subsampling (*) | Total number | Total weight(g) | Subsampling (*) | |
| Crab | <i>Arcania heptacantha</i> | | | | | | | | | | | | | | | | |
| | <i>Charybdis affinis</i> | | | | | | | | | | | | | | | | |
| | <i>Charybdis cruciata</i> | | | | | | | | | | | | | | | | |
| | <i>Charybdis hellerii</i> | | | | | | | | | | | | | | | | |
| | <i>Charybdis japonica</i> | | | | | | | | | | | | | | | | |
| | <i>Charybdis truncata</i> | | | | | | | | | | | | | | | | |
| | <i>Charybdis variegata</i> | | | | 1 | 3.0 | | | | | | | | | | | |
| | <i>Charybdis spp.</i> | 1 | 30.0 | | 2 | 9.0 | | 1 | 6.0 | | | | | | | | |
| | <i>Dorippe dorsipes</i> | | | | | | | | | | | | | | | | |
| | <i>Dorippe polita</i> | | | | | | | | | | | | | | | | |
| | <i>Galene bispinosa</i> | | | | | | | | | | | | | | | | |
| | Hermit crab | | | | | | | | | | | | | | | | |
| | <i>Leucosia craniolaris</i> | | | | | | | | | | | | | | | | |
| | <i>Parthenope validus</i> | | | | | | | | | | | | | | | | |
| | <i>Porcellanella picta</i> | | | | | | | | | | | | | | | | |
| <i>Portunus pelagicus</i> | | | | | | | | | | | | | | | | | |
| <i>Portunus hastatoides</i> | | | | 1 | 4.0 | | | | | | 1 | 5.0 | | | | | |
| Mantis shrimp | <i>Harpisquilla harpax</i> | | | | | | | | | | | | | | | | |
| | <i>Oratosquilla oratoria</i> | | | | | | | | | | | | | | | | |
| Gastropod | <i>Murex trapa</i> | | | | | | | | | | | | | | | | |
| | <i>Turritella terebra</i> | | | | | | | | | | | | | | | | |
| Bivalve | <i>Arcuatula senhousia</i> | | | | | | | | | | | | | | | | |
| | <i>Nassarius succinctus</i> | | | | | | | | | | | | | | | | |
| | <i>Ostrea sp.</i> | | | | | | | | | | | | | | | | |
| | <i>Pinctada imbricata</i> | | | | | | | | | | | | | | | | |
| | <i>Pinna pectinata</i> | | | | | | | | | | | | | | | | |
| | <i>Perna viridis</i> | | | | | | | | | | | | | | | | |
| | <i>Scapharca subcrenata</i> | | | | | | | 1 | 48.0 | | | | | | | | |
| | <i>Ruditapes philippinarum</i> | | | | | | | | | | | | | | | | |
| Cephalopod | <i>Lolingid squid</i> | | | | | | | | | | | | | | | | |
| | <i>Sepiid cuttlefish</i> | | | | | | | 1 | 310.0 | | | | | | | | |
| Echinoderm | <i>Acaudina molpadioides</i> | | | | | | | | | | | | | | | | |
| | <i>Amphioplus sp.</i> | | | | | | | | | | | | | | | | |
| | <i>Colochirus quadrangularis</i> | | | | | | | | | | | | | | | | |
| | <i>c.f. Dendrochirotida</i> | | | | | | | | | | | | | | | | |
| | <i>Styela plicata</i> | | | | | | | | | | 2 | 4.2 | | 3 | 23.0 | | |
| Cnidaria | <i>Temnopleurus toreumaticus</i> | 2 | 19.0 | | 3 | 37.0 | | 2 | 21.0 | | 3 | 28.0 | | 8 | 120.0 | | |
| | <i>Cavernularia habereri</i> | | | | | | | | | | | | | | | | |
| | <i>Carcinactis ichikawai</i> | | | | 3 | 2.2 | | | | | 6 | 4.2 | | | | | |
| | <i>Ellisella laevis</i> | 2 | 31.0 | | 1 | 16.0 | | 3 | 46.0 | | 4 | 39.0 | | 3 | 41.0 | | |
| | <i>Pteroeides chinense</i> | | | | | | | | | | | | | | | | |
| Cirripedia | <i>Gorgonia spp.</i> | | | | | | | 1 | 40.0 | | | | | | | | |
| | Sea anomea | | | | | | | | | | 1 | 5.8 | | | | | |
| | Sea star | | | | | | | | | | | | | | | | |
| | Soft corals | | | | | | | | | | | | | | | | |
| | <i>Virgularia gustaviana</i> | | | | | | | | | | | | | | | | |
| | <i>c.f. Balanus spp.</i> | 62 | 270.0 | * | 30 | 110.0 | * | 12 | 30.0 | | 40 | 210.0 | * | 36 | 140.0 | | |

Trawling Data in February 2024

| Group | Species Name | INB | | | | | | | | | | | | | | |
|-----------------|------------------------------------|--------------|-----------------|-----------------|--------------|-----------------|-----------------|--------------|-----------------|-----------------|--------------|-----------------|-----------------|--------------|-----------------|-----------------|
| | | INB-1 | | | INB-2 | | | INB-3 | | | INB-4 | | | INB-5 | | |
| | | Total number | Total weight(g) | Subsampling (*) | Total number | Total weight(g) | Subsampling (*) | Total number | Total weight(g) | Subsampling (*) | Total number | Total weight(g) | Subsampling (*) | Total number | Total weight(g) | Subsampling (*) |
| Fish | <i>Arnoglossus waitei</i> | | | | | | | | | | | | | | | |
| | <i>Acanthopagrus schlegeli</i> | | | | | | | | | | | | | | | |
| | <i>Acentrogobius caninus</i> | | | | | | | | | | | | | | | |
| | <i>Apogon kiensis</i> | | | | 1 | 7.0 | | | | | | | | | | |
| | <i>Arius arius</i> | | | | | | | | | | | | | | | |
| | <i>Butis koilomatodon</i> | | | | | | | 1 | 4.0 | | | | | | | |
| | <i>Callionymus sp.</i> | | | | | | | | | | | | | | | |
| | <i>Cynoglossus arel</i> | | | | | | | | | | | | | | | |
| | <i>Cynoglossus puncticeps</i> | | | | | | | | | | | | | | | |
| | <i>Cynoglossus trigrammus</i> | | | | | | | | | | | | | | | |
| | <i>Dasyatis akajei</i> | | | | | | | | | | | | | | | |
| | <i>Dasyatis zugei</i> | | | | | | | | | | | | | | | |
| | <i>Dendrophysa russelli</i> | | | | | | | | | | | | | | | |
| | <i>Diagramma pictum</i> | | | | | | | | | | | | | | | |
| | <i>Drepane punctata</i> | | | | 1 | 186.0 | | | | | | | | | | |
| | <i>Epinephelus awoara</i> | | | | | | | | | | | | | | | |
| | <i>Gerres filamentosus</i> | | | | | | | | | | | | | | | |
| | <i>Grammolites scaber</i> | | | | | | | 1 | 8.0 | | | | | | | |
| | <i>Gymnura japonica</i> | | | | | | | | | | | | | | | |
| | <i>Inegocia japonicus</i> | | | | | | | | | | | | | | | |
| | <i>Inimicus japonicus</i> | | | | | | | | | | | | | | | |
| | <i>Johnius belangerii</i> | | | | | | | | | | | | | | | |
| | <i>Konosirus punctatus</i> | | | | | | | | | | | | | | | |
| | <i>Leiognathus brevirostris</i> | | | | | | | | | | | | | | | |
| | <i>Monacanthus chinensis</i> | 2 | 240.0 | | 1 | 104.0 | | | | | | | | | | |
| | <i>Micrognathus spirostris</i> | | | | | | | | | | | | | | | |
| | <i>Muraenesox cinereus</i> | | | | | | | | | | | | | | | |
| | <i>Parachaeturichthys polynema</i> | | | | | | | | | | | | | | | |
| | <i>Pennahia anea</i> | | | | | | | | | | | | | | | |
| | <i>Platycephalus indicus</i> | | | | 1 | 165.0 | | | | | | | | | | |
| | <i>Plotosus lineatus</i> | | | | | | | | | | | | | | | |
| | <i>Pseudorhombus arsius</i> | | | | | | | | | | | | | | | |
| | <i>Saurida elongata</i> | | | | | | | | | | | | | | | |
| | <i>Sebastiscus marmoratus</i> | 1 | 25.0 | | | | | | | | | | | | | |
| | <i>Scatophagus argus</i> | | | | | | | | | | | | | | | |
| | <i>Siganus fuscescens</i> | 3 | 160.0 | | | | | | | | | | | | | |
| | <i>Solea ovata</i> | | | | | | | | | | 7 | 50.0 | | | | |
| | <i>Takifugu niphobles</i> | | | | | | | | | | | | | | | |
| | <i>Trachicephalus uranoscopus</i> | | | | | | | | | | | | | | | |
| | <i>Trypauchen vagina</i> | | | | | | | | | | | | | | | |
| Prawn or shrimp | <i>Alpheus distinguendus</i> | | | | | | | | | | | | | | | |
| | <i>Alpheus brevirostris</i> | | | | | | | | | | 2 | 9.0 | | 2 | 6.0 | |
| | <i>Alpheus heterochaelis</i> | | | | | | | | | | | | | 2 | 9.0 | |
| | <i>Metapenaeopsis barbata</i> | | | | 1 | 7.0 | | | | | | | | | | |
| | <i>Metapenaeus affinis</i> | | | | | | | | | | | | | | | |
| | <i>Parapeneopsis hardwickii</i> | | | | | | | | | | | | | | | |
| | <i>Parapeneopsis hungerfordii</i> | | | | | | | | | | | | | | | |
| | <i>Parapeneopsis tenella</i> | | | | | | | | | | | | | | | |
| | <i>Penaeus merguensis</i> | | | | | | | | | | | | | | | |
| | <i>Penaeus semisulcatus</i> | | | | | | | | | | 1 | 5.0 | | 1 | 2.0 | |

Trawling Data in February 2024

| Group | Species Name | INB | | | | | | | | | | | | | | | |
|-----------------------------|----------------------------------|--------------|-----------------|-----------------|--------------|-----------------|-----------------|--------------|-----------------|-----------------|--------------|-----------------|-----------------|--------------|-----------------|-----------------|--|
| | | INB-1 | | | INB-2 | | | INB-3 | | | INB-4 | | | INB-5 | | | |
| | | Total number | Total weight(g) | Subsampling (*) | Total number | Total weight(g) | Subsampling (*) | Total number | Total weight(g) | Subsampling (*) | Total number | Total weight(g) | Subsampling (*) | Total number | Total weight(g) | Subsampling (*) | |
| Crab | <i>Arcania heptacantha</i> | | | | | | | | | | | | | | | | |
| | <i>Charybdis affinis</i> | | | | | | | | | | | | | | | | |
| | <i>Charybdis cruciata</i> | | | | | | | | | | | | | | | | |
| | <i>Charybdis hellerii</i> | | | | | | | | | | | | | | | | |
| | <i>Charybdis japonica</i> | | | | | | | 1 | 3.0 | | | | | | | | |
| | <i>Charybdis truncata</i> | | | | | | | | | | | | | | | | |
| | <i>Charybdis variegata</i> | | | | | | | | | | | | | | | | |
| | <i>Charybdis spp.</i> | | | | | | | | | | | | | | | | |
| | <i>Dorippe dorsipes</i> | | | | | | | | | | | | | | | | |
| | <i>Dorippe polita</i> | | | | 2 | 13.0 | | | | | | | | | | | |
| | <i>Galene bispinosa</i> | | | | | | | | | | | | | | | | |
| | Hermit crab | | | | | | | | | | | | | | | | |
| | <i>Leucosia craniolaris</i> | | | | | | | | | | | | | | | | |
| | <i>Parthenope validus</i> | | | | 5 | 53.0 | | 2 | 21.0 | | | | | | | | |
| <i>Porcellanella picta</i> | 2 | 0.6 | | 3 | 0.9 | | | | | | | | | | | | |
| <i>Portunus pelagicus</i> | | | | | | | | | | | | | | | | | |
| <i>Portunus hastatoides</i> | | | | | | | | | | | | | | | | | |
| Mantis shrimp | <i>Harpisquilla harpax</i> | | | | | | | | | | | | | | | | |
| | <i>Oratosquilla oratoria</i> | | | | | | | | | | | | | | | | |
| Gastropod | <i>Murex trapa</i> | | | | | | | | | | | | | | | | |
| | <i>Turritella terebra</i> | | | | | | | | | | | | | | | | |
| Bivalve | <i>Arcuatula senhousia</i> | | | | | | | | | | | | | | | | |
| | <i>Nassarius succinctus</i> | | | | | | | | | | | | | | | | |
| | <i>Ostrea sp.</i> | 6 | 40.0 | | 10 | 52.0 | | 8 | 42.0 | | | | 6 | 36.0 | | | |
| | <i>Pinctada imbricata</i> | | | | | | | | | | | | | | | | |
| | <i>Pinna pectinata</i> | | | | | | | | | | | | | | | | |
| | <i>Perna viridis</i> | | | | | | | 8 | 530.0 | | | | | | | | |
| | <i>Scapharca subcrenata</i> | | | | | | | | | | | | | | | | |
| Cephalopod | <i>Ruditapes philippinarum</i> | | | | | | | | | | | | | | | | |
| | <i>Lolingid squid</i> | | | | | | | | | | | | | | | | |
| Echinoderm | <i>Sepiid cuttlefish</i> | | | | | | | | | | | | | | | | |
| | <i>Acaudina molpadioides</i> | | | | | | | | | | | | | | | | |
| | <i>Amphioplus sp.</i> | | | | | | | | | | | | | | | | |
| | <i>Colochirus quadrangularis</i> | | | | 1 | 42.0 | | | | | | | | | | | |
| | <i>c.f. Dendrochirotida</i> | | | | 1 | 39.0 | | | | | | | | | | | |
| | <i>Styela plicata</i> | | | | 1 | 3.4 | | 4 | 16.0 | | 2 | 4.1 | | 1 | 2.6 | | |
| Cnidaria | <i>Temnopleurus toreumaticus</i> | 2 | 18.0 | | 3 | 29.0 | | | | | | | | | | | |
| | <i>Cavernularia habereri</i> | | | | | | | | | | | | | | | | |
| | <i>Carcinactis ichikawai</i> | | | | | | | | | | | | | | | | |
| | <i>Ellisella laevis</i> | 5 | 80.0 | | 4 | 66.0 | | 4 | 52.0 | | 2 | 19.0 | | 1 | 12.0 | | |
| | <i>Pteroeides chinense</i> | 4 | 190.0 | | 5 | 210.0 | | | | | | | | 3 | 64.0 | | |
| | <i>Gorgonia spp.</i> | 2 | 56.0 | | 3 | 140.0 | | 4 | 156.0 | | | | | 2 | 26.0 | | |
| | Sea anomea | | | | | | | | | | 1 | 2.3 | | | | | |
| | Sea star | | | | | | | | | | | | | | | | |
| | Soft corals | 2 | 430.0 | | 4 | 870.0 | | | | | | | | 1 | 420.0 | | |
| | <i>Virgularia gustaviana</i> | | | | | | | | | | | | | | | | |
| Cirripedia | <i>c.f. Balanus spp.</i> | 40 | 90.0 | * | 20 | 48.0 | * | | | | 20 | 52.0 | * | 10 | 22.0 | | |

Trawling Data in February 2024

| Group | Species Name | TNA | | | | | | | | | | | | | | |
|-----------------|------------------------------------|--------------|-----------------|-----------------|--------------|-----------------|-----------------|--------------|-----------------|-----------------|--------------|-----------------|-----------------|--------------|-----------------|-----------------|
| | | TNA-1 | | | TNA-2 | | | TNA-3 | | | TNA-4 | | | TNA-5 | | |
| | | Total number | Total weight(g) | Subsampling (*) | Total number | Total weight(g) | Subsampling (*) | Total number | Total weight(g) | Subsampling (*) | Total number | Total weight(g) | Subsampling (*) | Total number | Total weight(g) | Subsampling (*) |
| Fish | <i>Armoglossus waitei</i> | | | | | | | | | | | | | | | |
| | <i>Acanthopagrus schlegeli</i> | | | | | | | 3 | 2230.0 | | | 3 | 2860.0 | | 3 | 2420.0 |
| | <i>Acentrogobius caninus</i> | | | | | | | | | | | | | | | |
| | <i>Apogon kiensis</i> | | | | | | | | | | | | | | | |
| | <i>Arius arius</i> | 26 | 890.0 | | 22 | 820.0 | | 15 | 630.0 | | 5 | 180.0 | | | | |
| | <i>Butis koilomatodon</i> | 1 | 12.0 | | | | | | | | | | | | | |
| | <i>Callionymus sp.</i> | | | | 2 | 8.0 | | | | | | | | | | |
| | <i>Cynoglossus arel</i> | | | | 1 | 50.0 | | | | | 1 | 2.0 | | | | |
| | <i>Cynoglossus puncticeps</i> | | | | | | | | | | | | | | | |
| | <i>Cynoglossus trigrammus</i> | | | | 1 | 20.0 | | | | | 1 | 17.0 | | | | |
| | <i>Dasvatis akajei</i> | | | | | | | | | | | | | | | |
| | <i>Dasvatis zugei</i> | 1 | 62.0 | | 1 | 415.0 | | 2 | 350.0 | | 2 | 210.0 | | | | |
| | <i>Dendrophysa russelli</i> | | | | | | | | | | | | | | | |
| | <i>Diagramma pictum</i> | | | | | | | | | | | | | | | |
| | <i>Drepane punctata</i> | | | | | | | | | | | | | | | |
| | <i>Epinephelus awoara</i> | | | | | | | | | | | | | | | |
| | <i>Gerres filamentosus</i> | | | | | | | | | | | | | | | |
| | <i>Grammolites scaber</i> | | | | 1 | 23.0 | | | | | 2 | 52.0 | | 1 | 41.0 | |
| | <i>Gymnura japonica</i> | | | | | | | | | | | | | | | |
| | <i>Inegocia japonicus</i> | | | | | | | | | | | | | | | |
| | <i>Inimicus japonicus</i> | | | | 1 | 150.0 | | | | | 2 | 180.0 | | | | |
| | <i>Johnius belangerii</i> | 1 | 3.0 | | 2 | 7.0 | | | | | | | | | | |
| | <i>Konosirus punctatus</i> | | | | | | | | | | | | | | | |
| | <i>Leiognathus brevirostris</i> | | | | | | | | | | 1 | 2.0 | | | | |
| | <i>Monacanthus chinensis</i> | | | | | | | | | | | | | | | |
| | <i>Micrognathus spirostris</i> | | | | | | | | | | | | | | | |
| | <i>Muraenesox cinereus</i> | | | | | | | | | | | | | | | |
| | <i>Parachaeturichthys polynema</i> | | | | | | | | | | | | | | | |
| | <i>Pennahia anea</i> | | | | 2 | 12.0 | | | | | | | | | | |
| | <i>Platycephalus indicus</i> | | | | | | | | | | | | | | | |
| | <i>Plotosus lineatus</i> | | | | | | | | | | | | | | | |
| | <i>Pseudorhombus arsius</i> | | | | | | | | | | | | | | | |
| | <i>Saurida elongata</i> | | | | | | | | | | | | | | | |
| | <i>Sebastiscus marmoratus</i> | | | | | | | | | | | | | | | |
| | <i>Scatophagus argus</i> | | | | | | | | | | | | | | | |
| | <i>Siganus fuscescens</i> | | | | | | | | | | | | | | | |
| | <i>Solea ovata</i> | 5 | 33.0 | | 3 | 24.0 | | 9 | 80.0 | | 5 | 38.0 | | 8 | 60.0 | |
| | <i>Takifugu niphobles</i> | | | | | | | | | | | | | | | |
| | <i>Trachicephalus uranoscopus</i> | | | | | | | | | | | | | | | |
| | <i>Trypauchen vagina</i> | | | | | | | | | | | | | | | |
| Prawn or shrimp | <i>Alpheus distinguendus</i> | | | | | | | 1 | 5.0 | | | | | | | |
| | <i>Alpheus brevirostratus</i> | | | | | | | | | | | | | | | |
| | <i>Alpheus heterochaelis</i> | | | | | | | | | | | | | | | |
| | <i>Metapenaeopsis barbata</i> | | | | | | | | | | | | | | | |
| | <i>Metapenaeus affinis</i> | | | | | | | | | | | | | | | |
| | <i>Parapeneopsis hardwickii</i> | | | | | | | 1 | 10.0 | | 3 | 17.0 | | 2 | 11.0 | |
| | <i>Parapeneopsis hungerfordii</i> | | | | | | | | | | | | | | | |
| | <i>Parapeneopsis tenella</i> | | | | | | | | | | | | | | | |
| | <i>Penaeus merguensis</i> | | | | | | | | | | | | | | | |
| | <i>Penaeus semisulcatus</i> | | | | 1 | 2.0 | | 1 | 3.0 | | | | | | | |

Trawling Data in February 2024

| Group | Species Name | TNA | | | | | | | | | | | | | | | |
|-----------------------------|----------------------------------|--------------|-----------------|-----------------|--------------|-----------------|-----------------|--------------|-----------------|-----------------|--------------|-----------------|-----------------|--------------|-----------------|-----------------|------|
| | | TNA-1 | | | TNA-2 | | | TNA-3 | | | TNA-4 | | | TNA-5 | | | |
| | | Total number | Total weight(g) | Subsampling (*) | Total number | Total weight(g) | Subsampling (*) | Total number | Total weight(g) | Subsampling (*) | Total number | Total weight(g) | Subsampling (*) | Total number | Total weight(g) | Subsampling (*) | |
| Crab | <i>Arcania heptacantha</i> | | | | | | | | | | | 1 | 2.3 | | | | |
| | <i>Charybdis affinis</i> | | | | | | | | | | | | | | | | |
| | <i>Charybdis cruciata</i> | | | | | | | | | | | | | | | | |
| | <i>Charybdis hellerii</i> | | | | | | | | | | | | | | | | |
| | <i>Charybdis japonica</i> | | | | | | | | | | | | | | | | |
| | <i>Charybdis truncata</i> | | | | | | | | | | | | | | | | |
| | <i>Charybdis variegata</i> | | | | | | | | | | | | | | | | |
| | <i>Charybdis spp.</i> | | | | | | | | | | | | | | | | |
| | <i>Dorippe dorsipes</i> | | | | | | | | | | | | 2 | 36.0 | | | |
| | <i>Dorippe poliita</i> | | | | | | | | | | | | 4 | 29.0 | | 5 | 42.0 |
| | <i>Galene bispinosa</i> | | | | | | | | | | | | | | | | |
| | Hermit crab | | | | | | | | | | | | | | | | |
| | <i>Leucosia craniolaris</i> | 1 | 4.2 | | 1 | 5.1 | | 1 | 2.3 | | | | | | | | |
| | <i>Parthenope validus</i> | | | | | | | | | | | | | | | | |
| <i>Porcellanella picta</i> | 8 | 3.2 | | 11 | 3.9 | | 7 | 3.1 | | | | | | | | | |
| <i>Portunus pelagicus</i> | | | | | | | | | | | | 2 | 130.0 | | | | |
| <i>Portunus hastatoides</i> | 2 | 8.0 | | | | | 1 | 4.0 | | | 1 | 3.0 | | 1 | 3.0 | | |
| Mantis shrimp | <i>Harpiosquilla harpax</i> | | | | | | | | | | | | | | | | |
| | <i>Oratosquilla oratoria</i> | | | | | | | 1 | 5.0 | | | | | | | | |
| Gastropod | <i>Murex trapa</i> | | | | | | | | | | | | | | | | |
| | <i>Turritella terebra</i> | | | | | | | | | | | | | | | | |
| Bivalve | <i>Arcuatula senhousia</i> | | | | | | | | | | | | | | | | |
| | <i>Nassarius succinctus</i> | | | | | | | | | | | | | | | | |
| | <i>Ostrea sp.</i> | | | | | | | | | | | | | | | | |
| | <i>Pinctada imbricata</i> | | | | 1 | 120.0 | | | | | | | | | | | |
| | <i>Pinna pectinata</i> | | | | | | | | | | | | | | | | |
| | <i>Perna viridis</i> | | | | | | | | | | | | | | | | |
| | <i>Scapharca subcrenata</i> | | | | | | | | | | | | | | | | |
| Cephalopod | <i>Ruditapes philippinarum</i> | | | | | | | | | | | | | | | | |
| | <i>Lolingid squid</i> | | | | | | | | | | | | | | | | |
| | <i>Sepiid cuttlefish</i> | | | | | | | 1 | 50.0 | | | 1 | 443.0 | | | | |
| Echinoderm | <i>Acaudina molpadioides</i> | | | | 1 | 2.6 | | | | | | | | | | | |
| | <i>Amphiplus sp.</i> | | | | | | | 2 | 11.0 | | | | | | | | |
| | <i>Colochirus quadrangularis</i> | | | | | | | | | | | | | | | | |
| | <i>c.f. Dendrochirotida</i> | | | | | | | | | | | | | | | | |
| | <i>Styela plicata</i> | | | | | | | | | | | | | | | | |
| Cnidaria | <i>Temnopleurus toreumaticus</i> | | | | | | | | | | | | | | | | |
| | <i>Cavernularia habereri</i> | | | | 3 | 9.4 | | | | | | | | | | | |
| | <i>Carcinactis ichikawai</i> | 16 | 40.0 | | 8 | 5.6 | | 4 | 2.6 | | 6 | 3.8 | | 7 | 4.8 | | |
| | <i>Ellisella laevis</i> | | | | | | | | | | | | | | | | |
| | <i>Pteroeides chinense</i> | 8 | 184.0 | | 15 | 610.0 | | 30 | 1180.0 | | 22 | 890.0 | | 32 | 1240.0 | | |
| | <i>Gorgonia spp.</i> | | | | 1 | 7.0 | | | | | | | | | | | |
| | Sea anomea | 1 | 6.2 | | | | | 1 | 3.8 | | | | | | | | |
| | Sea star | 2 | 21.0 | | 1 | 8.2 | | | | | | | | | | | |
| | Soft corals | | | | | | | | | | | | | | | | |
| | <i>Virgularia gustaviana</i> | | | | 2 | 14.0 | | | | | | | | | | | |
| Cirripedia | <i>c.f. Balanus spp.</i> | | | | | | | | | | | | | | | | |

Trawling Data in February 2024

| Group | Species Name | TNB | | | | | | | | | | | | | | |
|-----------------|------------------------------------|--------------|-----------------|-----------------|--------------|-----------------|-----------------|--------------|-----------------|-----------------|--------------|-----------------|-----------------|--------------|-----------------|-----------------|
| | | TNB-1 | | | TNB-2 | | | TNB-3 | | | TNB-4 | | | TNB-5 | | |
| | | Total number | Total weight(g) | Subsampling (*) | Total number | Total weight(g) | Subsampling (*) | Total number | Total weight(g) | Subsampling (*) | Total number | Total weight(g) | Subsampling (*) | Total number | Total weight(g) | Subsampling (*) |
| Fish | <i>Arnoglossus waitei</i> | | | | | | | 1 | 10.0 | | | | | | 1 | 10.0 |
| | <i>Acanthopagrus schlegeli</i> | | | | 1 | 593.0 | | | | | | | | | | |
| | <i>Acentrogobius caninus</i> | | | | | | | | | | | | | | | |
| | <i>Apogon kiensis</i> | 1 | 18.0 | | | | | | | | | | | | | |
| | <i>Arius arius</i> | | | | | | | | | | | | | | | |
| | <i>Butis koilomatodon</i> | | | | | | | | | | | | | | | |
| | <i>Callionymus sp.</i> | 1 | 3.0 | | 1 | 4.0 | | 3 | 8.0 | | | | | | | |
| | <i>Cynoglossus arel</i> | | | | | | | 3 | 87.0 | | | | | | | |
| | <i>Cynoglossus puncticeps</i> | | | | | | | | | | | | | | | |
| | <i>Cynoglossus trigrammus</i> | | | | | | | | | | 1 | 30.0 | | | | |
| | <i>Dasvatis akajei</i> | | | | | | | | | | | | | | | |
| | <i>Dasvatis zugei</i> | 2 | 170.0 | | 3 | 480.0 | | | | | 5 | 770.0 | | 4 | 438.0 | |
| | <i>Dendrophysa russelli</i> | | | | | | | | | | | | | | | |
| | <i>Diagramma pictum</i> | | | | | | | | | | | | | | | |
| | <i>Drepane punctata</i> | | | | | | | | | | | | | | | |
| | <i>Epinephelus awoara</i> | | | | | | | | | | | | | | | |
| | <i>Gerres filamentosus</i> | | | | | | | | | | | | | | | |
| | <i>Grammolites scaber</i> | | | | | | | | | | | | | 1 | 13.0 | |
| | <i>Gymnura japonica</i> | | | | 1 | 418.0 | | | | | | | | | | |
| | <i>Inegocia japonicus</i> | | | | | | | | | | | | | | | |
| | <i>Inimicus japonicus</i> | | | | | | | | | | | | | | | |
| | <i>Johnius belangerii</i> | | | | | | | | | | | | | | | |
| | <i>Konosirus punctatus</i> | 1 | 70.0 | | | | | | | | | | | | | |
| | <i>Leiognathus brevirostris</i> | | | | | | | | | | | | | | | |
| | <i>Monacanthus chinensis</i> | | | | | | | | | | | | | | | |
| | <i>Micrognathus spirostris</i> | | | | | | | | | | | | | | | |
| | <i>Muraenesox cinereus</i> | 1 | 210.0 | | | | | | | | | | | | | |
| | <i>Parachaeturichthys polynema</i> | | | | | | | | | | | | | | | |
| | <i>Pennahia anea</i> | | | | | | | | | | 1 | 6 | | 1 | 6.0 | |
| | <i>Platycephalus indicus</i> | | | | | | | 1 | 144.0 | | | | | | | |
| | <i>Plotosus lineatus</i> | | | | | | | | | | | | | | | |
| | <i>Pseudorhombus arsius</i> | 1 | 88.0 | | | | | | | | | | | | | |
| | <i>Saurida elongata</i> | | | | | | | | | | | | | | | |
| | <i>Sebastiscus marmoratus</i> | | | | | | | | | | | | | | | |
| | <i>Scatophagus argus</i> | | | | | | | | | | | | | | | |
| | <i>Siganus fuscescens</i> | | | | | | | | | | | | | | | |
| | <i>Solea ovata</i> | | | | | | | | | | 2 | 18.0 | | 3 | 26.0 | |
| | <i>Takifugu niphobles</i> | | | | | | | 1 | 47.0 | | | | | | | |
| | <i>Trachicephalus uranoscopus</i> | | | | 2 | 30.0 | | | | | | | | 2 | 18.0 | |
| | <i>Trypauchen vagina</i> | 1 | 6.0 | | | | | | | | | | | | | |
| Prawn or shrimp | <i>Alpheus distinguendus</i> | | | | | | | | | | | | | | | |
| | <i>Alpheus brevicristatus</i> | | | | | | | | | | | | | | | |
| | <i>Alpheus heterochaelis</i> | | | | | | | | | | | | | | | |
| | <i>Metapenaeopsis barbata</i> | | | | | | | | | | | | | | | |
| | <i>Metapenaeus affinis</i> | 1 | 10.0 | | | | | | | | | | | | | |
| | <i>Parapeneopsis hardwickii</i> | | | | | | | | | | | | | | | |
| | <i>Parapeneopsis hungerfordii</i> | 1 | 12.0 | | 2 | 10.0 | | | | | | | | | | |
| | <i>Parapeneopsis tenella</i> | | | | | | | | | | | | | | | |
| | <i>Penaeus merguensis</i> | | | | | | | | | | | | | | | |
| | <i>Penaeus semisulcatus</i> | 1 | 2.0 | | | | | | | | | | | | | |

Trawling Data in February 2024

| Group | Species Name | TNB | | | | | | | | | | | | | | |
|-----------------------------|----------------------------------|--------------|-----------------|-----------------|--------------|-----------------|-----------------|--------------|-----------------|-----------------|--------------|-----------------|-----------------|--------------|-----------------|-----------------|
| | | TNB-1 | | | TNB-2 | | | TNB-3 | | | TNB-4 | | | TNB-5 | | |
| | | Total number | Total weight(g) | Subsampling (*) | Total number | Total weight(g) | Subsampling (*) | Total number | Total weight(g) | Subsampling (*) | Total number | Total weight(g) | Subsampling (*) | Total number | Total weight(g) | Subsampling (*) |
| Crab | <i>Arcania heptacantha</i> | | | | 2 | 22.0 | | | | | | | | | | |
| | <i>Charybdis affinis</i> | 1 | 90.0 | | | | | | | | | | | | 1 | 100.0 |
| | <i>Charybdis cruciata</i> | | | | | | | | | | | | | | 1 | 320.0 |
| | <i>Charybdis hellerii</i> | | | | | | | | | | | 1.0 | 194.0 | | | |
| | <i>Charybdis japonica</i> | | | | | | | | | | | 1 | 17.0 | | 1 | 5.0 |
| | <i>Charybdis truncata</i> | | | | | | | | | | | | | | | |
| | <i>Charybdis variegata</i> | | | | | | | | | | | | | | | |
| | <i>Charybdis spp.</i> | | | | | | | | | | | | | | | |
| | <i>Dorippe dorsipes</i> | | | | 4 | 46.0 | | | | | | | | | | |
| | <i>Dorippe polita</i> | 46 | 440.0 | | 30 | 310.0 | | 30 | 310.0 | | 6 | 52.0 | | 9 | 102.0 | |
| | <i>Galene bispinosa</i> | 1 | 166.0 | | | | | | | | | | | | | |
| | Hermit crab | | | | | | | | | | | | | | | |
| | <i>Leucosia craniolaris</i> | | | | | | | | | | | | | | | |
| | <i>Parthenope validus</i> | 5 | 56.0 | | 5 | 64.0 | | | | | | | | | | |
| <i>Porcellanella picta</i> | | | | 7 | 1.8 | | 4.0 | 1.6 | | | | | | 2 | 0.7 | |
| <i>Portunus pelagicus</i> | | | | | | | | | | | 1 | 145.0 | | | | |
| <i>Portunus hastatoides</i> | | | | 4 | 13.0 | | 1 | 2.0 | | | | | | | | |
| Mantis shrimp | <i>Harpiosquilla harpax</i> | 1 | 60.0 | | 2 | 195.0 | | | | | | | | 1 | 23.0 | |
| | <i>Oratosquilla oratoria</i> | | | | | | | | | | | | | | | |
| Gastropod | <i>Murex trapa</i> | | | | | | | | | | | | | | | |
| | <i>Turritella terebra</i> | | | | | | | | | | | | | | | |
| Bivalve | <i>Arcuatula senhousia</i> | | | | | | | | | | | | | | | |
| | <i>Nassarius succinctus</i> | | | | | | | | | | | | | | | |
| | <i>Ostrea sp.</i> | | | | | | | | | | | | | | | |
| | <i>Pinctada imbricata</i> | | | | | | | | | | | | | | | |
| | <i>Pinna pectinata</i> | | | | | | 1 | 7.6 | | | | | | | | |
| | <i>Perna viridis</i> | | | | | | | | | | | | | | | |
| | <i>Scapharca subcrenata</i> | | | | | | | | | | | | | | | |
| | <i>Ruditapes philippinarum</i> | | | | | | | | | | | | | | | |
| Cephalopod | <i>Lolingid squid</i> | | | | | | | | | | | | | 1 | 10.0 | |
| | <i>Sepiid cuttlefish</i> | | | | | | 1 | 480.0 | | | | | | | | |
| Echinoderm | <i>Acaudina molpadioides</i> | | | | 1 | 13.0 | | | | | | 1 | 9.0 | | | |
| | <i>Amphioplus sp.</i> | | | | | | | | | | | | | | | |
| | <i>Colochirus quadrangularis</i> | | | | 1 | 29.0 | | | | | | | | | | |
| | <i>c.f. Dendrochirotida</i> | | | | | | | | | | | | | | | |
| | <i>Styela plicata</i> | | | | | | | | | | | | | | | |
| Cnidaria | <i>Temnopleurus toreumaticus</i> | | | | | | | | | | | | | | | |
| | <i>Cavernularia habereri</i> | | | | | | | | 3 | 11.0 | | | | | | |
| | <i>Carcinactis ichikawai</i> | 8 | 4.1 | | 20 | 28.0 | | 24 | 28.0 | | 7 | 8.4 | | 16 | 18.6 | |
| | <i>Ellisella laevis</i> | | | | | | | | | | | | | | | |
| | <i>Pterooideis chinense</i> | 12 | 192.0 | | 9 | 160.0 | | 7 | 140.0 | | 20 | 610.0 | | 36 | 1240.0 | |
| | <i>Gorgonia spp.</i> | | | | | | | | | | | | | | | |
| | Sea anomea | | | | | | | | | | | 1 | 6.8 | | 1 | 5.2 |
| | Sea star | | | | | | | | | | | | | | | |
| | Soft corals | | | | | | | | | | | | | | | |
| | <i>Virgularia gustaviana</i> | 2 | 24.0 | | 1 | 18.0 | | 2 | 44.0 | | 1 | 16.0 | | | | |
| Cirripedia | <i>c.f. Balanus spp.</i> | | | | 20 | 36.0 | * | | | | | | | | | |

Trawling Data in February 2024

| Group | Species Name | TSA | | | | | | | | | | | | | | |
|-----------------|-------------------------------------|--------------|-----------------|-----------------|--------------|-----------------|-----------------|--------------|-----------------|-----------------|--------------|-----------------|-----------------|--------------|-----------------|-----------------|
| | | TSA-1 | | | TSA-2 | | | TSA-3 | | | TSA-4 | | | TSA-5 | | |
| | | Total number | Total weight(g) | Subsampling (*) | Total number | Total weight(g) | Subsampling (*) | Total number | Total weight(g) | Subsampling (*) | Total number | Total weight(g) | Subsampling (*) | Total number | Total weight(g) | Subsampling (*) |
| Fish | <i>Arnoglossus waitei</i> | | | | | | | | | | | | | | | |
| | <i>Acanthopagrus schlegeli</i> | | | | | | | 10 | 4590.0 | | 8 | 5640.0 | | 13 | 5040.0 | |
| | <i>Acentrogobius caninus</i> | | | | 1 | 22.0 | | | | | | | | | | |
| | <i>Apogon kiensis</i> | | | | | | | | | | | | | | | |
| | <i>Arius arius</i> | 56 | 2520.0 | | 54 | 2350.0 | | 90 | 5260.0 | | 26 | 998.0 | | 76 | 3120.0 | |
| | <i>Butis koilomatodon</i> | | | | | | | | | | | | | | | |
| | <i>Callionymus sp.</i> | 1 | 4.0 | | | | | 2 | 5.0 | | | | | 2 | 9.0 | |
| | <i>Cynoglossus arel</i> | | | | | | | | | | | | | 1 | 3.0 | |
| | <i>Cynoglossus puncticeps</i> | 1 | 6.0 | | | | | | | | | | | | | |
| | <i>Cynoglossus trigrammus</i> | | | | | | | | | | | | | | | |
| | <i>Dasyatis akajei</i> | | | | | | | | | | | | | 1 | 160.0 | |
| | <i>Dasyatis zugei</i> | | | | 1 | 110.0 | | 1 | 110.0 | | 1 | 170.0 | | | | |
| | <i>Dendrophysa russelli</i> | | | | | | | | | | | | | | | |
| | <i>Diagramma pictum</i> | | | | | | | | | | 4 | 805.0 | | 3 | 470.0 | |
| | <i>Drepane punctata</i> | | | | | | | | | | | | | | | |
| | <i>Epinephelus awoara</i> | | | | | | | 1 | 6.0 | | | | | | | |
| | <i>Gerres filamentosus</i> | | | | | | | | | | | | | | | |
| | <i>Grammolites scaber</i> | | | | | | | | | | | | | | | |
| | <i>Gymnura japonica</i> | | | | | | | | | | | | | | | |
| | <i>Inegocia japonicus</i> | 4 | 46.0 | | 4 | 53.0 | | 3 | 38.0 | | | | | | | |
| | <i>Inimicus japonicus</i> | | | | | | | | | | | | | | | |
| | <i>Johnius belangerii</i> | | | | | | | | | | | | | | | |
| | <i>Konosirus punctatus</i> | 5 | 270.0 | | 7 | 145.0 | | 6 | 340.0 | | | | | 1 | 90.0 | |
| | <i>Leiognathus brevisrostris</i> | | | | | | | | | | | | | | | |
| | <i>Monacanthus chinensis</i> | | | | 1 | 26.0 | | | | | | | | | | |
| | <i>Micrognathus spirostris</i> | | | | | | | | | | | | | | | |
| | <i>Muraenesox cinereus</i> | | | | | | | | | | | | | | | |
| | <i>Parachaeturichthys polymema</i> | | | | 1 | 6.0 | | | | | | | | | | |
| | <i>Pennahia anea</i> | | | | | | | | | | | | | | | |
| | <i>Platycephalus indicus</i> | | | | | | | 2 | 205.0 | | | | | | | |
| | <i>Plotosus lineatus</i> | | | | | | | | | | | | | 2 | 18.0 | |
| | <i>Pseudorhombus arsius</i> | | | | | | | | | | | | | 1 | 60.0 | |
| | <i>Saurida elongata</i> | | | | 1 | 230.0 | | | | | | | | | | |
| | <i>Sebastiscus marmoratus</i> | | | | | | | | | | | | | | | |
| | <i>Scatophagus argus</i> | | | | 1 | 50.0 | | | | | | | | | | |
| | <i>Siganus fuscescens</i> | | | | | | | | | | | | | | | |
| | <i>Solea ovata</i> | 5 | 30.0 | | 22 | 150.0 | | 21 | 150.0 | | 5 | 40.0 | | 18 | 90.0 | |
| | <i>Takifugu niphobles</i> | | | | | | | 2 | 690.0 | | 1 | 230.0 | | 4 | 1530.0 | |
| | <i>Trachicephalus uranoscopus</i> | | | | | | | 2 | 29.0 | | | | | | | |
| | <i>Trypauchen vagina</i> | | | | | | | | | | | | | | | |
| Prawn or shrimp | <i>Alpheus distinguendus</i> | | | | | | | | | | | | | | | |
| | <i>Alpheus brevicristatus</i> | | | | 1 | 8.0 | | | | | | | | | | |
| | <i>Alpheus heterochaelis</i> | | | | | | | | | | | | | | | |
| | <i>Metapeneaeopsis barbata</i> | | | | | | | | | | | | | | | |
| | <i>Metapeneaeus affinis</i> | | | | | | | | | | | | | | | |
| | <i>Parapeneaeopsis hardwickii</i> | | | | | | | | | | | | | | | |
| | <i>Parapeneaeopsis hungerfordii</i> | | | | | | | | | | | | | | | |
| | <i>Parapeneaeopsis tenella</i> | | | | | | | | | | | | | | | |
| | <i>Penaeus merguensis</i> | | | | | | | | | | | | | | | |
| | <i>Penaeus semisulcatus</i> | | | | | | | | | | | | | | | |

Trawling Data in February 2024

| Group | Species Name | TSA | | | | | | | | | | | | | | | |
|-----------------------------|----------------------------------|--------------|-----------------|-----------------|--------------|-----------------|-----------------|--------------|-----------------|-----------------|--------------|-----------------|-----------------|--------------|-----------------|-----------------|--|
| | | TSA-1 | | | TSA-2 | | | TSA-3 | | | TSA-4 | | | TSA-5 | | | |
| | | Total number | Total weight(g) | Subsampling (*) | Total number | Total weight(g) | Subsampling (*) | Total number | Total weight(g) | Subsampling (*) | Total number | Total weight(g) | Subsampling (*) | Total number | Total weight(g) | Subsampling (*) | |
| Crab | <i>Arcania heptacantha</i> | | | | | | | | | | 1 | 2.3 | | | | | |
| | <i>Charybdis affinis</i> | | | | | | | | | | | | | | | | |
| | <i>Charybdis cruciata</i> | | | | | | | | | | | | | | | | |
| | <i>Charybdis hellerii</i> | | | | | | | 1 | 140.0 | | | | | 1 | 150.0 | | |
| | <i>Charybdis japonica</i> | | | | | | | | | | | | | | | | |
| | <i>Charybdis truncata</i> | | | | | | | | | | | | | | | | |
| | <i>Charybdis variegata</i> | | | | | | | | | | | | | | | | |
| | <i>Charybdis spp.</i> | | | | | | | | | | | | | | | | |
| | <i>Dorippe dorsipes</i> | | | | | | | | | | | 2 | 36.0 | | | | |
| | <i>Dorippe polita</i> | | | | | | | | | | | 4 | 29.0 | | 5 | 42.0 | |
| | <i>Galene bispinosa</i> | | | | | | | | | | | | | | | | |
| | Hermit crab | | | | | | | | | | | | | | | | |
| | <i>Leucosia craniolaris</i> | 1 | 4.2 | | 1 | 5.1 | | 1 | 2.3 | | | | | | | | |
| | <i>Parthenope validus</i> | | | | | | | | | | | | | | | | |
| <i>Porcellanella picta</i> | 8 | 3.2 | | 11 | 3.9 | | 7 | 3.1 | | | | | | | | | |
| <i>Portunus pelagicus</i> | | | | | | | 2 | 330.0 | | | | | | | | | |
| <i>Portunus hastatoides</i> | | | | | | | 1 | 4.0 | | | | | | 1 | 3.0 | | |
| Mantis shrimp | <i>Harpisquilla harpax</i> | | | | | | | | | | | | | | | | |
| | <i>Oratosquilla oratoria</i> | | | | | | | | | | | | | | | | |
| Gastropod | <i>Murex trapa</i> | | | | 2 | 16.0 | | | | | | | | | | | |
| | <i>Turritella terebra</i> | | | | | | | | | | | | | | | | |
| Bivalve | <i>Arcuatula senhousia</i> | 2300 | 2510.0 | * | 2890 | 3140.0 | * | 1900 | 2200.0 | * | 1420 | 1590.0 | * | 1700 | 1930.0 | * | |
| | <i>Nassarius succinctus</i> | | | | | | | | | | | | | | | | |
| | <i>Ostrea sp.</i> | | | | | | | | | | | | | | | | |
| | <i>Pinctada imbricata</i> | | | | | | | | | | | | | | | | |
| | <i>Pinna pectinata</i> | | | | | | | | | | | | | | | | |
| | <i>Perna viridis</i> | | | | | | | | | | | | | | | | |
| | <i>Scapharca subcrenata</i> | | | | | | | | | | 1 | 28.0 | | | | | |
| | <i>Ruditapes philippinarum</i> | | | | | | | | | | 1 | 7.6 | | | | | |
| | <i>Chorax siliqua</i> | | | | | | | | | | | | | | | | |
| Cephalopod | <i>Loligid squid</i> | | | | | | | | | | | | | | | | |
| | <i>Sepiid cuttlefish</i> | | | | | | | 2 | 140.0 | | | | | | | | |
| Echinoderm | <i>Acaudina molpadioides</i> | | | | | | | | | | | | | | | | |
| | <i>Amphioplus sp.</i> | | | | | | | 1 | 13.0 | | | | | | | | |
| | <i>Colochirus quadrangularis</i> | | | | | | | | | | | | | | | | |
| | <i>c.f. Dendrochirotida</i> | | | | | | | | | | | | | | | | |
| | <i>Sivella plicata</i> | | | | | | | | | | | | | | | | |
| Cnidaria | <i>Temnopleurus toreumaticus</i> | | | | | | | 3 | 38.0 | | | | | | | | |
| | <i>Cavernularia habereri</i> | 4 | 15.0 | | | | | | | | | | | | | | |
| | <i>Carcinactis ichikawai</i> | | | | | | | | | | | | | | | | |
| | <i>Ellisella laevis</i> | | | | | | | | | | | | | | | | |
| | <i>Pteroeides chinense</i> | 42 | 1610.0 | * | 51 | 1840.0 | * | 60 | 1910.0 | * | 50 | 1860.0 | * | 60 | 2100.0 | * | |
| | <i>Gorgonia spp.</i> | | | | | | | | | | | | | | | | |
| Cirripedia | Sea anomea | | | | | | | | | | | | | | | | |
| | Sea star | | | | | | | | | | | | | | | | |
| | Soft corals | | | | | | | | | | | | | | | | |
| | <i>Virgularia gustaviana</i> | | | | | | | | | | | | | | | | |
| | <i>c.f. Balanus spp.</i> | | | | | | | | | | | | | | | | |

Trawling Data in February 2024

| Group | Species Name | TSB | | | | | | | | | | | | | | |
|-----------------|------------------------------------|--------------|-----------------|-----------------|--------------|-----------------|-----------------|--------------|-----------------|-----------------|--------------|-----------------|-----------------|--------------|-----------------|-----------------|
| | | TSB-1 | | | TSB-2 | | | TSB-3 | | | TSB-4 | | | TSB-5 | | |
| | | Total number | Total weight(g) | Subsampling (*) | Total number | Total weight(g) | Subsampling (*) | Total number | Total weight(g) | Subsampling (*) | Total number | Total weight(g) | Subsampling (*) | Total number | Total weight(g) | Subsampling (*) |
| Fish | <i>Arnoglossus waiti</i> | | | | 1 | 4.0 | | | | | | | | | | |
| | <i>Acanthopagrus schlegeli</i> | 2 | 1520.0 | | 1 | 460.0 | | | | | | | | | | |
| | <i>Acentrogobius caninus</i> | | | | | | | | | | | | | | | |
| | <i>Apogon kiensis</i> | | | | | | | | | | | | | | | |
| | <i>Arius arius</i> | 15 | 1080.0 | | 12 | 1210.0 | | 4 | 330.0 | | 4 | 320.0 | | 4 | 260.0 | |
| | <i>Butis koilomatodon</i> | | | | | | | 1 | 16.0 | | | | | | | |
| | <i>Callionymus sp.</i> | | | | | | | 2 | 5.0 | | | | | | | |
| | <i>Cynoglossus arel</i> | | | | | | | | | | 2 | 110.0 | | | | |
| | <i>Cynoglossus puncticeps</i> | | | | | | | | | | | | | | | |
| | <i>Cynoglossus trigrammus</i> | | | | 1 | 560.0 | | | | | 1 | 24.0 | | | | |
| | <i>Dasyatis akajei</i> | | | | | | | | | | | | | | | |
| | <i>Dasyatis zugei</i> | 4 | 660.0 | | 1 | 55.0 | | 1 | 120.0 | | 2 | 380.0 | | 3 | 380.0 | |
| | <i>Dendrophysa russelli</i> | | | | | | | | | | 1 | 30.0 | | | | |
| | <i>Diagramma pictum</i> | | | | | | | | | | | | | | | |
| | <i>Drepane punctata</i> | | | | | | | | | | | | | | | |
| | <i>Epinephelus awoara</i> | | | | | | | | | | | | | | | |
| | <i>Gerres filamentosus</i> | | | | | | | | | | | | | | | |
| | <i>Grammolites scaber</i> | | | | | | | | | | | | | | | |
| | <i>Gymnura japonica</i> | | | | | | | 2 | 1890.0 | | 1 | 340.0 | | 1 | 770.0 | |
| | <i>Inegocia japonicus</i> | | | | | | | | | | | | | | | |
| | <i>Inimicus japonicus</i> | | | | | | | | | | | | | | | |
| | <i>Johnius belangerii</i> | | | | | | | | | | | | | | | |
| | <i>Konosirus punctatus</i> | | | | | | | | | | | | | | | |
| | <i>Leiognathus brevirostris</i> | | | | | | | | | | | | | | | |
| | <i>Monacanthus chinensis</i> | | | | | | | | | | | | | | | |
| | <i>Micrognathus spirostris</i> | | | | | | | | | | | | | | | |
| | <i>Muraenesox cinereus</i> | | | | | | | | | | | | | | | |
| | <i>Parachaeturichthys polynema</i> | | | | | | | | | | | | | | | |
| | <i>Pennahia anea</i> | | | | | | | | | | | | | | | |
| | <i>Platycephalus indicus</i> | | | | 1 | 60.0 | | 1 | 90.0 | | | | | | | |
| | <i>Plotosus lineatus</i> | | | | | | | | | | | | | | | |
| | <i>Pseudorhombus arsius</i> | | | | 1 | 80.0 | | | | | | | | | | |
| | <i>Saurida elongata</i> | | | | | | | | | | | | | 1 | 150.0 | |
| | <i>Sebastiscus marmoratus</i> | | | | | | | | | | | | | | | |
| | <i>Scatophagus argus</i> | | | | | | | | | | | | | | | |
| | <i>Siganus fuscescens</i> | | | | 2 | 110.0 | | | | | | | | | | |
| | <i>Solea ovata</i> | 3 | 22.0 | | 10 | 70.0 | | 4 | 22.0 | | | | | | | |
| | <i>Takifugu niphobles</i> | 3 | 910.0 | | 3 | 1070.0 | | | | | 1 | 260.0 | | 2 | 1250.0 | |
| | <i>Trachicephalus uranoscopus</i> | | | | 1 | 12.0 | | | | | | | | | | |
| | <i>Trypauchen vagina</i> | | | | | | | | | | | | | | | |
| Prawn or shrimp | <i>Alpheus distinguendus</i> | | | | | | | | | | | | | | | |
| | <i>Alpheus brevicristatus</i> | | | | | | | | | | | | | | | |
| | <i>Alpheus heterochaelis</i> | | | | | | | | | | | | | | | |
| | <i>Metapenaeopsis barbata</i> | | | | | | | | | | | | | | | |
| | <i>Metapenaeus affinis</i> | | | | | | | | | | | | | | | |
| | <i>Parapeneopsis hardwickii</i> | | | | | | | | | | | | | | | |
| | <i>Parapeneopsis hungerfordii</i> | | | | | | | | | | | | | | | |
| | <i>Parapeneopsis tenella</i> | | | | | | | 1 | 5.0 | | | | | | | |
| | <i>Penaeus merguensis</i> | | | | | | | | | | 1 | 58.0 | | | | |
| | <i>Penaeus semisulcatus</i> | | | | | | | | | | | | | | | |

Trawling Data in February 2024

| Group | Species Name | TSB | | | | | | | | | | | | | | |
|-----------------------------|----------------------------------|--------------|-----------------|-----------------|--------------|-----------------|-----------------|--------------|-----------------|-----------------|--------------|-----------------|-----------------|--------------|-----------------|-----------------|
| | | TSB-1 | | | TSB-2 | | | TSB-3 | | | TSB-4 | | | TSB-5 | | |
| | | Total number | Total weight(g) | Subsampling (*) | Total number | Total weight(g) | Subsampling (*) | Total number | Total weight(g) | Subsampling (*) | Total number | Total weight(g) | Subsampling (*) | Total number | Total weight(g) | Subsampling (*) |
| Crab | <i>Arcania heptacantha</i> | | | | 2 | 22.0 | | | | | | | | | | |
| | <i>Charybdis affinis</i> | | | | | | | | | | 1 | 15.0 | | | | |
| | <i>Charybdis cruciata</i> | | | | | | | | | | | | | | | |
| | <i>Charybdis hellerii</i> | | | | | | | | | | | | | | | |
| | <i>Charybdis japonica</i> | | | | | | | | | | | | | | | |
| | <i>Charybdis truncata</i> | | | | | | | | | | 1 | 15.0 | | | | |
| | <i>Charybdis variegata</i> | | | | | | | | | | | | | | | |
| | <i>Charybdis spp.</i> | | | | | | | | | | | | | | | |
| | <i>Dorippe dorsipes</i> | | | | 4 | 46.0 | | | | | | | | | | |
| | <i>Dorippe polita</i> | 26 | 440.0 | | 30 | 310.0 | | 6 | 52.0 | | 9 | 102.0 | | | | |
| | <i>Galene bispinosa</i> | | | | | | | | | | | | | | | |
| | Hermit crab | | | | | | | 1 | 2.1 | | 1 | 2.6 | | | | |
| | <i>Leucosia craniolaris</i> | | | | | | | | | | | | | | | |
| | <i>Parthenope validus</i> | 5 | 56.0 | | 5 | 64.0 | | | | | | | | | | |
| | <i>Porcellanella picta</i> | | | | 7 | 1.8 | | 4 | 1.6 | | | | | 2 | 0.7 | |
| <i>Portunus pelagicus</i> | | | | | | | | | | | | | | | | |
| <i>Portunus hastatoides</i> | 1 | 6.0 | | 4 | 11.0 | | 8 | 24.0 | | 1 | 6.0 | | 1 | 8.0 | | |
| Mantis shrimp | <i>Harpisquilla harpax</i> | | | | | | | | | | | | | | | |
| | <i>Oratosquilla oratoria</i> | | | | | | | | | | | | | | | |
| Gastropod | <i>Murex trapa</i> | 7 | 66.0 | | 8 | 90.0 | | 5 | 43.0 | | 3 | 23.0 | | 4 | 39.0 | |
| | <i>Turritella terebra</i> | | | | | | | | | | 3 | 20.0 | | 5 | 38.0 | |
| Bivalve | <i>Arcuatula senhousia</i> | 1700 | 2100.0 | * | 1400 | 1560.0 | * | 1600 | 2080.0 | * | 1300 | 1420.0 | * | 1100 | 1280.0 | * |
| | <i>Nassarius succinctus</i> | 6 | 8.4 | | | | | | | | | | | | | |
| | <i>Ostrea sp.</i> | | | | | | | | | | | | | | | |
| | <i>Pinctada imbricata</i> | | | | | | | | | | | | | | | |
| | <i>Pinna pectinata</i> | | | | | | | | | | | | | | | |
| | <i>Perna viridis</i> | | | | 12 | 620.0 | | | | | | | | | | |
| | <i>Scapharca subcrenata</i> | | | | | | | | | | | | | | | |
| | <i>Ruditapes philippinarum</i> | | | | | | | | | | | | | | | |
| Cephalopod | <i>Lolingid squid</i> | | | | | | | 1 | 5.0 | | 2 | 15.0 | | | | |
| | <i>Sepiid cuttlefish</i> | 1 | 560.0 | | 1 | 550.0 | | | | | | | | 1 | 220.0 | |
| Echinoderm | <i>Acaudina molpadioides</i> | | | | | | | | | | | | | | | |
| | <i>Amphioplus sp.</i> | 1 | 2.1 | | | | | 1 | 2.8 | | | | | | | |
| | <i>Colochirus quadrangularis</i> | | | | | | | | | | | | | | | |
| | <i>c.f. Dendrochirotida</i> | | | | | | | | | | | | | | | |
| | <i>Styela plicata</i> | | | | | | | | | | | | | | | |
| Cnidaria | <i>Temnopleurus toreumaticus</i> | | | | | | | | | | | | | | | |
| | <i>Cavernularia habereri</i> | | | | | | | | | | | | | | | |
| | <i>Carcinactis ichikawai</i> | | | | | | | | | | | | | | | |
| | <i>Ellisella laevis</i> | 5 | 4.8 | | 12 | 26.0 | | 7 | 6.2 | | 3 | 1.6 | | | | |
| | <i>Pteroeides chinense</i> | 48 | 1780.0 | * | 51 | 1860.0 | * | 52 | 1910.0 | * | 36 | 1410.0 | * | 20 | 930.0 | * |
| | <i>Gorgonia spp.</i> | | | | | | | | | | | | | | | |
| | Sea anomea | | | | | | | | | | | | | | | |
| | Sea star | | | | | | | | | | | | | | | |
| | Soft corals | | | | | | | | | | | | | | | |
| | <i>Virgularia gustaviana</i> | | | | | | | | | | | | | 1 | 16.0 | |
| Cirripedia | <i>c.f. Balanus spp.</i> | | | | 20 | 36.0 | * | | | | | | | | | |