

Trawling Data in July 2024

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Arnoglossus waitei</i>															
	<i>Acanthopagrus schlegeli</i>							1	690.0							
	<i>Anchoviella commersonii</i>															
	<i>Apogon kiensis</i>							4	32.0				1	14.0		
	<i>Apogon lineatus</i>															
	<i>Arius arius</i>										1	197.0				
	<i>Butis koilomatodon</i>															
	<i>Callionymus sp.</i>															
	<i>c.f. Clarias gariepinus</i>															
	<i>Cryptocentrus filifer</i>															
	<i>Cynoglossus arel</i>															
	<i>Cynoglossus puncticeps</i>												1	18.0		
	<i>Dasvatis akajei</i>												1	520.0		
	<i>Dasvatis zugei</i>															
	<i>Dendrophysa russelli</i>															
	<i>Diagramma pictum</i>	1	170.0													
	<i>Drepane punctata</i>	1	320.0		1	230.0		4	910.0							
	<i>Epinephelus awoara</i>															
	<i>Epinephelus coioides</i>															
	<i>Gerres filamentosus</i>															
	<i>Gerres lucidus</i>															
	<i>Grammoplites scaber</i>				2	45.0										
	<i>Gymnura japonica</i>															
	<i>Inegocia japonicus</i>	1	17.0					1	13.0		2	33.0		4	22.0	
	<i>Inimicus japonicus</i>															
	<i>Johnius belangerii</i>															
	<i>Konosirus punctatus</i>															
	<i>Lagocephalus sp.</i>															
	<i>Leiognathus brevisrostris</i>										1	10.0				
	<i>Lepturacanthus savala</i>															
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>							1	93.0							
	<i>Parachaeturichthys polynema</i>															
	<i>Pennahia anea</i>															
	<i>Platycephalus indicus</i>				1	22.0										
	<i>Platyrrhina sinensis</i>															
	<i>Pseudorhombus arsius</i>															
	<i>Saurida elongata</i>	1	24.0													
	<i>Sebastes marmoratus</i>				1	15.0		2	17.0							
	<i>Scatophagus argus</i>															
	<i>Siganus fuscescens</i>				1	11.0										
	<i>Sillago sihama</i>	1	33.0													
	<i>Solea ovata</i>															
	<i>Scatophagus argus</i>															
	<i>Stephanolepis cirrhifer</i>	1	33.0		2	51.0										

Trawling Data in July 2024

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Takifugu bimaculatus</i>														1	840.0
	<i>Takifugu poecilonotus</i>							1	120.0							
	<i>Terapon jarbua</i>														1	13.0
	<i>Trachicephalus uranoscopus</i>															
	<i>Trypauchen vagina</i>															
	<i>Zebrias zebra</i>															
Prawn or shrimp	<i>Alpheus distinguendus</i>															
	<i>Alpheus brevicristatus</i>	1	5.0		1	6.0										
	<i>Alpheus heterochaelis</i>															
	<i>Metapenaeopsis barbata</i>															
	<i>Metapenaeus affinis</i>															
	<i>Metapenaeus joyneri</i>															
	<i>Parapeneopsis hardwickii</i>															
	<i>Parapeneopsis hungerfordii</i>															
	<i>Parapeneopsis tenella</i>															
	<i>Penaeus japonicus</i>										1	24.0				
	<i>Penaeus merguensis</i>															
	<i>Solenocera crassicornis</i>															
Crab	<i>Charybdis affinis</i>															
	<i>Charybdis cruciata</i>															
	<i>Charybdis hellerii</i>													1	5.0	
	<i>Charybdis japonica</i>													2	45.0	
	<i>Charybdis truncata</i>															
	<i>Charybdis variegata</i>															
	<i>Charybdis spp.</i>							2	11.0							
	<i>Dorippe dorsipes</i>	2	42.2					3	56.0							
	<i>Dorippe granulata</i>															
	<i>Eucrate solaris</i>															
	<i>Galene bispinosa</i>										1	26.0				
	Hermit crab				5	19.0		7	32.0							
	<i>Leucosia craniolaris</i>													1	3.6	
	<i>Lyreidus sp.</i>															
	<i>Maorophthalmus japonicus</i>															
	<i>Parthenope validus</i>				4	60.0		3	38.0					3	44.0	
	<i>Parapanope euagora</i>															
	<i>Pilumnopus eucratoides</i>															
	<i>Porcellanella picta</i>							3	1.1							
	<i>Portunus pelagicus</i>															
	<i>Portunus sanguinolentus</i>															
	<i>Portunus trituberculatus</i>															
	<i>Portunus hastatooides</i>															
	<i>Typhlocarcinus sp.</i>															
	<i>Varuna litterata</i>															
Mantis shrimp	<i>Dictyosquilla foveolata</i>															
	<i>Harpisquilla harpax</i>															
	<i>Oratosquilla oratoria</i>															
	<i>Oratosquilla interrupta</i>															

Trawling Data in July 2024

Group	Species Name	INA															
		INA-1			INA-2			INA-3			INA-4			INA-5			
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	
Gastropod	<i>Murex trapa</i>														1	4.8	
	<i>Bursa rana</i>																
	<i>Inquistor flavidula</i>										3	3.9					
	<i>Lophiotoma leucotropis</i>																
	<i>Nassarius hepaticus</i>																
	<i>Nassarius succinctus</i>																
	<i>Philine orientalis</i>																
	<i>Tonna sulcosa</i>																
	<i>Turritella terebra</i>																
	<i>Nudibranchia</i>																
Bivalve	<i>Arcuatula senhousia</i>																
	<i>Cymatium caudatum</i>																
	<i>Macoma candida</i>																
	<i>Nassarius succinctus</i>																
	<i>Ruditapes philippinarum</i>																
Cephalopod	<i>Lolingid squid</i>																
	<i>Sepiid cuttlefish</i>																
	<i>Octopus</i>																
Echinoderm	<i>Acaudina molpadioides</i>							1	5.0								
	<i>Luidia maculata</i>																
	<i>Ophiocnemis sp.</i>	40	390.0	*	30	280.0	*	30	280.0	*	30	280.0	*	30	280.0	*	
	<i>Styela plicata</i>																
	<i>Temnopleurus toreumaticus</i>				4	62.0		7	86.0		5	64.0		6	70.0		
Cnidaria	<i>Cavernularia habereri</i>													2	9.0		
	<i>Carcinactis ichikawai</i>																
	<i>Ellisella laevis</i>				1	12.0		2	18.0					3	120.0		
	<i>Edwardsia japonica</i>																
	<i>Pteroeides chinense</i>				2	52.0		3	82.0		6	180.0		7	210.0		
	Sea anomea																
	Soft corals																
<i>Virgularia gustaviana</i>																	
Polychaeta	<i>Aphrodita aculeata</i>																
Porifera	<i>Sponge</i>																
Cirripedia	<i>c.f. Balanus spp.</i>	1	2.2					1	1.3								

Trawling Data in July 2024

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Arnoglossus waitei</i>															
	<i>Acanthopagrus schlegeli</i>															
	<i>Anchoviella commersonii</i>															
	<i>Apogon kiensis</i>															
	<i>Apogon lineatus</i>															
	<i>Arius arius</i>															
	<i>Butis koilomatodon</i>	1	11.0											1	8.0	
	<i>Callionymus sp.</i>															
	<i>c.f. Clarias gariepinus</i>															
	<i>Cryptocentrus filifer</i>							1	3.0							
	<i>Cynoglossus arel</i>															
	<i>Cynoglossus puncticeps</i>															
	<i>Dasvatis akajei</i>															
	<i>Dasvatis zugei</i>															
	<i>Dendrophysa russelli</i>															
	<i>Diagramma pictum</i>				1	780.0										
	<i>Drepane punctata</i>															
	<i>Epinephelus awoara</i>															
	<i>Epinephelus coioides</i>															
	<i>Gerres filamentosus</i>															
	<i>Gerres lucidus</i>															
	<i>Grammolites scaber</i>															
	<i>Gymnura japonica</i>															
	<i>Inegocia japonicus</i>	1	14.0		1	7.0		2	62.0					1	9.0	
	<i>Inimicus japonicus</i>															
	<i>Johnius belangerii</i>															
	<i>Konosirus punctatus</i>															
	<i>Lagocephalus sp.</i>															
	<i>Leiognathus brevirostris</i>															
	<i>Lepturacanthus savala</i>							1	2.0							
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>															
	<i>Parachaeturichthys polynema</i>															
	<i>Pennahia anea</i>															
	<i>Platycephalus indicus</i>															
	<i>Platyrrhina sinensis</i>															
	<i>Pseudorhombus arsius</i>				1	9.0										
	<i>Saurida elongata</i>															
	<i>Sebastiscus marmoratus</i>				3	270.0										
	<i>Scatophagus argus</i>															
	<i>Siganus fuscescens</i>															
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>	1	3.0					1	9.0							
	<i>Scatophagus argus</i>															
	<i>Stephanolepis cirrhifer</i>	2	93.0		2	178.0		1	47.0							

Trawling Data in July 2024

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Takifugu bimaculatus</i>															
	<i>Takifugu poecilonotus</i>															
	<i>Terapon jarbua</i>				1	8.0										
	<i>Trachicephalus uranoscopus</i>	2	18.0					1	24.0							
	<i>Trypauchen vagina</i>															
	<i>Zebrias zebra</i>															
Prawn or shrimp	<i>Alpheus distinguendus</i>															
	<i>Alpheus brevicristatus</i>															
	<i>Alpheus heterochaelis</i>							2	5.0							
	<i>Metapenaeopsis barbata</i>							1	3.0							
	<i>Metapenaeus affinis</i>	1	9.0													
	<i>Metapenaeus joyneri</i>	8	23.0					8	18.0		1	10.0				
	<i>Parapeneopsis hardwickii</i>															
	<i>Parapeneopsis hungerfordii</i>															
	<i>Parapeneopsis tenella</i>							1	21.0							
	<i>Penaeus japonicus</i>															
	<i>Penaeus merguensis</i>															
	<i>Solenocera crassicornis</i>															
Crab	<i>Charybdis affinis</i>															
	<i>Charybdis cruciata</i>															
	<i>Charybdis hellerii</i>															
	<i>Charybdis japonica</i>	3	220.0					4	140.0					4	90.0	
	<i>Charybdis truncata</i>															
	<i>Charybdis variegata</i>							1	2.0							
	<i>Charybdis spp.</i>															
	<i>Dorippe dorsipes</i>	2	24.0		4	64.0					1	20.3				
	<i>Dorippe granulata</i>							2	18.0		6	49.3		8	67.4	
	<i>Eucrate solaris</i>															
	<i>Galene bispinosa</i>	1	3.2											1	6.3	
	Hermit crab	3	11.0		2	8.0										
	<i>Leucosia craniolaris</i>															
	<i>Lyreidus sp.</i>	1	4.6													
	<i>Maorophthalmus japonicus</i>															
	<i>Parthenope validus</i>	6	74.0		2	24.6		12	146.0		6	68.8		1	14.2	
	<i>Parapanope euagora</i>															
	<i>Pilumnopoeus eucratoides</i>															
	<i>Porcellanella picta</i>							1	0.3					2	0.6	
	<i>Portunus pelagicus</i>							2	76.0		1	9.0				
	<i>Portunus sanguinolentus</i>															
	<i>Portunus trituberculatus</i>															
	<i>Portunus hastatooides</i>	1	3.0					1	4.0							
	<i>Typhlocarcinus sp.</i>															
	<i>Varuna litterata</i>															
Mantis shrimp	<i>Dictyosquilla foveolata</i>															
	<i>Harpiosquilla harpax</i>															
	<i>Oratosquilla oratoria</i>															
	<i>Oratosquilla interrupta</i>															

Trawling Data in July 2024

Group	Species Name	INB															
		INB-1			INB-2			INB-3			INB-4			INB-5			
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	
Gastropod	<i>Murex trapa</i>				2	11.0						1	8.2				
	<i>Bursa rana</i>							1	4.2			1	4.4				
	<i>Inquistor flavidula</i>																
	<i>Lophiotoma leucotropis</i>										1	4.1					
	<i>Nassarius hepaticus</i>							1	2.3								
	<i>Nassarius succinctus</i>																
	<i>Philine orientalis</i>																
	<i>Tonna sulcosa</i>																
	<i>Turritella terebra</i>																
	<i>Nudibranchia</i>							1	2.8								
Bivalve	<i>Arcuatula senhousia</i>																
	<i>Cymatium caudatum</i>																
	<i>Macoma candida</i>																
	<i>Nassarius succinctus</i>																
	<i>Ruditapes philippinarum</i>																
Cephalopod	<i>Lolingid squid</i>																
	<i>Sepiid cuttlefish</i>																
	<i>Octopus</i>																
Echinoderm	<i>Acaudina molpadioides</i>																
	<i>Luidia maculata</i>																
	<i>Ophiocnemis sp.</i>	50	480.0	*	56	520.0	*	42	416.0	*	60	520.0	*	50	490.0	*	
	<i>Styela plicata</i>	1	3.6					1	6.2								
	<i>Temnopleurus toreumaticus</i>	5	54.0		16	190.0		14	138.0		15	170.0		9	10.0		
Cnidaria	<i>Cavernularia habereri</i>	4	18.0		7	21.0		15	118.0		2	9.0		3	13.0		
	<i>Carcinactis ichikawai</i>																
	<i>Ellisella laevis</i>																
	<i>Edwardsia japonica</i>																
	<i>Pteroeides chinense</i>	18	880.0		23	880.0		15	410.0		16	480.0		9	620.0		
	<i>Sea anomea</i>																
	<i>Soft corals</i>	2	260.0		3	520.0											
	<i>Virgularia gustaviana</i>																
Polychaeta	<i>Aphrodita aculeata</i>							3	11.2								
Porifera	<i>Sponge</i>	1	12.0		1	16.0											
Cirripedia	<i>c.f. Balanus spp.</i>																

Trawling Data in July 2024

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Arnoglossus waitei</i>															
	<i>Acanthopagrus schlegeli</i>															
	<i>Anchoviella commersonii</i>															
	<i>Apogon kiensis</i>															
	<i>Apogon lineatus</i>															
	<i>Arius arius</i>															
	<i>Butis koilomatodon</i>															
	<i>Callionymus sp.</i>	1	7.0													
	<i>c.f. Clarias gariepinus</i>															
	<i>Cryptocentrus filifer</i>															
	<i>Cynoglossus arel</i>							3	38.0					1	10.0	
	<i>Cynoglossus puncticeps</i>	1	6.0		1	6.0		2	12.0					1	9.0	
	<i>Dasyatis akajei</i>															
	<i>Dasyatis zugei</i>							1	295.0							
	<i>Dendrophysa russelli</i>															
	<i>Diagramma pictum</i>															
	<i>Drepane punctata</i>															
	<i>Epinephelus awoara</i>															
	<i>Epinephelus coioides</i>															
	<i>Gerres filamentosus</i>													1	17.0	
	<i>Gerres lucidus</i>															
	<i>Grammolites scaber</i>	2	60.0					1	53.0					4	136.0	
	<i>Gymnura japonica</i>															
	<i>Inegocia japonicus</i>															
	<i>Inimicus japonicus</i>															
	<i>Johnius belangerii</i>															
	<i>Konosirus punctatus</i>				1	80.0										
	<i>Lagocephalus sp.</i>															
	<i>Leiognathus brevisrostris</i>	4	20.0													
	<i>Lepturacanthus savala</i>															
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>															
	<i>Parachaeturichthys polynema</i>															
	<i>Pennahia anea</i>															
	<i>Platycephalus indicus</i>															
	<i>Platyrrhina sinensis</i>															
	<i>Pseudorhombus arsius</i>	1	9.0													
	<i>Saurida elongata</i>															
	<i>Sebastes marmoratus</i>															
	<i>Scatophagus argus</i>															
	<i>Siganus fuscescens</i>															
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>	3	17.0		3	30.0		8	70.0		3	22.0		2	22.0	
	<i>Scatophagus argus</i>															
	<i>Stephanolepis cirrhifer</i>															

Trawling Data in July 2024

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Takifugu bimaculatus</i>															
	<i>Takifugu poecilonotus</i>															
	<i>Terapon jarbua</i>															
	<i>Trachicephalus uranoscopus</i>	2	16.0					2	14.0							
	<i>Trypauchen vagina</i>				8	60.0		9	130.0		3	21.0		4	63.0	
	<i>Zebrias zebra</i>															
Prawn or shrimp	<i>Alpheus distinguendus</i>				1	22.0					1	28.0				
	<i>Alpheus brevicristatus</i>															
	<i>Alpheus heterochaelis</i>															
	<i>Metapenaeopsis barbata</i>													1	6.0	
	<i>Metapenaeus affinis</i>	169	1180.0		158	1290.0		57	730.0		11	90.0		14	80.0	
	<i>Metapenaeus joyneri</i>							2	16.0							
	<i>Parapeneopsis hardwickii</i>							2	5.0							
	<i>Parapeneopsis hungerfordii</i>	2	14.0		2	17.0		2	11.0		1	5.0				
	<i>Parapeneopsis tenella</i>															
	<i>Penaeus japonicus</i>							2	34.0							
	<i>Penaeus merguensis</i>	10	150.0													
	<i>Solenocera crassicornis</i>	5	11.0					6	12.0		3	12.0		8	25.0	
Crab	<i>Charybdis affinis</i>	8	150.0		16	280.0		11	170.0		7	120.0		6	130.0	
	<i>Charybdis cruciata</i>															
	<i>Charybdis hellerii</i>															
	<i>Charybdis japonica</i>													5	226.0	
	<i>Charybdis truncata</i>															
	<i>Charybdis variegata</i>															
	<i>Charybdis spp.</i>	44	655.0		15	282.0		31	536.0		39	760.0		8	71.0	
	<i>Dorippe dorsipes</i>															
	<i>Dorippe granulata</i>															
	<i>Eucrete solaris</i>															
	<i>Galene bispinosa</i>	3	283.0		1	96.0								1	78.0	
	Hermit crab										2	4.8				
	<i>Leucosia craniolaris</i>							1	5.6		2	6.3		1	3.6	
	<i>Lyreidus sp.</i>															
	<i>Maorophthalmus japonicus</i>										1	6.2				
	<i>Parthenope validus</i>															
	<i>Parapanope euagora</i>															
	<i>Pilumnopus eucratooides</i>															
	<i>Porcellanella picta</i>	3	1.1					2	0.6							
	<i>Portunus pelagicus</i>				2	40.0		6	150.0		1	20.0		3	120.0	
	<i>Portunus sanguinolentus</i>															
	<i>Portunus trituberculatus</i>															
	<i>Portunus hastatooides</i>															
	<i>Typhlocarcinus sp.</i>										1	2.1				
	<i>Varuna litterata</i>															
Mantis shrimp	<i>Dictyosquilla foveolata</i>	2	30.0													
	<i>Harpiosquilla harpax</i>	1	38.0								1	120.0		1	60.0	
	<i>Oratosquilla oratoria</i>	1	13.0		2	40.0		2	16.0		1	10.0		2	50.0	
	<i>Oratosquilla interrupta</i>	1	20.0		5	130.0		6	150.0		3	60.0		5	110.0	



Trawling Data in July 2024

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
		number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)
Gastropod	<i>Murex trapa</i>	6	49.6		4	38.0		3	28.0		16	130.0		8	22.0	
	<i>Bursa rana</i>															
	<i>Inquistor flavidula</i>							10	15.0		30	50.0		20	32.0	
	<i>Lophiotoma leucotropis</i>							1	8.6							
	<i>Nassarius hepaticus</i>															
	<i>Nassarius succinctus</i>							8	15.0		16	31.0		6	11.8	
	<i>Philine orientalis</i>													1	5.6	
	<i>Tonna sulcosa</i>	2	270.0													
<i>Turritella terebra</i>	630	6100.0	*	720	7300.0	*	480	4600.0	*	210	2030.0	*	280	2710.0	*	
	<i>Nudibranchia</i>															
Bivalve	<i>Arcuatula senhousia</i>															
	<i>Cymatium caudatum</i>				1	2.3		2	5.6							
	<i>Macoma candida</i>													1	42.0	
	<i>Nassarius succinctus</i>															
	<i>Ruditapes philippinarum</i>				7	38.0		11	116.0							
Cephalopod	<i>Lolingid squid</i>															
	<i>Sepiid cuttlefish</i>															
	<i>Octopus</i>															
Echinoderm	<i>Acaudina molpadioides</i>	14	727.0		70	1640.0	*	13	293.0		17	860.0		19	1620.0	
	<i>Luidia maculata</i>															
	<i>Ophiocnemis sp.</i>				20	210.0	*	20	198.0	*	30	310.0	*			
	<i>Styela plicata</i>															
	<i>Temnopleurus toreumaticus</i>							5	28.0							
Cnidaria	<i>Cavernularia habereri</i>	16	210.0		5	26.0		11	62.0		10	56.0		16	82.0	
	<i>Carcinactis ichikawai</i>							6	2.2							
	<i>Ellisella laevis</i>															
	<i>Edwardsia japonica</i>	3	11.6					2	8.2		1	2.3				
	<i>Pteroeides chinense</i>	40	1140.0	*	30	980.0	*	50	1610.0	*	40	1500.0	*	40	1500.0	*
	<i>Sea anomea</i>				2	12.0		1	8.6							
	<i>Soft corals</i>															
	<i>Virgularia gustaviana</i>	3	28.0					2	11.0		1	6.0				
Polychaeta	<i>Aphrodita aculeata</i>															
Porifera	<i>Sponge</i>															
Cirripedia	<i>c.f. Balanus spp.</i>															

Trawling Data in July 2024

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Arnoglossus waitei</i>	1	15.0		1	6.0					4	17.0		1	3.0	
	<i>Acanthopagrus schlegeli</i>															
	<i>Anchoviella commersonii</i>															
	<i>Apogon kiensis</i>	2	13.0		3	42.0		1	16.0					1	16.0	
	<i>Apogon lineatus</i>															
	<i>Arius arius</i>															
	<i>Butis koilomatodon</i>															
	<i>Callionymus sp.</i>	1	27.0		1	12.0		1	4.0					1	17.0	
	<i>c.f. Clarias gariepinus</i>															
	<i>Cryptocentrus filifer</i>				1	3.0					2	14.0				
	<i>Cynoglossus arel</i>	1	15.0		1	90.0		3	150.0		3	72.0		2	95.0	
	<i>Cynoglossus puncticeps</i>				2	8.0		1	10.0					1	13.0	
	<i>Dasystis akajei</i>															
	<i>Dasystis zugei</i>	7	345.0		11	810.0		3	350.0		5	440.0		7	1010.0	
	<i>Dendrophysa russelli</i>				2	60.0					1	8.0				
	<i>Diagramma pictum</i>															
	<i>Drepane punctata</i>							1	118.0		3	270.0		2	203.0	
	<i>Epinephelus awoara</i>	1	6.0		6	47.0		1	7.0					2	17.0	
	<i>Epinephelus coioides</i>															
	<i>Gerres filamentosus</i>	2	38.0		4	83.0		1	19.0		1	25.0				
	<i>Gerres lucidus</i>															
	<i>Grammoplites scaber</i>				4	180.0		5	170.0		5	150.0				
	<i>Gymnura japonica</i>	1	761.0		1	680.0										
	<i>Inegocia japonicus</i>	1	33.0		1	22.0										
	<i>Inimicus japonicus</i>	1	166.0								3	550.0				
	<i>Johnius belangerii</i>										1	10.0				
	<i>Konosirus punctatus</i>															
	<i>Lagocephalus sp.</i>				1	9.0					1	8.0				
	<i>Leiognathus brevisrostris</i>	3	30.0		11	90.0		23	220.0		17	165.0		5	36.0	
	<i>Lepturacanthus savala</i>															
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>															
	<i>Parachaeturichthys polynema</i>													1	14.0	
	<i>Pennahia anea</i>	3	20.0		2	12.0		3	11.0		2	22		2	10.0	
	<i>Platycephalus indicus</i>	2	1120.0		2	110.0					3	43				
	<i>Platyrhina sinensis</i>													1	88.0	
	<i>Pseudorhombus arsius</i>	4	42.0		11	114.0		5	155.0		5	78.0		8	164.0	
	<i>Saurida elongata</i>															
	<i>Sebastiscus marmoratus</i>				1	66.0					1	42.0				
	<i>Scatophagus argus</i>															
	<i>Siganus fuscescens</i>															
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>				1	2.0					3	37.0				
	<i>Scatophagus argus</i>	1	75.0													
	<i>Stephanolepis cirrifer</i>				1	7.0		1	5.0		3	87.0		1	33.0	

Trawling Data in July 2024

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Takifugu bimaculatus</i>															
	<i>Takifugu poecilonotus</i>															
	<i>Terapon jarbua</i>															
	<i>Trachicephalus uranoscopus</i>	3	24.0		4	44.0		5	58.0		6	47.0		2	13.0	
	<i>Trypauchen vagina</i>				6	38.0					2	10.0				
	<i>Zebrias zebra</i>	1	27.0		1	8.0								2	15.0	
Prawn or shrimp	<i>Alpheus distinguendus</i>															
	<i>Alpheus brevicristatus</i>															
	<i>Alpheus heterochaelis</i>															
	<i>Metapeneaeopsis barbata</i>													2	4.0	
	<i>Metapeneaeus affinis</i>	3	33.0		12	130.0		5	30.0		6	80.0		2	40.0	
	<i>Metapeneaeus joyneri</i>				13	68.0					5	30.0		4	33.0	
	<i>Parapeneaeopsis hardwickii</i>				1	13.0										
	<i>Parapeneaeopsis hungerfordii</i>	1	6.0		1	12.0		1	4.0		2	22.0				
	<i>Parapeneaeopsis tenella</i>										1	2.0				
	<i>Penaeus japonicus</i>	2	35.0													
	<i>Penaeus merguensis</i>	1	16.0		11	145.0					2	41.0		1	33.0	
	<i>Solenocera crassicornis</i>															
Crab	<i>Charybdis affinis</i>	2	50.0		11	230.0		4	95.0		7	140.0		5	90.0	
	<i>Charybdis cruciata</i>										1	7.0				
	<i>Charybdis hellerii</i>															
	<i>Charybdis japonica</i>	2	70.0								4	120.0		2	120.0	
	<i>Charybdis truncata</i>							1	7.0							
	<i>Charybdis variegata</i>															
	<i>Charybdis spp.</i>	6	72.0		22	198.0		18	210.0		8	76.0		7	63.0	
	<i>Dorippe dorsipes</i>															
	<i>Dorippe granulata</i>															
	<i>Eucrete solaris</i>										1	6.8				
	<i>Galene bispinosa</i>							1	28.0		5	380.0		3	164.0	
	Hermit crab															
	<i>Leucosia craniolaris</i>	2	11.3		2	11.6										
	<i>Lyreidus sp.</i>															
	<i>Maorophthalmus japonicus</i>															
	<i>Parthenope validus</i>															
	<i>Parapanope euagora</i>															
	<i>Pilumnopeus eucratoides</i>															
	<i>Porcellanella picta</i>	2	0.8								1	0.2				
	<i>Portunus pelagicus</i>	2	70.0					1	40.0		6	150.0		5	235.0	
	<i>Portunus sanguinolentus</i>										1	40.0				
	<i>Portunus trituberculatus</i>				1	70.0										
	<i>Portunus hastatoides</i>	2	5.0								2	5.0		2	8.0	
	<i>Typhlocarcinus sp.</i>							1	2.8		1	3.2		1	1.6	
	<i>Varuna litterata</i>															
Mantis shrimp	<i>Dictyosquilla foveolata</i>															
	<i>Harpiosquilla harpax</i>							2	90.0		2	102.0				
	<i>Oratosquilla oratoria</i>															
	<i>Oratosquilla interrupta</i>	1	23.0					2	40.0		4	90.0				

Trawling Data in July 2024

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Gastropod	<i>Murex trapa</i>	13	71.2		14	89.0		16	154.0		11	108.0		6	62.0	
	<i>Bursa rana</i>															
	<i>Inquistor flavidula</i>						6	8.0						15	22.0	
	<i>Lophiotoma leucotropis</i>															
	<i>Nassarius hepaticus</i>															
	<i>Nassarius succinctus</i>	40	82.0		30	64.0					9	12.0		12	21.0	
	<i>Philine orientalis</i>															
	<i>Tonna sulcosa</i>										2	236.0				
	<i>Turritella terebra</i>	210	2050.0	*	240	2300.0	*	190	1860.0	*	160	1500.0	*	220	1860.0	*
	<i>Nudibranchia</i>							1	6.2							
Bivalve	<i>Arcuatula senhousia</i>	40	80.0		860	7400.0	*	200	1800.0	*	120	210.0		80	150.0	
	<i>Cymatium caudatum</i>															
	<i>Macoma candida</i>															
	<i>Nassarius succinctus</i>															
	<i>Ruditapes philippinarum</i>				2	8.4										
Cephalopod	<i>Lolingid squid</i>	1	4.0					2	32.0							
	<i>Sepiid cuttlefish</i>				1	30.0										
	<i>Octopus</i>															
Echinoderm	<i>Acaudina molpadioides</i>															
	<i>Luidia maculata</i>															
	<i>Ophiocnemis sp.</i>	110	980.0	*	140	1240.0	*	80	760.0	*	40	380.0	*	60	540.0	*
	<i>Siyela plicata</i>															
Cnidaria	<i>Temnopleurus toreumaticus</i>															
	<i>Cavernularia habereri</i>	5	23.0		4	20.0		7	32.0		10	80.0		4	13.0	
	<i>Carcinactis ichikawai</i>															
	<i>Ellisella laevis</i>															
	<i>Edwardsia japonica</i>															
	<i>Pteroeides chinense</i>	30	1600.0	*	20	960.0	*	20	960.0	*	180	2910.0	*	176	2140.0	*
	Sea anomea										1	8.2				
Soft corals										2	860.0					
	<i>Virgularia gustaviana</i>	2	12.0		1	8.0		2	16.0		1	7.0		2	12.0	
Polychaeta	<i>Aphrodita aculeata</i>															
Porifera	<i>Sponge</i>															
Cirripedia	<i>c.f. Balanus spp.</i>															

Trawling Data in July 2024

Group	Species Name	TSA-1			TSA-2			TSA			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Arnoglossus waitei</i>															
	<i>Acanthopagrus schlegeli</i>															
	<i>Anchoviella commersonii</i>				1	11.0		1	9.0		4	25.0		2	13.0	
	<i>Apogon kiensis</i>													1	11.0	
	<i>Apogon lineatus</i>															
	<i>Arius arius</i>	11	1370.0		24	2070.0		34	1690.0		18	2330.0		11	1490.0	
	<i>Butis koilomatodon</i>										1	14.0				
	<i>Callionymus sp.</i>															
	<i>c.f. Clarias gariepinus</i>															
	<i>Cryptocentrus filifer</i>							1	3.0							
	<i>Cynoglossus arel</i>															
	<i>Cynoglossus puncticeps</i>															
	<i>Dasvatis akajei</i>							1	60.0							
	<i>Dasvatis zugei</i>	2	320.0		1	150.0		1	280.0		2	510.0		1	36.0	
	<i>Dendrophysa russelli</i>															
	<i>Diagramma pictum</i>															
	<i>Drepane punctata</i>				1	82.0					1	66.0				
	<i>Epinephelus awoara</i>				3	21.0		4	21.0		2	12.0		2	9.0	
	<i>Epinephelus coioides</i>	1	1360.0													
	<i>Gerres filamentosus</i>				2	50.0		1	55.0		1	120.0				
	<i>Gerres lucidus</i>										1	45.0				
	<i>Grammoplites scaber</i>							1	8.0		1	7.0				
	<i>Gymnura japonica</i>				1	4800.0								1	5100.0	
	<i>Inegocia japonicus</i>															
	<i>Inimicus japonicus</i>				6	30.0		3	18.0							
	<i>Johnius belangerii</i>															
	<i>Konosirus punctatus</i>															
	<i>Lagocephalus sp.</i>							1	9.0							
	<i>Leiognathus brevisrostris</i>	2	19.0		10	75.0		8	82.0		45	710.0		41	610.0	
	<i>Lepturacanthus savala</i>															
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>															
	<i>Parachaeturichthys polynema</i>				1	25.0		1	11.0							
	<i>Pennahia anea</i>															
	<i>Platycephalus indicus</i>				2	50.0		1	13.0		2	31.0		1	11.0	
	<i>Platyrrhina sinensis</i>															
	<i>Pseudorhombus arsius</i>															
	<i>Saurida elongata</i>															
	<i>Sebastiscus marmoratus</i>															
	<i>Scatophagus argus</i>							1	80.0					1	60.0	
	<i>Siganus fuscescens</i>				1	34.0		1	10.0		1	11.0		1	16.0	
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>	2	12.0		10	50.0		6	43.0		3	20.0				
	<i>Scatophagus argus</i>															
	<i>Stephanolepis cirrhifer</i>				1	190.0										

Trawling Data in July 2024

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Takifugu bimaculatus</i>															
	<i>Takifugu poecilonotus</i>															
	<i>Terapon jarbua</i>															
	<i>Trachicephalus uranoscopus</i>															
	<i>Trypauchen vagina</i>							1	3.0		1	3.0				
	<i>Zebrias zebra</i>															
Prawn or shrimp	<i>Alpheus distinguendus</i>													1	8.0	
	<i>Alpheus brevirostratus</i>															
	<i>Alpheus heterochaelis</i>															
	<i>Metapenaeopsis barbata</i>															
	<i>Metapenaeus affinis</i>															
	<i>Metapenaeus joyneri</i>										1	6.0				
	<i>Parapeneopsis hardwickii</i>															
	<i>Parapeneopsis hungerfordii</i>										1	6.0				
	<i>Parapeneopsis tenella</i>															
	<i>Penaeus japonicus</i>															
	<i>Penaeus merguensis</i>										1	13.0				
	<i>Solenocera crassicornis</i>															
Crab	<i>Charybdis affinis</i>	3	50.0		9	130.0		4	80.0							
	<i>Charybdis cruciata</i>															
	<i>Charybdis hellerii</i>	9	60.0		30	340.0		5	70.0							
	<i>Charybdis japonica</i>				2	40.0		2	60.0							
	<i>Charybdis truncata</i>															
	<i>Charybdis variegata</i>															
	<i>Charybdis spp.</i>										10	180.0		6	90.0	
	<i>Dorippe dorsipes</i>															
	<i>Dorippe granulata</i>															
	<i>Eucrate solaris</i>															
	<i>Galene bispinosa</i>				1	76.0		2	156.0							
	Hermit crab	4	63.0		3	70.0								6	42.0	
	<i>Leucosia craniolaris</i>				1	5.2								1	4.1	
	<i>Lyreidus sp.</i>															
	<i>Marophthalmus japonicus</i>							3	18.0		4	37.6		5	39.6	
	<i>Parthenope validus</i>				4	62.0					6	84.0		5	72.0	
	<i>Parapanope euagora</i>															
	<i>Pilumnopus eucratoides</i>															
	<i>Porcellanella picta</i>															
	<i>Portunus pelagicus</i>				5	158.0					4	160.0				
	<i>Portunus sanguinolentus</i>															
	<i>Portunus trituberculatus</i>	1	30.0					11	450.0					2	50.0	
	<i>Portunus hastatoides</i>															
	<i>Typhlocarcinus sp.</i>															
	<i>Varuna litterata</i>															
Mantis shrimp	<i>Dictyosquilla foveolata</i>															
	<i>Harpisquilla harpax</i>															
	<i>Oratosquilla oratoria</i>										1	4.0				
	<i>Oratosquilla interrupta</i>										1	4.0				

Trawling Data in July 2024

Group	Species Name	TSA															
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5			
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	
Gastropod	<i>Murex trapa</i>											3	41.0		1	8.6	
	<i>Bursa rana</i>																
	<i>Inquistor flavidula</i>																
	<i>Lophiotoma leucotropis</i>																
	<i>Nassarius hepaticus</i>																
	<i>Nassarius succinctus</i>																
	<i>Philine orientalis</i>																
	<i>Tonna sulcosa</i>																
	<i>Turritella terebra</i>																
	<i>Nudibranchia</i>																
Bivalve	<i>Arcuatula senhousia</i>	4300	6700.0		4700	4100.0		460	790.0		160	308.0		140	270.0		
	<i>Cymatium caudatum</i>																
	<i>Macoma candida</i>																
	<i>Nassarius succinctus</i>										20	42.0		30	64.0		
	<i>Ruditapes philippinarum</i>																
Cephalopod	<i>Lolingid squid</i>													1	15.0		
	<i>Sepiid cuttlefish</i>										1	12.0					
	<i>Octopus</i>							1	5.0								
Echinoderm	<i>Acaudina molpadioides</i>				3	56.0											
	<i>Luidia maculata</i>																
	<i>Ophiocnemis sp.</i>	70	320.0	*	80	390.0	*	80	380.0	*	1300	11800.0	*	1200	10960.0	*	
	<i>Styela plicata</i>																
	<i>Temnopleurus toreumaticus</i>	5	60.0		3	36.0		7	82.0		11	110.0		6	84.8		
Cnidaria	<i>Cavernularia habereri</i>	20	92.0		16	84.0		20	88.0		30	120.0		20	94.0		
	<i>Carcinactis ichikawai</i>																
	<i>Ellisella laevis</i>																
	<i>Edwardsia japonica</i>																
	<i>Pteroeides chinense</i>	40	1360.0		156	1440.0		60	2140.0		140	4210.0		150	4670.0		
	Sea anomea																
	Soft corals																
	<i>Virgularia gustaviana</i>																
Polychaeta	<i>Aphrodita aculeata</i>																
Porifera	Sponge																
Cirripedia	<i>c.f. Balanus spp.</i>																

Trawling Data in July 2024

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Arnoglossus waitei</i>				1	4.0										
	<i>Acanthopagrus schlegeli</i>															
	<i>Anchoviella commersonii</i>							2	12.0					1	8.0	
	<i>Apogon kiensis</i>															
	<i>Apogon lineatus</i>	1	23.0													
	<i>Arius arius</i>	1	60.0		3	530.0		3	620.0					8	996.0	
	<i>Butis koilomatodon</i>															
	<i>Callionymus sp.</i>															
	<i>c.f. Clarias gariepinus</i>													1	120.0	
	<i>Cryptocentrus filifer</i>															
	<i>Cynoglossus arel</i>													1	3.0	
	<i>Cynoglossus puncticeps</i>															
	<i>Dasvatis akajei</i>															
	<i>Dasvatis zugei</i>	1	505.0					4	930.0		2	440.0		3	530.0	
	<i>Dendrophysa russelli</i>							1	40.0							
	<i>Diagramma pictum</i>										1	9.0				
	<i>Drepane punctata</i>							1	68.0							
	<i>Epinephelus awoara</i>				1	11.0		1	9.0					6	36.0	
	<i>Epinephelus coioides</i>															
	<i>Gerres filamentosus</i>	1	110.0		2	70.0		1	55.0		2	47.0				
	<i>Gerres lucidus</i>										1	120.0				
	<i>Grammoplites scaber</i>															
	<i>Gymnura japonica</i>				1	4700.0					1	1210.0				
	<i>Inegocia japonicus</i>															
	<i>Inimicus japonicus</i>	2	27.0													
	<i>Johnius belangerii</i>															
	<i>Konosirus punctatus</i>															
	<i>Lagocephalus sp.</i>										1	8.0		13	158.0	
	<i>Leiognathus brevisrostris</i>	2	23.0		2	20.0					25	290.0		102	1120.0	
	<i>Lepturacanthus savala</i>															
	<i>Muraenesox cinereus</i>							1	380.0							
	<i>Nemipterus japonicus</i>															
	<i>Parachaeturichthys polynema</i>															
	<i>Pennahia anea</i>													1	10.0	
	<i>Platycephalus indicus</i>			3	82											
	<i>Platyrrhina sinensis</i>															
	<i>Pseudorhombus arsius</i>							1	9.0							
	<i>Saurida elongata</i>													1	32.0	
	<i>Sebastiscus marmoratus</i>															
	<i>Scatophagus argus</i>							1	260.0							
	<i>Siganus fuscescens</i>	1	9.0		1	28.0										
	<i>Sillago sihama</i>				3	61.0		1	18.0		1	52.0				
	<i>Solea ovata</i>	1	12.0					2	11.0					3	20.0	
	<i>Scatophagus argus</i>															
	<i>Stephanolepis cirrhifer</i>															



Trawling Data in July 2024

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Takifugu bimaculatus</i>															
	<i>Takifugu poecilonotus</i>															
	<i>Terapon jarbua</i>							1	22.0							
	<i>Trachicephalus uranoscopus</i>															
	<i>Trypauchen vagina</i>															
	<i>Zebrias zebra</i>															
Prawn or shrimp	<i>Alpheus distinguendus</i>															
	<i>Alpheus brevicristatus</i>															
	<i>Alpheus heterochaelis</i>															
	<i>Metapenaeopsis barbata</i>															
	<i>Metapenaeus affinis</i>															
	<i>Metapenaeus joyneri</i>	1	8.0								1	12.0		1	7.0	
	<i>Parapeneopsis hardwickii</i>															
	<i>Parapeneopsis hungerfordii</i>															
	<i>Parapeneopsis tenella</i>															
	<i>Penaeus japonicus</i>															
	<i>Penaeus merguensis</i>													1	21.0	
	<i>Solenocera crassicornis</i>															
Crab	<i>Charybdis affinis</i>				20	150.0		3	110.0					1	40.0	
	<i>Charybdis cruciata</i>															
	<i>Charybdis hellerii</i>	11	140.0					7	61.0							
	<i>Charybdis japonica</i>	3	70.0					2	50.0							
	<i>Charybdis truncata</i>															
	<i>Charybdis variegata</i>															
	<i>Charybdis spp.</i>	5	140.0		15	410.0								1	10.0	
	<i>Dorippe dorsipes</i>							4	58.0							
	<i>Dorippe granulata</i>							4	42.0		2	18.0				
	<i>Eucrate solaris</i>	2	11.2								2	31.0				
	<i>Galene bispinosa</i>	3	296.0		2	76.0		4	94.0							
	Hermit crab	7	142.0					16	116.0		8	34.0				
	<i>Leucosia craniolaris</i>							2	7.6							
	<i>Lyreidus sp.</i>															
	<i>Maorophthalmus japonicus</i>	2	18.0											1	12.0	
	<i>Parthenope validus</i>	7	92.0		5	72.0		8	116.0		5	72.0		3	38.0	
	<i>Parapanope euagora</i>	1	70.0													
	<i>Pilumnopus eucratoides</i>							1	8.6							
	<i>Porcellanella picta</i>															
	<i>Portunus pelagicus</i>				5	304.0		3	130.0		2	98.0		2	50.0	
	<i>Portunus sanguinolentus</i>															
	<i>Portunus trituberculatus</i>	4	150.0													
	<i>Portunus hastatoides</i>													1	2.0	
	<i>Typhlocarcinus sp.</i>							1	2.1							
	<i>Varuna litterata</i>							26	14.8							
Mantis shrimp	<i>Dictyosquilla foveolata</i>															
	<i>Harpisquilla harpax</i>													1	80.0	
	<i>Oratosquilla oratoria</i>							1	4.0							
	<i>Oratosquilla interrupta</i>															

Trawling Data in July 2024

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Gastropod	<i>Murex trapa</i>	2	22.0					3	36.0					3	26.0	
	<i>Bursa rana</i>															
	<i>Inquistor flavidula</i>															
	<i>Lophiotoma leucotropis</i>															
	<i>Nassarius hepaticus</i>															
	<i>Nassarius succinctus</i>															
	<i>Philine orientalis</i>															
	<i>Tonna sulcosa</i>															
	<i>Turritella terebra</i>															
	<i>Nudibranchia</i>															
Bivalve	<i>Arcuatula senhousia</i>	400	720.0		490	1980.0		440	810.0		360	720.0		420	760.0	
	<i>Cymatium caudatum</i>															
	<i>Macoma candida</i>															
	<i>Nassarius succinctus</i>	8	17.0													
	<i>Ruditapes philippinarum</i>															
Cephalopod	<i>Lolingid squid</i>				1	10.0								2	8.0	
	<i>Sepiid cuttlefish</i>															
	<i>Octopus</i>															
Echinoderm	<i>Acaudina molpadioides</i>				3	68.0		2	182.0							
	<i>Luidia maculata</i>	12	116.0		6	103.0		3	42.0							
	<i>Ophiocnemis sp.</i>	1700	10700.0	*	1400	12400.0	*	1200	11600.0	*	960	9140.0	*	1100	10400.0	*
	<i>Styela plicata</i>															
	<i>Temnopleurus toreumaticus</i>	12	154.0		11	146.0		3	42.0		9	110.0		15	60.0	
Cnidaria	<i>Cavernularia habeneri</i>	3	18.0					5	26.0		7	29.0		3	18.0	
	<i>Carcinactis ichikawai</i>															
	<i>Ellisella laevis</i>															
	<i>Edwardsia japonica</i>															
	<i>Pteroeides chinense</i>	22	860.0		29	1760.0		70	1430.0		40	1560.0		30	1470.0	
	Sea anomea															
	Soft corals															
	<i>Virgularia gustaviana</i>															
Polychaeta	<i>Aphrodita aculeata</i>															
Porifera	<i>Sponge</i>															
Cirripedia	<i>c.f. Balanus spp.</i>															