

## Trawling Data in September 2022

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Arnoglossus waitei</i>				2	12.0										
	<i>Acanthopagrus schlegeli</i>	1	473.0								1	630.0				
	<i>Acentrogobius caninus</i>															
	<i>Apogon kiensis</i>															
	<i>Arius chinensis</i>	1	52.0		2	78.0		2	96.0		1	51.0		1	97.0	
	<i>Calliurichthys japonicus</i>															
	<i>Callionymus curvicornis</i>				1	9.0										
	<i>Chrysochir aureus</i>															
	<i>Collichthys lucidus</i>															
	<i>Cryptocentrus filifer</i>															
	<i>Cynoglossus arel</i>															
	<i>Cynoglossus puncticeps</i>															
	<i>Cynoglossus roulei</i>															
	<i>Dasyatis akatei</i>	1	54.0					1	120.0							
	<i>Dasyatis zugei</i>							1	66.0							
	<i>Dendrophysa russelli</i>															
	<i>Diagramma picta</i>	1	38.0		1	27.0		3	73.0					2	46.0	
	<i>Drepane punctata</i>	1	262.0		1	330.0		2	380.0					1	510.0	
	<i>Epinephelus awoara</i>															
	<i>Gerres lucidus</i>															
	<i>Gerres abbreviatus</i>															
	<i>Grammolites scaber</i>	2	73.0		3	103.0		2	23.0					8	105.0	
	<i>Gymnothorax chilospilus</i>															
	<i>Gymnura japonica</i>															
	<i>Ilisha elongata</i>													1	8.0	
	<i>Johnius belangerii</i>															
	<i>Konosirus punctatus</i>															
	<i>Lagocephalus sceleratus</i>															
	<i>Leiognathus nuchalis</i>							2	40.0					5	80.0	
	<i>Lutjanus russelli</i>															
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>															
	<i>Parachaeturichthys polynema</i>															
	<i>Pennahia anea</i>															
	<i>Platycephalus indicus</i>															
	<i>Plectorhynchus pictus</i>															
	<i>Plotosus lineatus</i>															
	<i>Pseudorhombus cinnamomeus</i>							3	150.0							
	<i>Saurida elongata</i>															
	<i>Scatophagus argus</i>															
	<i>Scoliodon laticaudus</i>															
	<i>Sebastes marmoratus</i>							2	83.0							
	<i>Siganus fuscescens</i>															
	<i>Sillago sihama</i>				1	43.0		1	46.0		1	35.0		1	42.0	
	<i>Solea ovata</i>				1	6.0										
	<i>Stephanolepis cirrhifer</i>	1	88.0		2	82.0								2	140.0	
	<i>Takifugu bimaculatus</i>				3	360.0		6	853.0		13	890.0		15	920.0	
	<i>Takifugu oblongus</i>				1	25.0										
	<i>Terapon jarbua</i>															

Trawling Data in September 2022

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Thryssa dussumieri</i>															
	<i>Thryssa hamiltonii</i>															
	<i>Thryssa kammalensis</i>															
	<i>Trachicephalus uranoscopus</i>															
	<i>Trypauchen vagina</i>															
Prawn or shrimp	<i>Metapenaeus affinis</i>															
	<i>Metapenaeus joyneri</i>															
	<i>Parapeneopsis hungerfordii</i>															
	<i>Parapeneopsis tenella</i>															
	<i>Penaeus japonicus</i>															
	<i>Penaeus merguensis</i>															
Crab	<i>Calappa philargius</i>													4	282.0	
	<i>Charybdis affinis</i>	1	60.0					1	20.0			1	10.0		3	40.0
	<i>Charybdis annulata</i>															
	<i>Charybdis cruciata</i>															
	<i>Charybdis truncata</i>															
	<i>Charybdis spp.</i>															
	<i>Dorippe dorsipes</i>	6	71.6		3	38.2		3	38.4			5	76.0		3	21.6
	<i>Dorippe polita</i>															
	<i>Eucrate crenata</i>															
	<i>Galene bispinosa</i>				1	24.0						1	33.0		1	55.0
	Hermit crab	32	146.0													
	<i>Maorophthalmus japonicus</i>															
	<i>Parthenope validus</i>							3	29.7			1	11.2		46	75.0
	<i>Philyra sp.</i>															
	<i>Podophthalmus vigil</i>															
	<i>Porcellanella picta</i>											1	0.4			
	<i>Portunus pelagicus</i>											1	50.0		1	90.0
	<i>Portunus trituberculatus</i>															
	<i>Portunus hastatoides</i>															
	<i>Typhlocarcinus sp.</i>															
Mantis shrimp	<i>Dictyosquilla foveolata</i>															
	<i>Harpisquilla harpax</i>															
	<i>Oratosquilla interrupta</i>															
	<i>Oratosquilla kempii</i>															
	<i>Oratosquilla oratoria</i>															
Gastropod	<i>Calyptrea sp.</i>															
	<i>Drupa musiva</i>															
	<i>Eptonium scalare</i>															
	<i>Inquistor flavidula</i>															
	<i>Murex trapa</i>															
	<i>Nassarius succinctus</i>															
	<i>Pilosabia pilosa</i>															
	<i>Tonna sulcosa</i>															
	<i>Turritella terebra</i>															
	UNID Nudibranch															

Trawling Data in September 2022

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Bivalve	<i>Chione isabellina</i>															
	<i>c.f. Brachidontes sp.</i>															
	<i>Macoma candida</i>															
	<i>Mytilus edulis</i>															
	<i>Ostrea sp.</i>							10	53.0		3	9.6				
	<i>Paphia undulata</i>															
	<i>Perna viridis</i>															
	<i>Ruditapes philippinarum</i>															
	<i>Talonostrea talonata</i>															
Cephalopod	<i>Lolingid squid</i>				1	60.0										
	<i>Sepiid cuttlefish</i>				1	20.0										
	<i>Octopus</i>															
Echinoderm	<i>Acaudina molpadioides</i>															
	<i>Amphioplus sp.</i>															
	<i>Styela plicata</i>															
	<i>Temnopleurus toreumaticus</i>	20	210.0		32	340.0		29	308.0		8	91.0		21	270.0	
Cnidaria	<i>Carcinactis ichikawai</i>															
	<i>Cavernularia habereri</i>												3	16.0		
	<i>Edwardsia japonica</i>															
	<i>Ellisella laevis</i>															
	<i>Pteroeides chinense</i>				5	110.0								17	460.0	
	<i>Gorgonia spp.</i>															
Cirripedia	Jelly fish				1	260.0		1	4600.0							
	Sea anomea															
	<i>Virgularia gustaviana</i>							1	3.6							
	<i>c.f. Balanus spp.</i>							60	84.0		120	73.0				

Trawling Data in September 2022

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Arnoglossus waitei</i>															
	<i>Acanthopagrus schlegeli</i>															
	<i>Acentrogobius caninus</i>															
	<i>Apogon kiensis</i>															
	<i>Arius chinensis</i>															
	<i>Calliurichthys japonicus</i>															
	<i>Callionymus curvicornis</i>															
	<i>Chrysochir aureus</i>															
	<i>Collichthys lucidus</i>															
	<i>Cryptocentrus filifer</i>															
	<i>Cynoglossus arel</i>															
	<i>Cynoglossus puncticeps</i>															
	<i>Cynoglossus roulei</i>															
	<i>Dasyatis akajei</i>															
	<i>Dasyatis zugei</i>										2	446.0		1	502.0	
	<i>Dendrophysa russelli</i>															
	<i>Diagramma picta</i>															
	<i>Drepane punctata</i>										1	462.0		1	439.0	
	<i>Epinephelus awoara</i>															
	<i>Gerres lucidus</i>															
	<i>Gerres abbreviatus</i>															
	<i>Grammoplites scaber</i>							1	73.0		2	82.0				
	<i>Gymnothorax chilospilus</i>															
	<i>Gymnura japonica</i>															
	<i>Ilisha elongata</i>															
	<i>Johnius belangerii</i>							3	116.0		4	220.0		1	50.0	
	<i>Konosirus punctatus</i>															
	<i>Lagocephalus sceleratus</i>															
	<i>Leiognathus nuchalis</i>										2	40.0		5	90.0	
	<i>Lutjanus russelli</i>															
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>															
	<i>Parachaeturichthys polynema</i>															
	<i>Pennahia anea</i>				1	10.0					4	140.0		4	90.0	
	<i>Platycephalus indicus</i>															
	<i>Plectorhynchus pictus</i>	1	370.0													
	<i>Plotosus lineatus</i>															
	<i>Pseudorhombus cinnamomeus</i>															
	<i>Saurida elongata</i>															
	<i>Scatophagus argus</i>															
	<i>Scoliodon laticaudus</i>															
	<i>Sebastiscus marmoratus</i>	1	43.0		2	87.0		2	98.0							
	<i>Siganus fuscescens</i>							2	114.0							
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>															
	<i>Stephanolepis cirrifer</i>				2	163.0		1	96.0							
	<i>Takifugu bimaculatus</i>															
	<i>Takifugu oblongus</i>															
	<i>Terapon jarbua</i>															

Trawling Data in September 2022

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Thryssa dussumieri</i>															
	<i>Thryssa hamiltonii</i>															
	<i>Thryssa kammalensis</i>															
	<i>Trachicephalus uranoscopus</i>															
	<i>Trypauchen vagina</i>															
Prawn or shrimp	<i>Metapenaeus affinis</i>															
	<i>Metapenaeus joyneri</i>															
	<i>Parapeneopsis hungerfordii</i>															
	<i>Parapeneopsis tenella</i>												1	12.0		
	<i>Penaeus japonicus</i>															
	<i>Penaeus merguensis</i>															
Crab	<i>Calappa philargius</i>															
	<i>Charybdis affinis</i>	1	20.0		4	80.0		3	40.0					1	10.0	
	<i>Charybdis annulata</i>															
	<i>Charybdis cruciata</i>															
	<i>Charybdis truncata</i>															
	<i>Charybdis spp.</i>															
	<i>Dorippe dorsipes</i>															
	<i>Dorippe polita</i>															
	<i>Eucrate crenata</i>				2	8.6										
	<i>Galene bispinosa</i>															
	Hermit crab															
	<i>Maorophthalmus japonicus</i>															
	<i>Parthenope validus</i>	2	21.6		3	29.7		12	120.8		3	36.8				
	<i>Philyra sp.</i>	1	8.4													
	<i>Podophthalmus vigil</i>															
	<i>Porcellanella picta</i>							2	0.6		5	2.3		6	2.6	
	<i>Portunus pelagicus</i>															
	<i>Portunus trituberculatus</i>															
	<i>Portunus hastatoides</i>															
	<i>Typhlocarcinus sp.</i>															
Mantis shrimp	<i>Dictyosquilla foveolata</i>															
	<i>Harpisquilla harpax</i>							2	103.0		1	55.0		1	64.0	
	<i>Oratosquilla interrupta</i>							2	20.0		1	30.0				
	<i>Oratosquilla kempii</i>															
	<i>Oratosquilla oratoria</i>															
Gastropod	<i>Calyptrea sp.</i>															
	<i>Drupa musiva</i>															
	<i>Epitonium scalare</i>															
	<i>Inquistor flavidula</i>															
	<i>Murex trapa</i>															
	<i>Nassarius succinctus</i>															
	<i>Pilosabia pilosa</i>															
	<i>Tonna sulcosa</i>							1	87.5							
	<i>Turritella terebra</i>															
	UNID Nudibranch															

Trawling Data in September 2022

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Bivalve	<i>Chione isabellina</i>															
	<i>c.f. Brachidontes sp.</i>										5	9.6		8	12.3	
	<i>Macoma candida</i>															
	<i>Mytilus edulis</i>															
	<i>Ostrea sp.</i>							3	11.2							
	<i>Paphia undulata</i>															
	<i>Perna viridis</i>	1	6.1					1	8.4							
	<i>Ruditapes philippinarum</i>							3	14.2							
	<i>Talonostrea talonata</i>															
Cephalopod	<i>Lolingid squid</i>															
	<i>Sepiid cuttlefish</i>															
	<i>Octopus</i>				1	26.0										
Echinoderm	<i>Acaudina molpadioides</i>															
	<i>Amphioplus sp.</i>										110	430.0		98	480.0	
	<i>Styela plicata</i>	1	3.6													
	<i>Temnopleurus toreumaticus</i>	42	410.0		51	520.0		53	548.0							
Cnidaria	<i>Carcinactis ichikawai</i>															
	<i>Cavernularia habereri</i>	7	41.0		6	32.0		11	86.0		6	32.0		4	28.0	
	<i>Edwardsia japonica</i>															
	<i>Ellisella laevis</i>	1	4.6													
	<i>Pteroeides chinense</i>	16	360.0		15	340.0		40	960.0		80	690.0		86	1820.0	
	<i>Gorgonia spp.</i>				1	4.6										
	Jelly fish											1	290.0		2	630.0
Cirripedia	Sea anomea															
	<i>Virgularia gustaviana</i>	2	12.0		1	6.2		4	36.0		4	21.2		3	21.8	
	<i>c.f. Balanus spp.</i>															

## Trawling Data in September 2022

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Arnoglossus waitei</i>	1	10.0													
	<i>Acanthopagrus schlegeli</i>															
	<i>Acentrogobius caninus</i>															
	<i>Apogon kiensis</i>										2	12.0				
	<i>Arius chinensis</i>	2	150.0		1	264.0							1	48.0		
	<i>Calliurichthys japonicus</i>															
	<i>Callionymus curvicornis</i>															
	<i>Chrysochir aureus</i>				1	370.0										
	<i>Collichthys lucidus</i>															
	<i>Cryptocentrus filifer</i>															
	<i>Cynoglossus arel</i>	2	50.0		3	60.0		1	35.0				7	170.0		
	<i>Cynoglossus puncticeps</i>															
	<i>Cynoglossus roulei</i>															
	<i>Dasvatis akajei</i>				4	760.0										
	<i>Dasvatis zugei</i>	11	2320.0		10	2690.0		5	938.0		6	1575.0		4	712.0	
	<i>Dendrophysa russelli</i>															
	<i>Diagramma picta</i>															
	<i>Drepane punctata</i>							1	170.0							
	<i>Epinephelus awoara</i>				1	12.0										
	<i>Gerres lucidus</i>	1	44.0								1	23.0		1	34.0	
	<i>Gerres abbreviatus</i>															
	<i>Grammolites scaber</i>	2	63.0								1	45.0				
	<i>Gymnothorax chilospilus</i>															
	<i>Gymnura japonica</i>				2	1160.0										
	<i>Ilisha elongata</i>															
	<i>Johnius belangerii</i>															
	<i>Konosirus punctatus</i>							1	93.0				1	113.0		
	<i>Lagocephalus sceleratus</i>				3	150.0										
	<i>Leiognathus nuchalis</i>	59	830.0		15	190.0		28	430.0		20	270.0		23	360.0	
	<i>Lutjanus russelli</i>							1	76.0							
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>															
	<i>Parachaeturichthys polynema</i>															
	<i>Pennahia anea</i>	7	90.0		1	14.0		3	60.0		3	40.0		6	60.0	
	<i>Platycephalus indicus</i>	10	440.0		5	515.0		10	2020.0		1	123.0		4	315.0	
	<i>Plectorhynchus pictus</i>															
	<i>Plotosus lineatus</i>													5	73.0	
	<i>Pseudorhombus cinnamomeus</i>										1	44.0				
	<i>Saurida elongata</i>															
	<i>Scatophagus argus</i>				1	173.0										
	<i>Scoliodon laticaudus</i>													1	45.0	
	<i>Sebastes marmoratus</i>															
	<i>Siganus fuscescens</i>															
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>	3	11.0													
	<i>Stephanolepis cirrhifer</i>															
	<i>Takifugu bimaculatus</i>															
	<i>Takifugu oblongus</i>															
	<i>Terapon jarbua</i>															

Trawling Data in September 2022

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Thryssa dussumieri</i>															
	<i>Thryssa hamiltonii</i>															
	<i>Thryssa kammalensis</i>							1	21.0							
	<i>Trachicephalus uranoscopus</i>	3	52.0											1	10.0	
	<i>Trypauchen vagina</i>	3	12.0		3	50.0										
Prawn or shrimp	<i>Metapenaeus affinis</i>	15	80.0		4	18.0		5	30.0		4	30.0				
	<i>Metapenaeus joyneri</i>				1	6.0										
	<i>Parapeneopsis hungerfordii</i>															
	<i>Parapeneopsis tenella</i>															
	<i>Penaeus japonicus</i>	1	16.0													
	<i>Penaeus merguensis</i>	20	233.0		11	160.0		13	190.0		5	72.0		9	112.0	
Crab	<i>Calappa philargius</i>															
	<i>Charybdis affinis</i>	71	1230.0		23	330.0		32	570.0		23	402.0				
	<i>Charybdis annulata</i>															
	<i>Charybdis cruciata</i>															
	<i>Charybdis truncata</i>															
	<i>Charybdis spp.</i>															
	<i>Dorippe dorsipes</i>															
	<i>Dorippe polita</i>															
	<i>Eucrate crenata</i>															
	<i>Galene bispinosa</i>							5	138.0		4	116.0		6	172.0	
	Hermit crab	4	32.4													
	<i>Maorophthalmus japonicus</i>															
	<i>Parthenope validus</i>															
	<i>Philyra sp.</i>															
	<i>Podophthalmus vigil</i>															
	<i>Porcellanella picta</i>															
	<i>Portunus pelagicus</i>	2	70.0		1	80.0					2	160.0		3	180.0	
	<i>Portunus trituberculatus</i>	4	410.0		1	220.0		2	240.0		2	280.0		1	80.0	
	<i>Portunus hastatoides</i>															
	<i>Typhlocarcinus sp.</i>															
Mantis shrimp	<i>Dictyosquilla foveolata</i>	1	26.0													
	<i>Harpisquilla harpax</i>	6	305.0		4	198.0		4	190.0		3	154.0		4	163.0	
	<i>Oratosquilla interrupta</i>	6	170.0					4	102.0		3	80.0		4	90.0	
	<i>Oratosquilla kempii</i>															
	<i>Oratosquilla oratoria</i>															
Gastropod	<i>Calyptraea sp.</i>							3	1.8							
	<i>Drupa musiva</i>										3	12.4				
	<i>Epitonium scalare</i>															
	<i>Inquistor flavidula</i>				3	7.4										
	<i>Murex trapa</i>	26	230.0		19	184.0		28	246.0		20	190.0		13	140.0	
	<i>Nassarius succinctus</i>															
	<i>Pilosabia pilosa</i>				2	0.8										
	<i>Tonna sulcosa</i>															
	<i>Turritella terebra</i>	5320	50180.0	*	4960	47100.0	*	4930	47210.0	*	2160	20820.0	*	2070	18790.0	*
	UND Nudibranch															



Trawling Data in September 2022

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Bivalve	<i>Chione isabellina</i>															
	<i>c.f. Brachidontes sp.</i>															
	<i>Macoma candida</i>															
	<i>Mytilus edulis</i>										12	13.6		3	3.1	
	<i>Ostrea sp.</i>															
	<i>Paphia undulata</i>															
	<i>Perna viridis</i>															
	<i>Ruditapes philippinarum</i>															
	<i>Talonostrea talonata</i>															
Cephalopod	<i>Lolingid squid</i>															
	<i>Sepiid cuttlefish</i>															
	<i>Octopus</i>	1	45.0								1	36.0				
Echinoderm	<i>Acaudina molpadioides</i>	2	51.0		4	106.0					3	72.0		2	52.0	
	<i>Amphioplus sp.</i>										199	1130.0		120	780.0	
	<i>Styela plicata</i>															
	<i>Temnopleurus toreumaticus</i>															
Cnidaria	<i>Carcinactis ichikawai</i>															
	<i>Cavernularia habereri</i>	28	186.0		26	178.0		31	195.0		22	170.0		26	180.0	
	<i>Edwardsia japonica</i>															
	<i>Ellisella laevis</i>															
	<i>Pteroeides chinense</i>	90	2170.0	*	93	2190.0	*	86	2030.0	*	110	2890.0	*	93	2360.0	*
	<i>Gorgonia spp.</i>															
Cirripedia	Jelly fish				1	520.0					1	720.0		2	1160.0	
	Sea anomea															
	<i>Virgularia gustaviana</i>	3	18.6		1	8.6								2	21.7	
	<i>c.f. Balanus spp.</i>															

Trawling Data in September 2022

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Arnoglossus waitei</i>				1	13.0		1	15.0							
	<i>Acanthopagrus schlegeli</i>															
	<i>Acentrogobius caninus</i>															
	<i>Apogon kiensis</i>	1	5.0		6	15.0		2	9.0							
	<i>Arius chinensis</i>															
	<i>Calliurichthys japonicus</i>															
	<i>Callionymus curvicornis</i>															
	<i>Chrysochir aureus</i>	3	1060.0													
	<i>Collichthys lucidus</i>				1	40.0										
	<i>Cryptocentrus filifer</i>															
	<i>Cynoglossus arel</i>	1	30.0		7	206.0		8	360.0		1	20.0				
	<i>Cynoglossus puncticeps</i>							1	17.0							
	<i>Cynoglossus roulei</i>															
	<i>Dasyatis akajei</i>							2	460.0		1	430.0				
	<i>Dasyatis zugei</i>	9	2600.0		9	760.0		9	1598.0		9	1543.0		6	1370.0	
	<i>Dendrophysa russelli</i>				3	103.0										
	<i>Diagramma picta</i>															
	<i>Drepane punctata</i>	1	70.0		1	163.0		2	310.0							
	<i>Epinephelus awoara</i>															
	<i>Gerres lucidus</i>				1	27.0										
	<i>Gerres abbreviatus</i>															
	<i>Grammolites scaber</i>										1	14.0				
	<i>Gymnothorax chilospilus</i>															
	<i>Gymnura japonica</i>							1	1840.0							
	<i>Ilisha elongata</i>															
	<i>Johnius belangerii</i>															
	<i>Konosirus punctatus</i>				1	138.0					1	110.0				
	<i>Lagocephalus sceleratus</i>				1	15.0										
	<i>Leiognathus nuchalis</i>	29	400.0		53	756.0		100	1390.0		31	410.0		29	390.0	
	<i>Lutjanus russelli</i>															
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>															
	<i>Parachaeturichthys polynema</i>	1	13.0													
	<i>Pennahia anea</i>	6	90.0		14	210.0		18	370.0		5	80.0		6	95.0	
	<i>Platycephalus indicus</i>	6	594.0		4	113.0		10	673.0		2	23.0		1	296.0	
	<i>Plectorhynchus pictus</i>															
	<i>Plotosus lineatus</i>													1	13.0	
	<i>Pseudorhombus cinnamomeus</i>							2	72.0		1	88.0				
	<i>Saurida elongata</i>										1	25.0				
	<i>Scatophagus argus</i>															
	<i>Scoliodon laticaudus</i>															
	<i>Sebastiscus marmoratus</i>															
	<i>Siganus fuscescens</i>															
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>				1	22.0										
	<i>Stephanolepis cirrifer</i>															
	<i>Takifugu bimaculatus</i>															
	<i>Takifugu oblongus</i>															
	<i>Terapon jarbua</i>	1	22.0													

Trawling Data in September 2022

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Thryssa dussumieri</i>															
	<i>Thryssa hamiltonii</i>															
	<i>Thryssa kammalensis</i>				2	44.0		2	16.0							
	<i>Trachicephalus uranoscopus</i>				3	63.0		6	99.0		1	26.0				
	<i>Trypauchen vagina</i>				2	25.0		2	22.0							
Prawn or shrimp	<i>Metapenaeus affinis</i>	3	12.0		20	94.0		4	22.0							
	<i>Metapenaeus joyneri</i>	1	11.0		1	16.0		1	13.0							
	<i>Parapeneopsis hungerfordii</i>	2	22.0		1	13.0		3	21.0							
	<i>Parapeneopsis tenella</i>															
	<i>Penaeus japonicus</i>				1	19.0										
	<i>Penaeus merguensis</i>	17	244.0		36	435.0		54	576.0		9	88.0		2	24.0	
Crab	<i>Calappa philargius</i>															
	<i>Charybdis affinis</i>	31	470.0		39	640.0		56	940.0		26	480.0		10	160.0	
	<i>Charybdis annulata</i>															
	<i>Charybdis cruciata</i>							1	14.0							
	<i>Charybdis truncata</i>															
	<i>Charybdis spp.</i>															
	<i>Dorippe dorsipes</i>															
	<i>Dorippe polita</i>															
	<i>Eucrate crenata</i>															
	<i>Galene bispinosa</i>				2	128.0										
	Hermit crab	11	56.0													
	<i>Maorophthalmus japonicus</i>															
	<i>Parthenope validus</i>							1	13.2							
	<i>Philyra sp.</i>															
	<i>Podophthalmus vigil</i>															
	<i>Porcellanella picta</i>															
	<i>Portunus pelagicus</i>	1	40.0		1	40.0		1	20.0				1	90.0		
	<i>Portunus trituberculatus</i>	4	290.0		3	320.0		3	270.0							
	<i>Portunus hastatooides</i>															
	<i>Typhlocarcinus sp.</i>															
Mantis shrimp	<i>Dictyosquilla foveolata</i>															
	<i>Harpisquilla harpax</i>	7	460.0		5	230.0		10	560.0		2	124.0		1	70.0	
	<i>Oratosquilla interrupta</i>	4	120.0		5	120.0		9	255.0					2	73.0	
	<i>Oratosquilla kempii</i>															
	<i>Oratosquilla oratoria</i>	1	30.0					1	8.0							
Gastropod	<i>Calyptraea sp.</i>															
	<i>Drupa musiva</i>															
	<i>Epitonium scalare</i>															
	<i>Inquistor flavidula</i>										2	5.3				
	<i>Murex trapa</i>	31	308.0		29	250.0		24	246.0		11	116.0		13	122.0	
	<i>Nassarius succinctus</i>															
	<i>Pilosabia pilosa</i>															
	<i>Tonna sulcosa</i>															
	<i>Turritella terebra</i>	4960	36120.0	*	4720	35700.0	*	4830	38100.0	*	2640	22390.0	*	2180	19960.0	
	UNID Nudibranch															

Trawling Data in September 2022

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Bivalve	<i>Chione isabellina</i>															
	<i>c.f. Brachidontes sp.</i>															
	<i>Macoma candida</i>															
	<i>Mytilus edulis</i>															
	<i>Ostrea sp.</i>															
	<i>Paphia undulata</i>															
	<i>Perna viridis</i>															
	<i>Ruditapes philippinarum</i>															
	<i>Talonostrea talonata</i>															
Cephalopod	<i>Lolingid squid</i>															
	<i>Sepiid cuttlefish</i>															
	<i>Octopus</i>															
Echinoderm	<i>Acaudina molpadioides</i>				4	110.0		2	54.0							
	<i>Amphioplus sp.</i>													6	38.0	
	<i>Styela plicata</i>															
	<i>Temnopleurus toreumaticus</i>															
Cnidaria	<i>Carcinactis ichikawai</i>															
	<i>Cavernularia habereri</i>	32	140.0		28	198.0		36	216.0		11	58.0		9	46.0	
	<i>Edwardsia japonica</i>															
	<i>Ellisella laevis</i>															
	<i>Pteroeides chinense</i>	70	1460.0	*	64	1250.0	*	80	1930.0	*	52	1170.0	*	48	970.0	*
	<i>Gorgonia spp.</i>															
	Jelly fish	1	630.0								1	550.0		3	1680.0	
	Sea anomea															
	<i>Virgularia gustaviana</i>				3	21.7		1	6.2		2	11.2		1	5.4	
Cirripedia	<i>c.f. Balanus spp.</i>															

Trawling Data in September 2022

Group	Species Name	TSA-1			TSA-2			TSA			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Arnoglossus waitei</i>				1	12.0										
	<i>Acanthopagrus schlegeli</i>															
	<i>Acentrogobius caninus</i>	3	72.0					7	120.0		2	32.0		2	31.0	
	<i>Apogon kiensis</i>	15	62.0					18	86.0		3	11.0		11	44.0	
	<i>Arius chinensis</i>	6	1214.0					2	136.0		5	543.0		2	320.0	
	<i>Calliurichthys japonicus</i>	2	110.0					1	23.0							
	<i>Callionymus curvicornis</i>	1	4.0													
	<i>Chrysochir aureus</i>															
	<i>Collichthys lucidus</i>															
	<i>Cryptocentrus filifer</i>	4	32.0					7	32.0		2	14.0				
	<i>Cynoglossus arel</i>	8	550.0		4	90.0		5	150.0		5	140.0		2	70.0	
	<i>Cynoglossus puncticeps</i>															
	<i>Cynoglossus roulei</i>															
	<i>Dasvatis akajei</i>	2	260.0		2	522.0					7	2190.0		2	3850.0	
	<i>Dasvatis zugei</i>										5	1956.0		4	1860.0	
	<i>Dendrophysa russelli</i>															
	<i>Diagramma picta</i>										1	22.0				
	<i>Drepane punctata</i>	15	3640.0		1	280.0		6	1440.0		1	380.0		5	1330.0	
	<i>Epinephelus awoara</i>	90	520.0		14	83.0		36	187.0		17	97.0		10	58.0	
	<i>Gerres lucidus</i>	10	298.0					10	290.0					3	92.0	
	<i>Gerres abbreviatus</i>				1	22.0										
	<i>Grammoplites scaber</i>															
	<i>Gymnothorax chilospilus</i>										1	456.0				
	<i>Gymnura japonica</i>	6	7320.0		2	4160.0		2	4070.0		2	4660.0		3	5870.0	
	<i>Ilisha elongata</i>													1	6.0	
	<i>Johnius belangerii</i>															
	<i>Konosirus punctatus</i>	12	365.0		1	42.0		3	158.0					7	260.0	
	<i>Lagocephalus sceleratus</i>	1	12.0													
	<i>Leiognathus nuchalis</i>	415	3730.0		207	1230.0		202	2050.0		277	2370.0		250	2120.0	
	<i>Lutjanus russelli</i>															
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>	2	13.0					1	8.0							
	<i>Parachaeturichthys polynema</i>															
	<i>Pennahia anea</i>	36	620.0		2	40.0		34	650.0		12	235.0		29	652.0	
	<i>Platycephalus indicus</i>	48	3960.0		5	345.0		19	1640.0		6	518.0		4	463.0	
	<i>Plectorhynchus pictus</i>															
	<i>Plotosus lineatus</i>															
	<i>Pseudorhombus cinnamomeus</i>	4	230.0					1	40.0							
	<i>Saurida elongata</i>															
	<i>Scatophagus argus</i>	3	1260.0					4	660.0					1	234.0	
	<i>Scoliodon laticaudus</i>															
	<i>Sebastiscus marmoratus</i>															
	<i>Siganus fuscescens</i>															
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>															
	<i>Stephanolepis cirrhifer</i>															
	<i>Takifugu bimaculatus</i>	33	12430.0		18	1940.0		28	13160.0		19	3860.0		16	3170.0	
	<i>Takifugu oblongus</i>															
	<i>Terapon jarbua</i>	2	19.0													

Trawling Data in September 2022

Group	Species Name	TSA-1			TSA-2			TSA			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Thryssa dussumieri</i>																		
	<i>Thryssa hamiltonii</i>																		
	<i>Thryssa kammalensis</i>																		
	<i>Trachicephalus uranoscopus</i>	6	88.0					1	9.0		1	15.0		1	21.0				
	<i>Trypauchen vagina</i>	17	131.0					8	80.0		1	8.0		3	33.0				
Prawn or shrimp	<i>Metapenaeus affinis</i>	43	190.0		5	18.0		36	171.0		9	43.0		10	38.0				
	<i>Metapenaeus joyneri</i>	6	40.0		3	20.0		2	23.0		2	22.0		4	28.0				
	<i>Parapeneopsis hungerfordii</i>	2	12.0								4	33.0		1	11.0				
	<i>Parapeneopsis tenella</i>							7	63.0					6	32.0				
	<i>Penaeus japonicus</i>																		
	<i>Penaeus merguensis</i>	8	73.0		1	18.0								1	13.0				
Crab	<i>Calappa philargius</i>																		
	<i>Charybdis affinis</i>	96	1570.0		11	150.0		62	1120.0		21	458.0		25	484.0				
	<i>Charybdis annulata</i>	3	8.0					2	9.0		6	19.0		3	8.0				
	<i>Charybdis cruciata</i>	2	95.0					1	8.0		3	61.0		5	23.0				
	<i>Charybdis truncata</i>										1	7.0		1	8.0				
	<i>Charybdis spp.</i>	40	460.0	*	148	1530.0	*	136	1420.0	*	62	870.0	*	68	940.0	*			
	<i>Dorippe dorsipes</i>																		
	<i>Dorippe polita</i>										13	71.2							
	<i>Eucrate crenata</i>																		
	<i>Galene hispinosa</i>	2	134.0					7	602.0		2	61.7							
	Hermit crab																		
	<i>Maorophthalmus japonicus</i>	7	88.6		2	31.6		15	139.2		13	191.6		12	114.6				
	<i>Parthenope validus</i>										3	41.8							
	<i>Philyra sp.</i>																		
	<i>Podophthalmus vigil</i>							1	7.8										
	<i>Porcellanella picta</i>	3	1.5		6	3.1		5	2.8		4	1.2		3	1.1				
	<i>Portunus pelagicus</i>	1	140.0					1	120.0		1	290.0							
	<i>Portunus trituberculatus</i>													1	260.0				
	<i>Portunus hastatoides</i>	20	38.0		1	3.0		9	14.0		5	11.0		6	12.0				
	<i>Typhlocarcinus sp.</i>				1	2.2													
Mantis shrimp	<i>Dictyosquilla foveolata</i>																		
	<i>Harpisquilla harpax</i>	4	180.0		1	54.0		3	150.0		1	53.0							
	<i>Oratosquilla interrupta</i>							3	12.0					1	8.0				
	<i>Oratosquilla kempii</i>																		
	<i>Oratosquilla oratoria</i>	1	8.0																
Gastropod	<i>Calyptrea sp.</i>																		
	<i>Drupa musiva</i>																		
	<i>Epitonium scalare</i>													1	5.1				
	<i>Inquistor flavidula</i>																		
	<i>Murex trapa</i>	18	175.0		30	380.0		41	413.0		26	290.0		41	488.0				
	<i>Nassarius succinctus</i>	46	97.8		18	38.4		16	43.2		7	18.8		9	19.3				
	<i>Pilosabia pilosa</i>																		
	<i>Tonna sulcosa</i>	3	316.0								1	96.4							
	<i>Turritella terebra</i>	26	240.0		31	290.0		29	230.0		44	420.0		31	290.0				
	UNID Nudibranch							1	5.8										

Trawling Data in September 2022

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Bivalve	<i>Chione isabellina</i>															
	<i>c.f. Brachidontes sp.</i>															
	<i>Macoma candida</i>															
	<i>Mytilus edulis</i>															
	<i>Ostrea sp.</i>															
	<i>Paphia undulata</i>															
	<i>Perna viridis</i>															
	<i>Ruditapes philippinarum</i>															
	<i>Talonostrea talonata</i>															
Cephalopod	<i>Lolingid squid</i>															
	<i>Sepiid cuttlefish</i>	1	10.0											1	40.0	
	<i>Octopus</i>															
Echinoderm	<i>Acaudina molpadioides</i>	3	54.0		9	236.0		5	118.0		6	194.0		8	292.0	
	<i>Amphioplus sp.</i>															
	<i>Styela plicata</i>															
	<i>Temnopleurus toreumaticus</i>															
Cnidaria	<i>Carcinactis ichikawai</i>															
	<i>Cavernularia habereri</i>	40	210.0		50	260.0		26	164.0		15	124.4		42	190.0	
	<i>Edwardsia japonica</i>															
	<i>Ellisella laevis</i>															
	<i>Pteroeides chinense</i>	120	2110.0	*	190	3460.0	*	510	6230.0	*	220	4920.0	*	180	3160.0	*
	<i>Gorgonia spp.</i>															
	Jelly fish															
	Sea anomea										1	5.3				
	<i>Virgularia gustaviana</i>	1	6.8		3	16.4		2	8.9		1	6.3		1	12.3	
Cirripedia	<i>c.f. Balanus spp.</i>															

Trawling Data in September 2022

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Arnoglossus waitei</i>							1	12.0							
	<i>Acanthopagrus schlegeli</i>															
	<i>Acentrogobius caninus</i>	1	25.0									1	23.0			
	<i>Apogon kiensis</i>	4	18.0					1	9.0			1	3.0			
	<i>Arius chinensis</i>	1	250.0					8	643.0			22	2390.0	8	996.0	
	<i>Calliurichthys japonicus</i>															
	<i>Callionymus curvicornis</i>															
	<i>Chrysochir aureus</i>	1	164.0									4	106.0			
	<i>Collichthys lucidus</i>											1	30.0			
	<i>Cryptocentrus filifer</i>	4	23.0					1	6.0			2	16.0			
	<i>Cynoglossus arel</i>	5	105.0		1	8.0		3	40.0			4	120.0	7	300.0	
	<i>Cynoglossus puncticeps</i>													1	22.0	
	<i>Cynoglossus roulei</i>				2	1440.0		2	437.0							
	<i>Dasyatis akajei</i>	1	1160.0		4	3890.0		4	953.0			4	3760.0	3	1890.0	
	<i>Dasyatis zugei</i>	4	790.0		2	670.0						3	1560.0	5	630.0	
	<i>Dendrophysa russelli</i>	3	25.0					2	40.0			3	90.0	1	20.0	
	<i>Diagramma picta</i>															
	<i>Drepane punctata</i>	11	2190.0		1	308.0		10	1950.0			7	1590.0	3	430.0	
	<i>Epinephelus awoara</i>	34	221.0		13	78.0		15	101.0			10	66.0	2	16.0	
	<i>Gerres lucidus</i>	8	249.0		2	53.0		4	114.0			5	223.0	1	40.0	
	<i>Gerres abbreviatus</i>															
	<i>Grammoplites scaber</i>															
	<i>Gymnothorax chilospilus</i>															
	<i>Gymnura japonica</i>	2	6270.0		2	5245.0		3	5450.0			1	4370.0	3	6420.0	
	<i>Ilisha elongata</i>	1	8.0					1	7.0			1	8.0			
	<i>Johnius belangerii</i>	3	140.0					1	70.0							
	<i>Konosirus punctatus</i>	23	840.0		6	266.0		4	203.0			2	118.0	4	238.0	
	<i>Lagocephalus sceleratus</i>	2	42.0		1	12.0		1	10.0			1	14.0	1	15.0	
	<i>Leiognathus nuchalis</i>	636	2810.0		367	1376.0		376	2884.0			649	6130.0	466	3830.0	
	<i>Lutjanus russelli</i>															
	<i>Muraenesox cinereus</i>							1	170.0							
	<i>Nemipterus japonicus</i>															
	<i>Parachaeturichthys polynema</i>															
	<i>Pennahia anea</i>				8	152.0		5	103.0			16	290.0	6	78.0	
	<i>Platycephalus indicus</i>	11	1010.0		10	282.0		11	384.0			9	1045.0	9	254.0	
	<i>Plectorhynchus pictus</i>															
	<i>Plotosus lineatus</i>															
	<i>Pseudorhombus cinnamomeus</i>	1	66.0									3	72.0	1	33.0	
	<i>Saurida elongata</i>															
	<i>Scatophagus argus</i>													1	220.0	
	<i>Scoliodon laticaudus</i>															
	<i>Sebastiscus marmoratus</i>															
	<i>Siganus fuscescens</i>													1	21.0	
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>				1	14.0										
	<i>Stephanolepis cirrifer</i>															
	<i>Takifugu bimaculatus</i>	24	3080.0		19	1380.0		19	1673.0			23	1852.0	15	8895.0	
	<i>Takifugu oblongus</i>															
	<i>Terapon jarbua</i>											1	13.0			



Trawling Data in September 2022

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Thryssa dussumieri</i>						3	22.0		6	49.0					
	<i>Thryssa hamiltonii</i>									1	12.0					
	<i>Thryssa kammalensis</i>												1	4.0		
	<i>Trachicephalus uranoscopus</i>	4	63.0				8	110.0		3	28.0		2	22.0		
	<i>Trypauchen vagina</i>	4	50.0				1	25.0		5	105.0					
Prawn or shrimp	<i>Metapenaeus affinis</i>	37	240.0		5	35.0	19	120.0					8	60.0		
	<i>Metapenaeus joyneri</i>	6	30.0		2	15.0	3	22.0					2	14.0		
	<i>Parapeneopsis hungerfordii</i>						2	11.0		4	33.0		2	11.0		
	<i>Parapeneopsis tenella</i>				7	52.0	12	115.0		13	92.0					
	<i>Penaeus japonicus</i>															
	<i>Penaeus merguensis</i>	11	238.0		1	15.0	21	283.0		8	95.0		1	18.0		
Crab	<i>Calappa philargius</i>															
	<i>Charybdis affinis</i>	28	544.0		4	68.0	20	396.0		46	780.0		21	383.0		
	<i>Charybdis annulata</i>	1	3.0							1	3.0					
	<i>Charybdis cruciata</i>	1	6.0		1	194.0				1	9.0					
	<i>Charybdis truncata</i>															
	<i>Charybdis spp.</i>	50	580.0	*	62	790.0	*	44	530.0	*	60	780.0	*	58	760.0	*
	<i>Dorippe dorsipes</i>															
	<i>Dorippe polita</i>	26	208.0				32	297.0		28	230.0		12	160.0		
	<i>Eucrate crenata</i>															
	<i>Galene bispinosa</i>	5	324.0							3	168.0					
	Hermit crab															
	<i>Maorophthalmus japonicus</i>	6	31.4				2	18.4								
	<i>Parthenope validus</i>				3	34.6	4	64.0		4	23.0					
	<i>Philyra sp.</i>															
	<i>Podophthalmus vigil</i>															
	<i>Porcellanella picta</i>	2	0.7							4	1.8		1	0.5		
	<i>Portunus pelagicus</i>															
	<i>Portunus trituberculatus</i>									1	130.0					
	<i>Portunus hastatoides</i>	39	76.0				6	13.0		9	18.0		11	31.0		
	<i>Typhlocarcinus sp.</i>	2	1.8													
Mantis shrimp	<i>Dictyosquilla foveolata</i>				1	12.0	3	53.0								
	<i>Harpisquilla harpax</i>	3	133.0		3	135.0	1	65.0		11	447.0		3	176.0		
	<i>Oratosquilla interrupta</i>	1	10.0		1	40.0										
	<i>Oratosquilla kempii</i>						1	10.0								
	<i>Oratosquilla oratoria</i>	1	6.0													
Gastropod	<i>Calyptraea sp.</i>															
	<i>Drupa musiva</i>															
	<i>Epitonium scalare</i>															
	<i>Inquistor flavidula</i>												4	8.2		
	<i>Murex trapa</i>	43	428.0		36	410.0	63	596.0		59	536.0		68	649.0		
	<i>Nassarius succinctus</i>						13	28.0		66	154.0					
	<i>Pilosabia pilosa</i>															
	<i>Tonna sulcosa</i>	3	461.0		2	346.0	4	386.0								
	<i>Turritella terebra</i>	46	430.0		52	496.0	50	470.0		60	610.0		50	520.0		
	UNID Nudibranch															

Trawling Data in September 2022

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Bivalve	<i>Chione isabellina</i>	5	28.6													
	<i>c.f. Brachidontes sp.</i>															
	<i>Macoma candida</i>	2	6.8													
	<i>Mytilus edulis</i>															
	<i>Ostrea sp.</i>															
	<i>Paphia undulata</i>									1	3.5					
	<i>Perna viridis</i>												1	3.9		
	<i>Ruditapes philippinarum</i>															
	<i>Talonostrea talonata</i>							2	4.2							
Cephalopod	<i>Lolingid squid</i>															
	<i>Sepiid cuttlefish</i>				1	30.0							1	30.0		
	<i>Octopus</i>															
Echinoderm	<i>Acaudina molpadioides</i>						4	120.0		2	63.0		8	186.0		
	<i>Amphioplus sp.</i>															
	<i>Styela plicata</i>															
	<i>Temnopleurus toreumaticus</i>															
Cnidaria	<i>Carcinactis ichikawai</i>	3	1.6								6	2.3				
	<i>Cavernularia habereri</i>	38	194.0		20	140.0		26	180.0		30	190.0		36	210.0	
	<i>Edwardsia japonica</i>	1	3.2													
	<i>Ellisella laevis</i>															
	<i>Pteroeides chinense</i>	90	1960.0	*	80	1790.0	*	90	2160.0	*	90	2160.0	*	110	3180.0	*
Cirripedia	<i>Gorgonia spp.</i>															
	Jelly fish															
	Sea anomea															
	<i>Virgularia gustaviana</i>	3	21.6		2	16.3		1	11.2		3	21.6		2	18.7	