

Trawling Data for August 2016

Group	Species Name	INA																
		INA-1			INA-2			INA-3			INA-4			INA-5				
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)		
Fish	<i>Acentrogobius caninus</i>	2.0	28.0													1.0	18.0	
	<i>Apogon lineatus</i>	1.0	14.0		1.0	4.0		3.0	8.0		1.0	4.0						
	<i>Arius arius</i>																	
	<i>Arius maculatus</i>																	
	<i>Arnoglossus waitei</i>				2.0	6.0												
	<i>Callionymus curvicornis</i>																	
	<i>Chrysochir aureus</i>																	
	<i>Collichthys lucidus</i>																	
	<i>Cynoglossus abbreviatus</i>																	
	<i>Cynoglossus arel</i>																	
	<i>Cynoglossus filifer</i>							2.0	14.0		3.0	16.0						
	<i>Cynoglossus puncticeps</i>	2.0	24.0					1.0	24.0									
	<i>Cynoglossus roulei</i>	1.0	88.0															
	<i>Dasyatis akajei</i>	1.0	114.0		4.0	466.0		2.0	942.0		1.0	88.0		3.0	640.0			
	<i>Dasyatis zugei</i>				1.0	194.0												
	<i>Dendrophysa russelii</i>																	
	<i>Derepane punctata</i>	1.0	106.0		1.0	106.0		2.0	324.0		1.0	98.0		1.0	114.0			
	<i>Epinephelus awoara</i>	2.0	644.0					1.0	510.0					1.0	196.0			
	<i>Gerres abbreviatus</i>																	
	<i>Gerres filamentosus</i>							1.0	50.0		1.0	60.0						
	<i>Grammolites scaber</i>	4.0	176.0		4.0	158.0					6.0	184.0		1.0	82.0			
	<i>Glossogobius olivaceus</i>																	
	<i>Gymnura japonica</i>																	
	<i>Ilsha elongata</i>																	
	<i>Inegocia japonica</i>	2.0	278.0		2.0	148.0		3.0	74.0					1.0	2.0			
	<i>Inimicus didactylus</i>										1.0	220.0		1.0	76.0			
	<i>Inimicus japonicus</i>										1.0	10.0						
	<i>Johnius carrona</i>																	
	<i>Johnius belangerii</i>				1.0	50.0												
	<i>Johnius taiwansis</i>							1.0	38.0					1.0	82.0			
	<i>Johnius trewavasae</i>	1.0	40.0															
	<i>Konosirus punctatus</i>																	
	<i>Lagocephalus wheeleri</i>													1.0	88.0			
	<i>Leiognathus brevirostris</i>	12.0	128.0		10.0	116.0		20.0	298.0		6.0	60.0		6.0	100.0			
	<i>Leiognathus elongatus</i>	1.0	8.0															
	<i>Leiognathus nuchalis</i>							7.0	50.0		3.0	26.0						
	<i>Leiognathus dodecakanthoides</i>																	
	<i>Mugil cephalus</i>																	
	<i>Muraenesox cinereus</i>										1.0	164.0						
	<i>Oxyurichthys tentacularis</i>										1.0	6.0						
	<i>Paracentropogon rubripinnis</i>																	
	<i>Parachaeturichthys polynema</i>																	
	<i>Parargyrops edita</i>	1.0	8.0		1.0	20.0		3.0	78.0		2.0	30.0		1.0	26.0			
	<i>Paralagusia japonica</i>																	
	<i>Pennahia anea</i>													1.0	14.0			
	<i>Pennahia macrocephalus</i>																	
	<i>Platycephalus indicus</i>	1.0	14.0											1.0	16.0			
	<i>Polydactylus sextarius</i>							3.0	20.0					1.0	6.0			
	<i>Pseudorhombus cinnamoneus</i>													1.0	22.0			

Trawling Data for August 2016

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Rhynchopelates oxyrhynchus</i>															
	<i>Saurida elongata</i>															
	<i>Scatophagus argus</i>	1.0	278.0		1.0	180.0					1.0	172.0				
	<i>Sebastiscus marmoratus</i>	7.0	360.0		1.0	10.0							2.0	18.0		
	<i>Siganus fuscescens</i>															
	<i>Sillago sihama</i>	1.0	112.0								3.0	118.0				
	<i>Solea ovata</i>	2.0	14.0		12.0	98.0		7.0	48.0		10.0	76.0		1.0	10.0	
	<i>Stolephorus commersonii</i>	1.0	6.0					4.0	70.0		2.0	14.0				
	<i>Takifugu oblongus</i>															
	<i>Terapon jarbua</i>															
	<i>Trichiurus japonicus</i>															
	<i>Tridentiger barbatus</i>															
	<i>Takifugu niphobles</i>													1.0	12.0	
	<i>Takifugu xanthopterus</i>															
	<i>Thryssa dussumieri</i>															
	<i>Thryssa kammalensis</i>															
	<i>Trachycephalus uranoscopa</i>				2.0	26.0		1.0	34.0		1.0	10.0		1.0	12.0	
	<i>Trypauchen vagina</i>															
	<i>Uroconger lepturus</i>															
	<i>Zebrias zebra</i>	1.0	78.0													
Prawn or shrimp	<i>Alpheus distinguendus</i>	3.0	6.0		3.0	6.0					1.0	2.0				
	<i>Alpheus brevicristatus</i>															
	<i>Exopalaemon carinicauda</i>															
	<i>Metapenaeopsis barbata</i>				1.0	2.0		1.0	2.0							
	<i>Metapenaeus ensis</i>															
	<i>Metapenaeus affinis</i>															
	<i>Metapenaeus joyneri</i>										1.0	10.0				
	<i>Parapenaeopsis hardwickii</i>															
	<i>Parapenaeopsis cultirostris</i>															
	<i>Parapenaeopsis tenella</i>										1.0	4.0				
	<i>Penaeus merguensis</i>	1.0	14.0													
	<i>Penaeus japonicus</i>							1.0	86.0							
	<i>Solenocera crassicornis</i>															
	<i>Trachypenaeus curvirostris</i>															
Crab	<i>Arcania heptacontra</i>															
	<i>Arcania undecimspinosa</i>	1.0	36.2													
	<i>Parapanope euagora</i>															
	<i>Calappa philargius</i>	4.0	92.0		2	52.0					20.0	890.0	*	3.0	152.0	
	<i>Charybdis affinis</i>	22.0	342.0		14.0	218.0		26.0	350.0		10.0	192.0		1.0	20.0	
	<i>Charybdis cruciata</i>				1.0	80.0					1.0	234.0				
	<i>Charybdis japonica</i>	6.0	240.0		3.0	168.0		4.0	212.0		8.0	280.0		1.0	58.0	
	<i>Charybdis lucifera</i>															
	<i>Charybdis variegata</i>	10.0	36.0		2.0	22.0		10.0	28.0							
	<i>Charybdis truncata</i>	13.0	128.0		4.0	118.0		13.0	196.0		3.0	54.0		7.0	280.0	
	<i>Charybdis spp.</i>	55.0	792.0	*	40.0	480.0	*	63.0	826.0	*	53.0	728.0	*	60.0	720.0	
	<i>Dorippe polita</i>	30.0	320.0	*	30.0	320.0	*	40.0	420.0	*	20.0	180.0	*	30.0	310.0	
	<i>Eucrete crenata</i>	30.0	160.0	*	20.0	120.0	*	30.0	160.0	*	30.0	150.0	*	40.0	180.0	
	<i>Galene bispinosa</i>	5.0	1120.0		2.0	92.0		7.0	1280.0		3.0	54.0		5.0	240.0	

Trawling Data for August 2016

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	Hermit crab	200.0	1240.0	*	160.0	1040.0	*	160.0	1040.0	*	180.0	1230.0	*	320.0	2580.0	*
	<i>Leucosia craniolaris</i>	3.0	13.0		3.0	13.0		5.0	18.0					1.0	2.8	
	<i>Parthenope validus</i>	40.0	530.0	*	40.0	530.0	*	50.0	940.0	*						
	<i>Porcellanella picta</i>	10.0	4.2		7.0	3.1		6.0	2.6		3.0	4.2		6.0	2.8	
	<i>Portunus hastatoides</i>	1.0	4.0		1.0	2.0		3.0	8.0							
	<i>Portunus pelagicus</i>				1.0	160.0		2.0	230.0							
	<i>Portunus sanguinolentus</i>															
	<i>Portunus trituberculatus</i>															
	<i>Typhlocarcinus villosus</i>				3.0	4.8										
Mantis shrimp	<i>Harpisquilla harpax</i>	3.0	166.0		1.0	62.0		2.0	60.0		3.0	126.0				
	<i>Squilla decorata</i>							1.0	6.0							
	<i>Oratosquilla interrupta</i>													1.0	4.0	
	<i>Oratosquilla oratoria</i>							1.0	18.0		1.0	10.0		2.0	18.0	
Gastropod	<i>Bursa rana</i>							3.0	21.0							
	<i>Calyptreaea sp.</i>	50.0	22.0	*	40.0	18.0	*	80.0	36.0	*	90.0	30.0	*	70.0	32.0	*
	<i>Drupa musiva</i>	20.0	110.0	*	5.0	23.0		20.0	110.0	*	20.0	120.0	*	20.0	120.0	*
	<i>Durpa fiscella</i>															
	<i>Gemmula deshayesii</i>															
	<i>Inquistor flavidula</i>	5.0	12.0					20.0	46.0	*	48.0	88.0	*	20.0	46.0	*
	<i>Lophiotoma leucotropis</i>				4.0	28.0								1.0	2.1	
	<i>Murex trapa</i>	40.0	360.0	*	30.0	310.0	*	50.0	490.0	*	40.0	410.0	*	40.0	410.0	*
	<i>Nassarius hepaticus</i>															
	<i>Nassarius succinctus</i>	20.0	46.0	*	30.0	66.0	*	6.0	13.0					6.0	13.0	
	<i>Nassarius sp.</i>										3.0	5.6				
	<i>Natica sp.</i>															
	<i>Natica spadiceoides</i>															
	<i>Philine sp.</i>				1.0	6.1										
	<i>Pilosabia pilosa</i>	40.0	16.0	*	40.0	16.0	*	60.0	31.0	*	40.0	43.0	*	60.0	58.0	*
	<i>Siphopatella walshi</i>	7.0	2.6		20.0	15.0	*				20.0	16.0	*			
	<i>Sesarma sp.</i>															
	<i>Tonna olearium</i>															
	<i>Tonna sulcosa</i>															
	<i>Turricula nelliae</i>															
	<i>Turricula javana</i>															
	<i>Turritella terebra</i>	1200.0	12410.0	*	1100.0	11870.0	*	1400.0	15730.0	*	1300.0	13450.0	*	1200.0	12510.0	*
	UNID Nudibranch													1.0	9.2	
Bivalve	<i>Anomalodiscus squamosus</i>															
	<i>Chione isabellina</i>				20.0	110.0	*				7.0	29.0				
	<i>Chlamys nobilis</i>				1.0	8.3		8.0	96.0		20.0	260.0	*	7.0	79.0	
	<i>Crossostrea sp.</i>							1.0	140.0							
	<i>Ostrea sp.</i>	90.0	52.0	*	160.0	80.0	*	140.0	70.0	*	120.0	70.0	*	110.0	60.0	*
	<i>Paphia undulata</i>															
	<i>Monia umbonata</i>															
	<i>Perna viridis</i>				1.0	26.0					1.0	62.0				
	<i>Pinctada martensii</i>															
	<i>Ruditapes philippinarum</i>															
	<i>Scapharca subcrenata</i>	6.0	870.0		3.0	92.0		4.0	760.0					1.0	19.4	
	<i>Atrina pectinata</i>				1.0	38.2										
	<i>Vepricardium asiaticum</i>															

Trawling Data for August 2016

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Tegukkarca nodifera</i>	16.0	58.0								4.0	18.0		2.0	21.0	
	<i>Timoclea scabra</i>															
	<i>Placuna placenta</i>															
Cephalopod	<i>Sepiid cuttlefish</i>						2.0	138.0								
	<i>Lolingid squid</i>										1.0	14.0				
	<i>Octopus</i>															
Echinoderm	<i>Acaudina molpadioides</i>	2.0	106.0													
	Asteroidea															
	<i>Temnopleurus toreumaticus</i>	160.0	3160.0	*	70.0	2380.0	*	130.0	3970.0	*	70.0	1860.0	*	60.0	1530.0	*
Cnidaria	<i>Edwardsia japonica (c.f.)</i>							1.0	5.4					2.0	8.2	
	<i>Ellisella laevis</i>	20.0	190.0	*	5.0	40.0		20.0	210.0	*	4.0	146.0		3.0	32.0	
	<i>Gorgonia spp.</i>										2.0	21.0				
	<i>Carcinactis ichikawai</i>															
	<i>Cavernularia habereri</i>	30.0	120.0	*	30.0	120.0	*	40.0	160.0	*	50.0	210.0	*	40.0	170.0	*
	<i>Colochirus quadrangularis</i>															
	<i>Pteroeides chinense</i>	40.0	1380.0	*	60.0	2370.0	*	60.0	2780.0	*	30.0	920.0	*	20.0	670.0	*
	Sea anomea	13.0	12.8		7.0	6.8		9.0	10.1		5.0	5.2		2.0	2.4	
	<i>Virgularia gustaviana</i>	2.0	16.0					3.0	24.0					2.0	21.0	
Urochordata	Sea Squirts							4.0	126.0		3.0	410.0		2.0	43.0	
Calcispongea	Species 1															
Cirripedia	<i>Bananus spp.(c.f.)</i>	230.0	116.0	*	210.0	104.0	*	320.0	180.0	*	500.0	290.0	*	458.0	220.0	*

Trawling Data for August 2016

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acentrogobius caninus</i>															
	<i>Apogon lineatus</i>	3.0	8.0				12.0	28.0						2.0	6.0	
	<i>Arius arius</i>															
	<i>Arius maculatus</i>															
	<i>Arnoglossus waitei</i>						1.0	4.0								
	<i>Callionymus curvicornis</i>															
	<i>Chrysochir aureus</i>															
	<i>Collichthys lucidus</i>	2.0	24.0													
	<i>Cynoglossus abbreviatus</i>															
	<i>Cynoglossus arel</i>	1.0	18.0		1.0	64.0	1.0	66.0		1.0	18.0		1.0	36.0		
	<i>Cynoglossus filifer</i>															
	<i>Cynoglossus puncticeps</i>	2.0	22.0													
	<i>Cynoglossus roulei</i>															
	<i>Dasyatis akajei</i>	1.0	62.0							1.0	620.0					
	<i>Dasyatis zugei</i>	4.0	474.0		1.0	534.0	1.0	240.0								
	<i>Dendrophysa russelii</i>						1.0	32.0								
	<i>Derepane punctata</i>	1.0	108.0				3.0	340.0								
	<i>Epinephelus awoara</i>						1.0	192.0								
	<i>Gerres abbreviatus</i>	1.0	26.0				10.0	224.0								
	<i>Gerres filamentosus</i>															
	<i>Grammoplites scaber</i>	6.0	252.0		1.0	82.0	3.0	166.0					1.0	44.0		
	<i>Glossogobius olivaceus</i>	1.0	8.0													
	<i>Gymnura japonica</i>						1.0	120.0								
	<i>Ilsha elongata</i>	1.0	8.0													
	<i>Inegocia japonica</i>	2.0	332.0				1.0	52.0		3.0	254.0					
	<i>Inimicus didactylus</i>															
	<i>Inimicus japonicus</i>															
	<i>Johnius carrona</i>															
	<i>Johnius belangerii</i>	1.0	64.0		2.0	158.0	13.0	602.0		2.0	94.0		5.0	386.0		
	<i>Johnius taiwansis</i>	1.0	44.0		2	22.0										
	<i>Johnius trewavasae</i>	3.0	230.0				3.0	400.0								
	<i>Konosirus punctatus</i>															
	<i>Lagocephalus wheeleri</i>															
	<i>Leiognathus brevisrostris</i>	74.0	1072.0		20.0	298.0	6.0	90.0		4.0	66.0		3.0	50.0		
	<i>Leiognathus elongatus</i>															
	<i>Leiognathus nuchalis</i>	27.0	200.0		6.0	52.0				1.0	10.0					
	<i>Leiognathus dodecakanthoides</i>															
	<i>Mugil cephalus</i>															
	<i>Muraenesox cinereus</i>															
	<i>Oxyurichthys tentacularis</i>	1.0	4.0													
	<i>Paracentropogon rubripinnis</i>															
	<i>Parachaeturichthys polynema</i>						1.0	6.0								
	<i>Parargyrops edita</i>	2.0	32.0		1.0	26.0	1.0	14.0								
	<i>Paralagusia japonica</i>															
	<i>Pennahia anea</i>						13.0	78.0								
	<i>Pennahia macrocephalus</i>	2.0	14.0													
	<i>Platycephalus indicus</i>	1.0	170.0		1.0	16.0							2.0	104.0		
	<i>Polydactylus sextarius</i>															
	<i>Pseudorhombus cinnamoneus</i>	1.0	8.0				1.0	20.0								

Trawling Data for August 2016

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Rhynchopelates oxyrhynchus</i>															
	<i>Saurida elongata</i>															
	<i>Scatophagus argus</i>															
	<i>Sebastiscus marmoratus</i>	3.0	196.0		1.0	8.0					2.0	14.0		1.0	76.0	
	<i>Siganus fuscescens</i>															
	<i>Sillago sihama</i>	1.0	24.0		1.0	40.0		1.0	46.0							
	<i>Solea ovata</i>	3.0	32.0		1.0	10.0							2.0	18.0		
	<i>Stolephorus commersonii</i>															
	<i>Takifugu oblongus</i>															
	<i>Terapon jarbua</i>															
	<i>Trichiurus japonicus</i>															
	<i>Tridentiger barbatus</i>							1.0	4.0							
	<i>Takifugu niphobles</i>															
	<i>Takifugu xanthopterus</i>															
	<i>Thryssa dussumieri</i>															
	<i>Thryssa kammalensis</i>															
	<i>Trachycephalus uranoscopa</i>							5.0	64.0				1.0	14.0		
	<i>Trypauchen vagina</i>															
	<i>Uroconger lepturus</i>															
	<i>Zebrias zebra</i>	1.0	68.0													
Prawn or shrimp	<i>Alpheus distinguendus</i>	2.0	4.0					3.0	4.0							
	<i>Alpheus brevicristatus</i>															
	<i>Exopalaemon carinicauda</i>															
	<i>Metapenaeopsis barbata</i>				1.0	2.0		2.0	4.0		1.0	4.0				
	<i>Metapenaeus ensis</i>															
	<i>Metapenaeus affinis</i>	1.0	14.0					2.0	26.0							
	<i>Metapenaeus joyneri</i>	2.0	16.0													
	<i>Parapenaeopsis hardwickii</i>															
	<i>Parapenaeopsis cultirostris</i>				1.0	4.0										
	<i>Parapenaeopsis tenella</i>	2.0	12.0		1.0	10.0		6.0	22.0		2.0	12.0		2.0	8.0	
	<i>Penaeus merguensis</i>	6.0	48.0		4.0	34.0		1.0	12.0		1.0	12.0		1.0	12.0	
	<i>Penaeus japonicus</i>	1.0	38.0		1.0	8.0		1.0	12.0							
	<i>Solenocera crassicornis</i>	1.0	2.0					2.0	4.0							
	<i>Trachypenaeus curvirostris</i>															
Crab	<i>Arcania heptacontra</i>															
	<i>Arcania undecimspinosa</i>															
	<i>Parapanope euagora</i>															
	<i>Calappa philargius</i>				3.0	58.0										
	<i>Charybdis affinis</i>	11.0	234.0		43.0	800.0		52.0	1088.0		2.0	44.0		15.0	514.0	
	<i>Charybdis cruciata</i>															
	<i>Charybdis japonica</i>	3.0	160.0													
	<i>Charybdis lucifera</i>				2.0	66.0		17.0	508.0		2.0	52.0		14.0	358.0	
	<i>Charybdis variegata</i>															
	<i>Charybdis truncata</i>	1.0	20.0													
	<i>Charybdis spp.</i>	44.0	656.0	*	55.0	774.0	*	53.0	692.0	*	41.0	532.0	*	40.0	480.0	
	<i>Dorippe polita</i>	11.0	230.0	*	20.0	580.0	*	30.0	1040.0	*	15.0	368.0	*	20.0	610.0	
	<i>Eucrate crenata</i>	6.0	28.0		12.0	92.0		20.0	130.0	*	30.0	160.0	*	20.0	120.0	
	<i>Galene bispinosa</i>	3.0	110.0		2.0	126.0		3.0	210.0					2.0	116.0	

Trawling Data for August 2016

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	Hermit crab	90.0	360.0	*	120.0	530.0	*	110.0	480.0	*	230.0	890.0	*	250.0	980.0	*
	<i>Leucosia craniolaris</i>				1.0	4.1										
	<i>Parthenope validus</i>															
	<i>Porcellanella picta</i>	5.0	2.1		3.0	1.1		6.0	2.6		10.0	4.1		3.0	1.1	
	<i>Portunus hastatoides</i>							2.0	6.0							
	<i>Portunus pelagicus</i>															
	<i>Portunus sanguinolentus</i>															
	<i>Portunus trituberculatus</i>															
	<i>Typhlocarcinus villosus</i>				1.0	6.2										
Mantis shrimp	<i>Harpisquilla harpax</i>	8.0	290.0		7.0	264.0		11.0	388.0		4.0	124.0		1.0	22.0	
	<i>Squilla decorata</i>															
	<i>Oratosquilla interrupta</i>	3.0	66.0		1.0	24.0		25.0	608.0		1.0	76.0		4.0	88.0	
	<i>Oratosquilla oratoria</i>							6.0	36.0					1.0	6.0	
Gastropod	<i>Bursa rana</i>				1.0	6.4										
	<i>Calyptrea sp.</i>	40.0	21.0	*	50.0	22.0	*	60.0	31.0	*	50.0	21.0	*	40.0	20.0	*
	<i>Drupa musiva</i>	6.0	31.0		2.0	10.2		5.0	24.0		20.0	110.0	*	3.0	13.0	
	<i>Durpa fiscella</i>															
	<i>Gemmula deshayesii</i>															
	<i>Inquistor flavidula</i>				6.0	13.0		20.0	42.0	*	20.0	40.0	*			
	<i>Lophiotoma leucotropis</i>				1.0	4.8					20.0	116.0	*	7.0	43.0	
	<i>Murex trapa</i>	40.0	210.0	*	20.0	186.0	*	40.0	220.0	*	50.0	440.0	*	40.0	220.0	*
	<i>Nassarius hepaticus</i>				1.0	2.8										
	<i>Nassarius succinctus</i>	40.0	86.0	*	30.0	68.0	*	50.0	108.0	*	40.0	85.0	*	30.0	62.0	*
	<i>Nassarius sp.</i>										2.0	4.4				
	<i>Natica sp.</i>															
	<i>Natica spadiceoides</i>															
	<i>Philine sp.</i>										1.0	6.1				
	<i>Pilosabia pilosa</i>	40.0	19.0	*	70.0	29.0	*	30.0	14.0	*	20.0	8.0	*	30.0	12.0	*
	<i>Siphopatella walshi</i>	6.0	2.2								5.0	2.1				
	<i>Sesarma sp.</i>															
	<i>Tonna olearium</i>															
	<i>Tonna sulcosa</i>															
	<i>Turricula nelliae</i>															
	<i>Turricula javana</i>															
	<i>Turritella terebra</i>	1640.0	17320.0	*	1710.0	17510.0	*	1800.0	19420.0	*	2100.0	21620.0	*	2200.0	23420.0	*
	UNID Nudibranch															
Bivalve	<i>Anomalodiscus squamosus</i>															
	<i>Chione isabellina</i>	3.0	14.4					1.0	4.8							
	<i>Chlamys nobilis</i>				1.0	6.4		2.0	13.2					2.0	12.4	
	<i>Crossostrea sp.</i>															
	<i>Ostrea sp.</i>	70.0	82.0	*	80.0	85.0	*	120.0	74.0	*	110.0	62.0	*	70.0	80.0	*
	<i>Paphia undulata</i>															
	<i>Monia umbonata</i>															
	<i>Perna viridis</i>															
	<i>Pinctada martensii</i>															
	<i>Ruditapes philippinarum</i>															
	<i>Scapharca subcrenata</i>				1.0	24.5								2.0	22.0	
	<i>Atrina pectinata</i>				1.0	43.6		3.0	120.0							
	<i>Vepricardium asiaticum</i>															

Trawling Data for August 2016

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Tegukkarca nodifera</i>						6.0	25.0		20.0	78.0	*	20.0	50.0	*	
	<i>Timoclea scabra</i>															
	<i>Placuna placenta</i>	2.0	21.2				1.0	8.8								
Cephalopod	<i>Sepiid cuttlefish</i>															
	<i>Lolingid squid</i>															
	<i>Octopus</i>															
Echinoderm	<i>Acaudina molpadioides</i>															
	Asteroidea															
	<i>Temnopleurus toreumaticus</i>	50.0	580.0	*	60.0	840.0	*	70.0	790.0	*	60.0	910.0	*	50.0	640.0	*
Cnidaria	<i>Edwardsia japonica (c.f.)</i>						1.0	4.2								
	<i>Ellisella laevis</i>	4.0	120.0		2.0	32.0		7.0	180.0		30.0	360.0	*	20.0	280.0	*
	<i>Gorgonia spp.</i>															
	<i>Carcinactis ichikawai</i>															
	<i>Cavernularia habereri</i>	40.0	210.0	*	40.0	210.0	*	30.0	110.0	*	30.0	120.0	*	40.0	220.0	*
	<i>Colochirus quadrangularis</i>															
	<i>Pteroeides chinense</i>	50.0	2100.0	*	40.0	1720.0	*	50.0	2100.0	*	20.0	410.0	*	30.0	630.0	*
	Sea anomea	5.0	5.4		6.0	9.2		3.0	3.1		7.0	7.4		5.0	5.2	
	<i>Virgularia gustaviana</i>	8.0	82.0		3.0	61.0		6.0	44.0		2.0	18.0		4.0	31.0	
Urochordata	Sea Squirts	7.0	43.0		4.0	21.0		2.0	11.4					1.0	4.8	
Calcispongea	Species 1															
Cirripedia	<i>Balanus spp.(c.f.)</i>	140.0	76.0	*	220.0	107.0	*	230.0	110.0	*	250.0	160.0	*	240.0	150.0	*

Trawling Data for August 2016

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acentrogobius caninus</i>															
	<i>Apogon lineatus</i>	1.0	2.0				1.0	6.0			1.0	4.0		1.0	2.0	
	<i>Arius arius</i>															
	<i>Arius maculatus</i>															
	<i>Arnoglossus waitei</i>				1.0	8.0								2.0	16.0	
	<i>Callionymus curvicornis</i>															
	<i>Chrysochir aureus</i>															
	<i>Collichthys lucidus</i>	58.0	470.0		32.0	352.0		9.0	88.0		8.0	58.0		7.0	82.0	
	<i>Cynoglossus abbreviatus</i>	2.0	16.0													
	<i>Cynoglossus arel</i>	2.0	48.0		1.0	6.0		4.0	88.0		1.0	20.0		4.0	62.0	
	<i>Cynoglossus filifer</i>															
	<i>Cynoglossus puncticeps</i>										2.0	8.0		1.0	16.0	
	<i>Cynoglossus roulei</i>															
	<i>Dasyatis akajei</i>										3.0	744.0				
	<i>Dasyatis zugei</i>															
	<i>Dendrophysa russelii</i>	2.0	26.0		2.0	30.0		1.0	8.0							
	<i>Derepane punctata</i>															
	<i>Epinephelus awoara</i>															
	<i>Gerres abbreviatus</i>															
	<i>Gerres filamentosus</i>															
	<i>Grammolites scaber</i>				1.0	100.0		3.0	146.0		26.0	1098.0		14.0	592.0	
	<i>Glossogobius olivaceus</i>															
	<i>Gymnura japonica</i>															
	<i>Ilsha elongata</i>															
	<i>Inegocia japonica</i>															
	<i>Inimicus didactylus</i>															
	<i>Inimicus japonicus</i>															
	<i>Johnius carrona</i>							2.0	60.0		1.0	82.0		4.0	70.0	
	<i>Johnius belangerii</i>															
	<i>Johnius taiwansis</i>															
	<i>Johnius trewavasae</i>															
	<i>Konosirus punctatus</i>															
	<i>Lagocephalus wheeleri</i>															
	<i>Leiognathus brevirostris</i>															
	<i>Leiognathus elongatus</i>															
	<i>Leiognathus nuchalis</i>										2.0	16.0				
	<i>Leiognathus dodecacanthoides</i>															
	<i>Mugil cephalus</i>															
	<i>Muraenesox cinereus</i>													1.0	254.0	
	<i>Oxyurichthys tentacularis</i>															
	<i>Paracentropogon rubripinnis</i>	1.0	4.0													
	<i>Parachaeturichthys polynema</i>				1.0	8.0		1.0	6.0		1.0	6.0				
	<i>Parargyrops edita</i>							1.0	18.0					1.0	12.0	
	<i>Paralagusia japonica</i>															
	<i>Pennahia anea</i>				1.0	14.0								1.0	4.0	
	<i>Pennahia macrocephalus</i>							2.0	18.0		3.0	26.0		1.0	22.0	
	<i>Platycephalus indicus</i>	3.0	820.0		3.0	810.0					1.0	192.0		1.0	102.0	
	<i>Polydactylus sextarius</i>															
	<i>Pseudorhombus cinnamoneus</i>															

Trawling Data for August 2016

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Rhynchopelates oxyrhynchus</i>															
	<i>Saurida elongata</i>															
	<i>Scatophagus argus</i>															
	<i>Sebastiscus marmoratus</i>															
	<i>Siganus fuscescens</i>															
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>	1.0	6.0								60.0	514.0		58.0	428.0	
	<i>Stolephorus commersonii</i>															
	<i>Takifugu oblongus</i>															
	<i>Terapon jarbua</i>															
	<i>Trichiurus japonicus</i>															
	<i>Tridentiger barbatus</i>															
	<i>Takifugu niphobles</i>															
	<i>Takifugu xanthopterus</i>															
	<i>Thryssa dussumieri</i>				1.0	10.0										
	<i>Thryssa kammalensis</i>										1.0	14.0				
	<i>Trachycephalus uranoscopa</i>															
	<i>Trypauchen vagina</i>	2.0	40.0		2.0	18.0		2.0	14.0		3.0	32.0				
	<i>Uroconger lepturus</i>															
	<i>Zebrias zebra</i>				1.0	58.0		2.0	100.0		1.0	30.0				
Prawn or shrimp	<i>Alpheus distinguendus</i>							1.0	4.0		1.0	2.0				
	<i>Alpheus brevicristatus</i>							1.0	2.0							
	<i>Exopalaemon carinicauda</i>	1.0	4.0		2.0	26.0		8.0	28.0							
	<i>Metapenaeopsis barbata</i>												2.0	4.0		
	<i>Metapenaeus ensis</i>															
	<i>Metapenaeus affinis</i>	311.0	2826.0		297.0	2478.0		442.0	3406.0		154.0	1364.0		156.0	1306.0	
	<i>Metapenaeus joyneri</i>	106.0	462.0		121.0	580.0		15.0	70.0		55.0	232.0		26.0	116.0	
	<i>Parapenaeopsis hardwickii</i>							80.0	506.0		85.0	644.0		79.0	554.0	
	<i>Parapenaeopsis cultirostris</i>							47.0	160.0		15.0	66.0		1.0	2.0	
	<i>Parapenaeopsis tenella</i>	23.0	64.0		27.0	130.0		20.0	94.0		5.0	12.0		8.0	26.0	
	<i>Penaeus merguensis</i>	2.0	20.0					5.0	90.0		15.0	142.0		13.0	130.0	
	<i>Penaeus japonicus</i>															
	<i>Solenocera crassicornis</i>	15.0	32.0		7.0	20.0		7.0	12.0							
	<i>Trachypenaeus curvirostris</i>							7.0	28.0		7.0	20.0		2.0	6.0	
Crab	<i>Arcania heptacontra</i>															
	<i>Arcania undecimspinosa</i>															
	<i>Parapanope euagora</i>															
	<i>Calappa philargius</i>															
	<i>Charybdis affinis</i>	19.0	390.0		31.0	550.0		46.0	776.0		22.0	398.0		15.0	382.0	
	<i>Charybdis cruciata</i>	3.0	536.0		1.0	2.0		3.0	14.0					1.0	2.0	
	<i>Charybdis japonica</i>	3.0	52.0													
	<i>Charybdis lucifera</i>															
	<i>Charybdis variegata</i>	1.0	4.0					3.0	12.0							
	<i>Charybdis truncata</i>							1.0	6.0							
	<i>Charybdis spp.</i>	55.0	948.0	*	43.0	690.0	*	77.0	1160.0	*	66.0	928.0	*	76.0	984.0	
	<i>Dorippe polita</i>	20.0	260.0	*	7.0	28.0	*	30.0	960.0	*	30.0	380.0	*	20.0	250.0	
	<i>Eucrater crenata</i>				20.0	260.0	*	4.0	33.0		7.0	63.0		30.0	210.0	
	<i>Galene bispinosa</i>	7.0	360.0					2.0	104.0							

Trawling Data for August 2016

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	Hermit crab	60.0	250.0	*	70.0	290.0	*	50.0	210.0	*	90.0	460.0	*	80.0	320.0	*
	<i>Leucosia craniolaris</i>										3.0	12.0				
	<i>Parthenope validus</i>	40.0	530.0	*	50.0	680.0	*	30.0	440.0	*	40.0	540.0	*	40.0	540.0	*
	<i>Porcellanella picta</i>				1.0	0.4										
	<i>Portunus hastatooides</i>	1.0	2.0					3.0	12.0							
	<i>Portunus pelagicus</i>															
	<i>Portunus sanguinolentus</i>															
	<i>Portunus trituberculatus</i>															
	<i>Typhlocarcinus villosus</i>							2.0	6.1							
Mantis shrimp	<i>Harpisquilla harpax</i>										3.0	88.0		2.0	86.0	
	<i>Squilla decorata</i>															
	<i>Oratosquilla interrupta</i>	22.0	538.0		12.0	286.0		25.0	702.0		4.0	60.0		8.0	152.0	
	<i>Oratosquilla oratoria</i>	4.0	48.0		6.0	72.0		4.0	44.0		6.0	50.0		9.0	100.0	
Gastropod	<i>Bursa rana</i>				1.0	6.2					2.0	16.4				
	<i>Calyptreaea sp.</i>	40.0	19.0	*	30.0	12.0	*	40.0	19.0	*	50.0	20.0	*	60.0	22.0	*
	<i>Drupa musiva</i>	20.0	150.0	*	30.0	190.0	*	20.0	130.0	*	20.0	130.0	*	30.0	1210.0	*
	<i>Durpa fiscella</i>															
	<i>Gemmula deshayesii</i>	1.0	2.3													
	<i>Inquistor flavidula</i>	90.0	191.0	*	110.0	240.0	*	60.0	130.0	*	30.0	72.0	*	40.0	90.0	*
	<i>Lophiotoma leucotropis</i>							5.0	53.0		2.0	17.0		4.0	37.0	
	<i>Murex trapa</i>	50.0	480.0	*	40.0	390.0	*	40.0	380.0	*	70.0	530.0	*	50.0	480.0	*
	<i>Nassarius hepaticus</i>				1.0	2.6					2.0	4.2				
	<i>Nassarius succinctus</i>	40.0	92.0	*	50.0	110.0	*	60.0	130.0	*	70.0	150.0	*	60.0	130.0	*
	<i>Nassarius sp.</i>													3.0	6.9	
	<i>Natica sp.</i>							1.0	4.2							
	<i>Natica spadiceoides</i>															
	<i>Philine sp.</i>	2.0	8.4											1.0	8.5	
	<i>Pilosabia pilosa</i>	3.0	1.6								20.0	9.0	*	30.0	12.0	*
	<i>Siphopatella walshi</i>	30.0	14.0	*	50.0	20.0	*	20.0	9.0	*	40.0	18.0	*	50.0	22.0	*
	<i>Sesarma sp.</i>															
	<i>Tonna olearium</i>															
	<i>Tonna sulcosa</i>							1.0	162.0							
	<i>Turricula nelliae</i>															
	<i>Turricula javana</i>													3.0	6.0	
	<i>Turritella terebra</i>	1600.0	17320	*	2300.0	22920.0	*	2200.0	22620.0	*	1900.0	19320.0	*	2100.0	22460.0	*
	UNID Nudibranch				1.0	5.8					2.0	38.0		3.0	42.0	
Bivalve	<i>Anomalodiscus squamosus</i>				2.0	6.2								2.0	7.2	
	<i>Chione isabellina</i>										20.0	92.0	*			
	<i>Chlamys nobilis</i>				1.0	11.2		20.0	260.0	*				2.0	1632.0	
	<i>Crossostrea sp.</i>							1.0	870.0							
	<i>Ostrea sp.</i>	90.0	56.0	*	120.0	92.0	*	110.0	86.0	*	120.0	92.0	*	110.0	88.0	*
	<i>Paphia undulata</i>															
	<i>Monia umbonata</i>															
	<i>Perna viridis</i>							2.0	12.6							
	<i>Pinctada martensii</i>															
	<i>Ruditapes philippinarum</i>										4.0	15.2				
	<i>Scapharca subcrenata</i>	4.0	186.0		4.0	250.0		2.0	92.0					5.0	1210.0	
	<i>Atrina pectinata</i>															
	<i>Vepricardium asiaticum</i>															

Trawling Data for August 2016

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Tegukkarca nodifera</i>										5.0	19.0				
	<i>Timoclea scabra</i>															
	<i>Placuna placenta</i>															
Cephalopod	<i>Sepiid cuttlefish</i>															
	<i>Lolingid squid</i>						1.0	8.0								
	<i>Octopus</i>												1.0	112.0		
Echinoderm	<i>Acaudina molpadioides</i>	30.0	1360.0	*	40.0	1580.0	*	30.0	1300.0	*	20.0	920.0	*	30.0	1340.0	*
	Asteroidea													1.0	10.4	
	<i>Temnopleurus toreumaticus</i>	40.0	1140.0	*	50.0	1480.0	*	70.0	2160.0	*	80.0	2290.0	*	70.0	2200.0	*
Cnidaria	<i>Edwardsia japonica (c.f.)</i>				1.0	8.1		2.0	22.4							
	<i>Ellisella laevis</i>	3.0	41.0								2.0	32.0				
	<i>Gorgonia spp.</i>										1.0	18.0				
	<i>Carcinactis ichikawai</i>	1.0	1.2		2.0	2.3		5.0	6.1		2.0	2.2		3.0	3.6	
	<i>Cavernularia habereri</i>	30.0	130.0	*	40.0	150.0	*	30.0	230.0	*	40.0	160.0	*	30.0	120.0	*
	<i>Colochirus quadrangularis</i>							1.0	49.2							
	<i>Pteroeides chinense</i>				2.0	52.0		1.0	21.0					3.0	46.2	
	Sea anomea	20.0	120.0	*	3.0	13.4		1.0	8.4					1.0	5.6	
	<i>Virgularia gustaviana</i>	1.0	11.0					2.0	21.0					3.0	41.0	
Urochordata	Sea Squirts	5.0	62.0					2.0	18.0							
Calcispongea	Species 1															
Cirripedia	<i>Bananus spp.(c.f.)</i>	260.0	140.0	*	190.0	104.0	*	230.0	120.0	*	160.0	82.0	*	140.0	70.0	*

Trawling Data for August 2016

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acentrogobius caninus</i>															
	<i>Apogon lineatus</i>	1.0	4.0		1.0	2.0		1.0	2.0							
	<i>Arius arius</i>															
	<i>Arius maculatus</i>				1.0	186.0										
	<i>Arnoglossus waitei</i>				6.0	54.0		12.0	112.0		4.0	30.0		4.0	34.0	
	<i>Callionymus curvicornis</i>															
	<i>Chrysochir aureus</i>							1.0	232.0					1.0	164.0	
	<i>Collichthys lucidus</i>				2.0	16.0		8.0	88.0					6.0	48.0	
	<i>Cynoglossus abbreviatus</i>													1.0	12.0	
	<i>Cynoglossus arel</i>	4.0	56.0		1.0	18.0		9.0	258.0		1.0	12.0		4.0	118.0	
	<i>Cynoglossus filifer</i>															
	<i>Cynoglossus puncticeps</i>													1.0	6.0	
	<i>Cynoglossus roulei</i>															
	<i>Dasyatis akajei</i>							1.0	560.0							
	<i>Dasyatis zugei</i>	3.0	94.0		3.0	450.0		4.0	1084.0					2.0	280.0	
	<i>Dendrophysa russelii</i>							2.0	18.0		1.0	44.0				
	<i>Derepane punctata</i>															
	<i>Epinephelus awoara</i>															
	<i>Gerres abbreviatus</i>	1.0	10.0					2.0	36.0		2.0	30.0		1.0	22.0	
	<i>Gerres filamentosus</i>															
	<i>Grammolites scaber</i>										1.0	78.0		4.0	168.0	
	<i>Glossogobius olivaceus</i>															
	<i>Gymnura japonica</i>															
	<i>Ilsha elongata</i>															
	<i>Inegocia japonica</i>															
	<i>Inimicus didactylus</i>															
	<i>Inimicus japonicus</i>															
	<i>Johnius carrona</i>										1.0	18.0				
	<i>Johnius belangerii</i>															
	<i>Johnius taiwansis</i>															
	<i>Johnius trewavasae</i>															
	<i>Konosirus punctatus</i>															
	<i>Lagocephalus wheeleri</i>															
	<i>Leiognathus brevisrostris</i>	4.0	36.0		5.0	52.0		4.0	66.0		3.0	40.0		6.0	80.0	
	<i>Leiognathus elongatus</i>															
	<i>Leiognathus nuchalis</i>															
	<i>Leiognathus dodecakanthoides</i>															
	<i>Mugil cephalus</i>															
	<i>Muraenesox cinereus</i>															
	<i>Oxyurichthys tentacularis</i>							1.0	4.0							
	<i>Paracentropogon rubripinnis</i>				17.0	84.0		14.0	76.0							
	<i>Parachaeturichthys polynema</i>															
	<i>Parargyrops edita</i>															
	<i>Paralagusia japonica</i>	3.0	20.0													
	<i>Pennahia anea</i>															
	<i>Pennahia macrocephalus</i>															
	<i>Platycephalus indicus</i>				7.0	622.0		6.0	490.0		1.0	100.0		4.0	368.0	
	<i>Polydactylus sextarius</i>										1.0	10.0		1.0	8.0	
	<i>Pseudorhombus cinnamoneus</i>															

Trawling Data for August 2016

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Rhynchopelates oxyrhynchus</i>															
	<i>Saurida elongata</i>															
	<i>Scatophagus argus</i>				1.0	210.0		1.0	150.0							
	<i>Sebastiscus marmoratus</i>															
	<i>Siganus fuscescens</i>															
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>				1.0	4.0		1.0	8.0							
	<i>Stolephorus commersonii</i>															
	<i>Takifugu oblongus</i>															
	<i>Terapon jarbua</i>															
	<i>Trichiurus japonicus</i>															
	<i>Tridentiger barbatus</i>															
	<i>Takifugu niphobles</i>															
	<i>Takifugu xanthopterus</i>				1.0	28.0										
	<i>Thryssa dussumieri</i>															
	<i>Thryssa kammalensis</i>															
	<i>Trachycephalus uranoscopa</i>							1.0	20.0							
	<i>Trypauchen vagina</i>	2.0	22.0		2.0	8.0		1.0	8.0		2.0	24.0		1.0	6.0	
	<i>Uroconger lepturus</i>															
	<i>Zebrias zebra</i>															
Prawn or shrimp	<i>Alpheus distinguendus</i>															
	<i>Alpheus brevicristatus</i>															
	<i>Exopalaemon carinicauda</i>										1.0	4.0				
	<i>Metapenaeopsis barbata</i>				1.0	8.0										
	<i>Metapenaeus ensis</i>															
	<i>Metapenaeus affinis</i>	34.0	264.0		86.0	600.0		188.0	1380.0		96.0	720.0		267.0	2130.0	
	<i>Metapenaeus joyneri</i>													2.0	8.0	
	<i>Parapenaeopsis hardwickii</i>															
	<i>Parapenaeopsis cultirostris</i>															
	<i>Parapenaeopsis tenella</i>	15.0	66.0		27.0	116.0		47.0	212.0		21.0	78.0		48.0	222.0	
	<i>Penaeus merguensis</i>	23.0	174.0		47.0	406.0		96.0	860.0		32.0	290.0		86.0	862.0	
	<i>Penaeus japonicus</i>	1.0	52.0													
	<i>Solenocera crassicornis</i>				2.0	4.0		1.0	2.0					1.0	8.0	
	<i>Trachypenaeus curvirostris</i>										1.0	4.0				
Crab	<i>Arcania heptacontra</i>															
	<i>Arcania undecimspinosa</i>										1.0	14.2		1.0	15.4	
	<i>Parapanope euagora</i>															
	<i>Calappa philargius</i>															
	<i>Charybdis affinis</i>	20.0	320.0		30.0	512.0		25.0	472.0		12.0	232.0		12.0	268.0	
	<i>Charybdis cruciata</i>							1.0	14.0							
	<i>Charybdis japonica</i>				2.0	68.0										
	<i>Charybdis lucifera</i>															
	<i>Charybdis variegata</i>				2.0	6.0					1.0	8.0				
	<i>Charybdis truncata</i>															
	<i>Charybdis spp.</i>	40.0	530.0	*	51.0	680.0	*	40.0	470.0	*	30.0	390.0	*	40.0	540.0	
	<i>Dorippe polita</i>	40.0	440.0	*	50.0	580.0	*	40.0	440.0	*	30.0	410.0	*	20.0	320.0	
	<i>Eucrete crenata</i>	5.0	41.0		12.0	108.0		20.0	160.0	*	9.0	46.0		20.0	152.0	
	<i>Galene bispinosa</i>				2.0	110.0		6.0	1840.0		4.0	140.0				

Trawling Data for August 2016

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	Hermit crab	40.0	310.0	*	60.0	240.0	*	90.0	470.0	*	110.0	410.0	*	120.0	480.0	*
	<i>Leucosia craniolaris</i>	4.0	14.4		20.0	110.0	*	6.0	23.0		2.0	7.4				
	<i>Parthenope validus</i>	30.0	420.0	*	40.0	510.0	*	30.0	390.0	*	40.0	480.0	*	30.0	380.0	*
	<i>Porcellanella picta</i>	1.0	0.4													
	<i>Portunus hastatoides</i>	1.0	2.0		1.0	2.0		4.0	8.0		7.0	14.0		1.0	4.0	
	<i>Portunus pelagicus</i>															
	<i>Portunus sanguinolentus</i>															
	<i>Portunus trituberculatus</i>															
	<i>Typhlocarcinus villosus</i>							20.0	116.0	*	1.0	4.2				
Mantis shrimp	<i>Harpisquilla harpax</i>				1.0	36.0		1.0	44.0							
	<i>Squilla decorata</i>															
	<i>Oratosquilla interrupta</i>	1.0	20.0		3.0	62.0		4.0	70.0		4.0	60.0		6.0	122.0	
	<i>Oratosquilla oratoria</i>													1.0	10.0	
Gastropod	<i>Bursa rana</i>							3.0	22.0							
	<i>Calyptreaea sp.</i>	30.0	15.0	*	20.0	8.6	*	30.0	14.0	*	40.0	18.0	*	50.0	21.0	*
	<i>Drupa musiva</i>	40.0	230.0	*	20.0	150.0	*	30.0	192.0	*	8.0	43.0		20.0	140.0	*
	<i>Durpa fiscella</i>															
	<i>Gemmula deshayesii</i>															
	<i>Inquistor flavidula</i>	20.0	44.0	*	70.0	150.0	*	30.0	82.0	*	12.0	31.0	*	20.0	46.0	*
	<i>Lophiotoma leucotropis</i>	6.0	48.0		3.0	13.0		3.0	19.0		5.0	39.0				
	<i>Murex trapa</i>	50.0	490.0	*	40.0	380.0	*	40.0	350.0	*	70.0	710.0	*	60.0	580.0	*
	<i>Nassarius hepaticus</i>													2.0	5.4	
	<i>Nassarius succinctus</i>	90.0	204.0	*	120.0	280.0	*	30.0	72.0	*	40.0	86.0	*	120.0	250.0	*
	<i>Nassarius sp.</i>															
	<i>Natica sp.</i>													1.0	3.3	
	<i>Natica spadiceoides</i>															
	<i>Philine sp.</i>							1.0	2.4							
	<i>Pilosabia pilosa</i>	6.0	2.4					2.0	1.1		6.0	2.4				
	<i>Siphopatella walshi</i>	50.0	22.0	*	40.0	18.0	*	50.0	22.0	*	20.0	8.0	*	30.0	14.0	*
	<i>Sesarma sp.</i>															
	<i>Tonna olearium</i>															
	<i>Tonna sulcosa</i>				1.0	170.0										
	<i>Turricula nelliae</i>										1.0	2.1		3.0	6.2	
	<i>Turricula javana</i>															
	<i>Turritella terebra</i>	1300.0	12840.0	*	1200.0	11840.0	*	900.0	9210.0	*	1200.0	12430.0	*	1020.0	11410.0	*
	UNID Nudibranch	1.0	16.0		3.0	36.2					2.0	41.0		3.0	56.0	
Bivalve	<i>Anomalodiscus squamosus</i>															
	<i>Chione isabellina</i>	3.0	14.0								5.0	22.0				
	<i>Chlamys nobilis</i>	2.0	214.0		1.0	8.1					1.0	12.0		2.0	18.3	
	<i>Crossostrea sp.</i>															
	<i>Ostrea sp.</i>	110.0	96.0	*	130.0	110.0	*	130.0	120.0	*	120.0	70.0	*	130.0	80.0	*
	<i>Paphia undulata</i>				6.0	44.0								3.0	17.0	
	<i>Monia umbonata</i>															
	<i>Perna viridis</i>															
	<i>Pinctada martensii</i>							1.0	56.4							
	<i>Ruditapes philippinarum</i>							20.0	130.0	*						
	<i>Scapharca subcrenata</i>	1.0	76.0		3.0	920.0		2.0	146.0		2.0	76.0				
	<i>Atrina pectinata</i>				1.0	63.0										
	<i>Vepricardium asiaticum</i>				1.0	40.2										

Trawling Data for August 2016

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Tegukkarca nodifera</i>															
	<i>Timoclea scabra</i>															
	<i>Placuna placenta</i>															
Cephalopod	<i>Sepiid cuttlefish</i>				2.0	38.0										
	<i>Lolingid squid</i>															
	<i>Octopus</i>															
Echinoderm	<i>Acaudina molpadioides</i>	15.0	1290.0		18.0	1320.0		13.0	820.0		20.0	860.0	*	8.0	460.0	
	Asteroidea															
	<i>Temnopleurus toreumaticus</i>	50.0	940.0	*	30.0	620.0	*	40.0	790.0	*	50.0	880.0	*	40.0	760.0	
Cnidaria	<i>Edwardsia japonica (c.f.)</i>				1.0	3.6										
	<i>Ellisella laevis</i>				1.0	72.0		3.0	40.0							
	<i>Gorgonia spp.</i>				1.0	6.0		1.0	5.2							
	<i>Carcinactis ichikawai</i>	2.0	2.2		3.0	3.6		1.0	1.2					1.0	1.1	
	<i>Cavernularia habereri</i>	40.0	320.0	*	30.0	260.0	*	50.0	410.0	*	40.0	310.0	*	30.0	250.0	
	<i>Colochirus quadrangularis</i>															
	<i>Pteroeides chinense</i>	3.0	42.0					1.0	12.6		2.0	36.0				
	Sea anomea				2.0	4.3		3.0	21.4					4.0	5.2	
	<i>Virgularia gustaviana</i>	2.0	21.0								1.0	6.8				
Urochordata	Sea Squirts							2.0	8.4							
Calcispongea	Species 1	1.0	26.0													
Cirripedia	<i>Bananus spp.(c.f.)</i>	90.0	44.0	*	110.0	53.0	*	180.0	88.0	*	190.0	82.0	*	210.0	104.0	

Trawling Data for August 2016

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acentrogobius caninus</i>															
	<i>Apogon lineatus</i>				1.0	2.0		2.0	14.0							
	<i>Arius arius</i>	8.0	962.0		2.0	220.0		2.0	340.0							
	<i>Arius maculatus</i>															
	<i>Arnoglossus waitei</i>												1.0	14.0		
	<i>Callionymus curvicornis</i>							1.0	4.0							
	<i>Chrysochir aureus</i>															
	<i>Collichthys lucidus</i>							1.0	8.0		3.0	26.0				
	<i>Cynoglossus abbreviatus</i>				1.0	54.0										
	<i>Cynoglossus arel</i>				2.0	88.0							4.0	114.0		
	<i>Cynoglossus filifer</i>															
	<i>Cynoglossus puncticeps</i>															
	<i>Cynoglossus roulei</i>	1.0	120.0					2.0	346.0							
	<i>Dasyatis akajei</i>	1.0	2160.0													
	<i>Dasyatis zugei</i>				1.0	30.0		1.0	312.0							
	<i>Dendrophysa russelii</i>							2.0	50.0							
	<i>Derepane punctata</i>															
	<i>Epinephelus awoara</i>															
	<i>Gerres abbreviatus</i>	4.0	156.0		8.0	234.0		6.0	160.0		1.0	8.0				
	<i>Gerres filamentosus</i>															
	<i>Grammolites scaber</i>				2.0	122.0					2.0	76.0		5.0	264.0	
	<i>Glossogobius olivaceus</i>															
	<i>Gymnura japonica</i>				2.0	1268.0										
	<i>Ilsha elongata</i>															
	<i>Inegocia japonica</i>															
	<i>Inimicus didactylus</i>															
	<i>Inimicus japonicus</i>										1.0	58.0				
	<i>Johnius carrona</i>												3.0	84.0		
	<i>Johnius belangerii</i>															
	<i>Johnius taiwansis</i>	1.0	38.0		1.0	46.0		3.0	70.0		1.0	28.0				
	<i>Johnius trewavasae</i>															
	<i>Konosirus punctatus</i>				1.0	44.0										
	<i>Lagocephalus wheeleri</i>															
	<i>Leiognathus brevisrostris</i>	15.0	170.0		21.0	216.0		19.0	222.0		27.0	574.0		53.0	624.0	
	<i>Leiognathus elongatus</i>															
	<i>Leiognathus nuchalis</i>	4.0	28.0		61.0	434.0		45.0	280.0		28.0	222.0		55.0	468.0	
	<i>Leiognathus dodecacanthoides</i>							2.0	246.0							
	<i>Mugil cephalus</i>				1.0	30.0										
	<i>Muraenesox cinereus</i>															
	<i>Oxyurichthys tentacularis</i>															
	<i>Paracentropogon rubripinnis</i>															
	<i>Parachaeturichthys polynema</i>															
	<i>Parargyrops edita</i>															
	<i>Paralagusia japonica</i>															
	<i>Pennahia anea</i>	2.0	48.0					1.0	8.0							
	<i>Pennahia macrocephalus</i>				1.0	4.0										
	<i>Platycephalus indicus</i>	2.0	410.0		3.0	244.0		3.0	392.0				2.0	14.0		
	<i>Polydactylus sextarius</i>															
	<i>Pseudorhombus cinnamoneus</i>															

Trawling Data for August 2016

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Rhynchopelates oxyrhynchus</i>															
	<i>Saurida elongata</i>	1.0	42.0													
	<i>Scatophagus argus</i>															
	<i>Sebastiscus marmoratus</i>															
	<i>Siganus fuscescens</i>				2.0	166.0										
	<i>Sillago sihama</i>	1.0	24.0		2.0	94.0		3.0	120.0				1.0	84.0		
	<i>Solea ovata</i>	6.0	58.0		34.0	300.0		34.0	328.0		10.0	100.0	19.0	194.0		
	<i>Stolephorus commersonii</i>				4.0	16.0		8.0	18.0		1.0	2.0	6.0	16.0		
	<i>Takifugu oblongus</i>				2.0	260.0										
	<i>Terapon jarbua</i>	9.0	158.0		6.0	90.0		5.0	242.0							
	<i>Trichiurus japonicus</i>												1.0	132.0		
	<i>Tridentiger barbatus</i>															
	<i>Takifugu niphobles</i>															
	<i>Takifugu xanthopterus</i>															
	<i>Thryssa dussumieri</i>															
	<i>Thryssa kammalensis</i>															
	<i>Trachycephalus uranoscopa</i>				2.0	30.0		1.0	12.0				2.0	26.0		
	<i>Trypauchen vagina</i>															
	<i>Uroconger lepturus</i>															
	<i>Zebrias zebra</i>															
Prawn or shrimp	<i>Alpheus distinguendus</i>															
	<i>Alpheus brevicristatus</i>															
	<i>Exopalaemon carinicauda</i>															
	<i>Metapenaeopsis barbata</i>															
	<i>Metapenaeus ensis</i>				8.0	256.0		2.0	14.0				4.0	28.0		
	<i>Metapenaeus affinis</i>															
	<i>Metapenaeus joyneri</i>	3.0	16.0		2.0	14.0		3.0	18.0		2.0	14.0	5.0	26.0		
	<i>Parapenaeopsis hardwickii</i>															
	<i>Parapenaeopsis cultirostris</i>															
	<i>Parapenaeopsis tenella</i>	2.0	8.0		2.0	8.0		6.0	22.0		5.0	34.0	14.0	46.0		
	<i>Penaeus merguensis</i>	13.0	156.0		34.0	398.0		28.0	340.0		15.0	186.0	23.0	290.0		
	<i>Penaeus japonicus</i>															
	<i>Solenocera crassicornis</i>															
	<i>Trachypenaeus curvirostris</i>															
Crab	<i>Arcania heptacontra</i>															
	<i>Arcania undecimspinosa</i>										1.0	16.3	1.0	19.3		
	<i>Parapanope euagora</i>							1.0	8.4							
	<i>Calappa philargius</i>															
	<i>Charybdis affinis</i>	11.0	198.0					17.0	350.0		30.0	160.0	14.0	272.0		
	<i>Charybdis cruciata</i>							1.0	154.0							
	<i>Charybdis japonica</i>							1.0	6.0							
	<i>Charybdis lucifera</i>															
	<i>Charybdis variegata</i>															
	<i>Charybdis truncata</i>															
	<i>Charybdis spp.</i>	50.0	670.0	*	50.0	680.0	*	60.0	870.0	*	50.0	740.0	*	80.0	1080.0	*
	<i>Dorippe polita</i>	20.0	180.0	*	15.0	172.0	*	20.0	180.0	*	40.0	360.0	*	30.0	290.0	*
	<i>Eucrater crenata</i>	30.0	310.0	*	9.0	93.0	*	30.0	320.0	*	8.0	62.0	20.0	280.0	*	
	<i>Galene bispinosa</i>	5.0	440.0		2.0	86.0		19.0	330.0		5.0	710.0	4.0	304.0		

Trawling Data for August 2016

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	Hermit crab	90.0	260.0	*	120.0	510.0	*	110.0	480.0	*	120.0	510.0	*	80.0	410.0	*
	<i>Leucosia craniolearis</i>	6.0	22.0		3.0	11.2		4.0	14.5		2.0	8.4		20.0	93.0	*
	<i>Parthenope validus</i>	30.0	370.0	*	40.0	510.0	*	30.0	370.0	*	60.0	820.0	*	50.0	710.0	*
	<i>Porcellanella picta</i>															
	<i>Portunus hastatoides</i>				2.0	6.0		1.0	2.0					4.0	8.0	
	<i>Portunus pelagicus</i>	2.0	152.0		1.0	106.0		1.0	96.0							
	<i>Portunus sanguinolentus</i>													1.0	22.0	
	<i>Portunus trituberculatus</i>	1.0	44.0		5.0	60.0		2.0	154.0		6.0	500.0		4.0	656.0	
	<i>Typhlocarcinus villosus</i>															
Mantis shrimp	<i>Harpisquilla harpax</i>	2.0	78.0		2.0	72.0										
	<i>Squilla decorata</i>															
	<i>Oratosquilla interrupta</i>	3.0	18.0		1.0	12.0		2.0	10.0		2.0	6.0		2.0	8.0	
	<i>Oratosquilla oratoria</i>	2.0	18.0								1.0	4.0		1.0	10.0	
Gastropod	<i>Bursa rana</i>				4.0	29.0		6.0	42.0							
	<i>Calyptraea sp.</i>	40.0	18.0	*	50.0	22.0	*	40.0	18.0	*	30.0	12.0	*	30.0	12.0	*
	<i>Drupa musiva</i>	20.0	130.0	*	30.0	180.0	*	20.0	130.0	*	7.0	42.0		20.0	120.0	*
	<i>Durpa fiscella</i>															
	<i>Gemmula deshayesii</i>															
	<i>Inquistor flavidula</i>				5.0	11.2								60.0	130.0	*
	<i>Lophiotoma leucotropis</i>							2.0	12.4		3.0	19.8		1.0	6.4	
	<i>Murex trapa</i>	60.0	290.0	*	50.0	220.0	*	50.0	220.0	*	60.0	410.0	*	50.0	320.0	*
	<i>Nassarius hepaticus</i>	2.0	4.2													
	<i>Nassarius succinctus</i>	70.0	150.0	*	90.0	198.0	*	160.0	310.0	*	280.0	540.0	*	80.0	170.0	*
	<i>Nassarius sp.</i>				3.0	11.0										
	<i>Natica sp.</i>															
	<i>Natica spadiceoides</i>													1.0	7.8	
	<i>Philine sp.</i>	1.0	48.0								2.0	12.0				
	<i>Pilosabia pilosa</i>				4.0	1.8					30.0	14.0	*			
	<i>Siphopatella walshi</i>	40.0	19.0	*	30.0	14.0	*	50.0	22.0	*	40.0	21.0	*	40.0	20.0	*
	<i>Sesarma sp.</i>															
	<i>Tonna olearium</i>				1.0	52.0										
	<i>Tonna sulcosa</i>							3.0	240.0					2.0	292.0	
	<i>Turricula nelliae</i>															
	<i>Turricula javana</i>															
	<i>Turritella terebra</i>	1260.0	13710.0	*	1200.0	12810.0	*	1400.0	15730.0	*	1300.0	14710.0	*	1400.0	15810.0	*
	UNID Nudibranch															
Bivalve	<i>Anomalodiscus squamosus</i>							1.0	2.8							
	<i>Chione isabellina</i>	20.0	120.0	*	6.0	31.0		20.0	120.0	*	8.0	39.0				
	<i>Chlamys nobilis</i>	20.0	360.0	*	20.0	360.0	*	2.0	16.2		6.0	88.0				
	<i>Crossostrea sp.</i>							2.0	95.0							
	<i>Ostrea sp.</i>	70.0	62.0	*	90.0	46.0	*	70.0	60.0	*	80.0	76.0	*	60.0	35.0	*
	<i>Paphia undulata</i>															
	<i>Monia umbonata</i>	1.0	4.1		2.0	4.3								3.0	2.6	
	<i>Perna viridis</i>				1.0	9.2								3.0	21.6	
	<i>Pinctada martensii</i>															
	<i>Ruditapes philippinarum</i>	20.0	104.0	*	25.0	124.0	*	30.0	160.0	*	10.0	72.0		7.0	48.0	
	<i>Scapharca subcrenata</i>	20.0	920.0	*	3.0	86.0		20.0	1180.0	*	1.0	42.0		5.0	202.0	
	<i>Atrina pectinata</i>				4.0	128.0		3.0	108.0					1.0	43.0	
	<i>Vepricardium asiaticum</i>							1.0	26.4					1.0	25.2	

Trawling Data for August 2016

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
		number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)
	<i>Tegukkarca nodifera</i>															
	<i>Timoclea scabra</i>	30.0	38.0	*	80.0	86.0	*	100.0	112.0	*	200.0	210.0	*	160.0	170.0	*
	<i>Placuna placenta</i>	2.0	21.2													
Cephalopod	<i>Sepiid cuttlefish</i>							1.0	262.0							
	<i>Lolingid squid</i>															
	<i>Octopus</i>															
Echinoderm	<i>Acaudina molpadioides</i>	3.0	140.0		2.0	88.0										
	Asteroidea							1.0	7.4							
	<i>Temnopleurus toreumaticus</i>	1560.0	16210.0	*	1940.0	21430.0	*	2100.0	24600.0	*	1980.0	23410.0	*	2100.0	23980.0	*
Cnidaria	<i>Edwardsia japonica (c.f.)</i>				1.0	5.2		2.0	11.3							
	<i>Ellisella laevis</i>	3.0	28.0		8.0	72.0		2.0	22.0		3.0	26.0		1.0	14.0	
	<i>Gorgonia spp.</i>															
	<i>Carcinactis ichikawai</i>	3.0	3.4		4.0	4.5		4.0	1.8		5.0	5.3		2.0	2.4	
	<i>Cavernularia habereri</i>				2.0	6.2					4.0	21.0		3.0	12.0	
	<i>Colochirus quadrangularis</i>							1.0	54.0							
	<i>Pteroeides chinense</i>															
	Sea anomea	4.0	26.0					5.0	32.0		2.0	8.0		3.0	11.5	
	<i>Virgularia gustaviana</i>	1.0	5.2					3.0	12.0		1.0	14.5		2.0	24.0	
Urochordata	Sea Squirts															
Calcispongea	Species 1															
Cirripecta	<i>Bananus spp.(c.f.)</i>	120.0	62.0	*	170.0	84.0	*	190.0	84.0	*	120.0	60.0	*	180.0	80.0	*

Trawling Data for August 2016

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acentrogobius caninus</i>	2.0	32.0													
	<i>Apogon lineatus</i>				1.0	10.0										
	<i>Arius arius</i>															
	<i>Arius maculatus</i>															
	<i>Arnoglossus waitei</i>				1.0	16.0		4.0	78.0		3.0	24.0		2.0	18.0	
	<i>Callionymus curvicornis</i>															
	<i>Chrysochir aureus</i>															
	<i>Collichthys lucidus</i>							3.0	24.0					2.0	14.0	
	<i>Cynoglossus abbreviatus</i>				1.0	8.0										
	<i>Cynoglossus arel</i>				2.0	88.0		1.0	24.0					2.0	90.0	
	<i>Cynoglossus filifer</i>															
	<i>Cynoglossus puncticeps</i>															
	<i>Cynoglossus roulei</i>							1.0	116.0							
	<i>Dasyatis akajei</i>															
	<i>Dasyatis zugei</i>													1.0	26.0	
	<i>Dendrophysa russelii</i>	2.0	92.0					2.0	38.0							
	<i>Derepane punctata</i>															
	<i>Epinephelus awoara</i>				1.0	110.0										
	<i>Gerres abbreviatus</i>	1.0	28.0		1.0	18.0								1.0	36.0	
	<i>Gerres filamentosus</i>															
	<i>Grammoplites scaber</i>	7.0	198.0		1.0	32.0		1.0	34.0							
	<i>Glossogobius olivaceus</i>															
	<i>Gymnura japonica</i>															
	<i>Ilsha elongata</i>							1.0	4.0							
	<i>Inegocia japonica</i>															
	<i>Inimicus didactylus</i>															
	<i>Inimicus japonicus</i>															
	<i>Johnius carrona</i>							3.0	70.0							
	<i>Johnius belangerii</i>															
	<i>Johnius taiwansis</i>													1.0	26.0	
	<i>Johnius trewavasae</i>															
	<i>Konosirus punctatus</i>															
	<i>Lagocephalus wheeleri</i>															
	<i>Leiognathus brevisrostris</i>	74.0	1008.0		131.0	1802.0		95.0	1184.0		43.0	554.0		20.0	260.0	
	<i>Leiognathus elongatus</i>															
	<i>Leiognathus nuchalis</i>	10.0	108.0		17.0	160.0		8.0	76.0		3.0	30.0		1.0	6.0	
	<i>Leiognathus dodecakanthoides</i>															
	<i>Mugil cephalus</i>													1.0	54.0	
	<i>Muraenesox cinereus</i>															
	<i>Oxyurichthys tentacularis</i>				1.0	6.0										
	<i>Paracentropogon rubripinnis</i>															
	<i>Parachaeturichthys polynema</i>															
	<i>Parargyrops edita</i>															
	<i>Paralagusia japonica</i>															
	<i>Pennahia anea</i>															
	<i>Pennahia macrocephalus</i>															
	<i>Platycephalus indicus</i>	1.0	46.0		3.0	134.0					1.0	56.0		1.0	98.0	
	<i>Polydactylus sextarius</i>				1.0	90.0								1.0	10.0	
	<i>Pseudorhombus cinnamoneus</i>	1.0	18.0													

Trawling Data for August 2016

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Rhynchopelates oxyrhynchus</i>				1.0	10.0										
	<i>Saurida elongata</i>															
	<i>Scatophagus argus</i>															
	<i>Sebastiscus marmoratus</i>				1.0	6.0										
	<i>Siganus fuscescens</i>															
	<i>Sillago sihama</i>	2.0	120.0					1.0	46.0							
	<i>Solea ovata</i>	1.0	12.0		2.0	20.0		9.0	76.0		4.0	34.0		2.0	14.0	
	<i>Stolephorus commersonii</i>	1.0	4.0		5.0	10.0					3.0	10.0				
	<i>Takifugu oblongus</i>															
	<i>Terapon jarbua</i>															
	<i>Trichiurus japonicus</i>															
	<i>Tridentiger barbatus</i>															
	<i>Takifugu niphobles</i>															
	<i>Takifugu xanthopterus</i>															
	<i>Thryssa dussumieri</i>															
	<i>Thryssa kammalensis</i>															
	<i>Trachycephalus uranoscopa</i>	1.0	14.0		7.0	84.0		2.0	40.0		3.0	34.0		3.0	44.0	
	<i>Trypauchen vagina</i>	2.0	24.0					3.0	44.0		2.0	22.0				
	<i>Uroconger lepturus</i>							1.0	16.0							
	<i>Zebrias zebra</i>															
Prawn or shrimp	<i>Alpheus distinguendus</i>										4.0	4.0		2.0	6.0	
	<i>Alpheus brevicristatus</i>															
	<i>Exopalaemon carinicauda</i>															
	<i>Metapenaeopsis barbata</i>															
	<i>Metapenaeus ensis</i>															
	<i>Metapenaeus affinis</i>	3.0	28.0		6.0	102.0		3.0	16.0		7.0	56.0		5.0	54.0	
	<i>Metapenaeus joyneri</i>	2.0	8.0		4.0	24.0		4.0	28.0		2.0	10.0		2.0	10.0	
	<i>Parapenaeopsis hardwickii</i>	1.0	8.0													
	<i>Parapenaeopsis cultirostris</i>															
	<i>Parapenaeopsis tenella</i>	13.0	100.0		28.0	164.0		27.0	138.0		27.0	138.0		8.0	56.0	
	<i>Penaeus merguensis</i>	37.0	482.0		41.0	564.0		11.0	118.0		10.0	126.0		7.0	100.0	
	<i>Penaeus japonicus</i>															
	<i>Solenocera crassicornis</i>															
	<i>Trachypenaeus curvirostris</i>															
Crab	<i>Arcania heptacontra</i>	1.0	11.3													
	<i>Arcania undecimspinosa</i>															
	<i>Parapanope euagora</i>															
	<i>Calappa philargius</i>															
	<i>Charybdis affinis</i>	13.0	242.0		6.0	132.0		14.0	218.0		2.0	142.0		23.0	410.0	
	<i>Charybdis cruciata</i>	2.0	308.0					2.0	118.0							
	<i>Charybdis japonica</i>							2.0	48.0							
	<i>Charybdis lucifera</i>															
	<i>Charybdis variegata</i>															
	<i>Charybdis truncata</i>															
	<i>Charybdis spp.</i>	40.0	580.0	*	41.0	620.0	*	51.0	660.0	*	60.0	780.0	*	52.0	670.0	
	<i>Dorippe polita</i>	30.0	360.0	*	40.0	320.0	*	30.0	260.0	*	20.0	190.0	*	30.0	260.0	
	<i>Eucrate crenata</i>	20.0	290.0	*	20.0	290.0	*	30.0	310.0	*	20.0	280.0	*	20.0	280.0	
	<i>Galene bispinosa</i>	4.0	192.0		12.0	914.0		3.0	114.0		7.0	240.0		3.0	140.0	

Trawling Data for August 2016

		TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
Group	Species Name	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
		number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)
	Hermit crab	70.0	310.0	*	90.0	480.0	*	60.0	280.0	*	60.0	280.0	*	50.0	240.0	*
	<i>Leucosia craniolaris</i>	20.0	82.0	*	15.0	120.2		3.0	12.4		11.0	61.0		4.0	18.0	
	<i>Parthenope validus</i>	50.0	20.0	*	50.0	820.0	*	40.0	570.0	*	90.0	1630.0	*	80.0	980.0	*
	<i>Porcellanella picta</i>															
	<i>Portunus hastatoides</i>	2.0	2.0		3.0	8.0		4.0	10.0		3.0	6.0				
	<i>Portunus pelagicus</i>				1.0	162.0					1.0	40.0				
	<i>Portunus sanguinolentus</i>	1.0	10.0													
	<i>Portunus triuberculatus</i>	1.0	54.0											1.0	44.0	
	<i>Typhlocarcinus villosus</i>															
Mantis shrimp	<i>Harpisquilla harpax</i>	4.0	140.0		1.0	4.0		2.0	58.0		2.0	80.0		2.0	48.0	
	<i>Squilla decorata</i>															
	<i>Oratosquilla interrupta</i>	6.0	98.0		1.0	16.0		1.0	2.0		3.0	24.0				
	<i>Oratosquilla oratoria</i>	1.0	8.0		1.0	2.0		4.0	20.0		4.0	16.0				
Gastropod	<i>Bursa rana</i>	2.0	13.2											1.0	7.2	
	<i>Calyptrea sp.</i>	30.0	14.0	*	40.0	19.0	*	30.0	14.0	*	40.0	18.0	*	20.0	9.0	*
	<i>Drupa musiva</i>	30.0	170.0	*	30.0	170.0	*	20.0	120.0	*	30.0	180.0	*	20.0	120.0	*
	<i>Durpa fiscella</i>				1.0	2.4										
	<i>Gemmula deshayesii</i>															
	<i>Inquistor flavidula</i>	20.0	43.0	*	7.0	15.2		20.0	42.0	*	70.0	150.0	*	60.0	130.0	*
	<i>Lophiotoma leucotropis</i>	1.0	3.4					3.0	18.4							
	<i>Murex trapa</i>	50.0	380.0	*	60.0	420.0	*	50.0	380.0	*	50.0	380.0	*	40.0	310.0	*
	<i>Nassarius hepaticus</i>				1.0	2.4		2.0	4.3							
	<i>Nassarius succinctus</i>	80.0	170.0	*	180.0	177.0	*	90.0	192.0	*	210.0	460.0	*	200.0	410.0	*
	<i>Nassarius sp.</i>															
	<i>Natica sp.</i>															
	<i>Natica spadiceoides</i>															
	<i>Philina sp.</i>				3.0	12.0		1.0	5.2							
	<i>Pilosabia pilosa</i>	20.0	9.0	*				2.0	1.1		7.0	2.6				
	<i>Siphopatella walshi</i>	30.0	12.0	*	40.0	18.0	*	20.0	82.0	*	30.0	14.0	*	20.0	9.0	*
	<i>Sesarma sp.</i>				1.0	11.2										
	<i>Tonna olearium</i>															
	<i>Tonna sulcosa</i>	2.0	286.0		1.0	152.0										
	<i>Turricula nelliae</i>															
	<i>Turricula javana</i>				3.0	6.2										
	<i>Turritella terebra</i>	1120.0	10930.0	*	990.0	10120.0	*	860.0	8430.0	*	900.0	10400.0	*	1100.0	12991.0	*
	UNID Nudibranch															
Bivalve	<i>Anomalodiscus squamosus</i>	1.0	3.4													
	<i>Chione isabellina</i>	8.0	48.0		2.0	9.3		20.0	120.0	*	12.0	62.0		5.0	28.0	
	<i>Chlamys nobilis</i>	1.0	12.0		20.0	310.0	*	2.0	12.8		1.0	11.2				
	<i>Crossostrea sp.</i>				1.0	32.0		1.0	780.0							
	<i>Ostrea sp.</i>	80.0	62.0	*	80.0	60.0	*	90.0	72.0	*	110.0	72.0	*	90.0	72.0	*
	<i>Paphia undulata</i>															
	<i>Monia umbonata</i>	20.0	21.8	*	3.0	4.1		1.0	2.2							
	<i>Perna viridis</i>				1.0	64.0										
	<i>Pinctada martensii</i>				1.0	46.0										
	<i>Ruditapes philippinarum</i>	3.0	12.0		10.0	63.0		7.0	48.0		20.0	160.0	*	3.0	12.0	
	<i>Scapharca subcrenata</i>	30.0	1420.0	*	8.0	920.0		3.0	116.0		7.0	140.0		4.0	136.0	
	<i>Atrina pectinata</i>				1.0	38.0		4.0	190.0							
	<i>Vepricardium asiaticum</i>															

Trawling Data for August 2016

		TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
Group	Species Name	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
		number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)
	<i>Tegukkarca nodifera</i>															
	<i>Timoclea scabra</i>	120.0	110.0	*	80.0	82.0	*									
	<i>Placuna placenta</i>				2.0	19.2										
Cephalopod	<i>Sepiid cuttlefish</i>															
	<i>Lolingid squid</i>															
	<i>Octopus</i>															
Echinoderm	<i>Acaudina molpadioides</i>															
	Asteroidea															
	<i>Temnopleurus toreumaticus</i>	1420.0	16320.0	*	1340.0	15810.0	*	1300.0	15120.0	*	1200.0	13560.0	*	1300.0	14730.0	*
Cnidaria	<i>Edwardsia japonica (c.f.)</i>				2.0	8.4		1.0	4.2					1.0	6.8	
	<i>Ellisella laevis</i>	6.0	120.0		2.0	24.0		3.0	31.0		5.0	64.0				
	<i>Gorgonia spp.</i>															
	<i>Carcinactis ichikawai</i>	16.0	12.8		4.0	1.9		8.0	11.2		5.0	2.2		2.0	2.1	
	<i>Cavernularia habereri</i>	20.0	140.0	*	1.0	2.4					4.0	20.0		2.0	11.0	
	<i>Colochirus quadrangularis</i>															
	<i>Pteroeides chinense</i>															
	Sea anomea	1.0	6.2					7.0	42.0							
	<i>Virgularia gustaviana</i>	3.0	28.4		5.0	260.0		1.0	11.2		2.0	15.6				
Urochordata	Sea Squirts															
Calcispongea	Species 1															
Cirripedia	<i>Bananus spp.(c.f.)</i>	130.0	70.0	*	150.0	92.0	*	110.0	68.0	*	160.0	82.0	*	140.0	72.0	*