

Trawling Data in August 2017

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acanthopagrus schlegelii</i>															
	<i>Acentrogobius caninus</i>															
	<i>Acentrogobius chlorostigmatoides</i>															
	<i>Ambassis gymnocephalus</i>															
	<i>Apogon ellioti</i>				2	8		3	8							
	<i>Apogon kiensis</i>															
	<i>Apogon lineatus</i>															
	<i>Arius arius</i>															
	<i>Arius maculatus</i>															
	<i>Arius sinensis</i>				1	48					1	190				
	<i>Arnoglossus waitei</i>															
	<i>Bothidae spp.</i>															
	<i>Butis koilmoatodon</i>															
	<i>Callionymus curvicornis</i>				1	10										
	<i>Carangidae sp</i>															
	<i>Caranx kalla</i>															
	<i>Chiloscyllium plagiosum</i>															
	<i>Chrysochir aureus</i>															
	<i>Coilia mystus</i>															
	<i>Collichthys lucidus</i>															
	<i>Cryptocentrus filifer</i>				2	22					1	4				
	<i>Cynoglossus abbreviatus</i>															
	<i>Cynoglossus arel</i>															
	<i>Cynoglossus filifer</i>															
	<i>Cynoglossus puncticeps</i>				1	18		1	18					1	20	
	<i>Cynoglossus roulei</i>															
	<i>Cynoglossus semilaevis</i>															
	<i>Cynoglossus sinicus</i>															
	<i>Dasyatis akajei</i>	2	1312		1	632		1	476		2	2				
	<i>Dasyatis bennettii</i>															
	<i>Dasyatis zugei</i>	1	224								4	1598		2	670	
	<i>Dendrophysa russelii</i>															
	<i>Drepane longimana</i>															
	<i>Drepane punctata</i>	2	224		2	274		2	252					1	162	
	<i>Epinephelus awoara</i>				1	14										
	<i>Epinephelus bruneus</i>															
	<i>Fistularia sp.</i>															
	<i>Formio niger</i>															
	<i>Gerres abbreviatus</i>															
	<i>Gerres filamentosus</i>															
	<i>Glossogobius olivaceus</i>															
	<i>Grammoplites scaber</i>	1	52		1	58		3	128		1	58				
	<i>Gymnura japonica</i>							1	150							
	<i>Harpadon nehereus</i>													1	12	
	<i>Hippocampus histrix</i>															
	<i>Ilsha elongata</i>															
	<i>Inegocia japonica</i>				1	20					1	64				
	<i>Inimicus didactylus</i>				1	78		1	54		1	102				
	<i>Inimicus japonicus</i>	1	390					1	10							

Trawling Data in August 2017

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Johnius belangerii</i>				1	136					4	446				
	<i>Johnius cornata</i>															
	<i>Johnius dussumieri</i>															
	<i>Johnius heterolepis</i>															
	<i>Johnius sp.</i>	1	44		4	70					5	346				
	<i>Johnius taiwanese</i>															
	<i>Johnius taiwansis</i>															
	<i>Johnius trawase</i>															
	<i>Johnius trewavasae</i>															
	<i>Konosirus punctatus</i>															
	<i>Lagocephalus japonicus</i>															
	<i>Lagocephalus wheeleri</i>										1	92		1	18	
	<i>Larimichthys crocea</i>															
	<i>Leiognathus brevisrostris</i>															
	<i>Leiognathus dodecakanthoides</i>															
	<i>Leiognathus elongatus</i>															
	<i>Leiognathus nuchalis</i>															
	<i>Minous monodactylus</i>															
	<i>Mugil cephalus</i>															
	<i>Mullus barbatus</i>															
	<i>Muraenesox cinereus</i>										1	72				
	<i>Nemipterus japonicus</i>															
	<i>Nibea albiflora</i>															
	<i>Oplegnathus fasciatus</i>				1	70										
	<i>Orithya sinica</i>															
	<i>Otolithes ruber</i>															
	<i>Oxyurichthys tentacularis</i>															
	<i>Paracentropogon rubripinnis</i>															
	<i>Parachaeturichthys polynema</i>				1	12					1	4				
	<i>Paracobitis acuticephala</i>															
	<i>Paralagusia japonica</i>															
	<i>Parargyrops edita</i>															
	<i>Pennahia anea</i>	7	28		11	76		7	54		14	128		1	2	
	<i>Pennahia macrocephalus</i>															
	<i>Pennahia pawak</i>															
	<i>Pentaprion longimabus</i>															
	<i>Platycephalus indicus</i>	1	20													
	<i>Plectorhinchus cinctus</i>															
	<i>Plotosus lineatus</i>															
	<i>Polydactylus sextarius</i>															
	<i>Pseudorhombus cinnamomeus</i>															
	<i>Pseudorhombus cinnamoneus</i>	1	4								4	108				
	<i>Pseudorhombus dupliocellatus</i>															
	<i>Pseudorhombus oligodon</i>															
	<i>Rhynchopelates oxyrhynchus</i>															
	<i>Sardinella zunasi</i>															
	<i>Sardinella zunasi</i>															
	<i>Saurida elongata</i>							1	48							
	<i>Scatophagus argus</i>				1	224										

Trawling Data in August 2017

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Scoliodon sorrakowah</i>															
	<i>Scorpaenopsis longispina</i>															
	<i>Sebastes marmoratus</i>				2	78		2	56		3	136		1	70	
	<i>Secutor ruconius</i>															
	<i>Siganus canaliculatus</i>															
	<i>Siganus fuscescens</i>	5	28		5	80		10	50		3	16		1	6	
	<i>Sillago japonica</i>															
	<i>Sillago sihama</i>										1	6				
	<i>Solea ovata</i>	3	28		8	70		2	20		4	44		1	14	
	<i>Stephanolepis cirrifer</i>															
	<i>Stolephorus commersonii</i>				3	12		6	24		3	28		3	16	
	<i>Stolephorus commersonii</i>															
	<i>Takifugu niphobles</i>										1	158				
	<i>Takifugu niphobles</i>															
	<i>Takifugu oblongus</i>															
	<i>Takifugu oblongus</i>															
	<i>Takifugu poecilonotus</i>															
	<i>Takifugu poecilonotus</i>															
	<i>Takifugu xanthopterus</i>															
	<i>Terapon jarbua</i>															
	<i>Terapon theraps</i>															
	<i>Thryssa dussumieri</i>															
	<i>Thryssa hamiltonii</i>															
	<i>Thryssa kammalensis</i>															
	<i>Trachycephalus uranoscopa</i>															
	<i>Trichiurus japonicus</i>															
	<i>Tridentiger barbatus</i>															
	<i>Tridentiger bifasciatus</i>	1	8		1	6					1	2				
	<i>Tridentiger trigonocephalus</i>															
	<i>Trypauchen vagina</i>															
	<i>Uroconger lepturus</i>															
	<i>Zebrias zebra</i>															
Prawn or shrimp	<i>Alpheus brevicristatus</i>															
	<i>Alpheus distinguendus</i>				3	10					1	2				
	<i>Alpheus japonicus Miers</i>															
	<i>Exopalaemon annandalei</i>															
	<i>Exopalaemon carinicauda</i>															
	<i>Metapenaeopsis barbata</i>				1	2		1	2							
	<i>Metapenaeus affinis</i>															
	<i>Metapenaeus ensis</i>												1	6		
	<i>Metapenaeus joyneri</i>															
	<i>Palaemon macrodactylus</i>															
	<i>Parapenaeopsis a cultrirostris</i>															
	<i>Parapenaeopsis cultirostris</i>															
	<i>Parapenaeopsis hardwickii</i>															
	<i>Parapenaeopsis tenella</i>															
	<i>Parapenaeopsis hungerfordii</i>							1	4							
	<i>Penaeus japonicus</i>	2	18		2	36										

Trawling Data in August 2017

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Penaeus merguensis</i>															
	<i>Penaeus penicillatus</i>										2	20		1	12	
	<i>Solenocera crassicornis</i>															
	<i>Trachypenaeus curvirostris</i>															
Crab	<i>Arcania heptacontra</i>															
	<i>Arcania undecimspinosa</i>															
	<i>Misgurnus anguillicaudatus</i>															
	<i>c.f. Bananus spp.</i>	90	180	*	70	130	*	180	320	*	210	220	*	180	160	*
	<i>Parapanope euagora (c.f.)</i>															
	<i>Calappa philargius</i>				1	8.1		1	10.6							
	<i>Charybdis affinis</i>															
	<i>Charybdis acuta</i>															
	<i>Charybdis annulata</i>															
	<i>Charybdis bimaculata</i>															
	<i>Charybdis cruciata</i>															
	<i>Charybdis hellerii</i>															
	<i>Charybdis japonica</i>	5	122					3	72							
	<i>Charybdis natator</i>															
	<i>Charybdis lucifera</i>															
	<i>Charybdis variegata</i>															
	<i>Charybdis truncata</i>															
	<i>Charybdis spp.</i>	21	276	*	1	190		20	230	*	6	82		12	160	
	<i>Dorippe polita</i>	5	64		20	270	*	17	182		8	120		20	260	*
	<i>Eucrate crenata</i>	7	39		6	46		4	34		10	76				
	<i>Galene bispinosa</i>				1	52		4	180					1	38	
	<i>Hermit crab</i>	60	210	*	40	170	*	50	190	*	60	230	*	50	180	*
	<i>Lateolabrax japonicus</i>															
	<i>Leucosia craniolaris</i>				20	93	*	2	7.4		4	14.2				
	<i>Ovula Ovum</i>															
	<i>Parapanope sp.</i>															
	<i>Parthenope validus</i>	28	480		25	440		11	190		10	180		2	46.2	
	<i>Porcellanella picta</i>				3	0.8		6	2.2					2	0.7	
	<i>Portunus hastatoides</i>							1	2							
	<i>Portunus pelagicus</i>															
	<i>Portunus sanguinolentus</i>															
	<i>Portunus trituberculatus</i>															
	<i>Maorophthalmus japonicus</i>															
	<i>Varuna litterata</i>															
	<i>Typhlocarcinus sp.</i>															
	<i>Typhlocarcinus villosus</i>															
Mantis shrimp	<i>Anchisquilla fasciata</i>															
	<i>Harpisquilla harpax</i>	1	72													
	<i>Squilla decorata</i>															
	<i>Dictyosquilla foveolata</i>															
	<i>Oratosquilla interrupta</i>															
	<i>Oratosquilla oratoria</i>															
	<i>Oratosquilla kempii</i>															
Gastropod	<i>Bursa rana</i>															
	<i>Calyptraea sp.</i>	1	0.3													

Trawling Data in August 2017

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Cymatium caudatum</i>															
	<i>Drupa musiva</i>				3	12.6		1	5.4		3	14.2		1	5.3	
	<i>Durpa fiscella</i>															
	<i>Gemmula deshavesii</i>															
	<i>Hemifusus scalare</i>															
	<i>Inquistor flavidula</i>	6	12.6		10	21.4										
	<i>Lophiotoma leucotropis</i>															
	<i>Murex trapa</i>	20	130	*	20	130	*	30	160	*	10	78		9	70	
	<i>Nassarius hepaticus</i>															
	<i>Nassarius succinctus</i>				20	43	*	6	13							
	<i>Nassarius sp.</i>															
	<i>Natica sp.</i>															
	<i>Natica spadiceoides</i>															
	<i>Natica tigrina</i>															
	<i>Philine sp.</i>															
	<i>Pilosabia pilosa</i>				30	70	*	3	0.8		7	1.3		20	64	
	<i>Siphopatella walshi</i>				1	0.2					2	0.4				
	<i>Sesarma sp.</i>															
	<i>Thais mutabilis</i>															
	<i>Tonna olearium</i>															
	<i>Tonna sulcosa</i>															
	<i>Turricula nelliae</i>															
	<i>Turricula javana</i>															
	<i>Turritella terebra</i>	40	410	*	30	300	*	50	490	*	30	280	*	30	280	
	<i>UNID Nudibranch</i>															
	<i>Aplysia sp.</i>															
Bivalve	<i>Anomalodiscus squamosus</i>															
	<i>Anomia chinensis</i>															
	<i>Atrina pectinata</i>															
	<i>Chione isabellina</i>				1	6.1		5	23.6							
	<i>Chlamys nobilis</i>															
	<i>Crossostrea sp.</i>															
	<i>Meretrix lusoria</i>															
	<i>Monia umbonata</i>															
	<i>Ostrea sp.</i>	30	62	*	30	60	*	40	76	*	30	60	*	40	70	
	<i>Paphia undulata</i>				4	26										
	<i>Perna viridis</i>															
	<i>Pinctada martensii</i>															
	<i>Pinna pectinata(Atrina)</i>	2	64					1	38							
	<i>Placuna placenta</i>															
	<i>Ruditapes philippinarum</i>															
	<i>Scapharca subcrenata</i>										2	96		3	160	
	<i>Tegukkarca nodifera</i>															
	<i>Timoclea scabra</i>															
	<i>Tolonostrea talonata</i>															
	<i>Vepricardium asiaticum</i>															
Cephalopod	<i>Lolingid squid</i>															
	<i>Octopus</i>															
	<i>Sepiadarium kochii</i>															

Trawling Data in August 2017

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Sepiid cuttlefish</i>															
Echinoderm	<i>Acaudina molpadioides</i>										2	96		5	140	
	<i>Amphipolis (c.f.)</i>															
	<i>Aphrodita aculeata</i>															
	<i>Asteroidea</i>															
	<i>Luidia quinaria (c.f.)</i>															
	<i>Pseudocolochirus Sp.</i>							1	79.4							
	<i>Temnopleurus toreumaticus</i>	30	420	*	20	320	*	20	340	*	19	270		20	310	*
Cnidaria	<i>Carcinactis ichikawai</i>				1	0.4		4	1.4							
	<i>Cavernularia habereri</i>	40	190	*	30	130	*	30	140	*	20	890	*	30	130	*
	<i>Colochirus quadrangularis</i>										1	48.4				
	<i>Echinogorgia complexa (c.f.)</i>															
	<i>Edwardsia japonica (c.f.)</i>															
	<i>Ellisella laevis</i>	6	42		20	160	*				11	82				
	<i>Gorgonia spp.</i>															
	<i>Pteroeides chinense</i>	30	910	*	20	440	*	20	460	*	40	1210	*	20	420	*
	<i>Sea anomea</i>				1	11.2		2	18					2	16	
	<i>Virgularia gustaviana</i>							1	6.2		6	74		2	11.2	
Urochordata	Sea Squirts															
Calcispongea	Species 1															
Cirripedia	<i>Bananus spp.(c.f.)</i>															

Trawling Data in August 2017

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acanthopagrus schlegelii</i>															
	<i>Acentrogobius caninus</i>															
	<i>Acentrogobius chlorostigmatoides</i>															
	<i>Ambassis gymnocephalus</i>															
	<i>Apogon ellioti</i>	2	10		8	30										
	<i>Apogon kiensis</i>															
	<i>Apogon linentus</i>															
	<i>Arius arius</i>															
	<i>Arius maculatus</i>															
	<i>Arius sinensis</i>				5	6										
	<i>Arnoglossus waitei</i>															
	<i>Bothidae spp.</i>															
	<i>Butis koilmoatodon</i>				1	8										
	<i>Callionymus curvicornis</i>															
	<i>Carangidae sp</i>															
	<i>Caranx kalla</i>															
	<i>Chiloscyllium plagiosum</i>															
	<i>Chrysochir aureus</i>															
	<i>Coilia mystus</i>															
	<i>Collichthys lucidus</i>															
	<i>Cryptocentrus filifer</i>															
	<i>Cynoglossus abbreviatus</i>															
	<i>Cynoglossus arel</i>															
	<i>Cynoglossus filifer</i>															
	<i>Cynoglossus puncticeps</i>	1	20		4	56					1	14				
	<i>Cynoglossus roulei</i>															
	<i>Cynoglossus semilaevis</i>															
	<i>Cynoglossus sinicus</i>															
	<i>Dasyatis akajei</i>															
	<i>Dasyatis bennettii</i>															
	<i>Dasyatis zugei</i>															
	<i>Dendrophysa russelii</i>															
	<i>Drepane longimana</i>															
	<i>Drepane punctata</i>															
	<i>Epinephelus awoara</i>															
	<i>Epinephelus bruneus</i>															
	<i>Fistularia sp.</i>															
	<i>Formio niger</i>															
	<i>Gerres abbreviatus</i>															
	<i>Gerres filamentosus</i>															
	<i>Glossogobius olivaceus</i>															
	<i>Grammoplites scaber</i>	2	72		2	10		1	56		1	12				
	<i>Gymnura japonica</i>				1	558										
	<i>Harpadon nehereus</i>															
	<i>Hippocampus histrix</i>															
	<i>Ilsha elongata</i>	1	4		4	14										
	<i>Inegocia japonica</i>				1	16										
	<i>Inimicus didactylus</i>							2	146							
	<i>Inimicus japonicus</i>															

Trawling Data in August 2017

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)		
	<i>Johnius belangerii</i>															
	<i>Johnius cornata</i>															
	<i>Johnius dussumieri</i>															
	<i>Johnius heterolepis</i>															
	<i>Johnius sp.</i>	3	146		5	80		3	130		2	92				
	<i>Johnius taiwanese</i>															
	<i>Johnius taiwansis</i>															
	<i>Johnius trawase</i>															
	<i>Johnius trewavasae</i>															
	<i>Konosirus punctatus</i>															
	<i>Lagocephalus japonicus</i>															
	<i>Lagocephalus wheeleri</i>															
	<i>Larimichthys crocea</i>															
	<i>Leiognathus brevisrostris</i>															
	<i>Leiognathus dodecacanthoides</i>															
	<i>Leiognathus elongatus</i>															
	<i>Leiognathus nuchalis</i>															
	<i>Minous monodactylus</i>															
	<i>Mugil cephalus</i>															
	<i>Mullus barbatus</i>															
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>															
	<i>Nibea albiflora</i>															
	<i>Oplegnathus fasciatus</i>															
	<i>Orithya sinica</i>															
	<i>Otolithes ruber</i>															
	<i>Oxyurichthys tentacularis</i>				1	8										
	<i>Paracentropogon rubripinnis</i>															
	<i>Parachaeturichthys polynema</i>															
	<i>Paracobitis acuticephala</i>															
	<i>Paralagusia japonica</i>															
	<i>Parargyrops edita</i>															
	<i>Pennahia anea</i>				17	72		1	66							
	<i>Pennahia macrocephalus</i>															
	<i>Pennahia pawak</i>															
	<i>Pentaprion longimabus</i>															
	<i>Platycephalus indicus</i>				1	16										
	<i>Plectorhinchus cinctus</i>															
	<i>Plotosus lineatus</i>				1	4										
	<i>Polydactylus sextarius</i>															
	<i>Pseudorhombus cinnamomeus</i>															
	<i>Pseudorhombus cinnamoneus</i>															
	<i>Pseudorhombus dupliocellatus</i>															
	<i>Pseudorhombus oligodon</i>															
	<i>Rhynchopelates oxyrhynchus</i>															
	<i>Sardinella zunasi</i>															
	<i>Sardinella zunasi</i>															
	<i>Saurida elongata</i>															
	<i>Scatophagus argus</i>				1	222										

Trawling Data in August 2017

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Scoliodon sorrakowah</i>															
	<i>Scorpaenopsis longispina</i>										1	10				
	<i>Sebastiscus marmoratus</i>	4	46		1	16		4	54							
	<i>Secutor ruconius</i>															
	<i>Siganus canaliculatus</i>															
	<i>Siganus fuscescens</i>	6	36		5	44		1	6		2	16				
	<i>Sillago japonica</i>															
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>	1	8		3	22		1	10							
	<i>Stephanolepis cirrifer</i>															
	<i>Stolephorus commersonii</i>				4	18										
	<i>Stolephorus commersonii</i>															
	<i>Takifugu niphobles</i>															
	<i>Takifugu niphobles</i>															
	<i>Takifugu oblongus</i>															
	<i>Takifugu oblongus</i>															
	<i>Takifugu poecilonotus</i>															
	<i>Takifugu poecilonotus</i>															
	<i>Takifugu xanthopterus</i>															
	<i>Terapon jarbua</i>															
	<i>Terapon theraps</i>															
	<i>Thryssa dussumieri</i>															
	<i>Thryssa hamiltonii</i>															
	<i>Thryssa kammalensis</i>															
	<i>Trachycephalus uranoscopa</i>	2	24		1	16		1	14		6	68				
	<i>Trichiurus japonicus</i>															
	<i>Tridentiger barbatus</i>															
	<i>Tridentiger bifasciatus</i>	1	4													
	<i>Tridentiger trigonocephalus</i>															
	<i>Trypauchen vagina</i>															
	<i>Uroconger lepturus</i>															
	<i>Zebrias zebra</i>															
Prawn or shrimp	<i>Alpheus brevicristatus</i>															
	<i>Alpheus distinguendus</i>															
	<i>Alpheus japonicus Miers</i>															
	<i>Exopalaemon annandalei</i>															
	<i>Exopalaemon carinicauda</i>															
	<i>Metapenaeopsis barbata</i>				1	2					1	2				
	<i>Metapenaeus affinis</i>															
	<i>Metapenaeus ensis</i>															
	<i>Metapenaeus joyneri</i>										1	2				
	<i>Palaemon macrodactylus</i>															
	<i>Parapenaeopsis a cultrirostris</i>															
	<i>Parapenaeopsis cultirostris</i>															
	<i>Parapenaeopsis hardwickii</i>				2	6		1	14		4	14				
	<i>Parapenaeopsis tenella</i>															
	<i>Parapeneopsis hungerfordii</i>															
	<i>Penaeus japonicus</i>				1	10										

Trawling Data in August 2017

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)		
	<i>Penaeus merguensis</i>															
	<i>Penaeus penicillatus</i>	3	20		2	16										
	<i>Solenocera crassicornis</i>										2	8				
	<i>Trachypenaeus curvirostris</i>															
Crab	<i>Arcania heptacontra</i>															
	<i>Arcania undecimspinosa</i>															
	<i>Misgurnus anguillicaudatus</i>															
	<i>c.f. Bananus spp.</i>	60	80	*	70	93	*	140	110	*	90	108	*	70	90	*
	<i>Parapanope euagora (c.f.)</i>															
	<i>Calappa philargius</i>															
	<i>Charybdis affinis</i>															
	<i>Charybdis acuta</i>															
	<i>Charybdis annulata</i>															
	<i>Charybdis bimaculata</i>															
	<i>Charybdis cruciata</i>															
	<i>Charybdis hellerii</i>															
	<i>Charybdis japonica</i>	4	60		9	268		8	166		13	290				
	<i>Charybdis natator</i>	16	604		3	428		7	194		3	94				
	<i>Charybdis lucifera</i>															
	<i>Charybdis variegata</i>															
	<i>Charybdis truncata</i>															
	<i>Charybdis spp.</i>	30	370	*	20	280	*	26	270	*	30	390	*	20	270	*
	<i>Dorippe polita</i>				4	29		2	11.2					6	39	
	<i>Eucrate crenata</i>	4	21.2								7	48.5		1	3.2	
	<i>Galene bispinosa</i>															
	<i>Hermit crab</i>	30	120	*	20	92	*	25	110	*	30	130	*	20	82	*
	<i>Lateolabrax japonicus</i>															
	<i>Leucosia craniolaris</i>				20	93	*	7	26		1	4.2				
	<i>Ovula Ovum</i>															
	<i>Parapanope sp.</i>															
	<i>Parthenope validus</i>	20	382	*	1	11.4					10	220		30	462	*
	<i>Porcellanella picta</i>	4	1.2		6	1.8		3	0.9					1	0.3	
	<i>Portunus hastatooides</i>															
	<i>Portunus pelagicus</i>															
	<i>Portunus sanguinolentus</i>															
	<i>Portunus trituberculatus</i>															
	<i>Maorophthalmus japonicus</i>															
	<i>Varuna litterata</i>															
	<i>Typhlocarcinus sp.</i>															
	<i>Typhlocarcinus villosus</i>															
Mantis shrimp	<i>Anchisquilla fasciata</i>															
	<i>Harpisquilla harpax</i>				1	52		2	124		1	52				
	<i>Squilla decorata</i>															
	<i>Dictyosquilla foveolata</i>															
	<i>Oratosquilla interrupta</i>															
	<i>Oratosquilla oratoria</i>															
	<i>Oratosquilla kempii</i>															
Gastropod	<i>Bursa rana</i>				1	6.4										
	<i>Calyptrea sp.</i>	1	0.4								3	1.1				

Trawling Data in August 2017

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Cymatium caudatum</i>															
	<i>Drupa musiva</i>	3	18.2					2	8.4		5	21.6				
	<i>Durpa fiscella</i>															
	<i>Gemmula deshayesii</i>															
	<i>Hemifusus scalare</i>															
	<i>Inquistor flavidula</i>				3	4.1										
	<i>Lophiotoma leucotropis</i>															
	<i>Murex trapa</i>	7	38		19	151		20	160	*	5	31		10	68	
	<i>Nassarius hepaticus</i>															
	<i>Nassarius succinctus</i>				2	4.2										
	<i>Nassarius sp.</i>															
	<i>Natica sp.</i>															
	<i>Natica spadiceoides</i>															
	<i>Natica tigrina</i>															
	<i>Philine sp.</i>															
	<i>Pilosabia pilosa</i>	30	87	*	50	116	*	1	0.3		5	1.2				
	<i>Siphopatella walshi</i>	1	0.2													
	<i>Sesarma sp.</i>															
	<i>Thais mutabilis</i>															
	<i>Tonna olearium</i>															
	<i>Tonna sulcosa</i>															
	<i>Turricula nelliae</i>															
	<i>Turricula javana</i>															
	<i>Turritella terebra</i>	40	408	*	20	180	*	30	302	*	20	170	*	30	360	
	<i>UNID Nudibranch</i>															
	<i>Aplysia sp.</i>															
Bivalve	<i>Anomalodiscus squamosus</i>															
	<i>Anomia chinensus</i>															
	<i>Atrina pectinata</i>															
	<i>Chione isabellina</i>				2	8.2								2	7.6	
	<i>Chlamys nobilis</i>													1	6.3	
	<i>Crossostrea sp.</i>															
	<i>Meretrix lusoria</i>															
	<i>Monia umbonata</i>															
	<i>Ostrea sp.</i>	60	110	*	30	70	*	60	120	*	20	90	*	20	70	
	<i>Paphia undulata</i>															
	<i>Perna viridis</i>															
	<i>Pinctada martensii</i>				1	82										
	<i>Pinna pectinata(Atrina)</i>				1	30.2										
	<i>Placuna placenta</i>															
	<i>Ruditapes philippinarum</i>															
	<i>Scapharca subcrenata</i>							1	58							
	<i>Tegukkarca nodifera</i>															
	<i>Timoclea scabra</i>															
	<i>Tolonostrea talonata</i>															
	<i>Vepricardium asiaticum</i>															
Cephalopod	<i>Lolingid squid</i>															
	<i>Octopus</i>															
	<i>Sepiadarium kochii</i>															

Trawling Data in August 2017

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)		
	<i>Sepiid cuttlefish</i>															
Echinoderm	<i>Acaudina molpadioides</i>	2	46.7					5	120							
	<i>Amphipolis (c.f.)</i>															
	<i>Aphrodita aculeata</i>															
	<i>Asteroidea</i>															
	<i>Luidia quinaria (c.f.)</i>															
	<i>Pseudocolochirus Sp.</i>															
	<i>Temnopleurus toreumaticus</i>	30	460	*	20	370	*	11	196		20	370	*	5	93	
Cnidaria	<i>Carcinactis ichikawai</i>				5	1.6										
	<i>Cavernularia habereri</i>	20	140	*	15	59		20	140	*	10	48		20	140	*
	<i>Colochirus quadrangularis</i>															
	<i>Echinogorgia complexa (c.f.)</i>															
	<i>Edwardsia japonica (c.f.)</i>															
	<i>Ellisella laevis</i>															
	<i>Gorgonia spp.</i>							1	6.2							
	<i>Pteroeides chinense</i>	3	68		40	1800	*	12	139		11	316		7	190	
	<i>Sea anomea</i>				2	17		2	14		5	39		1	8.2	
	<i>Virgularia gustaviana</i>				1	6.3		3	17.4					2	12.6	
Urochordata	Sea Squirts															
Calcispongea	Species 1															
Cirripedia	<i>Bananus spp.(c.f.)</i>															

Trawling Data in August 2017

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acanthopagrus schlegelii</i>															
	<i>Acentrogobius caninus</i>															
	<i>Acentrogobius chlorostigmatoides</i>															
	<i>Ambassis gymnocephalus</i>															
	<i>Apogon ellioti</i>															
	<i>Apogon kiensis</i>	4	26		4	24		1	8				3	26		
	<i>Apogon linentus</i>															
	<i>Arius arius</i>															
	<i>Arius maculatus</i>															
	<i>Arius sinensis</i>															
	<i>Arnoglossus waitei</i>															
	<i>Bothidae spp.</i>	1	8													
	<i>Butis koilmoatodon</i>															
	<i>Callionymus curvicornis</i>	2	4					1	2		1	4				
	<i>Carangidae sp</i>															
	<i>Caranx kalla</i>															
	<i>Chiloscyllium plagiosum</i>															
	<i>Chrysochir aureus</i>															
	<i>Coilia mystus</i>	1	14					1	16		1	6				
	<i>Collichthys lucidus</i>															
	<i>Cryptocentrus filifer</i>															
	<i>Cynoglossus abbreviatus</i>				2	14										
	<i>Cynoglossus arel</i>															
	<i>Cynoglossus filifer</i>															
	<i>Cynoglossus puncticeps</i>							1	8		9	158		18	250	
	<i>Cynoglossus roulei</i>										2	36		2	36	
	<i>Cynoglossus semilaevis</i>															
	<i>Cynoglossus sinicus</i>										1	42		1	38	
	<i>Dasyatis akajei</i>													3	324	
	<i>Dasyatis bennettii</i>															
	<i>Dasyatis zugei</i>	4	96													
	<i>Dendrophysa russelii</i>															
	<i>Drepane longimana</i>															
	<i>Drepane punctata</i>															
	<i>Epinephelus awoara</i>															
	<i>Epinephelus bruneus</i>															
	<i>Fistularia sp.</i>															
	<i>Formio niger</i>															
	<i>Gerres abbreviatus</i>															
	<i>Gerres filamentosus</i>															
	<i>Glossogobius olivaceus</i>															
	<i>Grammoplites scaber</i>							1	66		5	256		4	206	
	<i>Gymnura japonica</i>															
	<i>Harpadon nehereus</i>	11	306		5	166		12	364		4	66		9	268	
	<i>Hippocampus histrix</i>															
	<i>Ilsha elongata</i>															
	<i>Inegocia japonica</i>															
	<i>Inimicus didactylus</i>															
	<i>Inimicus japonicus</i>															

Trawling Data in August 2017

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Johnius belangerii</i>	1	46				1	50		1	36		6	106		
	<i>Johnius cornata</i>															
	<i>Johnius dussumieri</i>															
	<i>Johnius heterolepis</i>															
	<i>Johnius sp.</i>															
	<i>Johnius taiwanese</i>															
	<i>Johnius taiwansis</i>	41	878		10	186		18	134		13	230		46	3452	
	<i>Johnius trawase</i>															
	<i>Johnius trewavasae</i>															
	<i>Konosirus punctatus</i>															
	<i>Lagocephalus japonicus</i>															
	<i>Lagocephalus wheeleri</i>															
	<i>Larimichthys crocea</i>															
	<i>Leiognathus brevirostris</i>															
	<i>Leiognathus dodecakanthoides</i>															
	<i>Leiognathus elongatus</i>															
	<i>Leiognathus nuchalis</i>															
	<i>Minous monodactylus</i>															
	<i>Mugil cephalus</i>															
	<i>Mullus barbatus</i>															
	<i>Muraenesox cinereus</i>	1	82													
	<i>Nemipterus japonicus</i>															
	<i>Nibea albiflora</i>															
	<i>Oplegnathus fasciatus</i>															
	<i>Orithya sinica</i>															
	<i>Otolithes ruber</i>															
	<i>Oxyurichthys tentacularis</i>															
	<i>Paracentropogon rubripinnis</i>															
	<i>Parachaeturichthys polynema</i>							2	20		1	10		1	10	
	<i>Paracobitis acuticephala</i>															
	<i>Paralagusia japonica</i>															
	<i>Parargyrops edita</i>															
	<i>Pennahia anea</i>										3	38				
	<i>Pennahia macrocephalus</i>															
	<i>Pennahia pawak</i>															
	<i>Pentaprion longimabus</i>															
	<i>Platycephalus indicus</i>				1	26		2	58					2	78	
	<i>Plectorhinchus cinctus</i>															
	<i>Plotosus lineatus</i>															
	<i>Polydactylus sextarius</i>							1	6		1	18				
	<i>Pseudorhombus cinnamomeus</i>															
	<i>Pseudorhombus cinnamoneus</i>													1	26	
	<i>Pseudorhombus dupliocellatus</i>															
	<i>Pseudorhombus oligodon</i>															
	<i>Rhynchopelates oxyrhynchus</i>															
	<i>Sardinella zunasi</i>															
	<i>Sardinella zunasi</i>															
	<i>Saurida elongata</i>															
	<i>Scatophagus argus</i>															

Trawling Data in August 2017

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Scoliodon sorrakowah</i>															
	<i>Scorpaenopsis longispina</i>				1	4										
	<i>Sebastes marmoratus</i>															
	<i>Secutor ruconius</i>															
	<i>Siganus canaliculatus</i>															
	<i>Siganus fuscescens</i>													1	12	
	<i>Sillago japonica</i>															
	<i>Sillago sihama</i>										1	44		12	394	
	<i>Solea ovata</i>				4	14		7	58		104	904		68	608	
	<i>Stephanolepis cirrhifer</i>															
	<i>Stolephorus commersonii</i>															
	<i>Stolephorus commersonii</i>															
	<i>Takifugu niphobles</i>															
	<i>Takifugu niphobles</i>															
	<i>Takifugu oblongus</i>															
	<i>Takifugu oblongus</i>															
	<i>Takifugu poecilonotus</i>															
	<i>Takifugu poecilonotus</i>															
	<i>Takifugu xanthopterus</i>															
	<i>Terapon jarbua</i>										1	14				
	<i>Terapon theraps</i>															
	<i>Thryssa dussumieri</i>															
	<i>Thryssa hamiltonii</i>	1	44		3	144										
	<i>Thryssa kammalensis</i>															
	<i>Trachycephalus uranoscopa</i>										1	26				
	<i>Trichiurus japonicus</i>															
	<i>Tridentiger barbatus</i>															
	<i>Tridentiger bifasciatus</i>															
	<i>Tridentiger trigonocephalus</i>															
	<i>Trypauchen vagina</i>															
	<i>Uroconger lepturus</i>															
	<i>Zebrias zebra</i>	1	34		1	54		1	8		2	66		2	96	
Prawn or shrimp	<i>Alpheus brevicristatus</i>	1	4					2	4							
	<i>Alpheus distinguendus</i>															
	<i>Alpheus japonicus Miers</i>															
	<i>Exopalaemon annandalei</i>															
	<i>Exopalaemon carinicauda</i>	2	8		1	4		5	20		4	14		2	8	
	<i>Metapenaeopsis barbata</i>	2	4		2	16		2	8		2	4		1	2	
	<i>Metapenaeus affinis</i>															
	<i>Metapenaeus ensis</i>							211	1398		178	1198		159	1258	
	<i>Metapenaeus joyneri</i>	18	68		4	18					3	12		1	4	
	<i>Palaemon macrodactylus</i>	50	146		17	52		31	86					2	6	
	<i>Parapenaeopsis a cultrirostris</i>															
	<i>Parapenaeopsis cultrirostris</i>				5	16		4	12		44	138		28	102	
	<i>Parapenaeopsis hardwickii</i>	74	446		24	184		23	290		118	884		181	1326	
	<i>Parapenaeopsis tenella</i>							1	2		1	2				
	<i>Parapenaeopsis hungerfordii</i>	88	358		24	238		15	70		6	30		18	78	
	<i>Penaeus japonicus</i>															

Trawling Data in August 2017

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Penaeus merguensis</i>															
	<i>Penaeus penicillatus</i>	2	28		1	10					1	14		4	114	
	<i>Solenocera crassicornis</i>	6	14		1	4		4	4		2	6		1	2	
	<i>Trachypenaeus curvirostris</i>							1	4		7	14				
Crab	<i>Arcania heptacontra</i>															
	<i>Arcania undecimspinosa</i>										1	38.2				
	<i>Misgurnus anguillicaudatus</i>															
	<i>c.f. Bananus spp.</i>	120	170	*	90	108	*	110	160	*	120	130	*	110	140	
	<i>Parapanope euagora (c.f.)</i>															
	<i>Calappa philargius</i>															
	<i>Charybdis affinis</i>															
	<i>Charybdis acuta</i>															
	<i>Charybdis annulata</i>															
	<i>Charybdis bimaculata</i>															
	<i>Charybdis cruciata</i>															
	<i>Charybdis hellerii</i>															
	<i>Charybdis japonica</i>	2	76		3	112		1	38							
	<i>Charybdis natator</i>															
	<i>Charybdis lucifera</i>															
	<i>Charybdis variegata</i>															
	<i>Charybdis truncata</i>															
	<i>Charybdis spp.</i>	60	740	*	50	690	*	50	710	*	60	840	*	50	710	
	<i>Dorippe polita</i>	6	110		3	31		11	180		20	210		7	150	
	<i>Eucrate crenata</i>	30	260	*	20	190	*	20	190	*	20	180	*	20	180	
	<i>Galene bispinosa</i>							3	126					3	260	
	<i>Hermit crab</i>	90	460	*	70	410	*	70	420	*	70	410	*	60	310	
	<i>Lateolabrax japonicus</i>															
	<i>Leucosia craniolaris</i>	3	10.2													
	<i>Ovula Ovum</i>															
	<i>Parapanope sp.</i>															
	<i>Parthenope validus</i>	20	360	*	7	78.4		5	69.3		20	380	*	2	42	
	<i>Porcellanella picta</i>	1	0.3													
	<i>Portunus hastatoides</i>	3	4					1	2							
	<i>Portunus pelagicus</i>															
	<i>Portunus sanguinolentus</i>															
	<i>Portunus trituberculatus</i>															
	<i>Maorophthalmus japonicus</i>										1	38.2				
	<i>Varuna litterata</i>															
	<i>Typhlocarcinus sp.</i>				1	0.8		2	1.2							
	<i>Typhlocarcinus villosus</i>															
Mantis shrimp	<i>Anchisquilla fasciata</i>															
	<i>Harpisquilla harpax</i>	2	102		2	78							1	64		
	<i>Squilla decorata</i>															
	<i>Dictyosquilla foveolata</i>															
	<i>Oratosquilla interrupta</i>															
	<i>Oratosquilla oratoria</i>															
	<i>Oratosquilla kempii</i>							1	2							
Gastropod	<i>Bursa rana</i>				1	11.2								3	14.4	
	<i>Calyptrea sp.</i>				1	0.2		3	0.8					2	0.6	

Trawling Data in August 2017

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Cymatium caudatum</i>															
	<i>Drupa musiva</i>	3	16.2					1	5.7							
	<i>Durpa fiscella</i>															
	<i>Gemmula deshayesii</i>															
	<i>Hemifusus scalare</i>															
	<i>Inquistor flavidula</i>	30	62	*												
	<i>Lophiotoma leucotropis</i>				1	5.2										
	<i>Murex trapa</i>	20	160	*	30	190	*	20	160	*	30	180	*	20	170	*
	<i>Nassarius hepaticus</i>				1	2.1										
	<i>Nassarius succinctus</i>	15	31		20	42	*	30	66	*	6	13		20	42	*
	<i>Nassarius sp.</i>				2	4.3										
	<i>Natica sp.</i>															
	<i>Natica spadiceoides</i>															
	<i>Natica tigrina</i>															
	<i>Philine sp.</i>															
	<i>Pilosabia pilosa</i>				4	0.9		2	0.4					5	1.1	
	<i>Siphopatella walshi</i>							1	0.3							
	<i>Sesarma sp.</i>															
	<i>Thais mutabilis</i>															
	<i>Tonna olearium</i>															
	<i>Tonna sulcosa</i>															
	<i>Turricula nelliae</i>															
	<i>Turricula javana</i>															
	<i>Turritella terebra</i>	590	5810	*	420	4030	*	410	3870	*	390	3760	*	380	3690	*
	<i>UNID Nudibranch</i>															
	<i>Aplysia sp.</i>															
Bivalve	<i>Anomalodiscus squamosus</i>															
	<i>Anomia chinensus</i>															
	<i>Atrina pectinata</i>	1	66.2					3	110							
	<i>Chione isabellina</i>							6	29							
	<i>Chlamys nobilis</i>															
	<i>Crossostrea sp.</i>															
	<i>Meretrix lusoria</i>															
	<i>Monia umbonata</i>															
	<i>Ostrea sp.</i>	30	52	*	20	40	*	20	40	*	30	50	*	40	46	*
	<i>Paphia undulata</i>															
	<i>Perna viridis</i>															
	<i>Pinctada martensii</i>															
	<i>Pinna pectinata(Atrina)</i>															
	<i>Placuna placentia</i>															
	<i>Ruditapes philippinarum</i>															
	<i>Scapharca subcrenata</i>	20	1160	*	1	57		4	180		2	110				
	<i>Tegukkarca nodifera</i>															
	<i>Timoclea scabra</i>															
	<i>Tolonostrea talonata</i>															
	<i>Vepricardium asiaticum</i>															
Cephalopod	<i>Lolingid squid</i>															
	<i>Octopus</i>															
	<i>Sepiadarium kochii</i>															

Trawling Data in August 2017

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Sepiid cuttlefish</i>															
Echinoderm	<i>Acaudina molpadioides</i>	20	860	*	10	380		17	1270		3	120		8	310	
	<i>Amphipolis (c.f.)</i>															
	<i>Aphrodita aculeata</i>															
	<i>Asteroidea</i>															
	<i>Luidia quinaria (c.f.)</i>															
	<i>Pseudocolochirus Sp.</i>															
	<i>Temnopleurus toreumaticus</i>	20	390	*	5	110		2	36		20	370	*	6	120	
Cnidaria	<i>Carcinactis ichikawai</i>				2	0.9		3	1.2							
	<i>Cavernularia habereri</i>	70	680	*	40	180	*	30	120	*	20	180	*	30	190	
	<i>Colochirus quadrangularis</i>															
	<i>Echinogorgia complexa (c.f.)</i>															
	<i>Edwardsia japonica (c.f.)</i>	4	13		2	7.6		20	120	*	6	36		1	3.6	
	<i>Ellisella laevis</i>	2	21		1	8.8										
	<i>Gorgonia spp.</i>													4	42	
	<i>Pteroeides chinense</i>	11	304		20	410	*	20	410	*	18	240		20	420	
	<i>Sea anomea</i>	20	150	*	2	10.4		1	7.4							
	<i>Virgularia gustaviana</i>	3	14.6					1	8.2		3	21				
Urochordata	Sea Squirts															
Calcispongea	Species 1															
Cirripedia	<i>Balanus spp.(c.f.)</i>															

Trawling Data in August 2017

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acanthopagrus schlegelii</i>															
	<i>Acentrogobius caninus</i>															
	<i>Acentrogobius chlorostigmatoides</i>															
	<i>Ambassis gymnocephalus</i>															
	<i>Apogon ellioti</i>															
	<i>Apogon kiensis</i>				2	8		7	38							
	<i>Apogon linentus</i>															
	<i>Arius arius</i>															
	<i>Arius maculatus</i>															
	<i>Arius sinensis</i>	1	146													
	<i>Arnoglossus waitei</i>															
	<i>Bothidae spp.</i>	8	70		7	58		4	42		1	10				
	<i>Butis koilmoatodon</i>															
	<i>Callionymus curvicornis</i>	2	18		2	4		2	6							
	<i>Carangidae sp</i>															
	<i>Caranx kalla</i>															
	<i>Chiloscyllium plagiosum</i>															
	<i>Chrysochir aureus</i>												1	232		
	<i>Coilia mystus</i>										1	32				
	<i>Collichthys lucidus</i>															
	<i>Cryptocentrus filifer</i>												1	10		
	<i>Cynoglossus abbreviatus</i>												1	24		
	<i>Cynoglossus arel</i>															
	<i>Cynoglossus filifer</i>															
	<i>Cynoglossus puncticeps</i>												41	624		
	<i>Cynoglossus roulei</i>												2	34		
	<i>Cynoglossus semilaevis</i>															
	<i>Cynoglossus sinicus</i>															
	<i>Dasyatis akajei</i>												1	112		
	<i>Dasyatis bennettii</i>															
	<i>Dasyatis zugei</i>	10	1498		2	766		4	326		2	72		1	38	
	<i>Dendrophysa russelii</i>															
	<i>Drepane longimana</i>															
	<i>Drepane punctata</i>															
	<i>Epinephelus awoara</i>															
	<i>Epinephelus bruneus</i>															
	<i>Fistularia sp.</i>															
	<i>Formio niger</i>															
	<i>Gerres abbreviatus</i>							1	28							
	<i>Gerres filamentosus</i>															
	<i>Glossogobius olivaceus</i>															
	<i>Grammolites scaber</i>							1	64				9	564		
	<i>Gymnura japonica</i>															
	<i>Harpadon nehereus</i>	1	44					1	24		9	198		7	184	
	<i>Hippocampus histrix</i>															
	<i>Ilsha elongata</i>															
	<i>Inegocia japonica</i>	1	410					1	8							
	<i>Inimicus didactylus</i>	1	72		1	90					1	80				
	<i>Inimicus japonicus</i>															

Trawling Data in August 2017

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Johnius belangerii</i>							1	8					1	8	
	<i>Johnius cornata</i>															
	<i>Johnius dussumieri</i>															
	<i>Johnius heterolepis</i>															
	<i>Johnius sp.</i>															
	<i>Johnius taiwanese</i>															
	<i>Johnius taiwansis</i>										9	84		25	528	
	<i>Johnius trawase</i>															
	<i>Johnius trevvasae</i>															
	<i>Konosirus punctatus</i>															
	<i>Lagocephalus japonicus</i>															
	<i>Lagocephalus wheeleri</i>							1	52							
	<i>Larimichthys crocea</i>															
	<i>Leiognathus brevisrostris</i>															
	<i>Leiognathus dodecakanthoides</i>															
	<i>Leiognathus elongatus</i>															
	<i>Leiognathus nuchalis</i>															
	<i>Minous monodactylus</i>															
	<i>Mugil cephalus</i>															
	<i>Mullus barbatus</i>															
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>															
	<i>Nibea albiflora</i>															
	<i>Oplegnathus fasciatus</i>															
	<i>Orithya sinica</i>															
	<i>Otolithes ruber</i>															
	<i>Oxyurichthys tentacularis</i>	8	36		1	4		8	36							
	<i>Paracentropogon rubripinnis</i>															
	<i>Parachaeturichthys polynema</i>							1	8					2	16	
	<i>Paracobitis acuticephala</i>															
	<i>Paralagusia japonica</i>															
	<i>Parargyrops edita</i>															
	<i>Pennahia anea</i>													3	46	
	<i>Pennahia macrocephalus</i>															
	<i>Pennahia pawak</i>															
	<i>Pentaprion longimabus</i>															
	<i>Platycephalus indicus</i>	12	334		4	64		4	76		1	14		2	44	
	<i>Plectorhinchus cinctus</i>															
	<i>Plotosus lineatus</i>															
	<i>Polydactylus sextarius</i>	2	12		1	4		5	32							
	<i>Pseudorhombus cinnamomeus</i>															
	<i>Pseudorhombus cinnamoneus</i>				1	4										
	<i>Pseudorhombus dupliocellatus</i>															
	<i>Pseudorhombus oligodon</i>															
	<i>Rhynchopelates oxyrhynchus</i>															
	<i>Sardinella zunasi</i>															
	<i>Sardinella zunasi</i>															
	<i>Saurida elongata</i>				1	24										
	<i>Scatophagus argus</i>															

Trawling Data in August 2017

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Scoliodon sorrakowah</i>	1	22													
	<i>Scorpaenopsis longispina</i>	12	78		5	28		4	28							
	<i>Sebastes marmoratus</i>															
	<i>Secutor ruconius</i>															
	<i>Siganus canaliculatus</i>															
	<i>Siganus fuscescens</i>	22	176		19	194		16	126							
	<i>Sillago japonica</i>															
	<i>Sillago sihama</i>												1	38		
	<i>Solea ovata</i>	1	4		3	20		1	4				36	330		
	<i>Stephanolepis cirrhifer</i>															
	<i>Stolephorus commersonii</i>															
	<i>Stolephorus commersonii</i>															
	<i>Takifugu niphobles</i>															
	<i>Takifugu niphobles</i>															
	<i>Takifugu oblongus</i>															
	<i>Takifugu oblongus</i>															
	<i>Takifugu poecilonotus</i>															
	<i>Takifugu poecilonotus</i>															
	<i>Takifugu xanthopterus</i>															
	<i>Terapon jarbua</i>															
	<i>Terapon theraps</i>															
	<i>Thryssa dussumieri</i>															
	<i>Thryssa hamiltonii</i>															
	<i>Thryssa kammalensis</i>															
	<i>Trachycephalus uranoscopa</i>	2	30													
	<i>Trichiurus japonicus</i>															
	<i>Tridentiger barbatus</i>															
	<i>Tridentiger bifasciatus</i>															
	<i>Tridentiger trigonocephalus</i>															
	<i>Trypauchen vagina</i>															
	<i>Uroconger lepturus</i>															
	<i>Zebrias zebra</i>												5	48		
Prawn or shrimp	<i>Alpheus brevicristatus</i>	1	10													
	<i>Alpheus distinguendus</i>										1	6		1	4	
	<i>Alpheus japonicus Miers</i>															
	<i>Exopalaemon annandalei</i>															
	<i>Exopalaemon carinicauda</i>															
	<i>Metapenaeopsis barbata</i>															
	<i>Metapenaeus affinis</i>															
	<i>Metapenaeus ensis</i>				307	1680					152	1230		2	26	
	<i>Metapenaeus joyneri</i>	6	22		7	22		8	36		2	8		5	24	
	<i>Palaemon macrodactylus</i>															
	<i>Parapenaeopsis a cultrirostris</i>															
	<i>Parapenaeopsis cultrirostris</i>										2	8				
	<i>Parapenaeopsis hardwickii</i>	1	10								14	124		25	218	
	<i>Parapenaeopsis tenella</i>															
	<i>Parapenaeopsis hungerfordii</i>	6	26		7	32		16	62		27	128		31	162	
	<i>Penaeus japonicus</i>															

Trawling Data in August 2017

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Penaeus merguensis</i>															
	<i>Penaeus penicillatus</i>	1	12		2	24		1	10					6	74	
	<i>Solenocera crassicornis</i>	1	6					3	8		2	4		2	10	
	<i>Trachypenaeus curvirostris</i>															
Crab	<i>Arcania heptacontra</i>															
	<i>Arcania undecimspinosa</i>															
	<i>Misgurnus anguillicaudatus</i>															
	<i>c.f. Bananus spp.</i>	60	70	*	70	80	*	70	80	*	60	70	*	80	90	
	<i>Parapanope euagora (c.f.)</i>															
	<i>Calappa philargius</i>															
	<i>Charybdis affinis</i>				25	460								47	1732	
	<i>Charybdis acuta</i>															
	<i>Charybdis annulata</i>															
	<i>Charybdis bimaculata</i>															
	<i>Charybdis cruciata</i>															
	<i>Charybdis hellerii</i>													4	182	
	<i>Charybdis japonica</i>							1	22					4	170	
	<i>Charybdis natator</i>															
	<i>Charybdis lucifera</i>															
	<i>Charybdis variegata</i>															
	<i>Charybdis truncata</i>															
	<i>Charybdis spp.</i>	20	360	*	20	380	*	20	480	*	30	410	*	20	320	
	<i>Dorippe polita</i>	5	72		11	130		7	92		6	83				
	<i>Eucrate crenata</i>	8	110		3	21		2	18.2		4	31		7	39	
	<i>Galene bispinosa</i>	1	41.2		6	510		50	1460	*	2	86		5	490	
	<i>Hermit crab</i>	50	210	*	60	280	*	60	280	*	50	190	*	60	260	
	<i>Lateolabrax japonicus</i>															
	<i>Leucosia craniolaris</i>							1	4.1		3	11.2				
	<i>Ovula Ovum</i>															
	<i>Parapanope sp.</i>															
	<i>Parthenope validus</i>	13	141		20	380	*	5	82		5	120		20	280	
	<i>Porcellanella picta</i>	5	1.1					2	0.6							
	<i>Portunus hastatoides</i>				1	28					1	4				
	<i>Portunus pelagicus</i>				1	58										
	<i>Portunus sanguinolentus</i>															
	<i>Portunus trituberculatus</i>															
	<i>Maorophthalmus japonicus</i>							1	4.8							
	<i>Varuna litterata</i>															
	<i>Typhlocarcinus sp.</i>							1	1.2							
	<i>Typhlocarcinus villosus</i>															
Mantis shrimp	<i>Anchisquilla fasciata</i>															
	<i>Harpisquilla harpax</i>	3	82		1	48		1	42					2	120	
	<i>Squilla decorata</i>															
	<i>Dictyosquilla foveolata</i>	1	10					2	8							
	<i>Oratosquilla interrupta</i>													38	864	
	<i>Oratosquilla oratoria</i>															
	<i>Oratosquilla kempii</i>										1	26				
Gastropod	<i>Bursa rana</i>				2	11.8		1	6.9							
	<i>Calyptrea sp.</i>	1	0.3		5	1.2								3	0.9	

Trawling Data in August 2017

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Cymatium caudatum</i>															
	<i>Drupa musiva</i>	5	32		1	4.8										
	<i>Durpa fiscella</i>															
	<i>Gemmula deshayesii</i>															
	<i>Hemifusus scalare</i>															
	<i>Inquistor flavidula</i>				6	12										
	<i>Lophiotoma leucotropis</i>										2	9.3				
	<i>Murex trapa</i>	30	460	*	30	310	*	30	410	*	20	180	*	20	170	*
	<i>Nassarius hepaticus</i>							1	2.2							
	<i>Nassarius succinctus</i>	20	41	*	5	11										
	<i>Nassarius sp.</i>															
	<i>Natica sp.</i>															
	<i>Natica spadiceoides</i>															
	<i>Natica tigrina</i>															
	<i>Philine sp.</i>															
	<i>Pilosabia pilosa</i>	3	0.8		1	0.2		20	21	*						
	<i>Siphopatella walshi</i>	20	18	*	3	0.6		2	0.4				3	0.9		
	<i>Sesarma sp.</i>															
	<i>Thais mutabilis</i>															
	<i>Tonna olearium</i>															
	<i>Tonna sulcosa</i>															
	<i>Turricula nelliae</i>															
	<i>Turricula javana</i>															
	<i>Turritella terebra</i>	3160	30860	*	4180	40700	*	3610	32900	*	3100	30160	*	2910	28760	*
	<i>UNID Nudibranch</i>															
	<i>Aplysia sp.</i>															
Bivalve	<i>Anomalodiscus squamosus</i>							1	3.6							
	<i>Anomia chinensus</i>															
	<i>Atrina pectinata</i>							1	56							
	<i>Chione isabellina</i>															
	<i>Chlamys nobilis</i>				1	6.3										
	<i>Crossostrea sp.</i>															
	<i>Meretrix lusoria</i>															
	<i>Monia umbonata</i>															
	<i>Ostrea sp.</i>	30	80	*	30	70	*	20	60	*	90	110	*	60	80	*
	<i>Paphia undulata</i>															
	<i>Perna viridis</i>															
	<i>Pinctada martensii</i>															
	<i>Pinna pectinata(Atrina)</i>															
	<i>Placuna placenta</i>															
	<i>Ruditapes philippinarum</i>							1	116							
	<i>Scapharca subcrenata</i>				2	96		1	53				3	168		
	<i>Tegukkarca nodifera</i>															
	<i>Timoclea scabra</i>															
	<i>Tolonostrea talonata</i>															
	<i>Vepricardium asiaticum</i>															
Cephalopod	<i>Lolingid squid</i>															
	<i>Octopus</i>															
	<i>Sepiadarium kochii</i>															

Trawling Data in August 2017

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Sepiid cuttlefish</i>															
Echinoderm	<i>Acaudina molpadioides</i>	20	930	*	11	480		10	460		6	290		10	450	
	<i>Amphipolis (c.f.)</i>															
	<i>Aphrodita aculeata</i>															
	<i>Asteroidea</i>															
	<i>Luidia quinaria (c.f.)</i>															
	<i>Pseudocolochirus Sp.</i>															
	<i>Temnopleurus toreumaticus</i>	6	130		4	86		10	260		20	360	*	5	98	
Cnidaria	<i>Carcinactis ichikawai</i>				1	0.4					1	0.4				
	<i>Cavernularia habereri</i>	30	122	*	4	18		30	120	*	30	120	*	20	80	
	<i>Colochirus quadrangularis</i>															
	<i>Echinogorgia complexa (c.f.)</i>															
	<i>Edwardsia japonica (c.f.)</i>	4	23		1	5.2		13	121.6		5	17		2	19	
	<i>Ellisella laevis</i>															
	<i>Gorgonia spp.</i>				1	11.6					2	23				
	<i>Pteroeides chinense</i>	20	430	*	6	110		20	420	*	7	160		20	430	
	<i>Sea anomea</i>				2	12.6		1	7.4							
	<i>Virgularia gustaviana</i>	1	21.2		3	36.4		11	11.2							
Urochordata	Sea Squirts															
Calcispongea	Species 1															
Cirripedia	<i>Balanus spp.(c.f.)</i>															

Trawling Data in August 2017

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acanthopagrus schlegelii</i>															
	<i>Acentrogobius caninus</i>															
	<i>Acentrogobius chlorostigmatoides</i>															
	<i>Ambassis gymnocephalus</i>															
	<i>Apogon ellioti</i>															
	<i>Apogon kiensis</i>	1	4								2	8		1	6	
	<i>Apogon linentus</i>															
	<i>Arius arius</i>															
	<i>Arius maculatus</i>															
	<i>Arius sinensis</i>	2	56		2	642					2	98		1	46	
	<i>Arnoglossus waitei</i>															
	<i>Bothidae spp.</i>	4	18		2	16		2	18							
	<i>Butis koilmoatodon</i>															
	<i>Callionymus curvicornis</i>	1	2											2	4	
	<i>Carangidae sp</i>															
	<i>Caranx kalla</i>				1	10										
	<i>Chiloscyllium plagiosum</i>															
	<i>Chrysochir aureus</i>															
	<i>Coilia mystus</i>															
	<i>Collichthys lucidus</i>															
	<i>Cryptocentrus filifer</i>															
	<i>Cynoglossus abbreviatus</i>															
	<i>Cynoglossus arel</i>															
	<i>Cynoglossus filifer</i>															
	<i>Cynoglossus puncticeps</i>															
	<i>Cynoglossus roulei</i>				1	98					1	108				
	<i>Cynoglossus semilaevis</i>															
	<i>Cynoglossus sinicus</i>															
	<i>Dasyatis akajei</i>							2	1584		1	332				
	<i>Dasyatis bennettii</i>															
	<i>Dasyatis zugei</i>				5	422		3	684		1	242		3	584	
	<i>Dendrophysa russelii</i>															
	<i>Drepane longimana</i>				2	30										
	<i>Drepane punctata</i>				1	104										
	<i>Epinephelus awoara</i>				1	242					1	22		1	24	
	<i>Epinephelus bruneus</i>															
	<i>Fistularia sp.</i>															
	<i>Formio niger</i>															
	<i>Gerres abbreviatus</i>	4	578		7	408		20	418		8	224		3	82	
	<i>Gerres filamentosus</i>				1	22										
	<i>Glossogobius olivaceus</i>															
	<i>Grammoplites scaber</i>				2	8										
	<i>Gymnura japonica</i>															
	<i>Harpadon nehereus</i>															
	<i>Hippocampus histrix</i>															
	<i>Ilsha elongata</i>															
	<i>Inegocia japonica</i>															
	<i>Inimicus didactylus</i>															
	<i>Inimicus japonicus</i>															

Trawling Data in August 2017

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Johnius belangerii</i>															
	<i>Johnius cornata</i>															
	<i>Johnius dussumieri</i>															
	<i>Johnius heterolepis</i>															
	<i>Johnius sp.</i>															
	<i>Johnius taiwanese</i>															
	<i>Johnius taiwansis</i>										1	20				
	<i>Johnius trawase</i>															
	<i>Johnius trevvasae</i>															
	<i>Konosirus punctatus</i>	23	208		10	276		2	54		8	266		4	126	
	<i>Lagocephalus japonicus</i>															
	<i>Lagocephalus wheeleri</i>	1	10		3	10		5	34		6	52		4	72	
	<i>Larimichthys crocea</i>															
	<i>Leiognathus brevisrostris</i>															
	<i>Leiognathus dodecakanthoides</i>															
	<i>Leiognathus elongatus</i>															
	<i>Leiognathus nuchalis</i>															
	<i>Minous monodactylus</i>															
	<i>Mugil cephalus</i>	1	78											1	64	
	<i>Mullus barbatus</i>															
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>							5	36							
	<i>Nibea albiflora</i>															
	<i>Oplegnathus fasciatus</i>															
	<i>Orithya sinica</i>															
	<i>Otolithes ruber</i>															
	<i>Oxyurichthys tentacularis</i>	1	2					1	4		1	4				
	<i>Paracentropogon rubripinnis</i>															
	<i>Parachaeturichthys polynema</i>															
	<i>Paracobitis acuticephala</i>															
	<i>Paralagusia japonica</i>															
	<i>Parargyrops edita</i>															
	<i>Pennahia anea</i>	3	26		1	22		4	30		8	194		3	58	
	<i>Pennahia macrocephalus</i>															
	<i>Pennahia pawak</i>															
	<i>Pentaprion longimabus</i>															
	<i>Platycephalus indicus</i>	5	1259		9	1492		6	920		1	16				
	<i>Plectorhinchus cinctus</i>															
	<i>Plotosus lineatus</i>															
	<i>Polydactylus sextarius</i>															
	<i>Pseudorhombus cinnamomeus</i>	1	26													
	<i>Pseudorhombus cinnamoneus</i>															
	<i>Pseudorhombus dupliocellatus</i>															
	<i>Pseudorhombus oligodon</i>															
	<i>Rhynchopelates oxyrhynchus</i>															
	<i>Sardinella zunasi</i>															
	<i>Sardinella zunasi</i>															
	<i>Saurida elongata</i>	2	46					3	90		3	78				
	<i>Scatophagus argus</i>															

Trawling Data in August 2017

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Scoliodon sorrakowah</i>															
	<i>Scorpaenopsis longispina</i>	19	84		30	132		38	198		14	88		9	36	
	<i>Sebastiscus marmoratus</i>															
	<i>Secutor ruconius</i>															
	<i>Siganus canaliculatus</i>															
	<i>Siganus fuscescens</i>	1	10		12	90		4	38		2	12				
	<i>Sillago japonica</i>															
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>	33	180		31	248		22	186		10	100		2	16	
	<i>Stephanolepis cirrhifer</i>															
	<i>Stolephorus commersonii</i>															
	<i>Stolephorus commersonii</i>	1	2		8	28		2	8		8	32		6	22	
	<i>Takifugu niphobles</i>															
	<i>Takifugu niphobles</i>															
	<i>Takifugu oblongus</i>															
	<i>Takifugu oblongus</i>															
	<i>Takifugu poecilonotus</i>															
	<i>Takifugu poecilonotus</i>															
	<i>Takifugu xanthopterus</i>															
	<i>Terapon jarbua</i>															
	<i>Terapon theraps</i>															
	<i>Thryssa dussumieri</i>															
	<i>Thryssa hamiltonii</i>															
	<i>Thryssa kammalensis</i>															
	<i>Trachycephalus uranoscopa</i>	11	184		7	60		14	184		12	164		4	46	
	<i>Trichiurus japonicus</i>															
	<i>Tridentiger barbatus</i>															
	<i>Tridentiger bifasciatus</i>															
	<i>Tridentiger trigonocephalus</i>															
	<i>Trypauchen vagina</i>															
	<i>Uroconger lepturus</i>															
	<i>Zebrias zebra</i>															
Prawn or shrimp	<i>Alpheus brevicristatus</i>															
	<i>Alpheus distinguendus</i>							1	2		1	2				
	<i>Alpheus japonicus Miers</i>															
	<i>Exopalaemon annandalei</i>															
	<i>Exopalaemon carinicauda</i>															
	<i>Metapenaeopsis barbata</i>															
	<i>Metapenaeus affinis</i>															
	<i>Metapenaeus ensis</i>				54	260		43	230		19	82		14	70	
	<i>Metapenaeus joyneri</i>				1	4		2	8		2	18				
	<i>Palaemon macrodactylus</i>															
	<i>Parapenaeopsis a cultrirostris</i>															
	<i>Parapenaeopsis cultrirostris</i>							1	4							
	<i>Parapenaeopsis hardwickii</i>							2	10							
	<i>Parapenaeopsis tenella</i>															
	<i>Parapenaeopsis hungerfordii</i>	1	2		4	30		16	68		24	86		10	40	
	<i>Penaeus japonicus</i>							1	8							

Trawling Data in August 2017

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)		
	<i>Penaeus merguensis</i>															
	<i>Penaeus penicillatus</i>	25	254		20	186		11	112		11	122		6	64	
	<i>Solenocera crassicornis</i>															
	<i>Trachypenaeus curvirostris</i>															
Crab	<i>Arcania heptacontra</i>															
	<i>Arcania undecimspinosa</i>															
	<i>Misgurnus anguillicaudatus</i>															
	<i>c.f. Bananus spp.</i>	90	160	*	110	182	*	130	200	*	120	190	*	110	190	*
	<i>Parapanope euagora (c.f.)</i>															
	<i>Calappa philargius</i>															
	<i>Charybdis affinis</i>															
	<i>Charybdis acuta</i>															
	<i>Charybdis annulata</i>															
	<i>Charybdis bimaculata</i>															
	<i>Charybdis cruciata</i>															
	<i>Charybdis hellerii</i>															
	<i>Charybdis japonica</i>															
	<i>Charybdis natator</i>															
	<i>Charybdis lucifera</i>															
	<i>Charybdis variegata</i>															
	<i>Charybdis truncata</i>															
	<i>Charybdis spp.</i>	60	1840	*	50	1470	*	60	1800	*	60	1860	*	50	1500	*
	<i>Dorippe polita</i>	40	580	*	40	610	*	20	320	*	30	360	*	20	240	*
	<i>Eucrate crenata</i>	20	230	*	8	72					20	160	*			
	<i>Galene bispinosa</i>	20	810	*	20	1620	*	5	410		30	490	*	6	480	
	<i>Hermit crab</i>	50	230	*	40	170	*	40	170	*	40	180	*	30	110	*
	<i>Lateolabrax japonicus</i>															
	<i>Leucosia craniolaris</i>	20	88	*	20	96	*	7	26		30	136	*	20	108	*
	<i>Ovula Ovum</i>															
	<i>Parapanope sp.</i>															
	<i>Parthenope validus</i>	30	440	*							30	510	*			
	<i>Porcellanella picta</i>				5	1.1		3	0.9							
	<i>Portunus hastatoides</i>	6	10		2	2		15	38		17	36				
	<i>Portunus pelagicus</i>															
	<i>Portunus sanguinolentus</i>															
	<i>Portunus trituberculatus</i>															
	<i>Maorophthalmus japonicus</i>															
	<i>Varuna litterata</i>															
	<i>Typhlocarcinus sp.</i>															
	<i>Typhlocarcinus villosus</i>															
Mantis shrimp	<i>Anchisquilla fasciata</i>															
	<i>Harpisquilla harpax</i>				1	30					3	108		3	108	
	<i>Squilla decorata</i>															
	<i>Dictyosquilla foveolata</i>							1	12							
	<i>Oratosquilla interrupta</i>															
	<i>Oratosquilla oratoria</i>															
	<i>Oratosquilla kempii</i>				2	8										
Gastropod	<i>Bursa rana</i>													2	13.6	
	<i>Calyptraea sp.</i>													2	0.6	

Trawling Data in August 2017

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Cymatium caudatum</i>															
	<i>Drupa musiva</i>										3	11.2		5	26	
	<i>Durpa fiscella</i>															
	<i>Gemmula deshavesii</i>															
	<i>Hemifusus scalare</i>															
	<i>Inquistor flavidula</i>				20	46	*	11	23		30	68.4	*			
	<i>Lophiotoma leucotropis</i>															
	<i>Murex trapa</i>	30	370	*	50	410	*	20	180	*	40	340	*	40	350	*
	<i>Nassarius hepaticus</i>				20	46	*							3	9.1	*
	<i>Nassarius succinctus</i>	60	130	*	90	182	*	70	150	*	40	83	*	30	63	*
	<i>Nassarius sp.</i>															
	<i>Natica sp.</i>															
	<i>Natica spadiceoides</i>															
	<i>Natica tigrina</i>															
	<i>Philine sp.</i>															
	<i>Pilosabia pilosa</i>	7	1.2													
	<i>Siphopatella walshi</i>				20	2.9	*							4	1.1	
	<i>Sesarma sp.</i>															
	<i>Thais mutabilis</i>															
	<i>Tonna olearium</i>															
	<i>Tonna sulcosa</i>															
	<i>Turricula nelliae</i>															
	<i>Turricula javana</i>															
	<i>Turritella terebra</i>	910	8970	*	1240	19760	*	810	7920	*	790	7780	*	860	7920	*
	UNID Nudibranch															
	<i>Aplysia sp.</i>															
Bivalve	<i>Anomalodiscus squamosus</i>				20	42	*				3	6.1				
	<i>Anomia chinensus</i>															
	<i>Atrina pectinata</i>															
	<i>Chione isabellina</i>				6	26					20	110	*			
	<i>Chlamys nobilis</i>															
	<i>Crossostrea sp.</i>															
	<i>Meretrix lusoria</i>				20	32	*									
	<i>Monia umbonata</i>															
	<i>Ostrea sp.</i>				20	38	*				30	59	*	20	42	*
	<i>Paphia undulata</i>				30	130	*	7	31							
	<i>Perna viridis</i>															
	<i>Pinctada martensii</i>															
	<i>Pinna pectinata(Atrina)</i>															
	<i>Placuna placenta</i>															
	<i>Ruditapes philippinarum</i>															
	<i>Scapharca subcrenata</i>	20	910	*							2	96.4				
	<i>Tegukkarca nodifera</i>															
	<i>Timoclea scabra</i>															
	<i>Tolonostrea talonata</i>				1	2.3										
	<i>Vepricardium asiaticum</i>															
Cephalopod	<i>Lolingid squid</i>															
	<i>Octopus</i>															
	<i>Sepiadarium kochii</i>															

Trawling Data in August 2017

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Sepiid cuttlefish</i>															
Echinoderm	<i>Acaudina molpadioides</i>	3	110								2	92				
	<i>Amphipolis (c.f.)</i>															
	<i>Aphrodita aculeata</i>															
	<i>Asteroidea</i>															
	<i>Luidia quinaria (c.f.)</i>															
	<i>Pseudocolochirus Sp.</i>															
	<i>Temnopleurus toreumaticus</i>	50	1620	*	120	2740	*	160	3410	*	150	3320	*	180	4240	*
Cnidaria	<i>Carcinactis ichikawai</i>				2	0.8					3	1.2		1	0.4	
	<i>Cavernularia habereri</i>	30	140	*	7	21		20	70	*	30	140	*	30	140	*
	<i>Colochirus quadrangularis</i>															
	<i>Echinogorgia complexa (c.f.)</i>															
	<i>Edwardsia japonica (c.f.)</i>				1	7.2										
	<i>Ellisella laevis</i>															
	<i>Gorgonia spp.</i>															
	<i>Pteroeides chinense</i>	20	230	*	30	570	*	30	560	*	40	760	*	20	220	*
	<i>Sea anomea</i>				3	21.6								2	12	
	<i>Virgularia gustaviana</i>	2	16					1	6.4		3	23		1	14	
Urochordata	Sea Squirts															
Calcispongea	Species 1															
Cirripedia	<i>Bananus spp.(c.f.)</i>															

Trawling Data in August 2017

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acanthopagrus schlegelii</i>															
	<i>Acentrogobius caninus</i>				1	10										
	<i>Acentrogobius chlorostigmatoides</i>															
	<i>Ambassis gymnocephalus</i>															
	<i>Apogon ellioti</i>															
	<i>Apogon kiensis</i>	2	10		1	8					1	8		2	6	
	<i>Apogon linentus</i>															
	<i>Arius arius</i>															
	<i>Arius maculatus</i>															
	<i>Arius sinensis</i>							2	70		1	40		1	54	
	<i>Arnoglossus waitei</i>															
	<i>Bothidae spp.</i>				1	10		2	16							
	<i>Butis koilmoatodon</i>															
	<i>Callionymus curvicornis</i>	1	2								2	6		1	4	
	<i>Carangidae sp</i>															
	<i>Caranx kalla</i>															
	<i>Chiloscyllium plagiosum</i>															
	<i>Chrysochir aureus</i>															
	<i>Coilia mystus</i>															
	<i>Collichthys lucidus</i>															
	<i>Cryptocentrus filifer</i>													1	2	
	<i>Cynoglossus abbreviatus</i>															
	<i>Cynoglossus arel</i>															
	<i>Cynoglossus filifer</i>															
	<i>Cynoglossus puncticeps</i>															
	<i>Cynoglossus roulei</i>															
	<i>Cynoglossus semilaevis</i>															
	<i>Cynoglossus sinicus</i>	2	6													
	<i>Dasyatis akajei</i>							2	4882					1	636	
	<i>Dasyatis bennettii</i>															
	<i>Dasyatis zugei</i>	1	36								3	588				
	<i>Dendrophysa russelii</i>															
	<i>Drepane longimana</i>										1	24		1	18	
	<i>Drepane punctata</i>	1	20													
	<i>Epinephelus awoara</i>	1	28					2	62		2	62		1	4	
	<i>Epinephelus bruneus</i>															
	<i>Fistularia sp.</i>															
	<i>Formio niger</i>															
	<i>Gerres abbreviatus</i>	10	338		8	246		6	110		1	28		1	24	
	<i>Gerres filamentosus</i>															
	<i>Glossogobius olivaceus</i>															
	<i>Grammoplites scaber</i>							2	14					1	4	
	<i>Gymnura japonica</i>													1	228	
	<i>Harpadon nehereus</i>															
	<i>Hippocampus histrix</i>															
	<i>Ilsha elongata</i>															
	<i>Inegocia japonica</i>															
	<i>Inimicus didactylus</i>							1	126							
	<i>Inimicus japonicus</i>															

Trawling Data in August 2017

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Johnius belangerii</i>															
	<i>Johnius cornata</i>															
	<i>Johnius dussumieri</i>															
	<i>Johnius heterolepis</i>															
	<i>Johnius sp.</i>															
	<i>Johnius taiwanese</i>															
	<i>Johnius taiwansis</i>	4	126		2	68		1	20				1	26		
	<i>Johnius trawase</i>															
	<i>Johnius trewavasae</i>															
	<i>Konosirus punctatus</i>	1	38		1	42							1	36		
	<i>Lagocephalus japonicus</i>															
	<i>Lagocephalus wheeleri</i>	1	122					1	2		2	140		2	110	
	<i>Larimichthys crocea</i>															
	<i>Leiognathus brevisrostris</i>															
	<i>Leiognathus dodecakanthoides</i>															
	<i>Leiognathus elongatus</i>															
	<i>Leiognathus nuchalis</i>							6	54							
	<i>Minous monodactylus</i>							1	10							
	<i>Mugil cephalus</i>	1	14								1	50				
	<i>Mullus barbatus</i>															
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>	1	16		1	14		1	10							
	<i>Nibea albiflora</i>												1	90		
	<i>Oplegnathus fasciatus</i>															
	<i>Orithya sinica</i>															
	<i>Otolithes ruber</i>							1	48							
	<i>Oxyurichthys tentacularis</i>															
	<i>Paracentropogon rubripinnis</i>															
	<i>Parachaeturichthys polynema</i>															
	<i>Paracobitis acuticephala</i>															
	<i>Paralagusia japonica</i>															
	<i>Parargyrops edita</i>															
	<i>Pennahia anea</i>	6	68					5	12		1	14		2	30	
	<i>Pennahia macrocephalus</i>															
	<i>Pennahia pawak</i>															
	<i>Pentaprion longimabus</i>															
	<i>Platycephalus indicus</i>				2	152					1	86		1	28	
	<i>Plectorhinchus cinctus</i>															
	<i>Plotosus lineatus</i>				1	74		1	94							
	<i>Polydactylus sextarius</i>										5	26		6	34	
	<i>Pseudorhombus cinnamomeus</i>				2	56										
	<i>Pseudorhombus cinnamoneus</i>							1	14							
	<i>Pseudorhombus dupliocellatus</i>															
	<i>Pseudorhombus oligodon</i>															
	<i>Rhynchopelates oxyrhynchus</i>															
	<i>Sardinella zunasi</i>															
	<i>Sardinella zunasi</i>															
	<i>Saurida elongata</i>	2	54					2	24				1	34		
	<i>Scatophagus argus</i>															

Trawling Data in August 2017

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Scoliodon sorrakowah</i>															
	<i>Scorpaenopsis longispina</i>	5	34		5	42					1	6		1	2	
	<i>Sebastiscus marmoratus</i>															
	<i>Secutor ruconius</i>															
	<i>Siganus canaliculatus</i>															
	<i>Siganus fuscescens</i>	3	20		1	8		2	10				2	14		
	<i>Sillago japonica</i>															
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>	4	25		5	56		1	18							
	<i>Stephanolepis cirrhifer</i>															
	<i>Stolephorus commersonii</i>															
	<i>Stolephorus commersonnii</i>	4	24		1	4					7	28		3	12	
	<i>Takifugu niphobles</i>															
	<i>Takifugu niphobles</i>															
	<i>Takifugu oblongus</i>															
	<i>Takifugu oblongus</i>															
	<i>Takifugu poecilonotus</i>															
	<i>Takifugu poecilonotus</i>															
	<i>Takifugu xanthopterus</i>															
	<i>Terapon jarbua</i>															
	<i>Terapon theraps</i>															
	<i>Thryssa dussumieri</i>															
	<i>Thryssa hamiltonii</i>															
	<i>Thryssa kammalensis</i>															
	<i>Trachycephalus uranoscopa</i>	3	30		4	56		3	48		2	24		2	26	
	<i>Trichiurus japonicus</i>															
	<i>Tridentiger barbatus</i>															
	<i>Tridentiger bifasciatus</i>															
	<i>Tridentiger trigonocephalus</i>															
	<i>Trypauchen vagina</i>															
	<i>Uroconger lepturus</i>															
	<i>Zebrias zebra</i>															
Prawn or shrimp	<i>Alpheus brevicristatus</i>															
	<i>Alpheus distinguendus</i>							1	2							
	<i>Alpheus japonicus Miers</i>															
	<i>Exopalaemon annandalei</i>															
	<i>Exopalaemon carinicauda</i>															
	<i>Metapenaeopsis barbata</i>															
	<i>Metapenaeus affinis</i>															
	<i>Metapenaeus ensis</i>															
	<i>Metapenaeus joyneri</i>															
	<i>Palaemon macrodactylus</i>															
	<i>Parapenaeopsis a cultriostriis</i>															
	<i>Parapenaeopsis cultirostris</i>															
	<i>Parapenaeopsis hardwickii</i>				1	2							2	8		
	<i>Parapenaeopsis tenella</i>	1	2													
	<i>Parapenaeopsis hungerfordii</i>	8	36		11	54		15	62		2	12		3	14	
	<i>Penaeus japonicus</i>							1	12							

Trawling Data in August 2017

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Penaeus merguensis</i>											1	12			
	<i>Penaeus penicillatus</i>	7	54		4	38		10	102		4	22		11	130	
	<i>Solenocera crassicornis</i>															
	<i>Trachypenaeus curvirostris</i>													1	2	
Crab	<i>Arcania heptacontra</i>															
	<i>Arcania undecimspinosa</i>															
	<i>Misgurnus anguillicaudatus</i>															
	<i>c.f. Bananus spp.</i>	40	140	*	60	110	*	90	150	*	110	210	*	90	150	*
	<i>Parapanope euagora (c.f.)</i>															
	<i>Calappa philargius</i>															
	<i>Charybdis affinis</i>															
	<i>Charybdis acuta</i>															
	<i>Charybdis annulata</i>															
	<i>Charybdis bimaculata</i>															
	<i>Charybdis cruciata</i>															
	<i>Charybdis hellerii</i>															
	<i>Charybdis japonica</i>				9	196		8	246		1	30		2	86	
	<i>Charybdis natator</i>	3	88													
	<i>Charybdis lucifera</i>															
	<i>Charybdis variegata</i>															
	<i>Charybdis truncata</i>	1	2													
	<i>Charybdis spp.</i>	60	1810	*	30	340	*	40	640	*	50	1120	*	40	920	*
	<i>Dorippe polita</i>	20	320	*	10	180		6	170		20	310	*	5	62	
	<i>Eucrate crenata</i>							8	62							
	<i>Galene bispinosa</i>	20	820	*	13	310		30	1520	*	20	830	*	20	820	*
	<i>Hermit crab</i>	30	110	*	20	82	*	30	120	*	30	110	*	20	90	*
	<i>Lateolabrax japonicus</i>															
	<i>Leucosia craniolaris</i>	20	120	*	16	52	*	20	120	*	11	41	*	30	120	*
	<i>Ovula Ovum</i>															
	<i>Parapanope sp.</i>															
	<i>Parthenope validus</i>	20	410	*	30	610	*	20	380	*	20	380	*	20	360	*
	<i>Porcellanella picta</i>							1	0.3							
	<i>Portunus hastatooides</i>	3	10													
	<i>Portunus pelagicus</i>															
	<i>Portunus sanguinolentus</i>															
	<i>Portunus trituberculatus</i>															
	<i>Maorophthalmus japonicus</i>															
	<i>Varuna litterata</i>															
	<i>Typhlocarcinus sp.</i>															
	<i>Typhlocarcinus villosus</i>															
Mantis shrimp	<i>Anchisquilla fasciata</i>															
	<i>Harpisquilla harpax</i>	2	76					4	174		5	188		1	42	
	<i>Squilla decorata</i>															
	<i>Dictyosquilla foveolata</i>													1	16	
	<i>Oratosquilla interrupta</i>															
	<i>Oratosquilla oratoria</i>															
	<i>Oratosquilla kempi</i>															
Gastropod	<i>Bursa rana</i>															
	<i>Calyptreaea sp.</i>				3	0.9					3	1.1				

Trawling Data in August 2017

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Cymatium caudatum</i>															
	<i>Drupa musiva</i>				1	5.2										
	<i>Durpa fiscella</i>															
	<i>Gemmula deshayesii</i>															
	<i>Hemifusus scalare</i>															
	<i>Inquistor flavidula</i>	20	43	*							5	11				
	<i>Lophiotoma leucotropis</i>															
	<i>Murex trapa</i>	10	580		20	140	*	30	220	*	20	130	*	20	130	*
	<i>Nassarius hepaticus</i>															
	<i>Nassarius succinctus</i>	30	64	*	20	43	*	20	40	*	6	13				
	<i>Nassarius sp.</i>															
	<i>Natica sp.</i>															
	<i>Natica spadiceoides</i>															
	<i>Natica tigrina</i>															
	<i>Philine sp.</i>															
	<i>Pilosabia pilosa</i>	3	0.9								20	62	*	6	1.2	
	<i>Siphopatella walshi</i>				20	26	*				1.1	42				
	<i>Sesarma sp.</i>															
	<i>Thais mutabilis</i>															
	<i>Tonna olearium</i>															
	<i>Tonna sulcosa</i>															
	<i>Turricula nelliae</i>															
	<i>Turricula javana</i>															
	<i>Turritella terebra</i>	15	130		11	102		30	280	*	20	190	*	30	280	*
	UNID Nudibranch															
	<i>Aplysia sp.</i>															
Bivalve	<i>Anomalodiscus squamosus</i>				1	1.8		7	13.2							
	<i>Anomia chinensis</i>															
	<i>Atrina pectinata</i>															
	<i>Chione isabellina</i>	20	130	*				7	46				20	140		
	<i>Chlamys nobilis</i>															
	<i>Crossostrea sp.</i>	1	45													
	<i>Meretrix lusoria</i>															
	<i>Monia umbonata</i>															
	<i>Ostrea sp.</i>	30	62	*	20	32	*				20	36	*			
	<i>Paphia undulata</i>															
	<i>Perna viridis</i>															
	<i>Pinctada martensii</i>															
	<i>Pinna pectinata(Atrina)</i>															
	<i>Placuna placenta</i>															
	<i>Ruditapes philippinarum</i>															
	<i>Scapharca subcrenata</i>													2	72	
	<i>Tegukkarca nodifera</i>															
	<i>Timoclea scabra</i>															
	<i>Tolonostrea talonata</i>															
	<i>Vepricardium asiaticum</i>															
Cephalopod	<i>Lolingid squid</i>															
	<i>Octopus</i>															
	<i>Sepiadarium kochii</i>															

Trawling Data in August 2017

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)		
	<i>Sepiid cuttlefish</i>															
Echinoderm	<i>Acaudina molpadioides</i>				1	38								1	36	
	<i>Amphipolis (c.f.)</i>															
	<i>Aphrodita aculeata</i>															
	<i>Astroidea</i>															
	<i>Luidia quinaria (c.f.)</i>															
	<i>Pseudocolochirus Sp.</i>															
	<i>Temnopleurus toreumaticus</i>	20	360	*	10	190		20	360	*	30	480	*	20	360	*
Cnidaria	<i>Carcinactis ichikawai</i>	4	1.2											1	6.2	
	<i>Cavernularia habereri</i>	11	46		20	80	*	20	80	*	6	26		10	42	
	<i>Colochirus quadrangularis</i>															
	<i>Echinogorgia complexa (c.f.)</i>															
	<i>Edwardsia japonica (c.f.)</i>															
	<i>Ellisella laevis</i>				1	16.2										
	<i>Gorgonia spp.</i>							2	21.6							
	<i>Pteroeides chinense</i>	5	110					2	46		3	72		20	440	*
	<i>Sea anomea</i>				1	6.8		2	11.6							
	<i>Virgularia gustaviana</i>				2	23.2										
Urochordata	Sea Squirts															
Calcispongea	Species 1															
Cirripedia	<i>Bananus spp.(c.f.)</i>															