

Trawling data for February 2013

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acentrogobius caninus</i>	2.0	68.0		1.0	18.0		2.0	46.0		2.0	56.0				
	<i>Acanthopagrus schlegeli</i>										1.0	840.0				
	<i>Apogon kiensis</i>	1.0	6.0					2.0	26.0		2.0	22.0		1.0	8.0	
	<i>Apogon lineatus</i>															
	<i>Clupanodon thrissa</i>															
	<i>Collichthys lucidus</i>															
	<i>Cryptocentrus filifer</i>	1.0	16.0								1.0	34.0				
	<i>Cynoglossus arel</i>	6.0	142.0		8.0	268.0		3.0	96.0		4.0	172.0		2.0	204.0	
	<i>Cynoglossus abbreviatus</i>															
	<i>Cynoglossus semilaevis</i>															
	<i>Dasvatis zugei</i>	3.0	358.0		3.0	828.0		1.0	162.0		4.0	978.0		1.0	592.0	
	<i>Epinephelus awoara</i>	2.0	198.0		1.0	80.0								1.0	70.0	
	<i>Epinephelus bruneus</i>															
	<i>Erisiphex pottii</i>	13.0	230.0		2.0	38.0		1.0	10.0		2.0	34.0		5.0	60.0	
	<i>Gerres abbreviatus</i>	1.0	52.0		1.0	30.0					1.0	36.0		1.0	30.0	
	<i>Inegocia japonica</i>															
	<i>Johnius amblycephalus</i>	1.0	22.0					2.0	90.0					1.0	16.0	
	<i>Johnius belangerii</i>							2.0	32.0							
	<i>Inimicus didactylus</i>				2.0	178.0										
	<i>Inimicus japonicus</i>				1.0	22.0										
	<i>Leiognathus brevisrostris</i>	5.0	74.0		1.0	16.0		2.0	24.0					3.0	34.0	
	<i>Liza macrolepis</i>							1.0	28.0							
	<i>Moolgarda cunnesius</i>															
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>															
	<i>Nibea acuta</i>				1.0	108.0										
	<i>Nibea albiflora</i>															
	<i>Nibea soldado</i>															
	<i>Oxyurichthys tentacularis</i>										2.0	12.0		1.0	6.0	
	<i>Otolithes ruber</i>															
	<i>Pennahia macrocephalus</i>															
	<i>Pentaprion longimanus</i>															
	<i>Pisodonophis boro</i>															
	<i>Platycephalus indicus</i>	14.0	1014.0		7.0	378.0					7.0	462.0		8.0	472.0	
	<i>Polydactylus sextarius</i>															
	<i>Pseudorhombus cinnamomeus</i>				3.0	238.0		1.0	110.0							
	<i>Pseudorhombus oligodon</i>	2.0	16.0					3.0	22.0		2.0	16.0				
	<i>Siganus canaliculatus</i>										1.0	34.0				
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>	2.0	22.0								2.0	18.0		4.0	24.0	
	<i>Syngnathus schlegeli</i>															
	<i>Takifugu niphobles</i>															
	<i>Takifugu oblongus</i>															
	<i>Trachycephalus uranoscopa</i>															
	<i>Trypauchen vagina</i>	1.0	10.0		1.0	14.0		5.0	60.0					2.0	36.0	
Prawn or shrimp	<i>Alpheus brevirostratus</i>															
	<i>Alpheus distinguendus</i>															
	<i>Metapenaeopsis barbata</i>							1.0	10.0							
	<i>Metapenaeus affinis</i>															

Trawling data for February 2013

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Metapenaeus ensis</i>	1.0	26.0		1.0	18.0		1.0	42.0		2.0	20.0		1.0	24.0	
	<i>Metapenaeus moyebi</i>															
	<i>Parapenaeopsis tenella</i>															
	<i>Penaeus japonicus</i>															
	<i>Penaeus merguensis</i>	15.0	678.0		10.0	454.0		5.0	196.0		6.0	302.0		15.0	738.0	
	<i>Penaeus penicillatus</i>															
	<i>Solenocera crassicornis</i>															
Crab	<i>Charybdis affinis</i>	7.0	222.0		10.0	282.0		10.0	250.0							
	<i>Charybdis cruciata</i>	2.0	114.0		1.0	138.0		1.0	342.0							
	<i>Charybdis japonica</i>										1.0	171.0				
	<i>Charybdis spp.</i>	72.0	534.0	*	60.0	686.0		65.0	512.0		62.0	476.0		60.0	474.0	*
	<i>Charybdis truncata</i>															
	<i>Dorippe polita</i>	30.0	152.0	*	11.0	52.0		6.0	24.0		5.0	82.0		14.0	82.0	
	<i>Eucrate crenata</i>															
	<i>Galene bispinosa</i>															
	<i>Hermit crab</i>	40.0	130.0	*	50.0	148.0	*	46.0	134.0	*	50.0	148.0	*	55.0	156.0	*
	<i>Leucosia craniolaris</i>	3.0	5.2													
	<i>Macrophthalmus japonicus</i>	4.0	29.2		3.0	21.2		5.0	31.6							
	<i>Parthenope validus</i>	1.0	16.3		3.0	82.0										
	<i>Porcellanella picta</i>	2.0	0.8													
	<i>Portunus sanguinolentus</i>															
	<i>Portunus sp.</i>															
	<i>Portunus trituberculatus</i>															
	<i>Scylla serrata</i>															
	<i>Typhlocarcinus sp.</i>															
Mantis shrimp	<i>Harpisquilla harpax</i>															
	<i>Oratosquilla interrupta</i>							1.0	26.0							
	<i>Oratosquilla oratoria</i>										1.0	26.0				
Gastropod	<i>Apollon olivator rubustus</i>															
	<i>Bursa rana</i>															
	<i>Calyptraea sp.</i>															
	<i>Drupa musiva</i>													7.0	31.0	
	<i>Epitonium scalare</i>															
	<i>Gemmula deshayesii</i>										2.0	1.7				
	<i>Inquistor flavidula</i>	32.0	61.4	*	30.0	58.0	*	16.0	30.0		42.0	86.0	*	36.0	72.0	*
	<i>Lophiotoma leucotropis</i>															
	<i>Murex trapa</i>	11.0	29.4		5.0	21.0		7.0	36.0					5.0	18.9	
	<i>Nassarius hepaticus</i>	2.0	3.8													
	<i>Nassarius succinctus</i>	6.0	13.4		14.0	29.0		36.0	81.0	*	16.0	37.0		40.0	84.0	*
	<i>Nassarius sp.</i>															
	<i>Natica tigrina</i>															
	<i>Pilosabia pilosa</i>													2.0	0.8	
	<i>Siphonotoma walshi</i>													1.0	0.3	
	<i>Thais mutabilis</i>															
	<i>Tonna sulcosa</i>															
	<i>Turritella terebra</i>	1642.0	14360.0	*	1268.0	11050.0	*	1370.0	11680.0	*	1260.0	10480.0	*	1310.0	11640.0	*
Bivalve	<i>Anomalodiscus squamosus</i>															
	<i>Crassostrea spp.</i>															
	<i>Chione isabellina</i>				5.0	33.0		2.0	8.3							

Trawling data for February 2013

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Chlamys nobilis</i>															
	<i>Macoma candida</i>															
	<i>Ostrea sp.</i>	11.0	14.2													
	<i>Paphia undulata</i>															
	<i>Pinctada martensii</i>															
	<i>Ruditapes philippinarum</i>															
	<i>Scapharca subcrenata</i>															
	<i>Tegillarca nodifera</i>															
Cephalopod	<i>Lolingid squid</i>												1.0	28.0		
	<i>Sepiid cuttlefish</i>															
	<i>Octopus sp.</i>															
Echinoderm	<i>Acaudina molpadioides</i>	2.0	64.0		1.0	4.2							5.0	118.0		
	<i>Carcinactis ichikawai</i>	1.0	0.4													
	<i>Cavernularia habereri</i>	14.0	215.0		17.0	129.2		11.0	42.0		32.0	168.0	*	36.0	170.0	*
	<i>Edwardsia japonica (c.f.)</i>															
	<i>Ellisella laevis</i>	2.0	29.2													
	<i>Jelly fish</i>															
	<i>Pteroeides chinense</i>	6.0	162.0		8.0	196.0		4.0	53.2		9.0	142.0		6.0	175.0	
	<i>Sea Squirts</i>													1.0	5.2	
	<i>Sea anomea</i>															
	<i>Temnopleurus toreumaticus</i>															
	<i>Virgularia gustaviana</i>	8.0	76.0		5.0	132.0		6.0	41.0				2.0	8.3		
Cirripedia	<i>Balanus spp.(c.f.)</i>	320.0	106.0	*	280.0	130.0	*	310.0	92.0	*	420.0	212.0	*	380.0	186.0	*

Trawling data for February 2013

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acentrogobius caninus</i>	3.0	80.0		3.0	64.0		7.0	108.0		6.0	144.0		8.0	178.0	
	<i>Acanthopagrus schlegeli</i>															
	<i>Apogon kiensis</i>															
	<i>Apogon lineatus</i>							1.0	2.0					1.0	8.0	
	<i>Clupanodon thrissa</i>															
	<i>Collichthys lucidus</i>															
	<i>Cryptocentrus filifer</i>															
	<i>Cynoglossus arel</i>	4.0	70.0		5.0	162.0		7.0	176.0		1.0	44.0		4.0	116.0	
	<i>Cynoglossus abbreviatus</i>															
	<i>Cynoglossus semilaevis</i>													1.0	70.0	
	<i>Dasyatis zugei</i>				1.0	592.0										
	<i>Epinephelus awoara</i>															
	<i>Epinephelus bruneus</i>							1.0	58.0		4.0	744.0		2.0	388.0	
	<i>Erispex pottii</i>															
	<i>Gerres abbreviatus</i>	1.0	22.0		1.0	24.0					5.0	144.0		3.0	80.0	
	<i>Inegocia japonica</i>															
	<i>Johnius amblycephalus</i>	5.0	78.0		5.0	68.0		7.0	104.0		7.0	132.0		6.0	108.0	
	<i>Johnius belangerii</i>	1.0	78.0													
	<i>Inimicus didactylus</i>	2.0	108.0					2.0	186.0					2.0	416.0	
	<i>Inimicus japonicus</i>															
	<i>Leiognathus brevivirostris</i>	5.0	82.0		5.0	64.0		28.0	464.0		13.0	200.0		14.0	172.0	
	<i>Liza macrolepis</i>															
	<i>Moolgarda cunnesius</i>															
	<i>Muraenesox cinereus</i>				1.0	78.0										
	<i>Nemipterus japonicus</i>										1.0	42.0				
	<i>Nibea acuta</i>															
	<i>Nibea albiflora</i>															
	<i>Nibea soldado</i>															
	<i>Oxyurichthys tentacularis</i>				1.0	2.0		1.0	4.0							
	<i>Otolithes ruber</i>										1.0	122.0		1.0	138.0	
	<i>Pennahia macrocephalus</i>															
	<i>Pentaprion longimanus</i>															
	<i>Pisodonophis boro</i>															
	<i>Platycephalus indicus</i>	6.0	266.0		3.0	103.0		6.0	400.0		7.0	248.0		5.0	270.0	
	<i>Polydactylus sextarius</i>							1.0	22.0							
	<i>Pseudorhombus cinnamoneus</i>										2.0	304.0				
	<i>Pseudorhombus oligodon</i>	4.0	28.0		1.0	6.0		4.0	40.0		2.0	18.0		7.0	60.0	
	<i>Siganus canaliculatus</i>															
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>	15.0	162.0		22.0	226.0		4.0	48.0		4.0	48.0		3.0	44.0	
	<i>Syngnathus schlegeli</i>															
	<i>Takifugu niphobles</i>															
	<i>Takifugu oblongus</i>				1.0	58.0										
	<i>Trachycephalus uranoscopa</i>	1.0	20.0		5.0	56.0		3.0	38.0		1.0	12.0		6.0	56.0	
	<i>Trypauchen vagina</i>	1.0	12.0		1.0	12.0		5.0	64.0		1.0	8.0		4.0	24.0	
Prawn or shrimp	<i>Alpheus brevicristatus</i>															
	<i>Alpheus distinguendus</i>	2.0	4.0													
	<i>Metapenaeopsis barbata</i>							1.0	4.0							
	<i>Metapenaeus affinis</i>	4.0	42.0		5.0	38.0										

Trawling data for February 2013

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Metapenaeus ensis</i>	10.0	120.0		4.0	76.0		5.0	64.0		6.0	110.0		2.0	24.0	
	<i>Metapenaeus moyebi</i>													4.0	40.0	
	<i>Parapenaeopsis tenella</i>	8.0	58.0		13.0	84.0		14.0	86.0					10.0	64.0	
	<i>Penaeus japonicus</i>				1.0	44.0		1.0	20.0		5.0	36.0				
	<i>Penaeus merguensis</i>	135.0	592.0		14.0	598.0		15.0	630.0		8.0	348.0		9.0	434.0	
	<i>Penaeus penicillatus</i>										2.0	36.0				
	<i>Solenocera crassicornis</i>													1.0	2.0	
Crab	<i>Charybdis affinis</i>	3.0	88.0		15.0	358.0					5.0	132.0		1.0	14.0	
	<i>Charybdis cruciata</i>	1.0	16.0											1.0	176.0	
	<i>Charybdis japonica</i>															
	<i>Charybdis spp.</i>	60.0	380.0	*	50.0	360.0	*	50.0	310.0	*	46.0	286.0	*	40.0	270.0	*
	<i>Charybdis truncata</i>															
	<i>Dorippe polita</i>							4.0	26.3					3.0	19.6	
	<i>Eucrate crenata</i>															
	<i>Galene bispinosa</i>				1.0	59.0		2.0	194.0		1.0	138.0		1.0	54.0	
	<i>Hermit crab</i>	90.0	260.0	*	80.0	240.0	*	210.0	810.0	*	180.0	710.0	*	260.0	930.0	*
	<i>Leucosia craniolearis</i>															
	<i>Macrophthalmus japonicus</i>															
	<i>Parthenope validus</i>	1.0	22.0													
	<i>Porcellanella picta</i>															
	<i>Portunus sanguinolentus</i>															
	<i>Portunus sp.</i>															
	<i>Portunus trituberculatus</i>				1.0	32.0										
	<i>Scylla serrata</i>	1.0	256.0													
	<i>Typhlocarcinus sp.</i>															
Mantis shrimp	<i>Harpisquilla harpax</i>															
	<i>Oratosquilla interrupta</i>				1.0	22.0					1.0	22.0				
	<i>Oratosquilla oratoria</i>	1.0	28.0		1.0	22.0					3.0	66.0		2.0	50.0	
Gastropod	<i>Apollon olivator rubustus</i>															
	<i>Bursa rana</i>															
	<i>Calyptraea sp.</i>															
	<i>Drupa musiva</i>															
	<i>Epitonium scalare</i>															
	<i>Gemmula deshayesii</i>															
	<i>Inquistor flavidula</i>	40.0	86.0	*	50.0	90.0	*	60.0	130.0	*	140.0	86.0	*	30.0	70.0	*
	<i>Lophiotoma leucotropis</i>															
	<i>Murex trapa</i>							3.0	26.0							
	<i>Nassarius hepaticus</i>															
	<i>Nassarius succinctus</i>															
	<i>Nassarius sp.</i>															
	<i>Natica tigrina</i>															
	<i>Pilosabia pilosa</i>	1.0	0.3								2.0	0.6				
	<i>Siphopatella walshi</i>															
	<i>Thais mutabilis</i>															
	<i>Tonna sulcosa</i>															
	<i>Turritella terebra</i>	9500.0	92000.0	*	9700.0	94000.0	*	9500.0	94000.0	*	36000.0	310000.0	*	43000.0	390000.0	*
Bivalve	<i>Anomalodiscus squamosus</i>															
	<i>Crassostrea spp.</i>															
	<i>Chione isabellina</i>										1.0	6.3				

Trawling data for February 2013

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Chlamys nobilis</i>															
	<i>Macoma candida</i>															
	<i>Ostrea sp.</i>															
	<i>Paphia undulata</i>															
	<i>Pinctada martensii</i>						1.0	110.0								
	<i>Ruditapes philippinarum</i>															
	<i>Scapharca subcrenata</i>	2.0	210.0		1.0	76.8		2.0	240.0							
	<i>Tegillarca nodifera</i>															
Cephalopod	<i>Lolingid squid</i>															
	<i>Sepiid cuttlefish</i>															
	<i>Octopus sp.</i>										1.0	66.0				
Echinoderm	<i>Acaudina molpadioides</i>	1.0	30.6		3.0	124.0		4.0	112.0		3.0	80.0				
	<i>Carcinactis ichikawai</i>												1.0	0.4		
	<i>Cavernularia habereri</i>	6.0	26.0		11.0	33.0		3.0	9.2					f		
	<i>Edwardsia japonica (c.f.)</i>															
	<i>Ellisella laevis</i>															
	<i>Jelly fish</i>	1.0	16.2					2.0	62.0							
	<i>Pteroeides chinense</i>										3.0	64.0		2.0	26.0	
	<i>Sea Squirts</i>															
	<i>Sea anomea</i>															
	<i>Temnopleurus toreumaticus</i>															
	<i>Virgularia gustaviana</i>							1.0	4.5					1.0	4.1	
Cirripedia	<i>Balanus spp.(c.f.)</i>	320.0	152.0	*	360.0	148.0	*	360.0	170.0	*	330.0	160.0	*	420.0	210.0	*

Trawling data for February 2013

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acentrogobius caninus</i>											1.0	18.0			
	<i>Acanthopagrus schlegeli</i>															
	<i>Apogon kiensis</i>															
	<i>Apogon lineatus</i>															
	<i>Clupanodon thrissa</i>															
	<i>Collichthys lucidus</i>				1.0	22.0		1.0	22.0							
	<i>Cryptocentrus filifer</i>															
	<i>Cynoglossus arel</i>	2.0	30.0		6.0	162.0		3.0	112.0		1.0	32.0		3.0	124.0	
	<i>Cynoglossus abbreviatus</i>															
	<i>Cynoglossus semilaevis</i>															
	<i>Dasyatis zugei</i>	2.0	352.0													
	<i>Epinephelus awoara</i>													1.0	30.0	
	<i>Epinephelus bruneus</i>															
	<i>Erisphex pottii</i>							1.0	20.0		1.0	18.0				
	<i>Gerres abbreviatus</i>															
	<i>Inegocia japonica</i>															
	<i>Johnius amblycephalus</i>	2.0	30.0		4.0	50.0		9.0	114.0		3.0	64.0		2.0	32.0	
	<i>Johnius belangerii</i>															
	<i>Inimicus didactylus</i>				1.0	164.0		1.0	151.0		2.0	474.0		2.0	316.0	
	<i>Inimicus japonicus</i>															
	<i>Leiognathus brevisrostris</i>	14.0	146.0		5.0	66.0		1.0	12.0		4.0	48.0		1.0	8.0	
	<i>Eiza macrolepis</i>															
	<i>Moolgarda cunnesius</i>															
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>															
	<i>Nibea acuta</i>	2.0	100.0		2.0	34.0		6.0	76.0		6.0	134.0		5.0	114.0	
	<i>Nibea albiflora</i>															
	<i>Nibea soldado</i>															
	<i>Oxyurichthys tentacularis</i>				1.0	2.0		2.0	8.0		1.0	4.0				
	<i>Otolithes ruber</i>															
	<i>Pennahia macrocephalus</i>															
	<i>Pentaprion longimanus</i>															
	<i>Pisodonophis boro</i>															
	<i>Platycephalus indicus</i>	4.0	226.0		4.0	294.0		5.0	190.0		4.0	988.0		3.0	364.0	
	<i>Polydactylus sextarius</i>															
	<i>Pseudorhombus cinnamomeus</i>							1.0	53.0							
	<i>Pseudorhombus oligodon</i>															
	<i>Siganus canaliculatus</i>															
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>	2.0	14.0					1.0	14.0		5.0	58.0		3.0	28.0	
	<i>Syngnathus schlegeli</i>							1.0	6.0							
	<i>Takifugu niphobles</i>				1.0	14.0										
	<i>Takifugu oblongus</i>															
	<i>Trachycephalus uranoscopa</i>															
	<i>Trypauchen vagina</i>	2.0	18.0		1.0	14.0		1.0	4.0							
Prawn or shrimp	<i>Alpheus brevicristatus</i>															
	<i>Alpheus distinguendus</i>															
	<i>Metapenaeopsis barbata</i>															
	<i>Metapenaeus affinis</i>	1.0	10.0													

Trawling data for February 2013

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Metapenaeus ensis</i>	5.0	38.0		14.0	136.0		17.0	180.0		15.0	212.0		6.0	110.0	
	<i>Metapenaeus movebi</i>															
	<i>Parapenaeopsis tenella</i>	25.0	104.0		36.0	184.0		60.0	316.0		22.0	146.0		16.0	126.0	
	<i>Penaeus japonicus</i>															
	<i>Penaeus merguensis</i>	1.0	26.0		7.0	98.0		3.0	112.0					2.0	60.0	
	<i>Penaeus penicillatus</i>															
	<i>Solenocera crassicornis</i>				1.0	2.0		5.0	14.0					1.0	4.0	
Crab	<i>Charybdis affinis</i>	1.0	26.0		9.0	282.0		12.0	276.0		6.0	154.0		7.0	212.0	
	<i>Charybdis cruciata</i>							1.0	252.0		2.0	386.0		1.0	106.0	
	<i>Charybdis japonica</i>															
	<i>Charybdis spp.</i>	62.0	372.0	*	76.0	512.0	*	80.0	530.0	*	52.0	330.0	*	40.0	266.0	*
	<i>Charybdis truncata</i>															
	<i>Dorippe polita</i>	3.0	26.6		4.0	11.2										
	<i>Eucrate crenata</i>							6.0	28.0							
	<i>Galene bispinosa</i>	2.0	43.2		6.0	148.0										
	<i>Hermit crab</i>	60.0	230.0	*	76.0	256.0	*	60.0	210.0	*	40.0	152.0	*	30.0	134.0	*
	<i>Leucosia craniolaris</i>															
	<i>Macrophthalmus japonicus</i>															
	<i>Parthenope validus</i>															
	<i>Porcellanella picta</i>															
	<i>Portunus sanguinolentus</i>															
	<i>Portunus sp.</i>															
	<i>Portunus trituberculatus</i>															
	<i>Scylla serrata</i>															
	<i>Typhlocarcinus sp.</i>							1.0	1.6							
Mantis shrimp	<i>Harpiosquilla harpax</i>															
	<i>Oratosquilla interrupta</i>	1.0	24.0					1.0	22.0		1.0	14.0		1.0	26.0	
	<i>Oratosquilla oratoria</i>										1.0	24.0				
Gastropod	<i>Apollon olivator rubustus</i>															
	<i>Bursa rana</i>							2.0	56.2							
	<i>Calyptrea sp.</i>				1.0	0.3										
	<i>Drupa musiva</i>	8.0	31.0		15.0	53.0		30.0	176.0	*	9.0	42.0		6.0	31.0	
	<i>Epitonium scalare</i>															
	<i>Gemmula deshayesii</i>				3.0	4.9										
	<i>Inquistor flavidula</i>	30.0	71.0	*	40.0	84.0	*	44.0	92.0	*	10.0	22.0				
	<i>Lophiotoma leucotropis</i>				2.0	6.8										
	<i>Murex trapa</i>							5.0	21.4					3.0	21.0	
	<i>Nassarius hepaticus</i>															
	<i>Nassarius succinctus</i>	36.0	78.0	*	30.0	72.0	*	40.0	86.0	*	6.0	13.0		11.0	12.0	
	<i>Nassarius sp.</i>															
	<i>Natica tigrina</i>				2.0	4.2										
	<i>Pilosabia pilosa</i>							2.0	0.6							
	<i>Siphopatella walshi</i>															
	<i>Thais mutabilis</i>							1.0	1.4							
	<i>Tonna sulcosa</i>															
	<i>Turritella terebra</i>	870.0	8240.0	*	960.0	9350.0	*	1240.0	10730.0	*	780.0	7530.0	*	520.0	4930.0	*
Bivalve	<i>Anomalodiscus squamosus</i>															
	<i>Crassostrea spp.</i>															
	<i>Chione isabellina</i>															

Trawling data for February 2013

Group	Species Name	TNA															
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5			
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	
	<i>Chlamys nobilis</i>														2.0	16.3	
	<i>Macoma candida</i>																
	<i>Ostrea sp.</i>				6.0	14.6											
	<i>Paphia undulata</i>																
	<i>Pinctada martensii</i>																
	<i>Ruditapes philippinarum</i>	5.0	26.0		14.0	82.0					13.0	62.0		9.0	57.0		
	<i>Scapharca subcrenata</i>																
	<i>Tegillarca nodifera</i>				11.0	52.0		6.0	29.0								
Cephalopod	<i>Lolingid squid</i>				1.0	20.0											
	<i>Sepiid cuttlefish</i>																
	<i>Octopus sp.</i>																
Echinoderm	<i>Acaudina molpadioides</i>	4.0	86.2		6.0	144.0		20.0	460.0	*	3.0	74.0		6.0	310.0		
	<i>Carcinactis ichikawai</i>																
	<i>Cavernularia habereri</i>	3.0	6.2		4.0	8.4		30.0	102.0	*	42.0	230.0	*	30.0	184.0	*	
	<i>Edwardsia japonica (c.f.)</i>	2.0	12.4														
	<i>Ellisella laevis</i>				1.0	22.0											
	<i>Jelly fish</i>																
	<i>Pteroeides chinense</i>	1.0	4.1					3.0	16.2		2.0	13.2					
	<i>Sea Squirts</i>				1.0	7.4											
	<i>Sea anomea</i>	1.0	8.6														
	<i>Temnopleurus toreumaticus</i>	12.0	84.0		15.0	132.0		18.0	172.0		12.0	88.0		30.0	220.0	*	
	<i>Virgularia gustaviana</i>				3.0	11.2		1.0	2.7					2.0	6.4		
Cirripedia	<i>Balanus spp.(c.f.)</i>	420.0	210.0	*	360.0	170.0	*	280.0	130.0	*	220.0	106.0	*	160.0	74.0	*	

Trawling data for February 2013

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acentrogobius caninus</i>	1.0	20.0													
	<i>Acanthopagrus schlegeli</i>															
	<i>Apogon kiensis</i>															
	<i>Apogon lineatus</i>															
	<i>Clupanodon thrissa</i>															
	<i>Collichthys lucidus</i>	3.0	70.0		2.0	46.0										
	<i>Cryptocentrus filifer</i>												1.0	10.0		
	<i>Cynoglossus arel</i>	1.0	46.0					1.0	14.0							
	<i>Cynoglossus abbreviatus</i>															
	<i>Cynoglossus semilaevis</i>															
	<i>Dasvatis zugei</i>							1.0	208.0							
	<i>Epinephelus awoara</i>															
	<i>Epinephelus bruneus</i>															
	<i>Erisphex pottii</i>				1.0	8.0										
	<i>Gerres abbreviatus</i>															
	<i>Inegocia japonica</i>															
	<i>Johnius amblycephalus</i>	6.0	122.0		3.0	74.0		1.0	14.0							
	<i>Johnius belangerii</i>															
	<i>Inimicus didactylus</i>				1.0	158.0										
	<i>Inimicus japonicus</i>															
	<i>Leiognathus brevisrostris</i>	2.0	22.0		1.0	10.0		2.0	34.0							
	<i>Liza macrolepis</i>															
	<i>Moolgarda cunnesius</i>															
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>															
	<i>Nibea acuta</i>	12.0	384.0		12.0	352.0		4.0	172.0				2.0	22.0		
	<i>Nibea albiflora</i>															
	<i>Nibea soldado</i>															
	<i>Oxyurichthys tentacularis</i>															
	<i>Otolüthes ruber</i>															
	<i>Pennahia macrocephalus</i>															
	<i>Pentaprion longimanus</i>															
	<i>Pisodonophis boro</i>	1.0	378.0													
	<i>Platycephalus indicus</i>	2.0	70.0													
	<i>Polydactylus sextarius</i>				2.0	42.0										
	<i>Pseudorhombus cinnamoneus</i>															
	<i>Pseudorhombus oligodon</i>															
	<i>Siganus canaliculatus</i>															
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>	4.0	46.0		4.0	42.0		3.0	26.0		10.0	74.0		12.0	110.0	
	<i>Syngnathus schlegeli</i>															
	<i>Takifugu niphobles</i>															
	<i>Takifugu oblongus</i>															
	<i>Trachycephalus uranoscopa</i>															
	<i>Trypauchen vagina</i>				1.0	10.0										
Prawn or shrimp	<i>Alpheus brevicristatus</i>															
	<i>Alpheus distinguendus</i>							1.0	4.0							
	<i>Metapenaopsis barbata</i>															
	<i>Metapenaeus affinis</i>							6.0	110.0							

Trawling data for February 2013

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Metapenaeus ensis</i>				2.0	18.0								7.0	32.0	
	<i>Metapenaeus moyebi</i>															
	<i>Parapenaeopsis tenella</i>	5.0	20.0		1.0	6.0										
	<i>Penaeus japonicus</i>															
	<i>Penaeus merguensis</i>	5.0	186.0		9.0	330.0		1.0	28.0							
	<i>Penaeus penicillatus</i>															
	<i>Solenocera crassicornis</i>															
Crab	<i>Charybdis affinis</i>	3.0	72.0		26.0	576.0										
	<i>Charybdis cruciata</i>				1.0	94.0										
	<i>Charybdis japonica</i>				2.0	164.0										
	<i>Charybdis spp.</i>	70.0	510.0	*	66.0	492.0	*	66.0	470.0	*	52.0	426.0	*	46.0	372.0	*
	<i>Charybdis truncata</i>															
	<i>Dorippe polita</i>				5.0	24.0								1.0	1.6	
	<i>Eucrate crenata</i>				3.0	12.4		1.0	8.5		5.0	26.0				
	<i>Galene bispinosa</i>	3.0	78.2													
	<i>Hermit crab</i>	40.0	144.0	*	50.0	160.0	*	42.0	148.0	*	50.0	154.0	*	30.0	110.0	*
	<i>Leucosia craniolaris</i>				1.0	4.2										
	<i>Macrophthalmus japonicus</i>															
	<i>Parthenope validus</i>															
	<i>Porcellanella picta</i>															
	<i>Portunus sanguinolentus</i>															
	<i>Portunus sp.</i>															
	<i>Portunus trituberculatus</i>															
	<i>Scylla serrata</i>															
	<i>Typhlocarcinus sp.</i>	2.0	2.3													
Mantis shrimp	<i>Harpisquilla harpax</i>															
	<i>Oratosquilla interrupta</i>															
	<i>Oratosquilla oratoria</i>															
Gastropod	<i>Apollon olivator rubustus</i>															
	<i>Bursa rana</i>															
	<i>Calyptraea sp.</i>				2.0	0.6										
	<i>Drupa musiva</i>	30.0	194.0	*	12.0	62.0		38.0	210.0	*	52.0	336.0	*	46.0	248.0	*
	<i>Epitonium scalare</i>															
	<i>Gemmula deshayesi</i>	4.0	6.9													
	<i>Inquistor flavidula</i>	40.0	82.0	*	30.0	66.0	*	18.0	38.0		36.0	76.0	*	42.0	91.0	*
	<i>Lophiotoma leucotropis</i>				1.0	4.2										
	<i>Murex trapa</i>	7.0	43.0		30.0	206.0	*	36.0	244.0	*	16.0	76.0		6.0	33.0	
	<i>Nassarius hepaticus</i>															
	<i>Nassarius succinctus</i>				6.0	13.0										
	<i>Nassarius sp.</i>															
	<i>Natica tigrina</i>															
	<i>Pilosabia pilosa</i>							1.0	63.2							
	<i>Siphonotella walshi</i>	1.0	0.3													
	<i>Thais mutabilis</i>															
	<i>Tonna sulcosa</i>															
	<i>Turritella terebra</i>	1240.0	10930.0	*	1370.0	12120.0	*	840.0	8040.0	*	260.0	2330.0	*	180.0	1690.0	*
Bivalve	<i>Anomalodiscus squamosus</i>															
	<i>Crassostrea spp.</i>															
	<i>Chione isabellina</i>				2.0	8.4										

Trawling data for February 2013

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Chlamys nobilis</i>															
	<i>Macoma candida</i>															
	<i>Ostrea sp.</i>															
	<i>Paphia undulata</i>						3.0	12.1								
	<i>Pinctada martensii</i>															
	<i>Ruditapes philippinarum</i>	8.0	47.0		20.0	118.0	*	40.0	210.0	*	90.0	630.0	*	70.0	492.0	*
	<i>Scapharca subcrenata</i>															
	<i>Tegillarca nodifera</i>	6.0	25.0													
Cephalopod	<i>Lolingid squid</i>															
	<i>Sepiid cuttlefish</i>	1.0	122.0													
	<i>Octopus sp.</i>															
Echinoderm	<i>Acaudina molpadioides</i>	7.0	292.0		5.0	230.0					1.0	26.2		2.0	12.6	
	<i>Carcinactis ichikawai</i>															
	<i>Cavernularia habereri</i>	36.0	92.0	*	14.0	41.0		16.0	78.0		36.0	204.0	*	11.0	62.0	
	<i>Edwardsia japonica (c.f.)</i>															
	<i>Ellisella laevis</i>															
	<i>Jelly fish</i>															
	<i>Pteroeides chinense</i>				2.0	21.6					1.0	6.3				
	<i>Sea Squirts</i>															
	<i>Sea anomea</i>															
	<i>Temnopleurus toreumaticus</i>	17.0	120.0		6.0	55.0					4.0	26.8				
	<i>Virgularia gustaviana</i>	1.0	3.8					2.0	12.0		1.0	23.0				
Cirripedia	<i>Balanus spp.(c.f.)</i>	180.0	82.0	*	230.0	116.0	*	160.0	70.0	*	220.0	106.0	*	190.0	82.0	*

Trawling data for February 2013

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acentrogobius caninus</i>	4.0	62.0		1.0	18.0		4.0	92.0		1.0	60.0		4.0	108.0	
	<i>Acanthopagrus schlegeli</i>															
	<i>Apogon kiensis</i>															
	<i>Apogon lineatus</i>															
	<i>Clupanodon thrissa</i>															
	<i>Collichthys lucidus</i>	1.0	26.0					1.0	32.0							
	<i>Cryptocentrus filifer</i>															
	<i>Cynoglossus arel</i>	5.0	44.0		1.0	6.0		1.0	12.0				1.0	42.0		
	<i>Cynoglossus abbreviatus</i>															
	<i>Cynoglossus semilaevis</i>				1.0	116.0										
	<i>Dasvatis zugei</i>										1.0	328.0				
	<i>Epinephelus awoara</i>							1.0	32.0							
	<i>Epinephelus bruneus</i>															
	<i>Erisphex pottii</i>															
	<i>Gerres abbreviatus</i>							1.0	18.0		1.0	22.0		1.0	66.0	
	<i>Inegocia japonica</i>							1.0	24.0							
	<i>Johnius amblycephalus</i>	13.0	194.0		6.0	96.0		16.0	240.0		6.0	114.0		5.0	90.0	
	<i>Johnius belangerii</i>							1.0	36.0		1.0	52.0		1.0	42.0	
	<i>Inimicus didactylus</i>															
	<i>Inimicus japonicus</i>															
	<i>Leiognathus brevisrostris</i>	4.0	46.0					2.0	20.0		4.0	38.0		7.0	94.0	
	<i>Liza macrolepis</i>															
	<i>Moolgarda cunnesius</i>	27.0	1114.0		3.0	146.0					1.0	44.0		1.0	46.0	
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>															
	<i>Nibea acuta</i>															
	<i>Nibea albiflora</i>															
	<i>Nibea soldado</i>	1.0	10.0													
	<i>Oxyurichthys tentacularis</i>	1.0	6.0								1.0	4.0				
	<i>Otolithes ruber</i>				1.0	98.0										
	<i>Pennahia macrocephalus</i>															
	<i>Pentaprion longimanus</i>															
	<i>Pisodonophis boro</i>				1.0	38.0										
	<i>Platycephalus indicus</i>	5.0	344.0		2.0	84.0		3.0	154.0		3.0	778.0		2.0	128.0	
	<i>Polydactylus sextarius</i>															
	<i>Pseudorhombus cinnamomeus</i>	2.0	176.0		1.0	66.0		1.0	54.0							
	<i>Pseudorhombus oligodon</i>	3.0	28.0					21.0	180.0		4.0	32.0		5.0	46.0	
	<i>Siganus canaliculatus</i>															
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>	1.0	10.0					1.0	8.0		3.0	30.0		2.0	20.0	
	<i>Syngnathus schlegeli</i>															
	<i>Takifugu niphobles</i>															
	<i>Takifugu oblongus</i>				1.0	32.0										
	<i>Trachycephalus uranoscopa</i>				2.0	40.0		4.0	50.0					1.0	8.0	
	<i>Trypauchen vagina</i>	3.0	34.0		2.0	36.0					1.0	18.0				
Prawn or shrimp	<i>Alpheus brevicristatus</i>							1.0	2.0							
	<i>Alpheus distinguendus</i>															
	<i>Metapenaopsis barbata</i>															
	<i>Metapenaeus affinis</i>															

Trawling data for February 2013

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Metapenaeus ensis</i>	2.0	14.0		3.0	72.0		3.0	44.0							
	<i>Metapenaeus moyebi</i>	5.0	46.0		11.0	94.0		3.0	20.0		1.0	8.0		3.0	12.0	
	<i>Parapenaeopsis tenella</i>	15.0	64.0		2.0	44.0		6.0	36.0		2.0	10.0		3.0	24.0	
	<i>Penaeus japonicus</i>															
	<i>Penaeus merguensis</i>	23.0	1154.0		10.0	462.0		14.0	584.0		4.0	188.0		14.0	688.0	
	<i>Penaeus penicillatus</i>							1.0	20.0							
	<i>Solenocera crassicornis</i>															
Crab	<i>Charybdis affinis</i>	3.0	68.0		1.0	24.0		2.0	54.0							
	<i>Charybdis cruciata</i>				1.0	80.0		1.0	30.0		1.0	88.0		1.0	130.0	
	<i>Charybdis japonica</i>															
	<i>Charybdis spp.</i>	60.0	516.0	*	50.0	480.0	*	48.0	472.0	*	70.0	622.0	*	64.0	593.0	
	<i>Charybdis truncata</i>															
	<i>Dorippe polita</i>	52.0	466.0	*	12.0	87.0		50.0	452.0	*	20.0	128.0	*	30.0	210.0	
	<i>Eucrate crenata</i>															
	<i>Galene bispinosa</i>	3.0	84.0													
	<i>Hermit crab</i>	44.0	160.0	*	50.0	172.0	*	46.0	168.0	*	50.0	160.0	*	40.0	124.0	
	<i>Leucosia craniolaris</i>															
	<i>Macrophthalmus japonicus</i>															
	<i>Parthenope validus</i>	4.0	95.0		4.0	93.0		1.0	21.4		4.0	116.0		3.0	86.0	
	<i>Porcellanella picta</i>															
	<i>Portunus sanguinolentus</i>										1.0	20.0				
	<i>Portunus sp.</i>	2.0	8.6		1.0	4.2		1.0	3.2							
	<i>Portunus trituberculatus</i>															
	<i>Scylla serrata</i>															
	<i>Typhlocarcinus sp.</i>										1.0	0.8				
Mantis shrimp	<i>Harpisquilla harpax</i>							1.0	42.0							
	<i>Oratosquilla interrupta</i>										1.0	26.0				
	<i>Oratosquilla oratoria</i>							4.0	50.0		1.0	20.0		3.0	40.0	
Gastropod	<i>Apollon olivator rubustus</i>							3.0	6.2					2.0	4.1	
	<i>Bursa rana</i>										2.0	11.2				
	<i>Calyptraea sp.</i>	1.0	0.3													
	<i>Drupa musiva</i>	30.0	232.0	*				3.0	11.0		26.0	52.0	*			
	<i>Epitonium scalare</i>							1.0	3.9							
	<i>Gemmula deshayesii</i>															
	<i>Inquistor flavidula</i>							7.0	13.2		4.0	8.4		30.0	64.0	
	<i>Lophiotoma leucotropis</i>															
	<i>Murex trapa</i>	32.0	276.0	*	16.0	88.0		36.0	286.0	*	20.0	148.0	*	32.0	226.0	
	<i>Nassarius hepaticus</i>															
	<i>Nassarius succinctus</i>	52.0	118.0	*	68.0	140.0	*	46.0	106.0	*	40.0	86.0	*	30.0	64.0	
	<i>Nassarius sp.</i>										1.0	1.3				
	<i>Natica tigrina</i>															
	<i>Pilosabia pilosa</i>										3.0	1.1				
	<i>Siphonotoma walshi</i>													2.0	0.7	
	<i>Thais mutabilis</i>															
	<i>Tonna sulcosa</i>															
	<i>Turritella terebra</i>	460.0	4470.0	*	570.0	5210.0	*	860.0	8290.0	*	410.0	3810.0	*	380.0	3490.0	
Bivalve	<i>Anomalodiscus squamosus</i>				1.0	2.8										
	<i>Crassostrea spp.</i>															
	<i>Chione isabellina</i>													6.0	33.0	

Trawling data for February 2013

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Chlamys nobilis</i>															
	<i>Macoma candida</i>				30.0	276.0	*				2.0	11.2				
	<i>Ostrea sp.</i>													3.0	2.4	
	<i>Paphia undulata</i>															
	<i>Pinctada martensii</i>										1.0	103.0				
	<i>Ruditapes philippinarum</i>															
	<i>Scapharca subcrenata</i>	30.0	410.0	*	6.0	72.0					3.0	58.0				
	<i>Tegillarca nodifera</i>	36.0	180.0	*	41.0	218.0	*	38.0	194.0	*	40.0	184.0	*	38.0	180.0	*
Cephalopod	<i>Lolingid squid</i>							1.0	48.0							
	<i>Sepiid cuttlefish</i>												1.0	134.0		
	<i>Octopus sp.</i>							1.0	160.0							
Echinoderm	<i>Acaudina molpadioides</i>	6.0	340.0		3.0	136.0		4.0	160.0				4.0	139.0		
	<i>Carcinactis ichikawai</i>	3.0	0.9					2.0	0.6				1.0	0.4		
	<i>Cavernularia habereri</i>							2.0	4.3							
	<i>Edwardsia japonica (c.f.)</i>															
	<i>Ellisella laevis</i>															
	<i>Jelly fish</i>				2.0	46.2										
	<i>Pteroeides chinense</i>															
	<i>Sea Squirts</i>	1.0	4.1													
	<i>Sea anomea</i>															
	<i>Temnopleurus toreumaticus</i>	46.0	372.0	*	52.0	426.0	*	30.0	272.0	*	26.0	218.0	*	32.0	280.0	*
	<i>Virgularia gustaviana</i>				1.0	3.2										
Cirripedia	<i>Balanus spp.(c.f.)</i>	210.0	102.0	*	190.0	80.0	*	180.0	76.0	*	220.0	106.0	*	240.0	114.0	*

Trawling data for February 2013

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acentrogobius caninus</i>				6.0	212.0		2.0	46.0		1.0	28.0		2.0	78.0	
	<i>Acanthopagrus schlegeli</i>															
	<i>Apogon kiensis</i>															
	<i>Apogon lineatus</i>															
	<i>Clupanodon thrissa</i>				1.0	20.0										
	<i>Collichthys lucidus</i>															
	<i>Cryptocentrus filifer</i>							1.0	4.0		1.0	14.0		1.0	14.0	
	<i>Cynoglossus arel</i>				1.0	48.0		3.0	80.0		3.0	54.0				
	<i>Cynoglossus abbreviatus</i>							1.0	24.0							
	<i>Cynoglossus semilaevis</i>				1.0	194.0		1.0	118.0							
	<i>Dasvatis zugei</i>															
	<i>Epinephelus awoara</i>															
	<i>Epinephelus bruneus</i>															
	<i>Erisphex pottii</i>															
	<i>Gerres abbreviatus</i>	1.0	22.0		2.0	54.0								1.0	44.0	
	<i>Inegocia japonica</i>															
	<i>Johnius amblycephalus</i>	9.0	222.0		5.0	160.0		1.0	22.0		2.0	52.0		1.0	20.0	
	<i>Johnius belangerii</i>				1.0	4.0					6.0	202.0				
	<i>Inimicus didactylus</i>				1.0	190.0										
	<i>Inimicus japonicus</i>															
	<i>Leiognathus brevisrostris</i>	10.0	82.0		5.0	44.0		4.0	52.0							
	<i>Liza macrolepis</i>															
	<i>Moolgarda cunnesius</i>	2.0	74.0		5.0	196.0										
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>															
	<i>Nibea acuta</i>															
	<i>Nibea albiflora</i>	3.0	118.0					4.0	158.0		1.0	86.0				
	<i>Nibea soldado</i>													5.0	208.0	
	<i>Oxyurichthys tentacularis</i>	6.0	160.0													
	<i>Otolithes ruber</i>															
	<i>Pennahia macrocephalus</i>													1.0	82.0	
	<i>Pentaprion longimanus</i>	1.0	4.0													
	<i>Pisodonophis boro</i>															
	<i>Platycephalus indicus</i>	3.0	116.0								1.0	62.0				
	<i>Polydactylus sextarius</i>															
	<i>Pseudorhombus cinnamomeus</i>	1.0	66.0		1.0	34.0										
	<i>Pseudorhombus oligodon</i>	2.0	20.0		3.0	32.0		2.0	18.0					2.0	118.0	
	<i>Siganus canaliculatus</i>															
	<i>Sillago sihama</i>										2.0	92.0		2.0	56.0	
	<i>Solea ovata</i>	7.0	68.0		7.0	92.0		6.0	72.0		3.0	36.0		5.0	68.0	
	<i>Syngnathus schlegeli</i>															
	<i>Takifugu niphobles</i>															
	<i>Takifugu oblongus</i>	3.0	374.0													
	<i>Trachycephalus uranoscopa</i>				2.0	20.0		1.0	14.0					1.0	22.0	
	<i>Trypauchen vagina</i>										1.0	22.0				
Prawn or shrimp	<i>Alpheus brevicristatus</i>				1.0	2.0										
	<i>Alpheus distinguendus</i>															
	<i>Metapenaeopsis barbata</i>															
	<i>Metapenaeus affinis</i>															

Trawling data for February 2013

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Metapenaeus ensis</i>				1.0	20.0										
	<i>Metapenaeus moyebi</i>	1.0	8.0					2.0	24.0							
	<i>Parapenaeopsis tenella</i>	2.0	14.0		2.0	22.0		1.0	14.0		1.0	12.0				
	<i>Penaeus japonicus</i>															
	<i>Penaeus merguensis</i>	7.0	326.0		2.0	84.0		6.0	344.0		11.0	538.0		6.0	304.0	
	<i>Penaeus penicillatus</i>	1.0	22.0													
	<i>Solenocera crassicornis</i>															
Crab	<i>Charybdis affinis</i>	1.0	38.0					1.0	28.0							
	<i>Charybdis cruciata</i>	1.0	168.0					2.0	152.0		1.0	164.0				
	<i>Charybdis japonica</i>															
	<i>Charybdis spp.</i>	50.0	490.0	*	62.0	524.0	*	50.0	370.0	*	30.0	220.0	*	40.0	410.0	
	<i>Charybdis truncata</i>				8.0	54.0										
	<i>Dorippe polita</i>	40.0	366.0	*	30.0	314.0	*	3.0	18.4		7.0	40.0		20.0	112.0	
	<i>Eucrete crenata</i>															
	<i>Galene bispinosa</i>															
	<i>Hermit crab</i>	50.0	192.0	*	44.0	176.0	*	30.0	92.0	*	36.0	116.0	*	20.0	76.0	
	<i>Leucosia craniolaris</i>															
	<i>Macrophthalmus japonicus</i>															
	<i>Parthenope validus</i>				3.0	87.0										
	<i>Porcellanella picta</i>															
	<i>Portunus sanguinolentus</i>															
	<i>Portunus sp.</i>															
	<i>Portunus trituberculatus</i>															
	<i>Scylla serrata</i>															
	<i>Typhlocarcinus sp.</i>															
Mantis shrimp	<i>Harpisquilla harpax</i>										2.0	156.0				
	<i>Oratosquilla interrupta</i>												1.0	28.0		
	<i>Oratosquilla oratoria</i>	5.0	68.0		4.0	80.0		3.0	66.0		6.0	144.0		4.0	148.0	
Gastropod	<i>Apollon olivator rubustus</i>				1.0	3.2							11.0	26.0		
	<i>Bursa rana</i>															
	<i>Calyptraea sp.</i>															
	<i>Drupa musiva</i>	3.0	18.2								4.0	25.0				
	<i>Epitonium scalare</i>															
	<i>Gemmula deshayesii</i>															
	<i>Inquistor flavidula</i>	42.0	82.0	*	36.0	64.0	*						20.0	43.0	*	
	<i>Lophiotoma leucotropis</i>															
	<i>Murex trapa</i>	40.0	360.0	*	11.0	92.0		60.0	466.0	*	50.0	410.0	*	45.0	380.0	
	<i>Nassarius hepaticus</i>															
	<i>Nassarius succinctus</i>	40.0	83.0	*	46.0	91.0	*	20.0	43.0	*	30.0	70.0	*	40.0	126.0	
	<i>Nassarius sp.</i>															
	<i>Natica tigrina</i>															
	<i>Pilosabia pilosa</i>				1.0	0.2										
	<i>Siphopatella walshi</i>	3.0	0.6								1.0	0.3				
	<i>Thais mutabilis</i>															
	<i>Tonna sulcosa</i>	1.0	83.8		1.0	101.0										
	<i>Turritella terebra</i>	380.0	3560.0	*	410.0	3870.0	*	520.0	4930.0	*	480.0	4360.0	*	510.0	4690.0	
Bivalve	<i>Anomalodiscus squamosus</i>															
	<i>Crassostrea spp.</i>	1.0	540.0													
	<i>Chione isabellina</i>															

Trawling data for February 2013

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Chlamys nobilis</i>															
	<i>Macoma candida</i>															
	<i>Ostrea sp.</i>				5.0	6.3										
	<i>Paphia undulata</i>															
	<i>Pinctada martensii</i>												1.0	120.0		
	<i>Ruditapes philippinarum</i>															
	<i>Scapharca subcrenata</i>	4.0	320.0		2.0	116.0										
	<i>Tegillarca nodifera</i>	40.0	192.0	*	30.0	160.0	*	20.0	138.0	*			3.0	11.4		
Cephalopod	<i>Lolingid squid</i>															
	<i>Sepiid cuttlefish</i>							1.0	22.0		1.0	28.0				
	<i>Octopus sp.</i>										1.0	108.0		3.0	348.0	
Echinoderm	<i>Acaudina molpadioides</i>	2.0	69.0		4.0	142.0		5.0	136.0				2.0	72.0		
	<i>Carcinactis ichikawai</i>	2.0	0.7													
	<i>Cavernularia habereri</i>				3.0	6.4							3.0	10.2		
	<i>Edwardsia japonica (c.f.)</i>				2.0	8.8										
	<i>Ellisella laevis</i>															
	<i>Jelly fish</i>															
	<i>Pteroeides chinense</i>															
	<i>Sea Squirts</i>															
	<i>Sea anomea</i>															
	<i>Temnopleurus toreumaticus</i>	36.0	270.0	*	30.0	262.0	*	52.0	340.0	*	60.0	510.0	*	50.0	432.0	
	<i>Virgularia gustaviana</i>															
Cirripedia	<i>Balanus spp.(c.f.)</i>	220.0	109.0	*	160.0	72.0	*	420.0	210.0	*	380.0	196.0	*	360.0	180.0	