

Trawling Data in Feb 2017

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acentrogobius caninus</i>															
	<i>Acanthopagrus schlegelii</i>	2.0	1630.0													
	<i>Apogon kiensis</i>	1.0	10.0													
	<i>Apogon linentus</i>															
	<i>Arius arius</i>															
	<i>Arius sinensis</i>															
	<i>Arius maculatus</i>															
	<i>Arnoglossus waitei</i>															
	<i>Butis koilmoatodon</i>															
	<i>Callionymus curvicornis</i>															
	<i>Chrysochir aureus</i>															
	<i>Chiloscyllium plagiosum</i>															
	<i>Collichthys lucidus</i>															
	<i>Cynoglossus abbreviatus</i>															
	<i>Cynoglossus arel</i>															
	<i>Cynoglossus filifer</i>															
	<i>Cynoglossus puncticeps</i>															
	<i>Cynoglossus roulei</i>															
	<i>Cynoglossus sinicus</i>															
	<i>Dasyatis bennettii</i>															
	<i>Dasyatis akajei</i>	2.0	822.0		1.0	220.0		1.0	304.0		1.0	200.0				
	<i>Dasyatis zugei</i>															
	<i>Dendrophysa russelii</i>															
	<i>Derepane punctata</i>															
	<i>Drepane punctata</i>							1.0	44.0		2.0	194.0				
	<i>Epinephelus awoara</i>															
	<i>Gerres abbreviatus</i>															
	<i>Gerres filamentosus</i>															
	<i>Grammoplites scaber</i>	1.0	54.0		1.0	20.0		2.0	42.0		2.0	164.0		4.0	196.0	
	<i>Glossogobius olivaceus</i>															
	<i>Gymnura japonica</i>															
	<i>Hippocampus histrix</i>															
	<i>Ilsha elongata</i>															
	<i>Inegocia japonica</i>							1.0	44.0		2.0	48.0				
	<i>Inimicus didactylus</i>															
	<i>Inimicus japonicus</i>															
	<i>Johnius taiwansis</i>															
	<i>Johnius belangerii</i>															
	<i>Johnius heterolepis</i>															
	<i>Johnius taiwanese</i>	1.0	20.0					1.0	58.0		2.0	116.0				
	<i>Johnius trawase</i>													1.0	68.0	
	<i>Johnius trewavasae</i>															
	<i>Johnius cornata</i>															
	<i>Konosirus punctatus</i>										1.0	124.0				
	<i>Lagocephalus wheeleri</i>															
	<i>Lagocephalus japonicus</i>															
	<i>Leiognathus brevirostris</i>															
	<i>Leiognathus elongatus</i>															
	<i>Leiognathus nuchalis</i>	1.0	14.0		1.0	24.0		2.0	16.0							

Trawling Data in Feb 2017

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Leiognathus dodecakanthoides</i>															
	<i>Mugil cephalus</i>															
	<i>Muraenesox cinereus</i>															
	<i>Nibea albiflora</i>	1.0	422.0		1.0	158.0										
	<i>Otolithes ruber</i>															
	<i>Oxyurichthys tentacularis</i>															
	<i>Paracentropogon rubripinnis</i>															
	<i>Parachaeturichthys polynema</i>															
	<i>Parargyrops edita</i>															
	<i>Paralagusia japonica</i>															
	<i>Pennahia anea</i>															
	<i>Pennahia macrocephalus</i>															
	<i>Pennahia pawak</i>															
	<i>Pentaprion longimabus</i>															
	<i>Platycephalus indicus</i>				1.0	204.0		1.0	208.0		1.0	48.0				
	<i>Plectorhinchus cinctus</i>															
	<i>Plotosus lineatus</i>										1.0	164.0				
	<i>Polydactylus sextarius</i>															
	<i>Pseudorhombus cinnamoneus</i>	1.0	66.0													
	<i>Pseudorhombus oligodon</i>															
	<i>Rhynchopelates oxyrhynchus</i>															
	<i>Saurida elongata</i>															
	<i>Secutor ruconius</i>															
	<i>Scatophagus argus</i>				4.0	1182.0		2.0	830.0							
	<i>Sebastiscus marmoratus</i>							3.0	178.0							
	<i>Siganus canaliculatus</i>															
	<i>Siganus fuscescens</i>	1.0	98.0								8.0	390.0		13.0	524.0	
	<i>Sillago japonica</i>							1.0	106.0		1.0	68.0				
	<i>Sillago sihama</i>	1.0	50.0		1.0	14.0		1.0	44.0					1.0	120.0	
	<i>Solea ovata</i>	3.0	24.0		14.0	142.0		21.0	180.0		3.0	32.0		5.0	40.0	
	<i>Stephanolepis cirrhifer</i>							1.0	18.0							
	<i>Stolephorus commersonii</i>															
	<i>Takifugu niphobles</i>															
	<i>Takifugu poecilonotus</i>															
	<i>Takifugu oblongus</i>															
	<i>Terapon jarbua</i>															
	<i>Terapon theraps</i>															
	<i>Trichiurus japonicus</i>															
	<i>Tridentiger barbatus</i>															
	<i>Takifugu poecilonotus</i>										4.0	606.0				
	<i>Takifugu oblongus</i>															
	<i>Takifugu niphobles</i>															
	<i>Takifugu xanthopterus</i>															
	<i>Thryssa dussumieri</i>															
	<i>Thryssa hamiltonii</i>							1.0	24.0							
	<i>Thryssa kammalensis</i>															
	<i>Trachycephalus uranoscopa</i>															
	<i>Trypauchen vagina</i>															
	<i>Uroconger lepturus</i>															

Trawling Data in Feb 2017

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Zebrias zebra</i>															
Prawn or shrimp	<i>Alpheus distinguendus</i>										1.0	46.0				
	<i>Alpheus brevicristatus</i>															
	<i>Exopalaemon carinicauda</i>															
	<i>Metapenaeopsis barbata</i>										1.0	4.0		1.0	4.0	
	<i>Metapenaeus ensis</i>															
	<i>Metapenaeus affinis</i>															
	<i>Metapenaeus joyneri</i>															
	<i>Parapenaeopsis hardwickii</i>															
	<i>Parapenaeopsis cultirostris</i>															
	<i>Parapenaeopsis tenella</i>															
	<i>Penaeus merguensis</i>															
	<i>Penaeus penicillatus</i>															
	<i>Penaeus japonicus</i>															
	<i>Solenocera crassicornis</i>															
	<i>Trachypenaeus curvirostris</i>							1.0	8.0							
Crab	<i>Arcania heptacotra</i>															
	<i>Arcania undecimspinosa</i>				1.0	4.1										
	<i>Misgurnus anguillicaudatus</i>															
	<i>c.f. Bananus spp.</i>	120.0	240.0	*	90.0	62.0	*	410.0	410.0	*	220.0	102.0	*	190.0	86.0	*
	<i>Parapanope euagora</i>															
	<i>Calappa philargius</i>															
	<i>Charybdis affinis</i>															
	<i>Charybdis acuta</i>															
	<i>Charybdis annulata</i>															
	<i>Charybdis bimaculata</i>															
	<i>Charybdis cruciata</i>															
	<i>Charybdis japonica</i>	6.0	106.0					2.0	42.0							
	<i>Charybdis lucifera</i>															
	<i>Charybdis variegata</i>	2.0	2.0		2.0	12.0		2.0	8.0							
	<i>Charybdis truncata</i>															
	<i>Charybdis spp.</i>	20.0	180.0	*	30.0	260.0	*	30.0	260.0	*	30.0	260.0	*	40.0	410.0	*
	<i>Dorippe polita</i>	6.0	52.4		3.0	15.8		7.0	61.9		9.0	72.1		7.0	54.0	
	<i>Eucrate crenata</i>							3.0	11.6		5.0	64.6		6.0	32.4	
	<i>Galene bispinosa</i>							2.0	84.2							
	<i>Hermit crab</i>	30.0	140.0	*	20.0	70.0	*	20.0	70.0	*	30.0	54.0	*	40.0	78.0	*
	<i>Lateolabrax japonicus</i>															
	<i>Leucosia craniolaris</i>															
	<i>Ovula Ovum</i>															
	<i>Parapanope sp.</i>															
	<i>Parthenope validus</i>	20.0	230.0	*	10.0	160.0		8.0	82.0		10.0	210.0		7.0	130.0	
	<i>Porcellanella picta</i>	6.0	2.9		3.0	1.6		4.0	2.0				3.0	1.3		
	<i>Portunus hastatoides</i>															
	<i>Portunus pelagicus</i>															
	<i>Portunus sanguinolentus</i>															
	<i>Portunus trituberculatus</i>															
	<i>Maorophthalmus japonicus</i>															
	<i>Varuna litterata</i>															

Trawling Data in Feb 2017

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Typhlocarcinus sp.</i>															
	<i>Typhlocarcinus villosus</i>															
Mantis shrimp	<i>Harpisquilla harpax</i>	1.0	50.0													
	<i>Squilla decorata</i>															
	<i>Oratosquilla interrupta</i>															
	<i>Oratosquilla oratoria</i>															
	<i>Oratosquilla kempii</i>															
Gastropod	<i>Bursa rana</i>															
	<i>Calyptraea sp.</i>	30.0	9.2	*	3.0	0.9								5.0	1.6	
	<i>Cymatium caudatum</i>															
	<i>Drupa musiva</i>				3.0	13.1		5.0	31.6					1.0	5.7	
	<i>Durpa fiscella</i>															
	<i>Gemmula deshayesii</i>															
	<i>Hemifusus scalare</i>										1.0	72.3		2.0	116.4	
	<i>Inquistor flavidula</i>													11.0	23.4	
	<i>Lophiotoma leucotropis</i>	1.0	5.2											2.0	9.2	
	<i>Murex trapa</i>	20.0	170.0	*	30.0	230.0	*	20.0	160.0	*	12.0	86.0		20.0	150.0	
	<i>Nassarius hepaticus</i>															
	<i>Nassarius succinctus</i>										6.0	13.2				
	<i>Nassarius sp.</i>															
	<i>Natica sp.</i>															
	<i>Natica spadiceoides</i>															
	<i>Natica tigrina</i>															
	<i>Philine sp.</i>							1.0	5.2							
	<i>Pilosabia pilosa</i>	40.0	19.0	*	30.0	12.0	*							20.0	8.0	
	<i>Siphopatella walshi</i>				2.0	0.6										
	<i>Sesarma sp.</i>															
	<i>Tonna olearium</i>															
	<i>Tonna sulcosa</i>															
	<i>Turricula nelliae</i>							2.0	5.1							
	<i>Turricula javana</i>															
	<i>Turritella terebra</i>	290.0	2830.0	*	250.0	2360.0	*	180.0	1740.0	*	190.0	1820.0	*	210.0	2030.0	
	UNID Nudibranch															
Bivalve	<i>Anomalodiscus squamosus</i>															
	<i>Chione isabellina</i>															
	<i>Chlamys nobilis</i>															
	<i>Crossostrea sp.</i>															
	<i>Ostrea sp.</i>	70.0	260.0	*	90.0	370.0	*	90.0	360.0	*	60.0	72.0	*	50.0	43.0	
	<i>Paphia undulata</i>															
	<i>Monia umbonata</i>															
	<i>Perna viridis</i>							9.0	133.0							
	<i>Pinctada martensii</i>															
	<i>Pinna pectinata(Atrina)</i>							1.0	44.8		2.0	93.2				
	<i>Ruditapes philippinarum</i>															
	<i>Scapharca subcrenata</i>															
	<i>Atrina pectinata</i>															
	<i>Vepricardium asiaticum</i>															
	<i>Tegukkarca nodifera</i>															
	<i>Timoclea scabra</i>															

Trawling Data in Feb 2017

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)		
	<i>Placuna placenta</i>													1.0	41.0	
Cephalopod	<i>Sepiid cuttlefish</i>															
	<i>Lolingid squid</i>															
	<i>Octopus</i>										1.0	10.0				
Echinoderm	<i>Acaudina molpadioides</i>										2.0	6.4		1.0	5.6	
	<i>Pteroeides chinense</i>															
	<i>Asteroidea</i>															
	<i>Pseudocolochirus Sp.</i>															
	<i>Temnopleurus toreumaticus</i>	20.0	390.0	*	30.0	480.0	*	30.0	480.0	*	20.0	290.0	*	30.0	420.0	*
	<i>Aphrodita aculeata</i>															
	<i>Amphipolis (c.f.)</i>															
Cnidaria	<i>Edwardsia japonica (c.f.)</i>										1.0	5.2				
	<i>Echinogorgia complexa (c.f.)</i>													1.0	26.2	
	<i>Ellisella laevis</i>	3.0	58.6		2.0	36.2								1.0	18.7	
	<i>Gorgonia spp.</i>	1.0	46.7													
	<i>Carinactis ichikawai</i>	3.0	1.4		1.0	0.4		2.0	0.9					1.0	0.4	
	<i>Cavernularia habereri</i>	20.0	90.0	*	30.0	110.0	*	11.0	48.0		30.0	110.0	*	30.0	110.0	*
	<i>Colochirus quadrangularis</i>															
	<i>Pteroeides chinense</i>	30.0	1100.0	*	20.0	840.0	*	30.0	1080.0	*	40.0	1370.0		30.0	1120.0	*
	<i>Sea anomea</i>	4.0	26.2		2.0	18.2					2.0	17.3				
	<i>Virgularia gustaviana</i>							1.0	8.2		3.0	36.2				
Urochordata	Sea Squirts				2.0	17.2										
Calcispongea	Species 1															
Cirripedia	<i>Balanus spp.(c.f.)</i>															

Trawling Data in Feb 2017

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acentrogobius caninus</i>															
	<i>Acanthopagrus schlegelii</i>				1.0	732.0										
	<i>Apogon kiensis</i>	2.0	14.0		1.0	6.0		2.0	20.0							
	<i>Apogon linentus</i>															
	<i>Arius arius</i>															
	<i>Arius sinensis</i>															
	<i>Arius maculatus</i>															
	<i>Arnoglossus waitei</i>				4.0	32.0							1.0	2.0		
	<i>Butis koilmoatodon</i>	1.0	2.0					2.0	8.0		1.0	10.0				
	<i>Callionymus curvicornis</i>															
	<i>Chrysochir aureus</i>															
	<i>Chiloscyllium plagiosum</i>															
	<i>Collichthys lucidus</i>															
	<i>Cynoglossus abbreviatus</i>															
	<i>Cynoglossus arel</i>															
	<i>Cynoglossus filifer</i>	5.0	32.0		1.0	22.0										
	<i>Cynoglossus puncticeps</i>															
	<i>Cynoglossus roulei</i>															
	<i>Cynoglossus sinicus</i>															
	<i>Dasyatis bennettii</i>															
	<i>Dasyatis akajei</i>	1.0	1192.0		1.0	226.0										
	<i>Dasyatis zugei</i>	2.0	462.0		5.0	574.0										
	<i>Dendrophysa russelii</i>															
	<i>Derepane punctata</i>															
	<i>Drepane punctata</i>															
	<i>Epinephelus awoara</i>	1.0	62.0													
	<i>Gerres abbreviatus</i>															
	<i>Gerres filamentosus</i>															
	<i>Grammoplites scaber</i>	5.0	230.0		3.0	278.0		1.0	88.0		3.0	146.0		1.0	86.0	
	<i>Glossogobius olivaceus</i>															
	<i>Gymnura japonica</i>															
	<i>Hippocampus histrix</i>															
	<i>Ilsha elongata</i>															
	<i>Inegocia japonica</i>				1.0	18.0										
	<i>Inimicus didactylus</i>															
	<i>Inimicus japonicus</i>															
	<i>Johnius taiwansis</i>															
	<i>Johnius belangerii</i>															
	<i>Johnius heterolepis</i>															
	<i>Johnius taiwanese</i>				2.0	88.0					1.0	68.0		2.0	130.0	
	<i>Johnius trawase</i>	3.0	166.0		1.0	46.0		3.0	96.0							
	<i>Johnius trewavasae</i>															
	<i>Johnius cornata</i>															
	<i>Konosirus punctatus</i>							1.0	112.0							
	<i>Lagocephalus wheeleri</i>															
	<i>Lagocephalus japonicus</i>															
	<i>Leiognathus brevirostris</i>															
	<i>Leiognathus elongatus</i>															
	<i>Leiognathus nuchalis</i>															

Trawling Data in Feb 2017

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Leiognathus dodecacanthoides</i>															
	<i>Mugil cephalus</i>															
	<i>Muraenesox cinereus</i>															
	<i>Nibea albiflora</i>	1.0	172.0													
	<i>Otolithes ruber</i>															
	<i>Oxyurichthys tentacularis</i>				1.0	2.0		2.0	4.0							
	<i>Paracentropogon rubripinnis</i>															
	<i>Parachaeturichthys polynema</i>				1.0	2.0										
	<i>Parargyrops edita</i>															
	<i>Paralagusia japonica</i>															
	<i>Pennahia anea</i>															
	<i>Pennahia macrocephalus</i>															
	<i>Pennahia pawak</i>															
	<i>Pentaprion longimabus</i>															
	<i>Platycephalus indicus</i>	1.0	66.0		2.0	78.0		1.0	140.0		1.0	36.0				
	<i>Plectorhinchus cinctus</i>															
	<i>Plotosus lineatus</i>															
	<i>Polydactylus sextarius</i>															
	<i>Pseudorhombus cinnamoneus</i>							1.0	134.0							
	<i>Pseudorhombus oligodon</i>															
	<i>Rhynchopelates oxyrhynchus</i>															
	<i>Saurida elongata</i>															
	<i>Secutor ruconius</i>															
	<i>Scatophagus argus</i>	4.0	578.0		1.0	120.0		2.0	260.0				1.0	192.0		
	<i>Sebastiscus marmoratus</i>	5.0	258.0		1.0	26.0		1.0	20.0							
	<i>Siganus canaliculatus</i>															
	<i>Siganus fuscescens</i>															
	<i>Sillago japonica</i>															
	<i>Sillago sihama</i>	1.0	48.0		1.0	54.0										
	<i>Solea ovata</i>	16.0	166.0		3.0	376.0		13.0	150.0		1.0	14.0		3.0	32.0	
	<i>Stephanolepis cirrhifer</i>															
	<i>Stolephorus commersonii</i>															
	<i>Takifugu niphobles</i>															
	<i>Takifugu poecilonotus</i>															
	<i>Takifugu oblongus</i>															
	<i>Terapon jarbua</i>															
	<i>Terapon theraps</i>															
	<i>Trichiurus japonicus</i>															
	<i>Tridentiger barbatus</i>															
	<i>Takifugu poecilonotus</i>															
	<i>Takifugu oblongus</i>															
	<i>Takifugu niphobles</i>															
	<i>Takifugu xanthopterus</i>															
	<i>Thryssa dussumieri</i>															
	<i>Thryssa hamiltonii</i>															
	<i>Thryssa kammalensis</i>															
	<i>Trachycephalus uranoscopa</i>				3.0	40.0										
	<i>Trypauchen vagina</i>															
	<i>Uroconger lepturus</i>															

Trawling Data in Feb 2017

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Zebrias zebra</i>															
Prawn or shrimp	<i>Alpheus distinguendus</i>				1.0	2.0		4.0	10.0							
	<i>Alpheus brevicristatus</i>															
	<i>Exopalaemon carinicauda</i>															
	<i>Metapenaeopsis barbata</i>				5.0	14.0		2.0	2.0		1.0	2.0				
	<i>Metapenaeus ensis</i>															
	<i>Metapenaeus affinis</i>															
	<i>Metapenaeus joyneri</i>															
	<i>Parapenaeopsis hardwickii</i>															
	<i>Parapenaeopsis cultirostris</i>															
	<i>Parapenaeopsis tenella</i>															
	<i>Penaeus merguensis</i>															
	<i>Penaeus penicillatus</i>															
	<i>Penaeus japonicus</i>							1.0	20.0							
	<i>Solenocera crassicornis</i>															
	<i>Trachypenaeus curvirostris</i>															
Crab	<i>Arcania heptacontra</i>															
	<i>Arcania undecimspinosa</i>										1.0	4.6				
	<i>Misgurnus anguillicaudatus</i>															
	<i>c.f. Bananus spp.</i>	90.0	46.0	*	70.0	38.0	*	120.0	62.0	*	160.0	82.0	*	60.0	28.0	*
	<i>Parapanope euagora</i>															
	<i>Calappa philargius</i>															
	<i>Charybdis affinis</i>															
	<i>Charybdis acuta</i>															
	<i>Charybdis annulata</i>															
	<i>Charybdis bimaculata</i>															
	<i>Charybdis cruciata</i>															
	<i>Charybdis japonica</i>	1.0	64.0		3.0	228.0		2.0	40.0		5.0	94.0				
	<i>Charybdis lucifera</i>															
	<i>Charybdis variegata</i>				3.0	10.0		2.0	2.0				1.0	2.0		
	<i>Charybdis truncata</i>															
	<i>Charybdis spp.</i>	30.0	560.0	*	20.0	386.0	*	30.0	570.0	*	20.0	380.0	*	30.0	520.0	*
	<i>Dorippe polita</i>	8.0	61.2		5.0	32.0		7.0	43.0		7.0	40.0		5.0	36.0	
	<i>Eucrate crenata</i>	6.0	29.0		1.0	4.2		20.0	140.0	*	2.0	11.2				
	<i>Galene bispinosa</i>															
	<i>Hermit crab</i>	20.0	76.0	*	30.0	92.0	*	20.0	70.0	*	30.0	110.0	*	20.0	86.0	*
	<i>Lateolabrax japonicus</i>															
	<i>Leucosia craniolaris</i>										1.0	3.6				
	<i>Ovula Ovum</i>													1.0	2.1	
	<i>Parapanope sp.</i>															
	<i>Parthenope validus</i>	20.0	360.0	*	20.0	360.0	*	12.0	180.0		5.0	72.2		11.0	114.0	
	<i>Porcellanella picta</i>	7.0	3.5		11.0	6.2		20.0	10.0	*	4.0	2.2		2.0	1.1	
	<i>Portunus hastatoides</i>				3.0	8.0										
	<i>Portunus pelagicus</i>															
	<i>Portunus sanguinolentus</i>															
	<i>Portunus trituberculatus</i>															
	<i>Maorophthalmus japonicus</i>															
	<i>Varuna litterata</i>															

Trawling Data in Feb 2017

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Typhlocarcinus sp.</i>													1.0	1.3	
	<i>Typhlocarcinus villosus</i>															
Mantis shrimp	<i>Harpiosquilla harpax</i>							2.0	92.0		2.0	142.0				
	<i>Squilla decorata</i>															
	<i>Oratosquilla interrupta</i>															
	<i>Oratosquilla oratoria</i>															
	<i>Oratosquilla kempii</i>															
Gastropod	<i>Bursa rana</i>										1.0	6.2		1.0	7.3	
	<i>Calyptrea sp.</i>	3.0	0.9					1.0	0.3		6.0	1.4				
	<i>Cymatium caudatum</i>															
	<i>Drupa musiva</i>	3.0	12.6								3.0	12.0				
	<i>Durpa fiscella</i>															
	<i>Gemmula deshayesii</i>															
	<i>Hemifusus scalare</i>	1.0	94.6													
	<i>Inquistor flavidula</i>															
	<i>Lophiotoma leucotropis</i>				1.0	4.2										
	<i>Murex trapa</i>	6.0	46.0		11.0	62.0		20.0	140.0	*	9.0	55.0		7.0	56.0	
	<i>Nassarius hepaticus</i>															
	<i>Nassarius succinctus</i>															
	<i>Nassarius sp.</i>															
	<i>Natica sp.</i>															
	<i>Natica spadiceoides</i>															
	<i>Natica tigrina</i>															
	<i>Philine sp.</i>										1.0	5.1				
	<i>Pilosabia pilosa</i>							1.0	0.3					3.0	0.8	
	<i>Siphopatella walshi</i>	3.0	0.8		5.0	1.6		4.0	2.6							
	<i>Sesarma sp.</i>															
	<i>Tonna olearium</i>															
	<i>Tonna sulcosa</i>															
	<i>Turricula nelliae</i>															
	<i>Turricula javana</i>															
	<i>Turritella terebra</i>	210.0	2030.0	*	160.0	1710.0	*	290.0	3130.0	*	250.0	2530.0	*	310.0	3080.0	*
	<i>UNID Nudibranch</i>															
Bivalve	<i>Anomalodiscus squamosus</i>															
	<i>Chione isabellina</i>															
	<i>Chlamys nobilis</i>															
	<i>Crossostrea sp.</i>							1.0	29.6							
	<i>Ostrea sp.</i>	30.0	62.0	*	20.0	43.0	*	30.0	72.0	*	40.0	20.0	*	30.0	64.0	*
	<i>Paphia undulata</i>							1.0	4.2							
	<i>Monia umbonata</i>															
	<i>Perna viridis</i>															
	<i>Pinctada martensii</i>							1.0	76.8							
	<i>Pinna pectinata(Atrina)</i>													1.0	38.4	
	<i>Ruditapes philippinarum</i>															
	<i>Scapharca subcrenata</i>							1.0	64.6							
	<i>Atrina pectinata</i>															
	<i>Vepricardium asiaticum</i>															
	<i>Tegukkarca nodifera</i>															
	<i>Timoclea scabra</i>															

Trawling Data in Feb 2017

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Placuna placenta</i>															
Cephalopod	<i>Sepiid cuttlefish</i>															
	<i>Lolingid squid</i>															
	<i>Octopus</i>															
Echinoderm	<i>Acaudina molpadioides</i>				2.0	18.2		1.0	11.6					2.0	10.5	
	<i>Pteroeides chinense</i>															
	<i>Asteroidea</i>															
	<i>Pseudocolochirus Sp.</i>															
	<i>Temnopleurus toreumaticus</i>	30.0	460.0	*	20.0	372.0	*	20.0	320.0	*	20.0	330.0	*	21.0	280.0	
	<i>Aphrodita aculeata</i>															
	<i>Amphipolis (c.f.)</i>															
Cnidaria	<i>Edwardsia japonica (c.f.)</i>															
	<i>Echinogorgia complexa (c.f.)</i>															
	<i>Ellisella laevis</i>	2.0	34.2		1.0	11.4		4.0	58.4		5.0	140.0		3.0	470.0	
	<i>Gorgonia spp.</i>															
	<i>Carcinactis ichikawai</i>	1.0	0.7													
	<i>Cavernularia habereri</i>	12.0	102.0		20.0	160.0	*	9.0	46.0		6.0	28.0		40.0	150.0	
	<i>Colochirus quadrangularis</i>															
	<i>Pteroeides chinense</i>	20.0	560.0		20.0	560.0	*	30.0	790.0		20.0	480.0	*	11.0	230.0	
	<i>Sea anomea</i>	1.0	4.8		1.0	8.1		1.0	2.9		2.0	12.3				
	<i>Virgularia gustaviana</i>	2.0	21.6		3.0	31.6		1.0	7.2		8.0	116.0		2.0	38.0	
Urochordata	Sea Squirts										1.0	14.3				
Calcispongia	Species 1															
Cirripedia	<i>Bananus spp.(c.f.)</i>															

Trawling Data in Feb 2017

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acentrogobius caninus</i>															
	<i>Acanthopagrus schlegelii</i>															
	<i>Apogon kiensis</i>															
	<i>Apogon linentus</i>															
	<i>Arius arius</i>															
	<i>Arius sinensis</i>															
	<i>Arius maculatus</i>															
	<i>Arnoglossus waitei</i>															
	<i>Butis koilmoatodon</i>															
	<i>Callionymus curvicornis</i>															
	<i>Chrysochir aureus</i>															
	<i>Chiloscyllium plagiosum</i>															
	<i>Collichthys lucidus</i>															
	<i>Cynoglossus abbreviatus</i>															
	<i>Cynoglossus arel</i>															
	<i>Cynoglossus filifer</i>															
	<i>Cynoglossus puncticeps</i>							1.0	4.0					1.0	4.0	
	<i>Cynoglossus roulei</i>															
	<i>Cynoglossus sinicus</i>															
	<i>Dasyatis bennettii</i>															
	<i>Dasyatis akajei</i>															
	<i>Dasyatis zugei</i>															
	<i>Dendrophysa russelii</i>															
	<i>Derepane punctata</i>															
	<i>Drepane punctata</i>															
	<i>Epinephelus awoara</i>															
	<i>Gerres abbreviatus</i>															
	<i>Gerres filamentosus</i>															
	<i>Grammolites scaber</i>										1.0	28.0		3.0	174.0	
	<i>Glossogobius olivaceus</i>															
	<i>Gymnura japonica</i>															
	<i>Hippocampus histrix</i>															
	<i>Ilsha elongata</i>															
	<i>Inegocia japonica</i>													1.0	50.0	
	<i>Inimicus didactylus</i>															
	<i>Inimicus japonicus</i>															
	<i>Johnius taiwansis</i>															
	<i>Johnius belangerii</i>															
	<i>Johnius heterolepis</i>															
	<i>Johnius taiwanese</i>	6.0	216.0		9.0	210.0		5.0	82.0		3.0	78.0		1.0	24.0	
	<i>Johnius trawase</i>															
	<i>Johnius trewavasae</i>															
	<i>Johnius cornata</i>	6.0	170.0													
	<i>Konosirus punctatus</i>															
	<i>Lagocephalus wheeleri</i>										1.0	16.0				
	<i>Lagocephalus japonicus</i>															
	<i>Leiognathus brevirostris</i>															
	<i>Leiognathus elongatus</i>															
	<i>Leiognathus nuchalis</i>															

Trawling Data in Feb 2017

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Leiognathus dodecakanthoides</i>															
	<i>Mugil cephalus</i>															
	<i>Muraenesox cinereus</i>															
	<i>Nibea albiflora</i>							1.0	104.0					2.0	302.0	
	<i>Otolithes ruber</i>															
	<i>Oxyurichthys tentacularis</i>	1.0	2.0													
	<i>Paracentropogon rubripinnis</i>															
	<i>Parachaeturichthys polynema</i>							8.0	36.0		3.0	12.0				
	<i>Parargyrops edita</i>															
	<i>Paralagusia japonica</i>															
	<i>Pennahia anea</i>															
	<i>Pennahia macrocephalus</i>															
	<i>Pennahia pawak</i>															
	<i>Pentaprion longimabus</i>															
	<i>Platycephalus indicus</i>				1.0	48.0										
	<i>Plectorhinchus cinctus</i>															
	<i>Plotosus lineatus</i>															
	<i>Polydactylus sextarius</i>															
	<i>Pseudorhombus cinnamomeus</i>															
	<i>Pseudorhombus oligodon</i>															
	<i>Rhynchopelates oxyrhynchus</i>															
	<i>Saurida elongata</i>															
	<i>Secutor ruconius</i>															
	<i>Scatophagus argus</i>															
	<i>Sebastiscus marmoratus</i>															
	<i>Siganus canaliculatus</i>															
	<i>Siganus fuscescens</i>										3.0	256.0				
	<i>Sillago japonica</i>															
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>	52.0	436.0		51.0	436.0		115.0	878.0		118.0	824.0		97.0	806.0	
	<i>Stephanolepis cirrhifer</i>															
	<i>Stolephorus commersonii</i>															
	<i>Takifugu niphobles</i>															
	<i>Takifugu poecilonotus</i>															
	<i>Takifugu oblongus</i>															
	<i>Terapon jarbua</i>															
	<i>Terapon theraps</i>															
	<i>Trichiurus japonicus</i>															
	<i>Tridentiger barbatus</i>															
	<i>Takifugu poecilonotus</i>															
	<i>Takifugu oblongus</i>															
	<i>Takifugu niphobles</i>															
	<i>Takifugu xanthopterus</i>															
	<i>Thryssa dussumieri</i>															
	<i>Thryssa hamiltonii</i>															
	<i>Thryssa kammalensis</i>															
	<i>Trachycephalus uranoscopa</i>															
	<i>Trypauchen vagina</i>															
	<i>Uroconger lepturus</i>															

Trawling Data in Feb 2017

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Zebrias zebra</i>															
Prawn or shrimp	<i>Alpheus distinguendus</i>	2.0	2.0		8.0	22.0		8.0	26.0		2.0	6.0		1.0	4.0	
	<i>Alpheus brevicristatus</i>										1.0	2.0				
	<i>Exopalaemon carinicauda</i>															
	<i>Metapenaeopsis barbata</i>	2.0	6.0		1.0	4.0		1.0	2.0		1.0	2.0				
	<i>Metapenaeus ensis</i>															
	<i>Metapenaeus affinis</i>															
	<i>Metapenaeus joyneri</i>															
	<i>Parapenaeopsis hardwickii</i>	24.0	80.0		217.0	334.0		40.0	144.0		15.0	46.0		3.0	10.0	
	<i>Parapenaeopsis cultirostris</i>															
	<i>Parapenaeopsis tenella</i>	3.0	14.0		1.0	6.0										
	<i>Penaeus merguensis</i>							1.0	24.0							
	<i>Penaeus penicillatus</i>															
	<i>Penaeus japonicus</i>															
	<i>Solenocera crassicornis</i>															
	<i>Trachypenaeus curvirostris</i>	37.0	60.0		69.0	176.0		93.0	202.0		55.0	170.0		33.0	92.0	
Crab	<i>Arcania heptacontra</i>	2.0	11.6		1.0	9.3										
	<i>Arcania undecimspinosa</i>															
	<i>Misgurnus anguillicaudatus</i>															
	<i>c.f. Bananus spp.</i>	260.0	108.0	*	210.0	92.0	*	290.0	110.0	*	70.0	46.0	*	110.0	72.0	
	<i>Parapanope euagora</i>															
	<i>Calappa philargius</i>															
	<i>Charybdis affinis</i>															
	<i>Charybdis acuta</i>															
	<i>Charybdis annulata</i>															
	<i>Charybdis bimaculata</i>															
	<i>Charybdis cruciata</i>															
	<i>Charybdis japonica</i>				2.0	32.0					4.0	74.0				
	<i>Charybdis lucifera</i>															
	<i>Charybdis variegata</i>	1.0	2.0		6.0	16.0		2.0	2.0		1.0	2.0				
	<i>Charybdis truncata</i>															
	<i>Charybdis spp.</i>	40.0	390.0	*	30.0	310.0	*	50.0	594.0	*	40.0	410.0	*	30.0	320.0	
	<i>Dorippe polita</i>	8.0	61.0		20.0	170.0	*	3.0	23.0		5.0	46.0				
	<i>Eucrate crenata</i>	20.0	210.0	*	7.0	53.2		3.0	18.7		7.0	33.6		3.0	14.0	
	<i>Galene bispinosa</i>				1.0	42.8										
	<i>Hermit crab</i>	40.0	130.0	*	50.0	160.0	*	30.0	110.0	*	50.0	160.0	*	20.0	46.0	
	<i>Lateolabrax japonicus</i>															
	<i>Leucosia craniolaris</i>															
	<i>Ovula Ovum</i>															
	<i>Parapanope sp.</i>										1.0	3.7				
	<i>Parthenope validus</i>	10.0	166.0		20.0	270.0	*	14.0	220.0		6.0	74.3		8.0	116.4	
	<i>Porcellanella picta</i>	1.0	0.3					2.0	0.9		4.0	1.9				
	<i>Portunus hastatoides</i>	1.0	4.0		2.0	12.0										
	<i>Portunus pelagicus</i>															
	<i>Portunus sanguinolentus</i>															
	<i>Portunus trituberculatus</i>															
	<i>Maorophthalmus japonicus</i>															
	<i>Varuna litterata</i>															

Trawling Data in Feb 2017

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Typhlocarcinus sp.</i>															
	<i>Typhlocarcinus villosus</i>															
Mantis shrimp	<i>Harpisquilla harpax</i>	1.0	58.0		2.0	158.0		1.0	24.0							
	<i>Squilla decorata</i>															
	<i>Oratosquilla interrupta</i>															
	<i>Oratosquilla oratoria</i>															
	<i>Oratosquilla kempii</i>															
Gastropod	<i>Bursa rana</i>	2.0	17.3		1.0	8.4					1.0	9.1				
	<i>Calyptrea sp.</i>				6.0	2.2								1.0	0.4	
	<i>Cymatium caudatum</i>															
	<i>Drupa musiva</i>				5.0	38.0					1.0	5.5				
	<i>Durpa fiscella</i>															
	<i>Gemmula deshayesii</i>															
	<i>Hemifusus scalare</i>															
	<i>Inquistor flavidula</i>	40.0	92.0	*	20.0	50.0	*	30.0	68.0	*				6.0	13.2	
	<i>Lophiotoma leucotropis</i>										1.0	5.7				
	<i>Murex trapa</i>	40.0	290.0	*	30.0	220.0	*	30.0	220.0	*	50.0	350.0	*	30.0	220.0	*
	<i>Nassarius hepaticus</i>															
	<i>Nassarius succinctus</i>	9.0	21.2		20.0	52.3	*				50.0	116.0	*	30.0	68.0	*
	<i>Nassarius sp.</i>															
	<i>Natica sp.</i>															
	<i>Natica spadiceoides</i>															
	<i>Natica tigrina</i>															
	<i>Philine sp.</i>															
	<i>Pilosabia pilosa</i>							1.0	0.3							
	<i>Siphopatella walshi</i>							5.0	1.3					30.0	8.0	*
	<i>Sesarma sp.</i>															
	<i>Tonna olearium</i>															
	<i>Tonna sulcosa</i>															
	<i>Turricula nelliae</i>															
	<i>Turricula javana</i>															
	<i>Turritella terebra</i>	610.0	5370.0	*	560.0	5170.0	*	630.0	6180.0	*	340.0	3160.0	*	510.0	4930.0	*
	<i>UNID Nudibranch</i>	2.0	7.3		1.0	4.9					3.0	11.2		4.0	26.4	
Bivalve	<i>Anomalodiscus squamosus</i>															
	<i>Chione isabellina</i>				6.0	37.0										
	<i>Chlamys nobilis</i>	1.0	12.4													
	<i>Crossostrea sp.</i>															
	<i>Ostrea sp.</i>	20.0	42.0		30.0	63.0		20.0	40.0		50.0	72.0		40.0	72.0	
	<i>Paphia undulata</i>															
	<i>Monia umbonata</i>															
	<i>Perna viridis</i>															
	<i>Pinctada martensii</i>															
	<i>Pinna pectinata(Atrina)</i>															
	<i>Ruditapes philippinarum</i>															
	<i>Scapharca subcrenata</i>				3.0	92.4										
	<i>Atrina pectinata</i>															
	<i>Vepricardium asiaticum</i>															
	<i>Tegukkarca nodifera</i>															
	<i>Timoclea scabra</i>															

Trawling Data in Feb 2017

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Placuna placenta</i>															
Cephalopod	<i>Sepiid cuttlefish</i>															
	<i>Lolingid squid</i>															
	<i>Octopus</i>															
Echinoderm	<i>Acaudina molpadioides</i>	2.0	18.4		5.0	128.2		2.0	36.7		3.0	51.6				
	<i>Pteroeides chinense</i>	7.0	186.0		4.0	91.5		11.0	260.0		3.0	64.8		5.0	120.0	
	<i>Asteroidea</i>															
	<i>Pseudocolochirus Sp.</i>															
	<i>Temnopleurus toreumaticus</i>	2.0	260.0	*	5.0	110.0		3.0	35.6		7.0	92.0		5.0	92.0	
	<i>Aphrodita aculeata</i>										1.0	3.2				
	<i>Amphipolis (c.f.)</i>										1.0	2.6				
Cnidaria	<i>Edwardsia japonica (c.f.)</i>				1.0	6.2										
	<i>Echinogorgia complexa (c.f.)</i>							1.0	11.2							
	<i>Ellisella laevis</i>				3.0	51.6								2.0	32.5	
	<i>Gorgonia spp.</i>															
	<i>Carcinactis ichikawai</i>	4.0	1.9		2.0	0.8		1.0	0.6					3.0	1.4	
	<i>Cavernularia habereri</i>	20.0	120.0	*	30.0	170.0	*	20.0	120.0	*	14.0	66.0		20.0	130.0	
	<i>Colochirus quadrangularis</i>															
	<i>Pteroeides chinense</i>															
	<i>Sea anomea</i>	1.0	5.2		1.0	6.4					3.0	16.5		5.0	26.7	
	<i>Virgularia gustaviana</i>	1.0	8.3								2.0	23.2				
Urochordata	Sea Squirts										1.0	12.0				
Calcispongea	Species 1															
Cirripedia	<i>Bananus spp.(c.f.)</i>															

Trawling Data in Feb 2017

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acentrogobius caninus</i>															
	<i>Acanthopagrus schlegelii</i>															
	<i>Apogon kiensis</i>															
	<i>Apogon lineatus</i>															
	<i>Arius arius</i>															
	<i>Arius sinensis</i>	1.0	258.0													
	<i>Arius maculatus</i>															
	<i>Arnoglossus waitei</i>															
	<i>Butis koilmoatodon</i>															
	<i>Callionymus curvicornis</i>															
	<i>Chrysochir aureus</i>															
	<i>Chiloscyllium plagiosum</i>															
	<i>Collichthys lucidus</i>															
	<i>Cynoglossus abbreviatus</i>															
	<i>Cynoglossus arel</i>															
	<i>Cynoglossus filifer</i>															
	<i>Cynoglossus puncticeps</i>															
	<i>Cynoglossus roulei</i>										1.0	220.0				
	<i>Cynoglossus sinicus</i>	1.0	158.0													
	<i>Dasyatis bennettii</i>															
	<i>Dasyatis akajei</i>										1.0	72.0				
	<i>Dasyatis zugei</i>	7.0	1278.0		5.0	586.0		4.0	882.0		4.0	384.0		6.0	1382.0	
	<i>Dendrophysa russelii</i>															
	<i>Derepane punctata</i>															
	<i>Drepane punctata</i>															
	<i>Epinephelus awoara</i>															
	<i>Gerres abbreviatus</i>				1.0	50.0										
	<i>Gerres filamentosus</i>															
	<i>Grammoplites scaber</i>										1.0	38.0		1.0	62.0	
	<i>Glossogobius olivaceus</i>															
	<i>Gymnura japonica</i>															
	<i>Hippocampus histrix</i>															
	<i>Ilsha elongata</i>															
	<i>Inegocia japonica</i>															
	<i>Inimicus didactylus</i>															
	<i>Inimicus japonicus</i>															
	<i>Johnius taiwansis</i>															
	<i>Johnius belangerii</i>															
	<i>Johnius heterolepis</i>															
	<i>Johnius taiwanese</i>	3.0	112.0					2.0	82.0		1.0	72.0				
	<i>Johnius trawase</i>															
	<i>Johnius trewavasae</i>															
	<i>Johnius cornata</i>															
	<i>Konosirus punctatus</i>				2.0	298.0		1.0	90.0							
	<i>Lagocephalus wheeleri</i>															
	<i>Lagocephalus japonicus</i>	1.0	450.0													
	<i>Leiognathus brevirostris</i>															
	<i>Leiognathus elongatus</i>															
	<i>Leiognathus nuchalis</i>													1.0	18.0	

Trawling Data in Feb 2017

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Leiognathus dodecakanthoides</i>															
	<i>Mugil cephalus</i>															
	<i>Muraenesox cinereus</i>												1.0	158.0		
	<i>Nibea albiflora</i>															
	<i>Otolithes ruber</i>															
	<i>Oxyurichthys tentacularis</i>	1.0	2.0		1.0	4.0		1.0	2.0		1.0	2.0				
	<i>Paracentropogon rubripinnis</i>															
	<i>Parachaeturichthys polynema</i>							2.0	10.0							
	<i>Parargyrops edita</i>															
	<i>Paralagusia japonica</i>															
	<i>Pennahia anea</i>															
	<i>Pennahia macrocephalus</i>															
	<i>Pennahia pawak</i>							2.0	6.0							
	<i>Pentaprion longimabus</i>	2.0	2.0		3.0	40.0		1.0	16.0				1.0	16.0		
	<i>Platycephalus indicus</i>	1.0	228.0		2.0	474.0		1.0	118.0				2.0	366.0		
	<i>Plectorhinchus cinctus</i>															
	<i>Plotosus lineatus</i>															
	<i>Polydactylus sextarius</i>															
	<i>Pseudorhombus cinnamoneus</i>															
	<i>Pseudorhombus oligodon</i>															
	<i>Rhynchopelates oxyrhynchus</i>															
	<i>Saurida elongata</i>															
	<i>Secutor ruconius</i>															
	<i>Scatophagus argus</i>	1.0	380.0										1.0	260.0		
	<i>Sebastiscus marmoratus</i>															
	<i>Siganus canaliculatus</i>															
	<i>Siganus fuscescens</i>															
	<i>Sillago japonica</i>															
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>	16.0	152.0		14.0	136.0		12.0	108.0		26.0	238.0		33.0	271.0	
	<i>Stephanolepis cirrhifer</i>															
	<i>Stolephorus commersonii</i>															
	<i>Takifugu niphobles</i>															
	<i>Takifugu poecilonotus</i>															
	<i>Takifugu oblongus</i>										1.0	46.0				
	<i>Terapon jarbua</i>	1.0	68.0		1.0	62.0		1.0	68.0							
	<i>Terapon theraps</i>															
	<i>Trichiurus japonicus</i>															
	<i>Tridentiger barbatus</i>															
	<i>Takifugu poecilonotus</i>															
	<i>Takifugu oblongus</i>															
	<i>Takifugu niphobles</i>															
	<i>Takifugu xanthopterus</i>															
	<i>Thryssa dussumieri</i>															
	<i>Thryssa hamiltonii</i>	2.0	80.0		1.0	42.0		1.0	32.0							
	<i>Thryssa kammalensis</i>															
	<i>Trachycephalus uranoscopa</i>															
	<i>Trypauchen vagina</i>															
	<i>Uroconger lepturus</i>															

Trawling Data in Feb 2017

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Zebrias zebra</i>															
Prawn or shrimp	<i>Alpheus distinguendus</i>													1.0	8.0	
	<i>Alpheus brevicristatus</i>															
	<i>Exopalaemon carinicauda</i>															
	<i>Metapenaeopsis barbata</i>							1.0	2.0		1.0	4.0		1.0	4.0	
	<i>Metapenaeus ensis</i>															
	<i>Metapenaeus affinis</i>															
	<i>Metapenaeus joyneri</i>															
	<i>Parapenaeopsis hardwickii</i>															
	<i>Parapenaeopsis cultirostris</i>															
	<i>Parapenaeopsis tenella</i>															
	<i>Penaeus merguensis</i>	1.0	56.0		3.0	132.0		2.0	86.0					1.0	48.0	
	<i>Penaeus penicillatus</i>							4.0	108.0							
	<i>Penaeus japonicus</i>															
	<i>Solenocera crassicornis</i>															
	<i>Trachypenaeus curvirostris</i>	5.0	8.0		1.0	4.0		1.0	2.0		1.0	4.0				
Crab	<i>Arcania heptacontra</i>				1.0	8.8										
	<i>Arcania undecimspinosa</i>							2.0	7.2							
	<i>Misgurnus anguillicaudatus</i>															
	<i>c.f. Bananus spp.</i>	110.0	82.0	*	70.0	92.0	*	70.0	90.0	*	190.0	112.0	*	180.0	80.0	*
	<i>Parapanope euagora</i>															
	<i>Calappa philargius</i>															
	<i>Charybdis affinis</i>															
	<i>Charybdis acuta</i>															
	<i>Charybdis annulata</i>															
	<i>Charybdis bimaculata</i>															
	<i>Charybdis cruciata</i>															
	<i>Charybdis japonica</i>							1.0	16.0					1.0	250.0	
	<i>Charybdis lucifera</i>															
	<i>Charybdis variegata</i>							3.0	18.0							
	<i>Charybdis truncata</i>															
	<i>Charybdis spp.</i>	30.0	380.0	*	40.0	460.0	*	30.0	410.0	*	40.0	410.0	*	30.0	410.0	*
	<i>Dorippe polita</i>	11.0	94.2		6.0	49.3		5.0	45.6		20.0	150.0	*	5.0	37.0	
	<i>Eucrate crenata</i>	7.0	58.9		20.0	180.0	*	3.0	19.4		20.0	160.0	*	6.0	45.1	
	<i>Galene bispinosa</i>							2.0	82.6							
	<i>Hermit crab</i>	30.0	130.0	*	20.0	106.0	*	30.0	120.0	*	50.0	140.0	*	30.0	120.0	*
	<i>Lateolabrax japonicus</i>															
	<i>Leucosia craniolaris</i>	2.0	7.7					1.0	4.2							
	<i>Ovula Ovum</i>															
	<i>Parapanope sp.</i>															
	<i>Parthenope validus</i>	9.0	108.0		7.0	92.5		6.0	88.6		5.0	61.7		6.0	77.1	
	<i>Porcellanella picta</i>				1.0	0.3		2.0	0.8					3.0	1.3	
	<i>Portunus hastatoides</i>	4.0	8.0		9.0	26.0		6.0	14.0		1.0	4.0		1.0	4.0	
	<i>Portunus pelagicus</i>															
	<i>Portunus sanguinolentus</i>															
	<i>Portunus trituberculatus</i>															
	<i>Maorophthalmus japonicus</i>							1.0	4.9							
	<i>Varuna litterata</i>															

Trawling Data in Feb 2017

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Typhlocarcinus sp.</i>							1.0	0.7							
	<i>Typhlocarcinus villosus</i>															
Mantis shrimp	<i>Harpisquilla harpax</i>	1.0	54.0					1.0	82.0		1.0	44.0		3.0	150.0	
	<i>Squilla decorata</i>															
	<i>Oratosquilla interrupta</i>															
	<i>Oratosquilla oratoria</i>															
	<i>Oratosquilla kempii</i>															
Gastropod	<i>Bursa rana</i>				3.0	23.6		1.0	8.2							
	<i>Calyptrea sp.</i>	3.0	0.8					20.0	9.3					5.0	1.2	
	<i>Cymatium caudatum</i>															
	<i>Drupa musiva</i>				4.0	26.3		1.0	5.2		3.0	12.0				
	<i>Durpa fiscella</i>															
	<i>Gemmula deshayesii</i>															
	<i>Hemifusus scalare</i>															
	<i>Inquistor flavidula</i>	12.0	25.4		5.0	12.3		20.0	52.0	*	20.0	50.0	*			
	<i>Lophiotoma leucotropis</i>										2.0	13.2				
	<i>Murex trapa</i>	40.0	260.0	*	20.0	160.0	*	20.0	140.0	*	15.0	86.0		20.0	120.0	
	<i>Nassarius hepaticus</i>															
	<i>Nassarius succinctus</i>	60.0	130.0	*	40.0	90.0	*	40.0	90.0	*				7.0	16.2	
	<i>Nassarius sp.</i>															
	<i>Natica sp.</i>															
	<i>Natica spadiceoides</i>															
	<i>Natica tigrina</i>													1.0	3.4	
	<i>Philine sp.</i>															
	<i>Pilosabia pilosa</i>	6.0	1.9		30.0	11.4	*									
	<i>Siphopatella walshi</i>	3.0	0.9													
	<i>Sesarma sp.</i>															
	<i>Tonna olearium</i>															
	<i>Tonna sulcosa</i>															
	<i>Turricula nelliae</i>															
	<i>Turricula javana</i>															
	<i>Turritella terebra</i>	420.0	4160.0	*	390.0	3710.0	*	430.0	4290.0	*	390.0	3650.0	*	410.0	3970.0	
	<i>UNID Nudibranch</i>	2.0	13.3		1.0	5.2		4.0	18.3							
Bivalve	<i>Anomalodiscus squamosus</i>															
	<i>Chione isabellina</i>	2.0	11.2					1.0	4.6							
	<i>Chlamys nobilis</i>				1.0	8.2										
	<i>Crossostrea sp.</i>															
	<i>Ostrea sp.</i>	30.0	40.0		40.0	58.0		30.0	40.0		40.0	58.0		30.0	44.0	
	<i>Paphia undulata</i>				6.0	32.0										
	<i>Monia umbonata</i>															
	<i>Perna viridis</i>															
	<i>Pinctada martensii</i>	1.0	47.4													
	<i>Pinna pectinata(Atrina)</i>															
	<i>Ruditapes philippinarum</i>															
	<i>Scapharca subcrenata</i>							1.0	51.8							
	<i>Atrina pectinata</i>															
	<i>Vepricardium asiaticum</i>															
	<i>Tegukkarca nodifera</i>															
	<i>Timoclea scabra</i>															

Trawling Data in Feb 2017

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Placuna placenta</i>															
Cephalopod	<i>Sepiid cuttlefish</i>															
	<i>Lolingid squid</i>															
	<i>Octopus</i>															
Echinoderm	<i>Acaudina molpadioides</i>				3.0	51.6		20.0	240.0	*	2.0	51.1		11.0	126.0	
	<i>Pteroeides chinense</i>	5.0	130.0		3.0	66.7		5.0	113.2		1.0	21.6		4.0	132.0	
	<i>Asteroidea</i>															
	<i>Pseudocolochirus Sp.</i>															
	<i>Temnopleurus toreumaticus</i>	8.0	112.0	*	20.0	190.0		11.0	106.0		1.0	16.2		13.0	188.4	
	<i>Aphrodita aculeata</i>															
	<i>Amphipolis (c.f.)</i>															
Cnidaria	<i>Edwardsia japonica (c.f.)</i>				1.0	5.2										
	<i>Echinogorgia complexa (c.f.)</i>										1.0	14.8		4.0	36.2	
	<i>Ellisella laevis</i>	1.0	16.4								2.0	31.4				
	<i>Gorgonia spp.</i>															
	<i>Carinactis ichikawai</i>				4.0	1.8		2.0	0.8		1.0	0.4				
	<i>Cavernularia habereri</i>	20.0	130.0	*	20.0	120.0	*	30.0	160.0	*	9.0	36.0		20.0	110.0	
	<i>Colochirus quadrangularis</i>															
	<i>Pteroeides chinense</i>															
	<i>Sea anomea</i>	2.0	12.8		4.0	38.2		1.0	3.2					2.0	12.3	
	<i>Virgularia gustaviana</i>	1.0	18.2					2.0	22.6							
Urochordata	Sea Squirts															
Calcispongea	Species 1															
Cirripedia	<i>Balanus spp.(c.f.)</i>															

Trawling Data in Feb 2017

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acentrogobius caninus</i>							1.0	6.0							
	<i>Acanthopagrus schlegelii</i>	1.0	738.0													
	<i>Apogon kiensis</i>															
	<i>Apogon lineatus</i>															
	<i>Arius arius</i>															
	<i>Arius sinensis</i>	1.0	170.0					2.0	360.0							
	<i>Arius maculatus</i>															
	<i>Arnoglossus waitei</i>							1.0	12.0		1.0	10.0				
	<i>Butis koilmoatodon</i>															
	<i>Callionymus curvicornis</i>															
	<i>Chrysochir aureus</i>															
	<i>Chiloscyllium plagiosum</i>															
	<i>Collichthys lucidus</i>															
	<i>Cynoglossus abbreviatus</i>															
	<i>Cynoglossus arel</i>															
	<i>Cynoglossus filifer</i>															
	<i>Cynoglossus puncticeps</i>															
	<i>Cynoglossus roulei</i>				2.0	352.0								2.0	96.0	
	<i>Cynoglossus sinicus</i>							1.0	24.0					3.0	82.0	
	<i>Dasyatis bennettii</i>															
	<i>Dasyatis akajei</i>	2.0	1076.0		1.0	70.0		1.0	58.0		3.0	1436.0		2.0	204.0	
	<i>Dasyatis zugei</i>				4.0	968.0					3.0	484.0		2.0	410.0	
	<i>Dendrophysa russelii</i>															
	<i>Derepane punctata</i>															
	<i>Drepane punctata</i>															
	<i>Epinephelus awoara</i>															
	<i>Gerres abbreviatus</i>				2.0	56.0										
	<i>Gerres filamentosus</i>															
	<i>Grammoplites scaber</i>				1.0	72.0		2.0	114.0		1.0	26.0		2.0	140.0	
	<i>Glossogobius olivaceus</i>															
	<i>Gymnura japonica</i>	1.0	190.0		1.0	784.0					1.0	1090.0		1.0	512.0	
	<i>Hippocampus histrix</i>							1.0	4.6							
	<i>Isha elongata</i>															
	<i>Inegocia japonica</i>				1.0	118.0										
	<i>Inimicus didactylus</i>															
	<i>Inimicus japonicus</i>															
	<i>Johnius taiwansis</i>															
	<i>Johnius belangerii</i>															
	<i>Johnius heterolepis</i>															
	<i>Johnius taiwanese</i>	1.0	44.0											7.0	262.0	
	<i>Johnius trawase</i>															
	<i>Johnius trevwavasae</i>															
	<i>Johnius cornata</i>															
	<i>Konosirus punctatus</i>	8.0	380.0		7.0	468.0					2.0	168.0		1.0	58.0	
	<i>Lagocephalus wheeleri</i>															
	<i>Lagocephalus japonicus</i>															
	<i>Leiognathus brevirostris</i>															
	<i>Leiognathus elongatus</i>															
	<i>Leiognathus nuchalis</i>	7.0	62.0		9.0	76.0		1.0	10.0		2.0	8.0		1.0	10.0	

Trawling Data in Feb 2017

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)		
	<i>Leiognathus dodecacanthoides</i>															
	<i>Mugil cephalus</i>															
	<i>Muraenesox cinereus</i>	1.0	368.0					1.0	304.0		1.0	482.0		1.0	158.0	
	<i>Nibea albiflora</i>															
	<i>Otolithes ruber</i>															
	<i>Oxyurichthys tentacularis</i>															
	<i>Paracentropogon rubripinnis</i>															
	<i>Parachaeturichthys polynema</i>															
	<i>Parargyrops edita</i>															
	<i>Paralagusia japonica</i>															
	<i>Pennahia anea</i>															
	<i>Pennahia macrocephalus</i>															
	<i>Pennahia pawak</i>															
	<i>Pentaprion longimabus</i>															
	<i>Platycephalus indicus</i>	2.0	414.0		2.0	266.0		3.0	322.0		1.0	48.0		3.0	238.0	
	<i>Plectorhinchus cinctus</i>															
	<i>Plotosus lineatus</i>				1.0	180.0										
	<i>Polydactylus sextarius</i>															
	<i>Pseudorhombus cinnamoneus</i>															
	<i>Pseudorhombus oligodon</i>															
	<i>Rhynchopelates oxyrhynchus</i>															
	<i>Saurida elongata</i>															
	<i>Secutor ruconius</i>															
	<i>Scatophagus argus</i>															
	<i>Sebastiscus marmoratus</i>															
	<i>Siganus canaliculatus</i>															
	<i>Siganus fuscescens</i>															
	<i>Sillago japonica</i>															
	<i>Sillago sihama</i>				2.0	70.0										
	<i>Solea ovata</i>	6.0	52.0		2.0	20.0		5.0	42.0		2.0	12.0		8.0	92.0	
	<i>Stephanolepis cirrhifer</i>															
	<i>Stolephorus commersonii</i>															
	<i>Takifugu niphobles</i>															
	<i>Takifugu poecilonotus</i>	1.0	418.0		4.0	1360.0										
	<i>Takifugu oblongus</i>	1.0	114.0													
	<i>Terapon jarbua</i>	1.0	54.0										1.0	64.0		
	<i>Terapon theraps</i>															
	<i>Trichiurus japonicus</i>															
	<i>Tridentiger barbatus</i>															
	<i>Takifugu poecilonotus</i>															
	<i>Takifugu oblongus</i>															
	<i>Takifugu niphobles</i>															
	<i>Takifugu xanthopterus</i>															
	<i>Thryssa dussumieri</i>															
	<i>Thryssa hamiltonii</i>	1.0	36.0		1.0	6.0		2.0	42.0							
	<i>Thryssa kammalensis</i>	2.0	16.0		1.0	10.0		3.0	42.0							
	<i>Trachycephalus uranoscopa</i>															
	<i>Trypauchen vagina</i>															
	<i>Uroconger lepturus</i>															

Trawling Data in Feb 2017

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Zebrias zebra</i>															
Prawn or shrimp	<i>Alpheus distinguendus</i>	1.0	4.0		1.0	2.0		3.0	6.0					1.0	2.0	
	<i>Alpheus brevicristatus</i>															
	<i>Exopalaemon carinicauda</i>															
	<i>Metapenaeopsis barbata</i>															
	<i>Metapenaeus ensis</i>															
	<i>Metapenaeus affinis</i>															
	<i>Metapenaeus joyneri</i>															
	<i>Parapenaeopsis hardwickii</i>															
	<i>Parapenaeopsis cultirostris</i>															
	<i>Parapenaeopsis tenella</i>				1.0	6.0		2.0	8.0				1.0	4.0		
	<i>Penaeus merguensis</i>	2.0	82.0					3.0	158.0		4.0	184.0		2.0	84.0	
	<i>Penaeus penicillatus</i>															
	<i>Penaeus japonicus</i>															
	<i>Solenocera crassicornis</i>															
	<i>Trachypenaeus curvirostris</i>				1.0	2.0		4.0	12.0		2.0	4.0		2.0	4.0	
Crab	<i>Arcania heptacontra</i>															
	<i>Arcania undecimspinosa</i>															
	<i>Misgurnus anguillicaudatus</i>															
	<i>c.f. Bananus spp.</i>	60.0	37.0	*	30.0	21.2	*	40.0	21.6	*	70.0	36.0	*	90.0	44.0	
	<i>Parapanope euagora</i>															
	<i>Calappa philargius</i>															
	<i>Charybdis affinis</i>															
	<i>Charybdis acuta</i>															
	<i>Charybdis annulata</i>				1.0	56.0										
	<i>Charybdis bimaculata</i>															
	<i>Charybdis cruciata</i>															
	<i>Charybdis japonica</i>				1.0	14.0										
	<i>Charybdis lucifera</i>															
	<i>Charybdis variegata</i>							2.0	4.0							
	<i>Charybdis truncata</i>															
	<i>Charybdis spp.</i>	40.0	560.0	*	40.0	590.0	*	30.0	484.0	*	40.0	570.0	*	30.0	450.0	
	<i>Dorippe polita</i>	5.0	57.4					6.0	68.5							
	<i>Eucrate crenata</i>															
	<i>Galene bispinosa</i>															
	<i>Hermit crab</i>	40.0	170.0	*	30.0	130.0	*	30.0	120.0	*	30.0	140.0	*	40.0	160.0	
	<i>Lateolabrax japonicus</i>										1.0	2410.0				
	<i>Leucosia craniolaris</i>															
	<i>Ovula Ovum</i>															
	<i>Parapanope sp.</i>															
	<i>Parthenope validus</i>	3.0	36.8		5.0	64.8		5.0	69.7		6.0	117.3		5.0	104.2	
	<i>Porcellanella picta</i>	1.0	2.0													
	<i>Portunus hastatoides</i>							7.0	30.0		1.0	2.0		2.0	12.0	
	<i>Portunus pelagicus</i>															
	<i>Portunus sanguinolentus</i>															
	<i>Portunus trituberculatus</i>															
	<i>Maorophthalmus japonicus</i>															
	<i>Varuna litterata</i>															

Trawling Data in Feb 2017

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Typhlocarcinus sp.</i>															
	<i>Typhlocarcinus villosus</i>															
Mantis shrimp	<i>Harpisquilla harpax</i>	1.0	92.0								1.0	10.0				
	<i>Squilla decorata</i>															
	<i>Oratosquilla interrupta</i>															
	<i>Oratosquilla oratoria</i>															
	<i>Oratosquilla kempii</i>															
Gastropod	<i>Bursa rana</i>										1.0	8.1				
	<i>Calyptraea sp.</i>				1.0	0.3										
	<i>Cymatium caudatum</i>															
	<i>Drupa musiva</i>	5.0	27.3		2.0	8.4		20.0	160.0	*	3.0	18.2				
	<i>Durpa fiscella</i>															
	<i>Gemmula deshayesii</i>															
	<i>Hemifusus scalare</i>															
	<i>Inquistor flavidula</i>												10.0	21.2		
	<i>Lophiotoma leucotropis</i>				1.0	5.1										
	<i>Murex trapa</i>	30.0	140.0	*	20.0	96.4	*	20.0	86.0	*	11.0	88.6		7.0	57.1	
	<i>Nassarius hepaticus</i>															
	<i>Nassarius succinctus</i>													30.0	62.8	
	<i>Nassarius sp.</i>															
	<i>Natica sp.</i>															
	<i>Natica spadiceoides</i>															
	<i>Natica tigrina</i>												1.0	2.8		
	<i>Philine sp.</i>										1.0	4.3				
	<i>Pilosabia pilosa</i>				2.0	0.5										
	<i>Siphopatella walshi</i>										6.0	2.8				
	<i>Sesarma sp.</i>															
	<i>Tonna olearium</i>															
	<i>Tonna sulcosa</i>															
	<i>Turricula nelliae</i>															
	<i>Turricula javana</i>															
	<i>Turritella terebra</i>	560.0	5410.0	*	410.0	3970.0	*	360.0	3540.0	*	280.0	2930.0	*	310.0	2880.0	
	<i>UNID Nudibranch</i>															
Bivalve	<i>Anomalodiscus squamosus</i>															
	<i>Chione isabellina</i>										1.0	5.6				
	<i>Chlamys nobilis</i>												2.0	20.8		
	<i>Crossostrea sp.</i>															
	<i>Ostrea sp.</i>										20.0	26.4	*	6.0	12.3	
	<i>Paphia undulata</i>							5.0	37.2		2.0	8.4				
	<i>Monia umbonata</i>															
	<i>Perna viridis</i>															
	<i>Pinctada martensii</i>										1.0	53.2				
	<i>Pinna pectinata(Atrina)</i>															
	<i>Ruditapes philippinarum</i>															
	<i>Scapharca subcrenata</i>				3.0	116.4					1.0	31.6		2.0	84.4	
	<i>Atrina pectinata</i>															
	<i>Vepricardium asiaticum</i>															
	<i>Tegukkarca nodifera</i>															
	<i>Timoclea scabra</i>															

Trawling Data in Feb 2017

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)		
	<i>Placuna placenta</i>															
Cephalopod	<i>Sepiid cuttlefish</i>															
	<i>Lolingid squid</i>															
	<i>Octopus</i>	1.0	122.0								1.0	290.0				
Echinoderm	<i>Acaudina molpadioides</i>	1.0	10.2								3.0	18.2				
	<i>Pteroeides chinense</i>															
	<i>Asteroidea</i>															
	<i>Pseudocolochirus Sp.</i>															
	<i>Temnopleurus toreumaticus</i>	60.0	720.0	*	30.0	370.0	*	16.0	178.0		20.0	270.0	*	30.0	380.0	*
	<i>Aphrodita aculeata</i>															
	<i>Amphipolis (c.f.)</i>															
Cnidaria	<i>Edwardsia japonica (c.f.)</i>															
	<i>Echinogorgia complexa (c.f.)</i>															
	<i>Ellisella laevis</i>				3.0	80.4								1.0	8.4	
	<i>Gorgonia spp.</i>															
	<i>Carcinactis ichikawai</i>	2.0	0.6		1.0	0.4								1.0	0.5	
	<i>Cavernularia habereri</i>	11.0	46.0		7.0	29.6		2.0	7.5					3.0	11.4	
	<i>Colochirus quadrangularis</i>															
	<i>Pteroeides chinense</i>	1.0	24.6		3.0	51.4					2.0	36.4				
	<i>Sea anomea</i>	20.0	216.0	*	1.0	8.5		2.0	14.2							
	<i>Virgularia gustaviana</i>							1.0	7.2		2.0	21.6				
Urochordata	Sea Squirts															
Calcispongea	Species 1															
Cirripedia	<i>Balanus spp.(c.f.)</i>															

Trawling Data in Feb 2017

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acentrogobius caninus</i>							1.0	16.0							
	<i>Acanthopagrus schlegelii</i>							1.0	1520.0							
	<i>Apogon kiensis</i>															
	<i>Apogon linentus</i>															
	<i>Arius arius</i>															
	<i>Arius sinensis</i>												1.0	170.0		
	<i>Arius maculatus</i>															
	<i>Arnoglossus waitei</i>	1.0	12.0		3.0	38.0							1.0	10.0		
	<i>Butis koilmoatodon</i>															
	<i>Callionymus curvicornis</i>															
	<i>Chrysochir aureus</i>															
	<i>Chiloscyllium plagiosum</i>															
	<i>Collichthys lucidus</i>															
	<i>Cynoglossus abbreviatus</i>										1.0	50.0				
	<i>Cynoglossus arel</i>															
	<i>Cynoglossus filifer</i>							1.0	4.0				1.0	2.0		
	<i>Cynoglossus puncticeps</i>															
	<i>Cynoglossus roulei</i>	1.0	176.0		1.0	244.0										
	<i>Cynoglossus sinicus</i>	2.0	62.0		1.0	210.0							1.0	34.0		
	<i>Dasyatis bennettii</i>															
	<i>Dasyatis akajei</i>															
	<i>Dasyatis zugei</i>	3.0	368.0					2.0	156.0		1.0	114.0	3.0	442.0		
	<i>Dendrophysa russelii</i>															
	<i>Derepane punctata</i>															
	<i>Drepane punctata</i>															
	<i>Epinephelus awoara</i>															
	<i>Gerres abbreviatus</i>															
	<i>Gerres filamentosus</i>															
	<i>Grammoplites scaber</i>															
	<i>Glossogobius olivaceus</i>															
	<i>Gymnura japonica</i>							1.0	370.0							
	<i>Hippocampus histrix</i>															
	<i>Ilsha elongata</i>															
	<i>Inegocia japonica</i>															
	<i>Inimicus didactylus</i>															
	<i>Inimicus japonicus</i>															
	<i>Johnius taiwansis</i>															
	<i>Johnius belangerii</i>															
	<i>Johnius heterolepis</i>															
	<i>Johnius taiwanese</i>	4.0	182.0		1.0	44.0							1.0	28.0		
	<i>Johnius trawase</i>															
	<i>Johnius trevwasasae</i>															
	<i>Johnius cornata</i>															
	<i>Konosirus punctatus</i>	1.0	74.0										1.0	62.0		
	<i>Lagocephalus wheeleri</i>															
	<i>Lagocephalus japonicus</i>															
	<i>Leiognathus brevirostris</i>															
	<i>Leiognathus elongatus</i>															
	<i>Leiognathus nuchalis</i>	11.0	124.0		14.0	170.0		1.0	18.0		3.0	38.0	1.0	14.0		

Trawling Data in Feb 2017

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Leiognathus dodecacanthoides</i>															
	<i>Mugil cephalus</i>															
	<i>Muraenesox cinereus</i>															
	<i>Nibea albiflora</i>															
	<i>Otolithes ruber</i>															
	<i>Oxyurichthys tentacularis</i>				1.0	4.0		1.0	2.0							
	<i>Paracentropogon rubripinnis</i>															
	<i>Parachaeturichthys polynema</i>												1.0	2.0		
	<i>Parargyrops edita</i>															
	<i>Paralagusia japonica</i>															
	<i>Pennahia anea</i>															
	<i>Pennahia macrocephalus</i>															
	<i>Pennahia pawak</i>															
	<i>Pentaprion longimabus</i>															
	<i>Platycephalus indicus</i>												1.0	92.0		
	<i>Plectorhinchus cinctus</i>															
	<i>Plotosus lineatus</i>															
	<i>Polydactylus sextarius</i>															
	<i>Pseudorhombus cinnamoneus</i>															
	<i>Pseudorhombus oligodon</i>															
	<i>Rhynchopelates oxyrhynchus</i>															
	<i>Saurida elongata</i>															
	<i>Secutor ruconius</i>															
	<i>Scatophagus argus</i>															
	<i>Sebastiscus marmoratus</i>															
	<i>Siganus canaliculatus</i>															
	<i>Siganus fuscescens</i>	2.0	58.0													
	<i>Sillago japonica</i>															
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>	6.0	54.0		4.0	44.0		4.0	36.0		1.0	12.0		3.0	46.0	
	<i>Stephanolepis cirrhifer</i>															
	<i>Stolephorus commersonii</i>															
	<i>Takifugu niphobles</i>															
	<i>Takifugu poecilonotus</i>							2.0	632.0		1.0	360.0				
	<i>Takifugu oblongus</i>															
	<i>Terapon jarbua</i>															
	<i>Terapon theraps</i>															
	<i>Trichiurus japonicus</i>															
	<i>Tridentiger barbatus</i>															
	<i>Takifugu poecilonotus</i>															
	<i>Takifugu oblongus</i>															
	<i>Takifugu niphobles</i>															
	<i>Takifugu xanthopterus</i>															
	<i>Thryssa dussumieri</i>															
	<i>Thryssa hamiltonii</i>															
	<i>Thryssa kammalensis</i>	3.0	36.0													
	<i>Trachycephalus uranoscopa</i>															
	<i>Trypauchen vagina</i>															
	<i>Uroconger lepturus</i>															

Trawling Data in Feb 2017

		TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
Group	Species Name	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
		number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)
	<i>Zebrias zebra</i>															
Prawn or shrimp	<i>Alpheus distinguendus</i>	3.0	8.0		3.0	10.0		4.0	12.0		1.0	2.0		5.0	12.0	
	<i>Alpheus brevicristatus</i>				1.0	2.0										
	<i>Exopalaemon carinicauda</i>															
	<i>Metapenaeopsis barbata</i>															
	<i>Metapenaeus ensis</i>															
	<i>Metapenaeus affinis</i>															
	<i>Metapenaeus joyneri</i>															
	<i>Parapenaeopsis hardwickii</i>															
	<i>Parapenaeopsis cultirostris</i>															
	<i>Parapenaeopsis tenella</i>	1.0	4.0					1.0	4.0					1.0	6.0	
	<i>Penaeus merguensis</i>	1.0	42.0					1.0	40.0					1.0	38.0	
	<i>Penaeus penicillatus</i>				3.0	142.0										
	<i>Penaeus japonicus</i>															
	<i>Solenocera crassicornis</i>															
	<i>Trachypenaeus curvirostris</i>	1.0	2.0		1.0	2.0		1.0	2.0					2.0	4.0	
Crab	<i>Arcania heptacontra</i>															
	<i>Arcania undecimspinosa</i>															
	<i>Misgurnus anguillicaudatus</i>															
	<i>c.f. Bananus spp.</i>	20.0	16.2	*	50.0	22.0	*				20.0	11.7	*			
	<i>Parapanope euagora</i>															
	<i>Calappa philargius</i>															
	<i>Charybdis affinis</i>															
	<i>Charybdis acuta</i>															
	<i>Charybdis annulata</i>															
	<i>Charybdis bimaculata</i>							1.0	2.0							
	<i>Charybdis cruciata</i>															
	<i>Charybdis japonica</i>	7.0	384.0		3.0	64.0										
	<i>Charybdis lucifera</i>															
	<i>Charybdis variegata</i>	2.0	8.0													
	<i>Charybdis truncata</i>															
	<i>Charybdis spp.</i>	40.0	580.0	*	30.0	410.0	*	40.0	570.0	*	30.0	460.0	*	40.0	580.0	*
	<i>Dorippe polita</i>	5.0	92.2		6.0	112.6		12.0	91.4		11.0	108.0		9.0	92.3	
	<i>Eucrate crenata</i>				3.0	9.2										
	<i>Galene bispinosa</i>	20.0	510.0	*				1.0	38.1					2.0	58.4	
	<i>Hermit crab</i>	40.0	120.0	*	40.0	120.0	*	30.0	94.9	*	20.0	82.0	*	30.0	130.0	*
	<i>Lateolabrax japonicus</i>															
	<i>Leucosia craniolaris</i>															
	<i>Ovula Ovum</i>															
	<i>Parapanope sp.</i>	1.0	6.3													
	<i>Parthenope validus</i>				1.0	11.8					7.0	120.0		20.0	310.0	*
	<i>Porcellanella picta</i>	1.0	3.0													
	<i>Portunus hastatooides</i>							1.0	2.0		1.0	6.0				
	<i>Portunus pelagicus</i>															
	<i>Portunus sanguinolentus</i>															
	<i>Portunus trituberculatus</i>															
	<i>Maorophthalmus japonicus</i>															
	<i>Varuna litterata</i>															

Trawling Data in Feb 2017

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Typhlocarcinus sp.</i>	2.0	1.9													
	<i>Typhlocarcinus villosus</i>															
Mantis shrimp	<i>Harpisquilla harpax</i>	3.0	112.0		2.0	46.0							2.0	40.0		
	<i>Squilla decorata</i>															
	<i>Oratosquilla interrupta</i>															
	<i>Oratosquilla oratoria</i>															
	<i>Oratosquilla kempii</i>															
Gastropod	<i>Bursa rana</i>							2.0	19.4							
	<i>Calyptreaea sp.</i>				4.0	1.1		2.0	0.8							
	<i>Cymatium caudatum</i>												1.0	4.4		
	<i>Drupa musiva</i>				4.0	16.8		3.0	11.6		8.0	46.6		5.0	31.0	
	<i>Durpa fiscella</i>															
	<i>Gemmula deshayesii</i>															
	<i>Hemifusus scalare</i>															
	<i>Inquistor flavidula</i>	30.0	62.4	*				8.0	16.5					20.0	46.0	
	<i>Lophiotoma leucotropis</i>															
	<i>Murex trapa</i>	30.0	250.0	*	30.0	260.0	*	40.0	270.0	*	30.0	250.0	*	20.0	190.0	
	<i>Nassarius hepaticus</i>				1.0	2.6					1.0	2.2		1.0	3.1	
	<i>Nassarius succinctus</i>	30.0	64.0	*	40.0	82.8	*	30.0	68.9	*	5.0	12.6		40.0	90.0	
	<i>Nassarius sp.</i>															
	<i>Natica sp.</i>															
	<i>Natica spadiceoides</i>															
	<i>Natica tigrina</i>															
	<i>Philine sp.</i>	1.0	4.6					2.0	11.2							
	<i>Pilosabia pilosa</i>															
	<i>Siphopatella walshi</i>				5.0	1.2		2.0	0.6							
	<i>Sesarma sp.</i>															
	<i>Tonna olearium</i>															
	<i>Tonna sulcosa</i>															
	<i>Turricula nelliae</i>															
	<i>Turricula javana</i>															
	<i>Turritella terebra</i>	620.0	6140.0	*	580.0	5740.0	*	520.0	5140.0	*	410.0	4070.0	*	370.0	3640.0	
	<i>UNID Nudibranch</i>															
Bivalve	<i>Anomalodiscus squamosus</i>															
	<i>Chione isabellina</i>	2.0	8.2													
	<i>Chlamys nobilis</i>				1.0	7.2		2.0	12.3							
	<i>Crossostrea sp.</i>	2.0	480.0													
	<i>Ostrea sp.</i>	30.0	46.2	*	11.0	21.6		20.0	36.2	*						
	<i>Paphia undulata</i>							2.0	11.4							
	<i>Monia umbonata</i>															
	<i>Perna viridis</i>															
	<i>Pinctada martensii</i>															
	<i>Pinna pectinata(Atrina)</i>															
	<i>Ruditapes philippinarum</i>							2.0	8.8		3.0	11.6				
	<i>Scapharca subcrenata</i>	3.0	175.2		1.0	46.8		1.0	64.4							
	<i>Atrina pectinata</i>															
	<i>Vepricardium asiaticum</i>															
	<i>Tegukkarca nodifera</i>															
	<i>Timoclea scabra</i>															

Trawling Data in Feb 2017

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)		
	<i>Placuna placenta</i>															
Cephalopod	<i>Sepiid cuttlefish</i>															
	<i>Lolingid squid</i>															
	<i>Octopus</i>															
Echinoderm	<i>Acaudina molpadioides</i>				1.0	6.5										
	<i>Pteroeides chinense</i>															
	<i>Asteroidea</i>															
	<i>Pseudocolochirus Sp.</i>															
	<i>Temnopleurus toreumaticus</i>	40.0	560.0	*	30.0	410.0	*	40.0	570.0	*	9.0	116.0		20.0	260.0	*
	<i>Aphrodita aculeata</i>															
	<i>Amphipolis (c.f.)</i>															
Cnidaria	<i>Edwardsia japonica (c.f.)</i>															
	<i>Echinogorgia complexa (c.f.)</i>															
	<i>Ellisella laevis</i>							1.0	12.2							
	<i>Gorgonia spp.</i>	1.0	6.2													
	<i>Carcinactis ichikawai</i>	1.0	0.3					2.0	0.6		1.0	0.5				
	<i>Cavernularia habereri</i>	13.0	41.6		2.0	10.2		6.0	32.0					2.0	7.9	
	<i>Colochirus quadrangularis</i>															
	<i>Pteroeides chinense</i>	3.0	92.0		5.0	140.0					1.0	18.4				
	<i>Sea anomea</i>	2.0	18.7		1.0	6.2		5.0	41.4							
	<i>Virgularia gustaviana</i>	1.0	19.2		1.0	6.2								1.0	4.8	
Urochordata	Sea Squirts															
Calcispongea	Species 1															
Cirripedia	<i>Bananus spp.(c.f.)</i>															