

Trawling Data in February 2020

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Arnoglossus waitei</i>							2	10		2	10				
	<i>Acentrogobius caninus</i>															
	<i>Apogon kiensis</i>															
	<i>Apogon lineatus</i>															
	<i>Arius chinensis</i>															
	<i>Butis koilomatodon</i>															
	<i>Callionymus curvicornis</i>	2	40		1	20								1	6	
	<i>Clupanodon thrissa</i>															
	<i>Cryptocentrus filifer</i>				1	10					1	10				
	<i>Cynoglossus arel</i>															
	<i>Cynoglossus puncticeps</i>															
	<i>Cynoglossus roulei</i>										1	40				
	<i>Dasyatis akajei</i>										1	250				
	<i>Dasyatis zugei</i>				1	190										
	<i>Dendrophysa russelii</i>															
	<i>Epinephelus awoara</i>															
	<i>Epinephelus bruneus</i>															
	<i>Gerres abbreviatus</i>															
	<i>Gerres lucidus</i>															
	<i>Grammolites scaber</i>	3	70		3	170		1	100		2	30				
	<i>Gymnura japonica</i>															
	<i>Ilisha elongata</i>															
	<i>Inimicus japonicus</i>				3	880		1	200							
	<i>Johnius belangerii</i>															
	<i>Leiognathus nuchalis</i>															
	<i>Lepturacanthus savala</i>															
	<i>Lisa macrolepis</i>															
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>															
	<i>Oxyurichthys papuensis</i>	1	15													
	<i>Paramonacanthus sulcatus</i>	1	30													
	<i>Pelteobagrus fulvidraco</i>															
	<i>Pennahia anea</i>															
	<i>Pisodonophis boro</i>															
	<i>Platycephalus indicus</i>							1	20		2	40				
	<i>Polydactylus sextarius</i>															
	<i>Pseudorhombus arsius</i>															
	<i>Pseudorhombus oligodon</i>															
	<i>Saurida elongata</i>															
	<i>Scatophagus argus</i>				2	360										
	<i>Scorpaenopsis longispina</i>	1	350													
	<i>Sebastiscus marmoratus</i>	1	20		2	140					1	110				
	<i>Siganus fuscescens</i>	3	140		9	480		9	510					1	90	
	<i>Sillago sihama</i>	2	140		1	50										
	<i>Solea ovata</i>	4	40		2	30		4	30		1	6		3	20	
	<i>Takifugu niphobles</i>				1	490		3	1310					1	450	
	<i>Takifugu oblongus</i>				1	210		1	140							
	<i>Thryssa hamiltonii</i>															

Trawling Data in February 2020

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Trachycephalus uranoscopa</i>	1	6					1	10		1	4				
	<i>Trypauchen vagina</i>															
	<i>Uranoscopus japonicus</i>															
Prawn or shrimp	<i>Alpheus brevirostris</i>							1	6							
	<i>Alpheus distinguendus</i>															
	<i>Alpheus japonicus</i>															
	<i>Metapenaeopsis barbata</i>															
	<i>Metapenaeopsis palmensis</i>															
	<i>Metapenaeus ensis</i>															
	<i>Metapenaeus joyneri</i>															
	<i>Parapenaeopsis cultirostris</i>															
	<i>Parapenaeopsis hardwickii</i>															
	<i>Parapenaeopsis hungerfordii</i>				1	8										
	<i>Penaeus merguensis</i>															
	<i>Penaeus penicillatus</i>															
	<i>Penaeus latisulcatus</i>															
	<i>Solenocera crassicornis</i>															
Crab	<i>Arcania heptacontra</i>															
	<i>Calappa philargius</i>															
	<i>Charybdis affinis</i>												1	30		
	<i>Charybdis annulata</i>															
	<i>Charybdis bimaculata</i>	5	50								3	90				
	<i>Charybdis cruciata</i>															
	<i>Charybdis japonica</i>															
	<i>Charybdis natator</i>							1	7				1	10		
	<i>Charybdis variegata</i>															
	<i>Charybdis spp.</i>	20	260	*	5	46		8	74.2		20	270	*	9	79.3	
	<i>Doclea sp.</i>							2	8.6		1	4.8				
	<i>Dorippe dorsipes</i>	6	116								5	46.4		8	128	
	<i>Dorippe polita</i>															
	<i>Dorippe granulata</i>															
	<i>Eucrater crenata</i>				1	3.4										
	<i>Galene bispinosa</i>															
	Hermit crab	20	74	*	3	8.2		6	14.4		30	116	*	20	76	
	<i>Maorophthalmus japonicus</i>															
	<i>Parapanope euagora</i>															
	<i>Parthenope validus</i>	8	116					1	11.2		3	34.4				
	<i>Porcellanella picta</i>															
	<i>Portunus hastatoides</i>															
	<i>Portunus pelagicus</i>															
	<i>Portunus trituberculatus</i>															
	<i>Scylla paramamosain</i>															
	<i>Typhlocarcinus sp.</i>															
Mantis shrimp	<i>Harpisquilla harpax</i>															
	<i>Oratosquilla interrupta</i>															
	<i>Oratosquilla oratoria</i>															
Gastropod	<i>Bursa rana</i>															
	<i>Calyptreaea sp.</i>										1	0.3		3	0.8	

Trawling Data in February 2020

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Drupa musiva</i>										1	4.2				
	<i>Inquistor flavidula</i>															
	<i>Murex trapa</i>				2	8.4					2	8.6		7	29.2	
	<i>Nassarius succinctus</i>				1	2.1										
	<i>Philine sp.</i>															
	<i>Pilosabia pilosa</i>				2	0.4										
	<i>Siphopatella walshi</i>															
	<i>Turritella terebra</i>							1	7.8							
	UNID Nudibranch															
Bivalve	<i>Anomia chinensis</i>															
	<i>Chione isabellina</i>										1	6.3				
	<i>Chlamys nobilis</i>							3	18.6							
	<i>Crossostrea sp.</i>															
	<i>Dendostrea crenulifera</i>															
	<i>Ostrea sp.</i>	20	38	*										7	12	
	<i>Paphia undulata</i>															
	<i>Perna viridis</i>															
	<i>Pinctada martensii</i>	3	360		1	102								2	256	
	<i>Planostrea pestigris</i>															
	<i>Ruditapes philippinarum</i>										3	11.2				
	<i>Tegillarca nodifera</i>															
Cephalopod	<i>Lolingid squid</i>							2	60							
	<i>Sepiid cuttlefish</i>	1	20											1	20	
Echinoderm	<i>Acaudina molpadioides</i>															
	<i>Colochirus sp.(c.f.)</i>															
	<i>Brittle star</i>															
	<i>Protankyra bidentata (c.f.)</i>															
	<i>Pseudocolochirus sp.</i>							1	276							
	<i>Styela plicata</i>							2	8.6					1	4.2	
	<i>Temnopleurus toreumaticus</i>	30	480	*	30	480	*	20	380	*	50	680	*	30	460	
Cnidaria	<i>Carcinactis ichikawai</i>															
	<i>Cavernularia habereri</i>															
	<i>Edwardsia japonica (c.f.)</i>															
	<i>Ellisella laevis</i>	5	26		1	8.4		4	14.8					2	8.6	
	<i>Pteroeides chinense</i>				3	26.4										
	<i>Gorgonia spp.</i>										1	4.2				
	Sea anomea															
	<i>Virgularia gustaviana</i>															
Cirripedia	<i>c.f. Bananus spp.</i>				40	52	*	70	46	*	70	44	*	40	72	

Trawling Data in February 2020

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Arnoglossus waitei</i>															
	<i>Acentrogobius caninus</i>															
	<i>Apogon kiensis</i>							1	15							
	<i>Apogon lineatus</i>															
	<i>Arius chinensis</i>															
	<i>Butis koilomatodon</i>							2	19							
	<i>Callionymus curvicornis</i>															
	<i>Clupanodon thrissa</i>															
	<i>Cryptocentrus filifer</i>							1	20							
	<i>Cynoglossus arel</i>															
	<i>Cynoglossus puncticeps</i>															
	<i>Cynoglossus roulei</i>															
	<i>Dasyatis akajei</i>															
	<i>Dasyatis zugei</i>															
	<i>Dendrophysa russelii</i>															
	<i>Epinephelus awoara</i>															
	<i>Epinephelus bruneus</i>							1	50							
	<i>Gerres abbreviatus</i>															
	<i>Gerres lucidus</i>															
	<i>Grammolites scaber</i>	2	30		1	20					2	90		1	30	
	<i>Gymnura japonica</i>															
	<i>Ilisha elongata</i>															
	<i>Inimicus japonicus</i>							1	100							
	<i>Johnius belangerii</i>							2	60							
	<i>Leiognathus nuchalis</i>															
	<i>Lepturacanthus savala</i>															
	<i>Lisa macrolepis</i>															
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>															
	<i>Oxyurichthys papuensis</i>															
	<i>Paramonacanthus sulcatus</i>															
	<i>Pelteobagrus fulvidraco</i>															
	<i>Pennahia anea</i>															
	<i>Pisodonophis boro</i>															
	<i>Platycephalus indicus</i>	1	60											1	40	
	<i>Polydactylus sextarius</i>															
	<i>Pseudorhombus arsius</i>															
	<i>Pseudorhombus oligodon</i>															
	<i>Saurida elongata</i>															
	<i>Scatophagus argus</i>															
	<i>Scorpaenopsis longispina</i>															
	<i>Sebastes marmoratus</i>	1	42					2	90					3	140	
	<i>Siganus fuscescens</i>	1	40													
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>	5	47		4	48		4	40		2	20		2	16	
	<i>Takifugu niphobles</i>															
	<i>Takifugu oblongus</i>															
	<i>Thryssa hamiltonii</i>															

Trawling Data in February 2020

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Trachycephalus uranoscopa</i>				1	8		2	16					1	14	
	<i>Trypauchen vagina</i>															
	<i>Uranoscopus japonicus</i>															
Prawn or shrimp	<i>Alpheus brevicristatus</i>							1	5					1	6	
	<i>Alpheus distinguendus</i>															
	<i>Alpheus japonicus</i>															
	<i>Metapenaeopsis barbata</i>				1	8		1	8							
	<i>Metapenaeopsis palmensis</i>															
	<i>Metapenaeus ensis</i>										1	6				
	<i>Metapenaeus joyneri</i>															
	<i>Parapenaeopsis cultirostris</i>				1	16										
	<i>Parapenaeopsis hardwickii</i>															
	<i>Parapeneopsis hungerfordii</i>															
	<i>Penaeus merguensis</i>															
	<i>Penaeus penicillatus</i>															
	<i>Penaeus latisulcatus</i>															
	<i>Solenocera crassicornis</i>															
Crab	<i>Arcania heptacontra</i>															
	<i>Calappa philargius</i>															
	<i>Charybdis affinis</i>															
	<i>Charybdis annulata</i>															
	<i>Charybdis bimaculata</i>				2	22		2	30							
	<i>Charybdis cruciata</i>															
	<i>Charybdis japonica</i>															
	<i>Charybdis natator</i>															
	<i>Charybdis variegata</i>															
	<i>Charybdis spp.</i>	20	180	*	30	290	*	16	150		20	180	*	20	180	*
	<i>Doclea sp.</i>															
	<i>Dorippe dorsipes</i>	4	48		6	74		12	108		20	310	*	20	290	*
	<i>Dorippe polita</i>															
	<i>Dorippe granulata</i>															
	<i>Eucrater crenata</i>															
	<i>Galene bispinosa</i>															
	Hermit crab	40	140	*	50	170	*	30	92	*	11	38		12	42	
	<i>Maorophthalmus japonicus</i>															
	<i>Parapanope euagora</i>															
	<i>Parthenope validus</i>	11	210		6	91.4										
	<i>Porcellanella picta</i>							4	1.8		2	0.8				
	<i>Portunus hastatoides</i>	3	15					2	8							
	<i>Portunus pelagicus</i>				1	290										
	<i>Portunus trituberculatus</i>															
	<i>Scylla paramamosain</i>															
	<i>Typhlocarcinus sp.</i>															
Mantis shrimp	<i>Harpisquilla harpax</i>							1	80							
	<i>Oratosquilla interrupta</i>															
	<i>Oratosquilla oratoria</i>															
Gastropod	<i>Bursa rana</i>															
	<i>Calyptrea sp.</i>										1	0.3				

Trawling Data in February 2020

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Drupa musiva</i>															
	<i>Inquistor flavidula</i>															
	<i>Murex trapa</i>	6	23		11	56					5	21.6		3	11.2	
	<i>Nassarius succinctus</i>															
	<i>Philine sp.</i>															
	<i>Pilosabia pilosa</i>															
	<i>Siphopatella walshi</i>															
	<i>Turritella terebra</i>				1	11.3										
	UNID Nudibranch															
Bivalve	<i>Anomia chinensis</i>															
	<i>Chione isabellina</i>				1	5.1										
	<i>Chlamys nobilis</i>				3	19.4		2	16.4							
	<i>Crossostrea sp.</i>															
	<i>Dendostrea crenulifera</i>															
	<i>Ostrea sp.</i>	6	8.3					20	64	*						
	<i>Paphia undulata</i>							1	3.6							
	<i>Perna viridis</i>															
	<i>Pinctada martensii</i>															
	<i>Planostrea pestigris</i>				1	136										
	<i>Ruditapes philippinarum</i>							1	4.3		2	7.4				
	<i>Tegillarca nodifera</i>															
Cephalopod	<i>Lolingid squid</i>													1	30	
	<i>Sepiid cuttlefish</i>							1	30							
Echinoderm	<i>Acaudina molpadioides</i>															
	<i>Colochirus sp.(c.f.)</i>	1	18.6		1	16.4										
	<i>Brittle star</i>															
	<i>Protankyra bidentata (c.f.)</i>															
	<i>Pseudocolochirus sp.</i>															
	<i>Styela plicata</i>				6	77		3	11.2		1	4.2				
	<i>Temnopleurus toreumaticus</i>	20	370	*	30	450	*	20	390	*	20	380	*	20	390	
Cnidaria	<i>Carcinactis ichikawai</i>															
	<i>Cavernularia habereri</i>				5	16.2										
	<i>Edwardsia japonica (c.f.)</i>															
	<i>Ellisella laevis</i>	2	28.1		1	5.2		2	36				3	14.6		
	<i>Pteroeides chinense</i>	20	480	*				20	510	*	20	520	*			
	<i>Gorgonia spp.</i>															
	Sea anomea															
	<i>Virgularia gustaviana</i>	3	16.4													
Cirripedia	<i>c.f. Bananus spp.</i>	110	64	*	80	53	*	120	86	*	160	110	*	90	52	

Trawling Data in February 2020

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Arnoglossus waitei</i>															
	<i>Acentrogobius caninus</i>															
	<i>Apogon kiensis</i>															
	<i>Apogon lineatus</i>															
	<i>Arius chinensis</i>				1	520										
	<i>Butis koilomatodon</i>															
	<i>Callionymus curvicornis</i>															
	<i>Clupanodon thrissa</i>															
	<i>Cryptocentrus filifer</i>															
	<i>Cynoglossus arel</i>				2	30										
	<i>Cynoglossus puncticeps</i>															
	<i>Cynoglossus roulei</i>	1	20					1	20							
	<i>Dasyatis akajei</i>							1	450							
	<i>Dasyatis zugei</i>	1	110		1	340										
	<i>Dendrophysa russelii</i>															
	<i>Epinephelus awoara</i>															
	<i>Epinephelus bruneus</i>															
	<i>Gerres abbreviatus</i>	1	20		1	30										
	<i>Gerres lucidus</i>															
	<i>Grammolites scaber</i>							2	100		1	20				
	<i>Gymnura japonica</i>															
	<i>Ilisha elongata</i>	1	20													
	<i>Inimicus japonicus</i>										2	360				
	<i>Johnius belangerii</i>	4	11		4	25		6	50		3	33		9	70	
	<i>Leiognathus nuchalis</i>	3	60		8	190										
	<i>Lepturacanthus savala</i>															
	<i>Lisa macrolepis</i>															
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>															
	<i>Oxyurichthys papuensis</i>				1	9		1	10							
	<i>Paramonacanthus sulcatus</i>															
	<i>Pelteobagrus fulvidraco</i>															
	<i>Pennahia anea</i>				1	12										
	<i>Pisodonophis boro</i>															
	<i>Platycephalus indicus</i>				1	430										
	<i>Polydactylus sextarius</i>										1	40				
	<i>Pseudorhombus arsius</i>															
	<i>Pseudorhombus oligodon</i>															
	<i>Saurida elongata</i>															
	<i>Scatophagus argus</i>															
	<i>Scorpaenopsis longispina</i>															
	<i>Sebastiscus marmoratus</i>															
	<i>Siganus fuscescens</i>															
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>	18	170		17	170		54	490		33	280		14	130	
	<i>Takifugu niphobles</i>															
	<i>Takifugu oblongus</i>															
	<i>Thryssa hamiltonii</i>				1	18										

Trawling Data in February 2020

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Trachycephalus uranoscopa</i>															
	<i>Trypauchen vagina</i>	1	22					3	40							
	<i>Uranoscopus japonicus</i>															
Prawn or shrimp	<i>Alpheus brevicristatus</i>															
	<i>Alpheus distinguendus</i>	3	14					3	12		1	5		2	8	
	<i>Alpheus japonicus</i>															
	<i>Metapenaeopsis barbata</i>				1	5		8	36		2	10				
	<i>Metapenaeopsis palmensis</i>	2	6		4	8		2	6				1	6		
	<i>Metapenaeus ensis</i>	4	12					2	20							
	<i>Metapenaeus joyneri</i>										1	15				
	<i>Parapenaeopsis cultirostris</i>							1	20							
	<i>Parapenaeopsis hardwickii</i>	17	90		11	30		25	60		7	30		7	20	
	<i>Parapeneopsis hungerfordii</i>	1	10		4	30		2	10		3	20		2	14	
	<i>Penaeus merguensis</i>	1	30		4	150		1	40				1	30		
	<i>Penaeus penicillatus</i>	1	20													
	<i>Penaeus latisulcatus</i>															
	<i>Solenocera crassicornis</i>															
Crab	<i>Arcania heptacontra</i>							1	6.4							
	<i>Calappa philargius</i>															
	<i>Charybdis affinis</i>	8	170		8	240		4	80		2	60		2	80	
	<i>Charybdis annulata</i>													2	11	
	<i>Charybdis bimaculata</i>															
	<i>Charybdis cruciata</i>	1	270					1	190							
	<i>Charybdis japonica</i>															
	<i>Charybdis natator</i>	1	5													
	<i>Charybdis variegata</i>							2	10							
	<i>Charybdis spp.</i>	30	240	*	30	220	*	40	260	*	30	220	*	30	240	
	<i>Doclea sp.</i>															
	<i>Dorippe dorsipes</i>	5	39.1		3	21.6							20	180	*	
	<i>Dorippe polita</i>	20	190	*	6	61.2		20	180	*	12	156		30	290	
	<i>Dorippe granulata</i>													5	65	
	<i>Eucrate crenata</i>															
	<i>Galene bispinosa</i>															
	Hermit crab															
	<i>Maorophthalmus japonicus</i>							2	8.7							
	<i>Parapanope euagora</i>							1	160							
	<i>Parthenope validus</i>															
	<i>Porcellanella picta</i>	5	1.8		3	0.9		2	0.6		4	1.2		6	2.1	
	<i>Portunus hastatoides</i>	1	6		5	20		4	18		1	7		1	6	
	<i>Portunus pelagicus</i>															
	<i>Portunus trituberculatus</i>				1	200										
	<i>Scylla paramamosain</i>															
	<i>Typhlocarcinus sp.</i>				1	1.2										
Mantis shrimp	<i>Harpisquilla harpax</i>				1	80										
	<i>Oratosquilla interrupta</i>							2	10							
	<i>Oratosquilla oratoria</i>															
Gastropod	<i>Bursa rana</i>															
	<i>Calyptreaea sp.</i>							1	0.4		2	0.6				

Trawling Data in February 2020

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Drupa musiva</i>										2	8.2				
	<i>Inquistor flavidula</i>							5	11.2							
	<i>Murex trapa</i>	4	26					8	36		20	188	*	30	284	*
	<i>Nassarius succinctus</i>	20	43	*												
	<i>Philine sp.</i>															
	<i>Pilosabia pilosa</i>													5	1.8	
	<i>Siphopatella walshi</i>															
	<i>Turritella terebra</i>	30	280	*	30	260	*	40	370	*	30	270	*	30	280	*
	UNID Nudibranch				1	6.4					1	4.4				
Bivalve	<i>Anomia chinensis</i>															
	<i>Chione isabellina</i>															
	<i>Chlamys nobilis</i>															
	<i>Crossostrea sp.</i>													3	180	
	<i>Dendostrea crenulifera</i>															
	<i>Ostrea sp.</i>															
	<i>Paphia undulata</i>															
	<i>Perna viridis</i>	3	27.4		8	93.8										
	<i>Pinctada martensii</i>															
	<i>Planostrea pestigris</i>													1	119	
	<i>Ruditapes philippinarum</i>															
	<i>Tegillarca nodifera</i>															
Cephalopod	<i>Lolingid squid</i>															
	<i>Sepiid cuttlefish</i>															
Echinoderm	<i>Acaudina molpadioides</i>	30	510	*	30	540	*	20	410	*	30	580	*	20	390	*
	<i>Colochirus sp.(c.f.)</i>															
	<i>Brittle star</i>							1	5.2							
	<i>Protankyra bidentata (c.f.)</i>							1	5.2							
	<i>Pseudocolochirus sp.</i>															
	<i>Styela plicata</i>										3	12				
	<i>Temnopleurus toreumaticus</i>															
Cnidaria	<i>Carcinactis ichikawai</i>				2	1.2					1	0.6		2	1.2	
	<i>Cavernularia habereri</i>	9	21		16	24		20	190	*	20	160	*	20	161	*
	<i>Edwardsia japonica (c.f.)</i>															
	<i>Ellisella laevis</i>										1	4.3				
	<i>Pteroeides chinense</i>	40	1310	*	50	1520	*	40	1210	*	40	1160	*	50	1370	*
	<i>Gorgonia spp.</i>															
	Sea anomea															
	<i>Virgularia gustaviana</i>							3	11.5		5	45.4		2	9.6	
Cirripedia	<i>c.f. Bananus spp.</i>				30	42	*									

Trawling Data in February 2020

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Arnoglossus waitei</i>	2	20		3	30										
	<i>Acentrogobius caninus</i>				1	16										
	<i>Apogon kiensis</i>	1	10		1	11		1	8		1	9				
	<i>Apogon lineatus</i>															
	<i>Arius chinensis</i>															
	<i>Butis koilomatodon</i>															
	<i>Callionymus curvicornis</i>															
	<i>Clupanodon thrissa</i>															
	<i>Cryptocentrus filifer</i>															
	<i>Cynoglossus arel</i>				5	40		1	10		1	10				
	<i>Cynoglossus puncticeps</i>															
	<i>Cynoglossus roulei</i>	5	120		2	100					1	250				
	<i>Dasyatis akajei</i>															
	<i>Dasyatis zugei</i>	9	1390		9	2010		5	790		2	1290		5	890	
	<i>Dendrophysa russelii</i>	3	60		2	90								1	60	
	<i>Epinephelus awoara</i>	1	20													
	<i>Epinephelus bruneus</i>															
	<i>Gerres abbreviatus</i>															
	<i>Gerres lucidus</i>															
	<i>Grammolites scaber</i>													4	153	
	<i>Gymnura japonica</i>															
	<i>Ilisha elongata</i>															
	<i>Inimicus japonicus</i>	2	590		2	660		2	298					1	170	
	<i>Johnius belangerii</i>							1	10		1	20				
	<i>Leiognathus nuchalis</i>	114	2610		85	2000		10	250		12	330		11	280	
	<i>Lepturacanthus savala</i>							1	270							
	<i>Lisa macrolepis</i>															
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>	1	70													
	<i>Oxyurichthys papuensis</i>													1	10	
	<i>Paramonacanthus sulcatus</i>															
	<i>Pelteobagrus fulvidraco</i>															
	<i>Pennahia anea</i>															
	<i>Pisodonophis boro</i>															
	<i>Platycephalus indicus</i>	6	480		2	100		6	290		2	96		1	40	
	<i>Polydactylus sextarius</i>															
	<i>Pseudorhombus arsius</i>															
	<i>Pseudorhombus oligodon</i>															
	<i>Saurida elongata</i>															
	<i>Scatophagus argus</i>	1	420													
	<i>Scorpaenopsis longispina</i>															
	<i>Sebastiscus marmoratus</i>															
	<i>Siganus fuscescens</i>															
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>	3	30		2	30		1	11					3	32	
	<i>Takifugu niphobles</i>															
	<i>Takifugu oblongus</i>															
	<i>Thryssa hamiltonii</i>															

Trawling Data in February 2020

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Trachycephalus uranoscopa</i>															
	<i>Trypauchen vagina</i>				1	10										
	<i>Uranoscopus japonicus</i>															
Prawn or shrimp	<i>Alpheus brevirostris</i>															
	<i>Alpheus distinguendus</i>															
	<i>Alpheus japonicus</i>															
	<i>Metapenaeopsis barbata</i>															
	<i>Metapenaeopsis palmensis</i>															
	<i>Metapenaeus ensis</i>															
	<i>Metapenaeus joyneri</i>															
	<i>Parapenaeopsis cultirostris</i>															
	<i>Parapenaeopsis hardwickii</i>															
	<i>Parapeneopsis hungerfordii</i>				1	10								1	10	
	<i>Penaeus merguensis</i>															
	<i>Penaeus penicillatus</i>															
	<i>Penaeus latisulcatus</i>															
	<i>Solenocera crassicornis</i>															
Crab	<i>Arcania heptacontra</i>															
	<i>Calappa philargius</i>															
	<i>Charybdis affinis</i>	4	120		8	220		11	265		3	110		5	140	
	<i>Charybdis annulata</i>															
	<i>Charybdis bimaculata</i>															
	<i>Charybdis cruciata</i>	4	470		1	230		2	130		1	15				
	<i>Charybdis japonica</i>															
	<i>Charybdis natator</i>	1	6													
	<i>Charybdis variegata</i>															
	<i>Charybdis spp.</i>	40	310	*	20	190	*	30	240	*	20	210	*	30	250	*
	<i>Doclea sp.</i>															
	<i>Dorippe dorsipes</i>	2	16.2													
	<i>Dorippe polita</i>	20	190	*	30	230	*	20	180	*	20	180	*	30	220	*
	<i>Dorippe granulata</i>															
	<i>Eucrate crenata</i>				2	6.6										
	<i>Galene bispinosa</i>															
	Hermit crab	3	11.2													
	<i>Maorophthalmus japonicus</i>							2	8.1							
	<i>Parapanope euagora</i>							1	14		1	280				
	<i>Parthenope validus</i>							5	126		20	210	*	20	210	*
	<i>Porcellanella picta</i>	2	0.8					2	0.7		5	2.1				
	<i>Portunus hastatoides</i>	2	10		2	13		1	7							
	<i>Portunus pelagicus</i>	1	20		1	10										
	<i>Portunus trituberculatus</i>															
	<i>Scylla paramamosain</i>				1	120										
	<i>Typhlocarcinus sp.</i>															
Mantis shrimp	<i>Harpisquilla harpax</i>				1	20		2	50		1	20				
	<i>Oratosquilla interrupta</i>	1	30		2	30		1	20				1	20		
	<i>Oratosquilla oratoria</i>												1	50		
Gastropod	<i>Bursa rana</i>															
	<i>Calyptreaea sp.</i>				1	0.3		3	0.8							

Trawling Data in February 2020

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Drupa musiva</i>	3	12.4		1	4.5										
	<i>Inquistor flavidula</i>															
	<i>Murex trapa</i>				11	53		7	29		5	26		3	12	
	<i>Nassarius succinctus</i>															
	<i>Philine sp.</i>	1	5.1													
	<i>Pilosabia pilosa</i>	1	0.3					2	0.4							
	<i>Siphopatella walshi</i>							3	0.9							
	<i>Turritella terebra</i>	40	390	*	30	290	*	30	280	*	40	380	*	30	280	
	UNID Nudibranch															
Bivalve	<i>Anomia chinensis</i>															
	<i>Chione isabellina</i>															
	<i>Chlamys nobilis</i>															
	<i>Crossostrea sp.</i>															
	<i>Dendostrea crenulifera</i>							1	290							
	<i>Ostrea sp.</i>															
	<i>Paphia undulata</i>															
	<i>Perna viridis</i>															
	<i>Pinctada martensii</i>															
	<i>Planostrea pestigris</i>															
	<i>Ruditapes philippinarum</i>															
	<i>Tegillarca nodifera</i>															
Cephalopod	<i>Lolingid squid</i>										1	30				
	<i>Sepiid cuttlefish</i>				1	20										
Echinoderm	<i>Acaudina molpadioides</i>	30	520	*	50	860	*	80	1510	*	40	870	*	30	510	
	<i>Colochirus sp.(c.f.)</i>							1	22.2							
	<i>Brittle star</i>	1	3.6													
	<i>Protankyra bidentata (c.f.)</i>															
	<i>Pseudocolochirus sp.</i>															
	<i>Styela plicata</i>				2	8.8		1	5.6		4	14.6				
	<i>Temnopleurus toreumaticus</i>							30	460	*	30	470	*			
Cnidaria	<i>Carcinactis ichikawai</i>	3	1.6		3	1.6										
	<i>Cavernularia habereri</i>	20	150	*	8	23.4		20	140	*	16	48		20	140	
	<i>Edwardsia japonica (c.f.)</i>															
	<i>Ellisella laevis</i>										1	6.8		2	11.4	
	<i>Pteroeides chinense</i>	30	820	*	50	1670	*	30	990	*	70	2870	*	70	1930	
	<i>Gorgonia spp.</i>															
	Sea anomea															
	<i>Virgularia gustaviana</i>	4	14.6		1	5.4		3	14.8		6	24.2		3	11.2	
Cirripedia	<i>c.f. Bananus spp.</i>															

Trawling Data in February 2020

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Arnoglossus waitei</i>	2	20		1	10								1	10	
	<i>Acentrogobius caninus</i>							2	40		1	10		1	12	
	<i>Apogon kiensis</i>	4	20		4	20		2	10		3	13		3	23	
	<i>Apogon lineatus</i>															
	<i>Arius chinensis</i>	4	610					7	2090							
	<i>Butis koilomatodon</i>															
	<i>Callionymus curvicornis</i>				1	5										
	<i>Clupanodon thrissa</i>	1	60		2	130		3	250		3	230		1	90	
	<i>Cryptocentrus filifer</i>	3	11		5	13		8	33		1	7		2	13	
	<i>Cynoglossus arel</i>	6	200		4	210		2	100		2	80		1	5	
	<i>Cynoglossus puncticeps</i>	4	170								2	98		2	50	
	<i>Cynoglossus roulei</i>				3	60		4	100		2	30				
	<i>Dasyatis akajei</i>															
	<i>Dasyatis zugei</i>	2	502		3	810					1	340		1	650	
	<i>Dendrophysa russelii</i>															
	<i>Epinephelus awoara</i>															
	<i>Epinephelus bruneus</i>															
	<i>Gerres abbreviatus</i>															
	<i>Gerres lucidus</i>							1	18		1	22				
	<i>Grammolites scaber</i>													1	16	
	<i>Gymnura japonica</i>				1	1880										
	<i>Ilisha elongata</i>															
	<i>Inimicus japonicus</i>															
	<i>Johnius belangerii</i>				1	60										
	<i>Leiognathus nuchalis</i>	1	10													
	<i>Lepturacanthus savala</i>															
	<i>Lisa macrolepis</i>	5	270								4	170		3	110	
	<i>Muraenesox cinereus</i>							1	160							
	<i>Nemipterus japonicus</i>				1	40					1	6				
	<i>Oxyurichthys papuensis</i>															
	<i>Paramonacanthus sulcatus</i>															
	<i>Pelteobagrus fulvidraco</i>										3	780				
	<i>Pennahia anea</i>															
	<i>Pisodonophis boro</i>	2	230					1	220							
	<i>Platycephalus indicus</i>	24	1620		21	1040		30	2540		9	330		12	930	
	<i>Polydactylus sextarius</i>															
	<i>Pseudorhombus arsius</i>													1	70	
	<i>Pseudorhombus oligodon</i>	1	120								1	70				
	<i>Saurida elongata</i>	1	190		5	1040		4	750		1	220		2	340	
	<i>Scatophagus argus</i>	5	670		3	420		19	3480		3	860				
	<i>Scorpaenopsis longispina</i>															
	<i>Sebastiscus marmoratus</i>				1	70					1	80				
	<i>Siganus fuscescens</i>				1	50										
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>															
	<i>Takifugu niphobles</i>	3	1280		2	720		4	1040							
	<i>Takifugu oblongus</i>															
	<i>Thryssa hamiltonii</i>															

Trawling Data in February 2020

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Trachycephalus uranoscopa</i>	3	50		1	30					1	20				
	<i>Trypauchen vagina</i>				1	6					2	30				
	<i>Uranoscopus japonicus</i>							1	10							
Prawn or shrimp	<i>Alpheus brevirostratus</i>													1	10	
	<i>Alpheus distinguendus</i>	1	8													
	<i>Alpheus japonicus</i>							1	9							
	<i>Metapenaeopsis barbata</i>	5	30		17	60		15	50		8	28		2	14	
	<i>Metapenaeopsis palmensis</i>				5	8		3	6		3	8				
	<i>Metapenaeus ensis</i>															
	<i>Metapenaeus joyneri</i>	2	12		4	30		5	32							
	<i>Parapenaeopsis cultirostris</i>															
	<i>Parapenaeopsis hardwickii</i>															
	<i>Parapenaeopsis hungerfordii</i>				1	10		3	20		6	30		4	21	
	<i>Penaeus merguensis</i>				4	180		9	340		4	170				
	<i>Penaeus penicillatus</i>	6	80		3	18								4	40	
	<i>Penaeus latisulcatus</i>				1	10										
	<i>Solenocera crassicornis</i>															
Crab	<i>Arcania heptacontra</i>															
	<i>Calappa philargius</i>															
	<i>Charybdis affinis</i>	11	280		7	190		12	300		7	210		9	210	
	<i>Charybdis annulata</i>										1	10				
	<i>Charybdis bimaculata</i>															
	<i>Charybdis cruciata</i>				1	960		1	120		1	180		2	360	
	<i>Charybdis japonica</i>										1	95				
	<i>Charybdis natator</i>	5	20		5	21		5	18		2	8				
	<i>Charybdis variegata</i>															
	<i>Charybdis spp.</i>	16	210		20	290	*	30	310	*	30	320	*	40	460	
	<i>Doclea sp.</i>															
	<i>Dorippe dorsipes</i>															
	<i>Dorippe polita</i>	70	820	*	50	660	*	20	280	*	30	410	*	30	410	
	<i>Dorippe granulata</i>	3	26.2													
	<i>Eucrate crenata</i>															
	<i>Galene bispinosa</i>				1	18.2										
	Hermit crab	6	18													
	<i>Maorophthalmus japonicus</i>				5	22		4	17		2	8.9				
	<i>Parapanope euagora</i>															
	<i>Parthenope validus</i>										1	11.6		3	32.6	
	<i>Porcellanella picta</i>	5	2.1		3	1.2		4	1		4	1.2		5	2.2	
	<i>Portunus hastatoides</i>	5	20		9	30		2	9							
	<i>Portunus pelagicus</i>															
	<i>Portunus trituberculatus</i>															
	<i>Scylla paramamosain</i>															
	<i>Typhlocarcinus sp.</i>													2	3.8	
Mantis shrimp	<i>Harpisquilla harpax</i>															
	<i>Oratosquilla interrupta</i>	1	20					1	10					2	60	
	<i>Oratosquilla oratoria</i>										1	50				
Gastropod	<i>Bursa rana</i>															
	<i>Calyptreaea sp.</i>				1	0.3										

Trawling Data in February 2020

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Drupa musiva</i>															
	<i>Inquistor flavidula</i>							2	4.3							
	<i>Murex trapa</i>	30	260	*	11	86		20	140	*	30	270	*	20	140	*
	<i>Nassarius succinctus</i>															
	<i>Philine sp.</i>															
	<i>Pilosabia pilosa</i>				20	13	*									
	<i>Siphopatella walshi</i>				7	2.2										
	<i>Turritella terebra</i>	40	410	*	40	390	*	50	480	*	40	390	*	50	490	*
	<i>UNID Nudibranch</i>															
Bivalve	<i>Anomia chinensis</i>				1	3.6										
	<i>Chione isabellina</i>	6	28.4													
	<i>Chlamys nobilis</i>															
	<i>Crossostrea sp.</i>				5	29										
	<i>Dendostrea crenulifera</i>															
	<i>Ostrea sp.</i>				20	74	*									
	<i>Paphia undulata</i>															
	<i>Perna viridis</i>							3	11.6		2	7.9				
	<i>Pinctada martensii</i>															
	<i>Planostrea pestigris</i>															
	<i>Ruditapes philippinarum</i>															
	<i>Tegillarca nodifera</i>															
Cephalopod	<i>Lolingid squid</i>	3	50					2	30		2	50		1	20	
	<i>Sepiid cuttlefish</i>				2	30		1	10					1	12	
Echinoderm	<i>Acaudina molpadioides</i>	11	120		20	196	*	15	160		20	210	*	20	280	*
	<i>Colochirus sp.(c.f.)</i>															
	<i>Brittle star</i>															
	<i>Protankyra bidentata (c.f.)</i>															
	<i>Pseudocolochirus sp.</i>															
	<i>Styela plicata</i>															
	<i>Temnopleurus toreumaticus</i>															
Cnidaria	<i>Carcinactis ichikawai</i>	10	11.4		5	2.1		3	1.4		4	2.3		2	1.1	
	<i>Cavernularia habereri</i>	60	260	*	30	120	*	30	110	*	20	80	*	20	86	*
	<i>Edwardsia japonica (c.f.)</i>													1	4.2	
	<i>Ellisella laevis</i>															
	<i>Pteroeides chinense</i>	120	2860	*	40	1140	*	60	1440	*	60	1530	*	70	1830	*
	<i>Gorgonia spp.</i>															
	Sea anomea															
	<i>Virgularia gustaviana</i>	3	11.4		2	34.6		2	11.2		4	31		2	11.2	
Cirripedia	<i>c.f. Bananus spp.</i>				90	43	*									

Trawling Data in February 2020

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Arnoglossus waitei</i>	4	30		4	30		2	17							
	<i>Acentrogobius caninus</i>	2	50					1	12					1	30	
	<i>Apogon kiensis</i>	1	9		1	10								1	9	
	<i>Apogon lineatus</i>							1	5							
	<i>Arius chinensis</i>															
	<i>Butis koilomatodon</i>															
	<i>Callionymus curvicornis</i>				1	8		1	10							
	<i>Clupanodon thrissa</i>	2	120		1	60		1	50					5	310	
	<i>Cryptocentrus filifer</i>	3	20					2	26					1	10	
	<i>Cynoglossus arel</i>							1	12							
	<i>Cynoglossus puncticeps</i>										2	160				
	<i>Cynoglossus roulei</i>	3	110		3	40		4	80					9	199	
	<i>Dasyatis akajei</i>															
	<i>Dasyatis zugei</i>	2	1140		2	360		5	799		1	330		3	520	
	<i>Dendrophysa russelii</i>															
	<i>Epinephelus awoara</i>															
	<i>Epinephelus bruneus</i>															
	<i>Gerres abbreviatus</i>															
	<i>Gerres lucidus</i>	1	20					1	40							
	<i>Grammolites scaber</i>															
	<i>Gymnura japonica</i>															
	<i>Ilisha elongata</i>															
	<i>Inimicus japonicus</i>															
	<i>Johnius belangerii</i>															
	<i>Leiognathus nuchalis</i>															
	<i>Lepturacanthus savala</i>															
	<i>Lisa macrolepis</i>										1	50				
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>															
	<i>Oxyurichthys papuensis</i>										1	10				
	<i>Paramonacanthus sulcatus</i>															
	<i>Pelteobagrus fulvidraco</i>															
	<i>Pennahia anea</i>															
	<i>Pisodonophis boro</i>										1	470				
	<i>Platycephalus indicus</i>	4	210		6	350		2	100		2	180		3	140	
	<i>Polydactylus sextarius</i>															
	<i>Pseudorhombus arsius</i>				1	90					1	70				
	<i>Pseudorhombus oligodon</i>															
	<i>Saurida elongata</i>	2	480		1	250		2	410					1	150	
	<i>Scatophagus argus</i>				2	320										
	<i>Scorpaenopsis longispina</i>															
	<i>Sebastiscus marmoratus</i>				1	110										
	<i>Siganus fuscescens</i>															
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>				1	10								1	10	
	<i>Takifugu niphobles</i>				2	975					2	460				
	<i>Takifugu oblongus</i>															
	<i>Thryssa hamiltonii</i>															

Trawling Data in February 2020

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Trachycephalus uranoscopa</i>															
	<i>Trypauchen vagina</i>	1	5		1	13										
	<i>Uranoscopus japonicus</i>										1	9				
Prawn or shrimp	<i>Alpheus brevirostris</i>							2	16					2	10	
	<i>Alpheus distinguendus</i>							1	3							
	<i>Alpheus japonicus</i>															
	<i>Metapenaeopsis barbata</i>	1	10													
	<i>Metapenaeopsis palmensis</i>							7	11							
	<i>Metapenaeus ensis</i>															
	<i>Metapenaeus joyneri</i>				1	10					1	10				
	<i>Parapenaeopsis cultirostris</i>							2	18							
	<i>Parapenaeopsis hardwickii</i>															
	<i>Parapenaeopsis hungerfordii</i>							1	13		2	10		1	14	
	<i>Penaeus merguensis</i>	1	50		1	50		1	60		1	50		2	140	
	<i>Penaeus penicillatus</i>															
	<i>Penaeus latisulcatus</i>	1	12													
	<i>Solenocera crassicornis</i>	1	12													
Crab	<i>Arcania heptacontra</i>															
	<i>Calappa philargius</i>										1	50				
	<i>Charybdis affinis</i>	10	550		9	220		19	240		1	40		4	100	
	<i>Charybdis annulata</i>															
	<i>Charybdis bimaculata</i>															
	<i>Charybdis cruciata</i>	3	370		4	90		3	328					3	290	
	<i>Charybdis japonica</i>															
	<i>Charybdis natator</i>	2	10		2	8		2	8		5	18		2	10	
	<i>Charybdis variegata</i>															
	<i>Charybdis spp.</i>	20	160	*	30	220	*	20	180	*	30	240	*	30	240	
	<i>Doclea sp.</i>															
	<i>Dorippe dorsipes</i>															
	<i>Dorippe polita</i>	20	190	*	20	180	*	30	390	*	40	430	*	20	180	
	<i>Dorippe granulata</i>															
	<i>Eucrate crenata</i>															
	<i>Galene bispinosa</i>															
	Hermit crab				4	11.2		2	6.4							
	<i>Maorophthalmus japonicus</i>	1	4.6					1	4.8							
	<i>Parapanope euagora</i>															
	<i>Parthenope validus</i>				4	42.8		2	18.3							
	<i>Porcellanella picta</i>															
	<i>Portunus hastatoides</i>	2	10					2	10							
	<i>Portunus pelagicus</i>															
	<i>Portunus trituberculatus</i>															
	<i>Scylla paramamosain</i>															
	<i>Typhlocarcinus sp.</i>	1	0.7													
Mantis shrimp	<i>Harpisquilla harpax</i>							1	50		3	90		1	40	
	<i>Oratosquilla interrupta</i>							3	40		2	20				
	<i>Oratosquilla oratoria</i>	1	30		1	30		1	30							
Gastropod	<i>Bursa rana</i>				2	10.6										
	<i>Calyptrea sp.</i>				2	0.8										

Trawling Data in February 2020

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Drupa musiva</i>				1	4.4										
	<i>Inquistor flavidula</i>															
	<i>Murex trapa</i>	20	140	*	20	140	*	6	32		20	140	*	20	140	*
	<i>Nassarius succinctus</i>				40	92	*									
	<i>Philine sp.</i>							1	5.2							
	<i>Pilosabia pilosa</i>	3	1.2													
	<i>Siphopatella walshi</i>	2	0.6													
	<i>Turritella terebra</i>	40	390	*	30	280	*	40	380	*	30	280	*	50	460	*
	<i>UNID Nudibranch</i>							1	4.8							
Bivalve	<i>Anomia chinensis</i>															
	<i>Chione isabellina</i>															
	<i>Chlamys nobilis</i>															
	<i>Crossostrea sp.</i>	2	6.3													
	<i>Dendostrea crenulifera</i>															
	<i>Ostrea sp.</i>	5	7.4													
	<i>Paphia undulata</i>															
	<i>Perna viridis</i>															
	<i>Pinctada martensii</i>															
	<i>Planostrea pestigris</i>															
	<i>Ruditapes philippinarum</i>															
	<i>Tegillarca nodifera</i>	1	4.2													
Cephalopod	<i>Lolingid squid</i>				1	20					1	20		1	22	
	<i>Sepiid cuttlefish</i>															
Echinoderm	<i>Acaudina molpadioides</i>	30	1410	*	20	1140	*	30	1370	*	20	1270	*	30	1420	*
	<i>Colochirus sp.(c.f.)</i>															
	<i>Brittle star</i>															
	<i>Protankyra bidentata (c.f.)</i>															
	<i>Pseudocolochirus sp.</i>															
	<i>Styela plicata</i>															
	<i>Temnopleurus toreumaticus</i>															
Cnidaria	<i>Carcinactis ichikawai</i>	4	2.1		1	0.6		3	1.6					2	1.1	
	<i>Cavernularia habereri</i>	30	120	*	30	120	*	40	140	*	20	86	*	30	114	*
	<i>Edwardsia japonica (c.f.)</i>															
	<i>Ellisella laevis</i>															
	<i>Pteroeides chinense</i>	70	1780	*	60	1520	*	50	1310	*	60	1620	*	50	2180	*
	<i>Gorgonia spp.</i>															
	Sea anomea										1	6.2				
	<i>Virgularia gustaviana</i>	3	16.4		1	6.1		2	11.2		2	12		5	19.8	
Cirripedia	<i>c.f. Bananus spp.</i>	20	14	*	40	19	*									