

Trawling Data in February 2021

		INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
Group	Species Name	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
		number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)
Fish	<i>Arnoglossus waitei</i>	2	11.0					1	9.0		1	8.0				
	<i>Acanthopagrus schlegelii</i>															
	<i>Acentrogobius caninus</i>															
	<i>Apogon kiensis</i>															
	<i>Apogon lineatus</i>															
	<i>Arius chinensis</i>															
	<i>Butis koilomatodon</i>							1	22.0							
	<i>Callionymus curvicornis</i>							6	22.0							
	<i>Caranx kalla</i>															
	<i>Clupanodon thrissa</i>															
	<i>Chrysochir aureus</i>															
	<i>Cryptocentrus filifer</i>															
	<i>Cynoglossus arel</i>													1	40.0	
	<i>Cynoglossus puncticeps</i>															
	<i>Dasyatis akajei</i>	1	226.0		2	520.0										
	<i>Dasyatis zugei</i>													1	305.0	
	<i>Dendrophysa russelli</i>															
	<i>Gerres lucidus</i>															
	<i>Grammolites scaber</i>	1	26.0					2	55.0							
	<i>Gymnura japonica</i>															
	<i>Ilisha elongata</i>															
	<i>Inimicus japonicus</i>	1	32.0		1	325.0					1	42.0				
	<i>Johnius belangerii</i>															
	<i>Leiognathus nuchalis</i>															
	<i>Lepidotrigla microptera</i>															
	<i>Lisa macrolepis</i>										1	52.0				
	<i>Lutjanus dodeacanthoides</i>										1	290.0				
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>							1	3.0		1	2.0				
	<i>Paramonacanthus polynema</i>															
	<i>Pennahia anea</i>															
	<i>Platycephalus indicus</i>															
	<i>Plotosus lineatus</i>															
	<i>Pseudorhombus cinnamomeus</i>							2	263.0		1	94.0				
	<i>Saurida elongata</i>															
	<i>Scatophagus argus</i>															
	<i>Sebastiscus marmoratus</i>															
	<i>Siganus fuscescens</i>				1	173.0		1	182.0		1	137.0				
	<i>Sillago sihama</i>	1	48.0		1	33.0		2	115.0							
	<i>Solea ovata</i>	1	13.0		6	50.0		2	14.0		1	10.0				
	<i>Stephanolepis cirrhiifer</i>	1	55.0		1	326.0										
	<i>Takifugu niphobles</i>							1	330.0					1	350.0	
	<i>Takifugu poecilonotus</i>															
	<i>Thryssa kammalensis</i>															
	<i>Trachicephalus uranoscopus</i>	1	14.0													
	<i>Trypauchen vagina</i>															
Prawn or shrimp	<i>Alpheus brevicristatus</i>													1	6.0	
	<i>Alpheus distinguendus</i>															

Trawling Data in February 2021

		INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
Group	Species Name	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
		number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)
	<i>Metapenaeopsis barbata</i>													1	6.0	
	<i>Metapenaeus affinis</i>															
	<i>Metapenaeus joyneri</i>															
	<i>Parapeneopsis hungerfordii</i>															
	<i>Parapeneopsis tenella</i>															
	<i>Penaeus japonicus</i>															
	<i>Penaeus merguensis</i>															
	<i>Solenocera crassicornis</i>							1	4.0							
Crab	<i>Charybdis affinis</i>							1	30.0		1	30.0		2	60.0	
	<i>Charybdis annulata</i>															
	<i>Charybdis cruciata</i>															
	<i>Charybdis feriatus</i>															
	<i>Charybdis hellerii</i>	1	24.0													
	<i>Charybdis japonica</i>															
	<i>Charybdis truncata</i>															
	<i>Charybdis variegata</i>	1	9.0					1	4.0					1	6.0	
	<i>Charybdis spp.</i>	5	38.6					3	21.2		2	16.2		7	49.6	
	<i>Dorippe polita</i>	2	11.8		7	73.2		6	71.8		3	29.7				
	<i>Dorippe granulata</i>							2	6.4							
	<i>Eucrate crenata</i>															
	<i>Eucrate solaris</i>															
	<i>Galene bispinosa</i>							1	208.0							
	Hermit crab															
	<i>Maorophthalmus japonicus</i>										3	11.2				
	<i>Parthenope validus</i>	20	220.0	*	6	68.4		4	52.8		5	62.4		7	75.3	
	<i>Porcellanella picta</i>							2	0.8							
	<i>Portunus hastatoides</i>													1	4.0	
	<i>Portunus trituberculatus</i>															
	<i>Typhlocarcinus sp.</i>															
	<i>Varuna litterata</i>															
Mantis shrimp	<i>Dictyosquilla foveolata</i>															
	<i>Harpiosquilla harpax</i>															
	<i>Oratosquilla interrupta</i>															
	<i>Oratosquilla oratoria</i>															
Gastropod	<i>Calyptreaea sp.</i>										30	11.0	*	30	10.0	*
	<i>Drupa musiva</i>															
	<i>Lophiotoma leucotropis</i>															
	<i>Murex trapa</i>							2	9.4					1	7.2	
	<i>Nassarius succinctus</i>															
	<i>Pilosabia trigona</i>															
	<i>Ranularia caudatum</i>															
	<i>Siphopatella walshi</i>															
	<i>Turritella terebra</i>				3	29.2		5	48.6							
	Sea hare (c.f. <i>Aplysia sp.</i>)															
Bivalve	<i>Anomalocardia squamosa</i>															
	<i>Crossostrea sp.</i>															
	<i>Macoma candida</i>															
	<i>Ostrea sp.</i>				30	22.0	*	40	26.0	*						

Trawling Data in February 2021

		INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
Group	Species Name	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
		number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)
	<i>Perna viridis</i>															
	<i>Ruditapes philippinarum</i>															
	<i>Scapharca subcrenata</i>															
	<i>Tegillarca nodifera</i>															
	<i>Vepricardium asiaticum</i>															
Cephalopod	<i>Lolingid squid</i>															
	<i>Sepiid cuttlefish</i>															
Echinoderm	<i>Acaudina molpadioides</i>															
	<i>Amphioplus sp.</i>															
	<i>Styela plicata</i>	2	8.6		1	4.8		1	6.8		3	12.6		1	5.2	
	<i>Temnopleurus toreumaticus</i>	50	530.0	*	40	450.0	*	19	203.0		30	340.0	*	30	360.0	*
Cnidaria	<i>Carcinactis ichikawai</i>															
	<i>Cavernularia habereri</i>	2	7.2					3	9.8		1	4.2		4	12.3	
	<i>Ellisella laevis</i>							2	6.6							
	<i>Pteroeides chinense</i>	2	36.2		3	86.4		6	140.0		2	32.6		5	138.0	
	<i>Gorgonia spp.</i>															
	Jellyfish	1	20.8								1	39.2				
	Sea anomea				1	6.2		2	17.4					1	8.2	
	<i>Virgularia gustaviana</i>							1	6.8					2	11.2	
Porifera	Spongiatia							1	12.4							
Cirripedia	<i>c.f. Balanus spp.</i>	90	63.0	*	80	53.0	*	130	112.0	*	50	38.0	*	90	72.0	*

		INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
Group	Species Name	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
		number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)
Fish	<i>Arnoglossus waitei</i>				1	12.0										
	<i>Acanthopagrus schlegelii</i>															
	<i>Acentrogobius caninus</i>															
	<i>Apogon kiensis</i>															
	<i>Apogon lineatus</i>															
	<i>Arius chinensis</i>															
	<i>Butis koilomatodon</i>															
	<i>Callionymus curvicornis</i>	1	8.0													
	<i>Caranx kalla</i>															
	<i>Clupanodon thrissa</i>															
	<i>Chrysochir aureus</i>															
	<i>Cryptocentrus filifer</i>															
	<i>Cynoglossus arel</i>															
	<i>Cynoglossus puncticeps</i>				1	23.0										
	<i>Dasyatis akajei</i>															
	<i>Dasyatis zugei</i>															
	<i>Dendrophysa russelli</i>															
	<i>Gerres lucidus</i>															
	<i>Grammolites scaber</i>							1	22.0					3	84.0	
	<i>Gymnura japonica</i>															
	<i>Ilisha elongata</i>															
	<i>Inimicus japonicus</i>															
	<i>Johnius belangerii</i>															
	<i>Leiognathus nuchalis</i>															
	<i>Lepidotrigla microptera</i>															
	<i>Lisa macrolepis</i>															
	<i>Lutjanus dodeacanthoides</i>															
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>															
	<i>Paramonacanthus polynema</i>															
	<i>Pennahia anea</i>															
	<i>Platycephalus indicus</i>							1	22.0					2	82.0	
	<i>Plotosus lineatus</i>															
	<i>Pseudorhombus cinnamomeus</i>				1	73.0								1	82.0	
	<i>Saurida elongata</i>															
	<i>Scatophagus argus</i>							1	145.0							
	<i>Sebastiscus marmoratus</i>				2	194.0										
	<i>Siganus fuscescens</i>							3	416.0							
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>	3	28.0		2	24.0		1	10.0					1	12.0	
	<i>Stephanolepis cirrifer</i>							1	120.0							
	<i>Takifugu niphobles</i>															
	<i>Takifugu poecilonotus</i>															
	<i>Thryssa kammalensis</i>															
	<i>Trachicephalus uranoscopus</i>	1	7.0											3	41.0	
	<i>Trypauchen vagina</i>															
Prawn or shrimp	<i>Alpheus breviceristatus</i>															
	<i>Alpheus distinguendus</i>															

		INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
Group	Species Name	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
		number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)
	<i>Metapenaeopsis barbata</i>													1	6.0	
	<i>Metapenaeus affinis</i>															
	<i>Metapenaeus joyneri</i>															
	<i>Parapeneopsis hungerfordii</i>															
	<i>Parapeneopsis tenella</i>															
	<i>Penaeus japonicus</i>															
	<i>Penaeus merguensis</i>															
	<i>Solenocera crassicornis</i>															
Crab	<i>Charybdis affinis</i>							2	80.0					4	130.0	
	<i>Charybdis annulata</i>															
	<i>Charybdis cruciata</i>															
	<i>Charybdis feriatus</i>															
	<i>Charybdis hellerii</i>	1	15.0					4	105.0		2	24.0		4	63.0	
	<i>Charybdis japonica</i>															
	<i>Charybdis truncata</i>															
	<i>Charybdis variegata</i>	1	3.0											1	4.0	
	<i>Charybdis spp.</i>	4	41.6								3	26.2		2	17.4	
	<i>Dorippe polita</i>							3	21.6		9	136.0		7	78.0	
	<i>Dorippe granulata</i>															
	<i>Eucrate crenata</i>															
	<i>Eucrate solaris</i>															
	<i>Galene bispinosa</i>													1	310.0	
	Hermit crab															
	<i>Maorophthalmus japonicus</i>															
	<i>Parthenope validus</i>	11	149.0		8	91.6		20	216.0	*	4	46.8		8	146.0	
	<i>Porcellanella picta</i>	2	0.8		4	1.6										
	<i>Portunus hastatoides</i>	1	6.0		1	7.0										
	<i>Portunus trituberculatus</i>															
	<i>Typhlocarcinus sp.</i>															
	<i>Varuna litterata</i>				1	7.6										
Mantis shrimp	<i>Dictyosquilla foveolata</i>															
	<i>Harpiosquilla harpax</i>															
	<i>Oratosquilla interrupta</i>															
	<i>Oratosquilla oratoria</i>															
Gastropod	<i>Calyptreaea sp.</i>							5	2.6		30	9.8	*			
	<i>Drupa musiva</i>															
	<i>Lophiotoma leucotropis</i>															
	<i>Murex trapa</i>				2	9.7		3	14.2					5	26.4	
	<i>Nassarius succinctus</i>															
	<i>Pilosabia trigona</i>															
	<i>Ranularia caudatum</i>															
	<i>Siphopatella walshi</i>															
	<i>Turritella terebra</i>	2	18.4					4	39.2		3	28.6				
	Sea hare (c.f. <i>Aplysia sp.</i>)															
Bivalve	<i>Anomalocardia squamosa</i>															
	<i>Crossostrea sp.</i>															
	<i>Macoma candida</i>				1	8.2										
	<i>Ostrea sp.</i>							30	20.0	*						

		INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
Group	Species Name	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
		number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)
	<i>Perna viridis</i>										2	98.4				
	<i>Ruditapes philippinarum</i>															
	<i>Scapharca subcrenata</i>															
	<i>Tegillarca nodifera</i>															
	<i>Vepricardium asiaticum</i>															
Cephalopod	<i>Lolingid squid</i>															
	<i>Sepiid cuttlefish</i>															
Echinoderm	<i>Acaudina molpadioides</i>															
	<i>Amphioplus sp.</i>															
	<i>Styela plicata</i>	4	21.6					3	12.7		2	8.9		3	15.4	
	<i>Temnopleurus toreumaticus</i>	9	120.0		20	246.0	*	20	360.0	*	7	88.0		11	140.0	
Cnidaria	<i>Carcinactis ichikawai</i>															
	<i>Cavernularia habereri</i>										4	16.2		2	6.7	
	<i>Ellisella laevis</i>				1	38.0		3	46.0							
	<i>Pteroeides chinense</i>	30	1160.0	*	30	1180.0	*	40	1630.0	*	30	1120.0	*	30	1140.0	*
	<i>Gorgonia spp.</i>	2	56.0		3	56.0		4	82.0					2	46.0	
	Jellyfish							2	162.0		1	86.0		2	174.0	
	Sea anomea				2	16.4		1	8.3		1	6.2				
	<i>Virgularia gustaviana</i>							1	7.6		1	5.2				
Porifera	Spongiatia				1	36.0		1	860.0							
Cirripedia	<i>c.f. Balanus spp.</i>	110	86.0	*	90	78.0	*	130	94.0	*	130	84.0	*	110	99.0	*

Trawling Data in February 2021

		TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
Group	Species Name	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
		number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)
Fish	<i>Arnoglossus waitei</i>															
	<i>Acanthopagrus schlegelii</i>															
	<i>Acentrogobius caninus</i>															
	<i>Apogon kiensis</i>															
	<i>Apogon lineatus</i>															
	<i>Arius chinensis</i>															
	<i>Butis koilomatodon</i>				1	8.0										
	<i>Callionymus curvicornis</i>															
	<i>Caranx kalla</i>															
	<i>Clupanodon thrissa</i>															
	<i>Chrysochir aureus</i>															
	<i>Cryptocentrus filifer</i>															
	<i>Cynoglossus arel</i>	1	23.0													
	<i>Cynoglossus puncticeps</i>															
	<i>Dasyatis akajei</i>															
	<i>Dasyatis zugei</i>				1	460.0					5	790.0				
	<i>Dendrophysa russelli</i>															
	<i>Gerres lucidus</i>															
	<i>Grammolites scaber</i>															
	<i>Gymnura japonica</i>							1	810.0							
	<i>Ilisha elongata</i>															
	<i>Inimicus japonicus</i>	2	780.0		1	192.0		2	265.0							
	<i>Johnius belangerii</i>	5	130.0		3	40.0								2	30.0	
	<i>Leiognathus nuchalis</i>										19	164.0		13	130.0	
	<i>Lepidotrigla microptera</i>															
	<i>Lisa macrolepis</i>															
	<i>Lutjanus dodeacanthoides</i>															
	<i>Muraenesox cinereus</i>				1	293.0										
	<i>Nemipterus japonicus</i>							3	11.0		1	2.0				
	<i>Paramonacanthus polynema</i>															
	<i>Pennahia anea</i>															
	<i>Platycephalus indicus</i>							2	830.0							
	<i>Plotosus lineatus</i>															
	<i>Pseudorhombus cinnamomeus</i>															
	<i>Saurida elongata</i>															
	<i>Scatophagus argus</i>															
	<i>Sebastiscus marmoratus</i>															
	<i>Siganus fuscescens</i>															
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>	2	20.0		7	70.0		18	180.0		12	110.0		4	30.0	
	<i>Stephanolepis cirrhiifer</i>															
	<i>Takifugu niphobles</i>															
	<i>Takifugu poecilonotus</i>	2	220.0													
	<i>Thryssa kammalensis</i>															
	<i>Trachicephalus uranoscopus</i>															
	<i>Trypauchen vagina</i>															
Prawn or shrimp	<i>Alpheus brevicristatus</i>															
	<i>Alpheus distinguendus</i>				3	12.0										

Trawling Data in February 2021

		TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
Group	Species Name	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
		number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)
	<i>Metapenaeopsis barbata</i>							1	6.0							
	<i>Metapenaeus affinis</i>				4	11.0		1	15.0							
	<i>Metapenaeus joyneri</i>															
	<i>Parapeneopsis hungerfordii</i>				1	13.0										
	<i>Parapeneopsis tenella</i>				1	13.0					1	3.0				
	<i>Penaeus japonicus</i>															
	<i>Penaeus merguensis</i>	1	66.0		2	92.0										
	<i>Solenocera crassicornis</i>															
Crab	<i>Charybdis affinis</i>	5	120.0		7	207.0		9	210.0		7	143.0		3	65.0	
	<i>Charybdis annulata</i>															
	<i>Charybdis cruciata</i>				1	22.0					2	540.0				
	<i>Charybdis feriatius</i>															
	<i>Charybdis hellerii</i>															
	<i>Charybdis japonica</i>															
	<i>Charybdis truncata</i>	1	12.0					1	7.0							
	<i>Charybdis variegata</i>							1	4.0							
	<i>Charybdis spp.</i>	20	210.0	*	20	210.0	*	16	160.0		30	340.0	*	20	220.0	*
	<i>Dorippe polita</i>	8	53.0		20	140.0	*	20	138.0	*	7	46.0		20	140.0	*
	<i>Dorippe granulata</i>															
	<i>Eucrate crenata</i>				3	28.6					4	17.3				
	<i>Eucrate solaris</i>															
	<i>Galene bispinosa</i>							1	34.8							
	Hermit crab				6	25.6										
	<i>Maorophthalmus japonicus</i>										1	6.1		3	14.8	
	<i>Parthenope validus</i>															
	<i>Porcellanella picta</i>	6	2.2					3	1.4		2	0.8				
	<i>Portunus hastatoides</i>	1	6.0					2	12.0		1	3.0				
	<i>Portunus trituberculatus</i>															
	<i>Typhlocarcinus sp.</i>															
	<i>Varuna litterata</i>															
Mantis shrimp	<i>Dictyosquilla foveolata</i>															
	<i>Harpiosquilla harpax</i>															
	<i>Oratosquilla interrupta</i>															
	<i>Oratosquilla oratoria</i>															
Gastropod	<i>Calyptreaea sp.</i>				3	1.2								1	0.3	
	<i>Drupa musiva</i>															
	<i>Lophiotoma leucotropis</i>															
	<i>Murex trapa</i>	7	63.0		20	180.0	*	20	180.0	*	9	77.4		15	112.0	
	<i>Nassarius succinctus</i>				20	46.0	*									
	<i>Pilosabia trigona</i>															
	<i>Ranularia caudatum</i>															
	<i>Siphopatella walshi</i>										2	0.8				
	<i>Turritella terebra</i>	2	19.4					3	21.8					5	42.6	
	Sea hare (c.f. <i>Aplysia sp.</i>)										1	6.2				
Bivalve	<i>Anomalocardia squamosa</i>															
	<i>Crossostrea sp.</i>															
	<i>Macoma candida</i>															
	<i>Ostrea sp.</i>															

Trawling Data in February 2021

		TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
Group	Species Name	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
		number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)
	<i>Perna viridis</i>	5	39.0					3	21.6							
	<i>Ruditapes philippinarum</i>															
	<i>Scapharca subcrenata</i>															
	<i>Tegillarca nodifera</i>															
	<i>Vepricardium asiaticum</i>															
Cephalopod	<i>Lolingid squid</i>															
	<i>Sepiid cuttlefish</i>				1	70.0										
Echinoderm	<i>Acaudina molpadioides</i>	20	470.0	*	20	470.0	*	30	660.0	*	8	120.0		20	460.0	*
	<i>Amphioplus sp.</i>										1	2.2		1	1.2	
	<i>Styela plicata</i>															
	<i>Temnopleurus toreumaticus</i>															
Cnidaria	<i>Carcinactis ichikawai</i>				1	1.1										
	<i>Cavernularia habereri</i>	60	390.0	*	50	320.0	*	70	430.0	*	60	380.0	*	80	420.0	*
	<i>Ellisella laevis</i>				2	28.2								3	26.0	
	<i>Pteroeides chinense</i>	80	1960.0	*	80	1860.0	*	110	2640.0	*	90	2030.0	*	80	1850.0	*
	<i>Gorgonia spp.</i>							1	31.0							
	Jellyfish							1	290.0							
	Sea anomea										1	6.4		2	13.4	
	<i>Virgularia gustaviana</i>	3	26.2		2	18.4		4	31.2		1	5.4		3	21.8	
Porifera	Spongiatia															
Cirripedia	<i>c.f. Balanus spp.</i>	120	74.0	*	80	72.0	*									

Trawling Data in February 2021

		TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
Group	Species Name	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
		number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)
Fish	<i>Arnoglossus waitei</i>	1	14.0		2	22.0		1	12.0		4	44.0		1	6.0	
	<i>Acanthopagrus schlegelii</i>				1	1620.0										
	<i>Acentrogobius caninus</i>															
	<i>Apogon kiensis</i>															
	<i>Apogon lineatus</i>															
	<i>Arius chinensis</i>	1	156.0					1	435.0							
	<i>Butis koilomatodon</i>	1	18.0		1	6.0										
	<i>Callionymus curvicornis</i>															
	<i>Caranx kalla</i>															
	<i>Clupanodon thrissa</i>															
	<i>Chrysochir aureus</i>															
	<i>Cryptocentrus filifer</i>				1	12.0					2	7.0				
	<i>Cynoglossus arel</i>							1	13.0							
	<i>Cynoglossus puncticeps</i>															
	<i>Dasyatis akajei</i>															
	<i>Dasyatis zugei</i>	7	1660.0		11	1947.0		2	363.0		5	1173.0		4	600.0	
	<i>Dendrophysa russelli</i>							1	70.0							
	<i>Gerres lucidus</i>															
	<i>Grammolites scaber</i>															
	<i>Gymnura japonica</i>	2	1670.0													
	<i>Ilisha elongata</i>															
	<i>Inimicus japonicus</i>	2	233.0		6	1463.0		4	1064.0							
	<i>Johnius belangerii</i>										1	110.0				
	<i>Leiognathus nuchalis</i>	1	8.0		24	210.0		17	183.0		25	280.0		15	150.0	
	<i>Lepidotrigla microptera</i>															
	<i>Lisa macrolepis</i>															
	<i>Lutjanus dodecacanthoides</i>															
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>				2	8.0		3	13.0		2	11.0		1	4.0	
	<i>Paramonacanthus polynema</i>															
	<i>Pennahia anea</i>															
	<i>Platycephalus indicus</i>	2	380.0		5	664.0		2	57.0		1	28.0		1	90.0	
	<i>Plotosus lineatus</i>															
	<i>Pseudorhombus cinnamomeus</i>															
	<i>Saurida elongata</i>															
	<i>Scatophagus argus</i>															
	<i>Sebastiscus marmoratus</i>															
	<i>Siganus fuscescens</i>	1	165.0													
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>	3	52.0		3	31.0		4	52.0		5	53.0		3	33.0	
	<i>Stephanolepis cirrhiifer</i>															
	<i>Takifugu niphobles</i>															
	<i>Takifugu poecilonotus</i>							4	1080.0							
	<i>Thryssa kammalensis</i>															
	<i>Trachicephalus uranoscopus</i>															
	<i>Trypauchen vagina</i>															
Prawn or shrimp	<i>Alpheus brevicristatus</i>															
	<i>Alpheus distinguendus</i>				1	5.0										

		TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
Group	Species Name	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
		number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)
	<i>Metapenaeopsis barbata</i>	1	9.0											1	8.0	
	<i>Metapenaeus affinis</i>															
	<i>Metapenaeus joyneri</i>															
	<i>Parapeneopsis hungerfordii</i>	1	9.0		4	24.0		1	8.0		1	8.0				
	<i>Parapeneopsis tenella</i>															
	<i>Penaeus japonicus</i>															
	<i>Penaeus merguensis</i>	1	33.0											1	42.0	
	<i>Solenocera crassicornis</i>				2	15.0					1	12.0		1	14.0	
Crab	<i>Charybdis affinis</i>	7	180.0		16	348.0		17	405.0		6	160.0		11	255.0	
	<i>Charybdis annulata</i>															
	<i>Charybdis cruciata</i>	1	50.0		4	170.0		1	33.0		3	60.0		1	20.0	
	<i>Charybdis feriatius</i>															
	<i>Charybdis hellerii</i>															
	<i>Charybdis japonica</i>															
	<i>Charybdis truncata</i>				1	14.0								2	23.0	
	<i>Charybdis variegata</i>															
	<i>Charybdis spp.</i>	30	360.0	*	20	220.0	*	20	220.0	*	30	340.0	*	20	220.0	*
	<i>Dorippe polita</i>	20	196.0	*	30	296.0	*	12	71.4		9	62.3		20	194.0	*
	<i>Dorippe granulata</i>															
	<i>Eucrate crenata</i>				1	4.8					5	21.2				
	<i>Eucrate solaris</i>															
	<i>Galene bispinosa</i>															
	Hermit crab	30	260.0	*	7	29.3										
	<i>Maorophthalmus japonicus</i>							2	11.2		3	14.7				
	<i>Parthenope validus</i>										20	286.0	*			
	<i>Porcellanella picta</i>				3	1.6		5	2.1							
	<i>Portunus hastatoides</i>				1	4.0		2	11.0		2	12.0				
	<i>Portunus trituberculatus</i>															
	<i>Typhlocarcinus sp.</i>										1	4.2				
	<i>Varuna litterata</i>															
Mantis shrimp	<i>Dictyosquilla foveolata</i>													1	22.0	
	<i>Harpiosquilla harpax</i>	1	17.0		2	85.0					2	96.0				
	<i>Oratosquilla interrupta</i>															
	<i>Oratosquilla oratoria</i>				1	25.0										
Gastropod	<i>Calyptreaea sp.</i>				2	0.9										
	<i>Drupa musiva</i>				2	8.4										
	<i>Lophiotoma leucotropis</i>							6	11.4							
	<i>Murex trapa</i>	20	180.0	*	30	228.0	*	20	132.0	*	7	63.0		5	40.4	
	<i>Nassarius succinctus</i>	40	84.0	*				30	63.0	*	30	63.0	*			
	<i>Pilosabia trigona</i>															
	<i>Ranularia caudatum</i>															
	<i>Siphopatella walshi</i>															
	<i>Turritella terebra</i>	6	52.0		5	48.0					2	19.2				
	Sea hare (c.f. <i>Aplysia sp.</i>)	2	11.4		5	23.6		1	4.3		2	7.2				
Bivalve	<i>Anomalocardia squamosa</i>															
	<i>Crossostrea sp.</i>															
	<i>Macoma candida</i>															
	<i>Ostrea sp.</i>															

Trawling Data in February 2021

		TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
Group	Species Name	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
		number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)
	<i>Perna viridis</i>															
	<i>Ruditapes philippinarum</i>															
	<i>Scapharca subcrenata</i>															
	<i>Tegillarca nodifera</i>															
	<i>Vepricardium asiaticum</i>	3	8.2		1	4.1										
Cephalopod	<i>Lolingid squid</i>															
	<i>Sepiid cuttlefish</i>															
Echinoderm	<i>Acaudina molpadioides</i>	20	510.0	*	20	512.0	*	30	540.0	*	30	590.0	*	20	460.0	*
	<i>Amphioplus sp.</i>															
	<i>Styela plicata</i>				1	2.4										
	<i>Temnopleurus toreumaticus</i>															
Cnidaria	<i>Carcinactis ichikawai</i>	2	1.8		4	2.2		2	1.1							
	<i>Cavernularia habereri</i>	90	880.0	*	60	480.0	*	70	510.0	*	80	540.0	*	70	510.0	*
	<i>Ellisella laevis</i>	4	52.0		3	31.0		3	32.0		5	48.0		1	11.4	
	<i>Pteroeides chinense</i>	160	3540.0	*	150	3410.0	*	130	2970.0	*	120	2760.0	*	140	3180.0	*
	<i>Gorgonia spp.</i>															
	Jellyfish	4	96.0													
	Sea anomea	3	21.7								1	7.2				
	<i>Virgularia gustaviana</i>	3	46.0		4	53.0		2	12.8		1	6.2		3	21.7	
Porifera	Spongiatia															
Cirripedia	<i>c.f. Balanus spp.</i>				30	16.0	*									

Trawling Data in February 2021

		TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
Group	Species Name	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
		number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)
Fish	<i>Arnoglossus waitei</i>															
	<i>Acanthopagrus schlegelii</i>															
	<i>Acentrogobius caninus</i>	1	33.0								2	62.0		3	82.0	
	<i>Apogon kiensis</i>				4	54.0					2	22.0		1	21.0	
	<i>Apogon lineatus</i>													1	11.0	
	<i>Arius chinensis</i>							13	1670.0		11	1830.0		6	890.0	
	<i>Butis koilomatodon</i>															
	<i>Callionymus curvicornis</i>										1	55.0		1	4.0	
	<i>Caranx kalla</i>							1	9.0							
	<i>Clupanodon thrissa</i>				2	270.0					19	1670.0		2	170.0	
	<i>Chrysochir aureus</i>	1	130.0													
	<i>Cryptocentrus filifer</i>	7	30.0		2	6.0		2	9.0		3	11.0		10	38.0	
	<i>Cynoglossus arel</i>							6	380.0		2	120.0		1	50.0	
	<i>Cynoglossus puncticeps</i>															
	<i>Dasyatis akajei</i>															
	<i>Dasyatis zugei</i>	5	1010.0					4	655.0		4	1320.0		1	63.0	
	<i>Dendrophysa russelli</i>	1	30.0					1	40.0		1	30.0				
	<i>Gerres lucidus</i>										1	24.0				
	<i>Grammolites scaber</i>															
	<i>Gymnura japonica</i>							1	1340.0							
	<i>Ilisha elongata</i>													1	22.0	
	<i>Inimicus japonicus</i>															
	<i>Johnius belangerii</i>															
	<i>Leiognathus nuchalis</i>															
	<i>Lepidotrigla microptera</i>				2	21.0					1	12.0		1	5.0	
	<i>Lisa macrolepis</i>	11	230.0		8	180.0		9	650.0		38	2480.0		21	990.0	
	<i>Lutjanus dodecacanthoides</i>															
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>							11	19.0		4	14.0		1	6.0	
	<i>Paramonacanthus polynema</i>	1	12.0											1	14.0	
	<i>Pennahia anea</i>													1	5.0	
	<i>Platycephalus indicus</i>	7	540.0		1	620.0		9	1630.0		6	882.0		9	880.0	
	<i>Plotosus lineatus</i>										3	460.0				
	<i>Pseudorhombus cinnamomeus</i>							3	245.0		1	110.0		3	140.0	
	<i>Saurida elongata</i>							6	1190.0		3	673.0		2	330.0	
	<i>Scatophagus argus</i>							3	733.0					2	830.0	
	<i>Sebastiscus marmoratus</i>															
	<i>Siganus fuscescens</i>															
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>															
	<i>Stephanolepis cirrhifer</i>															
	<i>Takifugu niphobles</i>		1.0	310				5	1798.0					2	603.0	
	<i>Takifugu poecilonotus</i>										2	942.0				
	<i>Thryssa kammalensis</i>										1	93.0				
	<i>Trachicephalus uranoscopus</i>															
	<i>Trypauchen vagina</i>										2	8.0		1	22.0	
Prawn or shrimp	<i>Alpheus brevicristatus</i>										1	6.0				
	<i>Alpheus distinguendus</i>													1	6.0	

Trawling Data in February 2021

		TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
Group	Species Name	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
		number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)
	<i>Metapenaeopsis barbata</i>	18	57.0		5	27.0					15	61.0		11	64.0	
	<i>Metapenaeus affinis</i>	3	40.0											10	50.0	
	<i>Metapenaeus joyneri</i>				1	13.0										
	<i>Parapeneopsis hungerfordii</i>	3	18.0		3	11.0					7	41.0		8	32.0	
	<i>Parapeneopsis tenella</i>				1	26.0								1	33.0	
	<i>Penaeus japonicus</i>				1	33.0										
	<i>Penaeus merguensis</i>	4	162.0		10	440.0					7	250.0		10	420.0	
	<i>Solenocera crassicornis</i>				2	10.0					11	38.0		5	31.0	
Crab	<i>Charybdis affinis</i>				16	380.0					23	588.0		31	740.0	
	<i>Charybdis annulata</i>										2	9.0		4	13.0	
	<i>Charybdis cruciata</i>										7	1070.0		10	720.0	
	<i>Charybdis feriatius</i>													3	11.2	
	<i>Charybdis hellerii</i>															
	<i>Charybdis japonica</i>										1	25.0		1	31.0	
	<i>Charybdis truncata</i>				1	14.0					2	23.0		3	22.0	
	<i>Charybdis variegata</i>															
	<i>Charybdis spp.</i>	30	360.0	*	40	470.0	*	30	380.0	*	40	460.0	*	40	470.0	*
	<i>Dorippe polita</i>	40	376.0	*	30	260.0	*	40	390.0	*	20	184.0	*	30	280.0	*
	<i>Dorippe granulata</i>															
	<i>Eucrate crenata</i>	3	11.2		5	62.0					2	8.6		3	14.2	
	<i>Eucrate solaris</i>															
	<i>Galene bispinosa</i>	2	86.4		3	98.9					2	56.2		5	58.8	
	Hermit crab	20	86.0	*				4	16.0							
	<i>Maorophthalmus japonicus</i>	2	11.4		4	28.8		5	36.2		6	44.6		20	166.0	*
	<i>Parthenope validus</i>															
	<i>Porcellanella picta</i>	30	8.2	*	20	7.1	*	20	6.3	*	20	6.2	*	20	6.2	*
	<i>Portunus hastatoides</i>				5	32.0					7	31.0		2	13.0	
	<i>Portunus trituberculatus</i>										1	25.0				
	<i>Typhlocarcinus sp.</i>				3	9.4										
	<i>Varuna litterata</i>															
Mantis shrimp	<i>Dictyosquilla foveolata</i>				1	15.0								1	23.0	
	<i>Harpiosquilla harpax</i>	2	120.0		1	48.0					2	130.0		2	90.0	
	<i>Oratosquilla interrupta</i>	1	20.0													
	<i>Oratosquilla oratoria</i>	1	20.0		1	20.0					1	20.0				
Gastropod	<i>Calyptraea sp.</i>							4	2.3		2	0.9				
	<i>Drupa musiva</i>										1	4.2				
	<i>Lophiotoma leucotropis</i>															
	<i>Murex trapa</i>	6	53.0								5	42.0		6	54.0	
	<i>Nassarius succinctus</i>				30	62.6	*	5	11.2							
	<i>Pilosabia trigona</i>															
	<i>Ranularia caudatum</i>															
	<i>Siphopatella walshi</i>													4	2.2	
	<i>Turritella terebra</i>				3	27.4		2	18.2					2	17.6	
	Sea hare (c.f. <i>Aplysia sp.</i>)	1	5.2								1	4.2		4	13.8	
Bivalve	<i>Anomalocardia squamosa</i>															
	<i>Crossostrea sp.</i>										1	210.0				
	<i>Macoma candida</i>															
	<i>Ostrea sp.</i>															

Trawling Data in February 2021

		TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
Group	Species Name	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
		number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)
	<i>Perna viridis</i>															
	<i>Ruditapes philippinarum</i>															
	<i>Scapharca subcrenata</i>													1	21.6	
	<i>Tegillarca nodifera</i>							2	7.6		5	21.2				
	<i>Vepricardium asiaticum</i>	1	5.2					1	5.2		3	12.6				
Cephalopod	<i>Lolingid squid</i>							1	20.0							
	<i>Sepiid cuttlefish</i>							1	20.0		5	420.0		2	50.0	
Echinoderm	<i>Acaudina molpadioides</i>	90	1770.0	*	110	2130.0	*	120	2350.0	*	80	1620.0	*	110	2090.0	*
	<i>Amphioplus sp.</i>				2	2.1		1	1.6		4	3.2		2	1.8	
	<i>Styela plicata</i>										2	12.3		1	2.4	
	<i>Temnopleurus toreumaticus</i>							2	21.6							
Cnidaria	<i>Carcinactis ichikawai</i>	8	3.9		5	2.3		6	2.9		3	1.2				
	<i>Cavernularia habereri</i>	50	860.0	*	60	1120.0	*	50	890.0	*	90	1460.0	*	70	1130.0	*
	<i>Ellisella laevis</i>				2	68.0					1	32.0				
	<i>Pteroeides chinense</i>	110	2840.0	*	130	3470.0	*	90	2180.0	*	120	3110.0	*	140	4230.0	*
	<i>Gorgonia spp.</i>													2	21.6	
	Jellyfish	3	140.0					1	260.0							
	Sea anomea										1	11.1				
	<i>Virgularia gustaviana</i>							1	5.6		3	12.8		2	16.4	
Porifera	Spongiatia															
Cirripedia	<i>c.f. Balanus spp.</i>	30	14.0	*	20	10.2	*									

Trawling Data in February 2021

		TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
Group	Species Name	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
		number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)
Fish	<i>Arnoglossus waitei</i>							1	14.0							
	<i>Acanthopagrus schlegelii</i>															
	<i>Acentrogobius caninus</i>	2	67.0		2	74.0		3	66.0		2	54.0		3	62.0	
	<i>Apogon kiensis</i>															
	<i>Apogon lineatus</i>															
	<i>Arius chinensis</i>	4	1110.0		5	1210.0		2	292.0							
	<i>Butis koilomatodon</i>															
	<i>Callionymus curvicornis</i>				1	3.0										
	<i>Caranx kalla</i>															
	<i>Clupanodon thrissa</i>										1	83.0				
	<i>Chrysochir aureus</i>															
	<i>Cryptocentrus filifer</i>				5	22.0		1	11.0		3	12.0		2	8.0	
	<i>Cynoglossus arel</i>				2	60.0		1	60.0							
	<i>Cynoglossus puncticeps</i>															
	<i>Dasyatis akajei</i>	1	2080.0													
	<i>Dasyatis zugei</i>	1	110.0		3	260.0		4	390.0		1	43.0				
	<i>Dendrophysa russelli</i>															
	<i>Gerres lucidus</i>															
	<i>Grammolites scaber</i>				1	33.0										
	<i>Gymnura japonica</i>															
	<i>Ilisha elongata</i>				2	48.0										
	<i>Inimicus japonicus</i>															
	<i>Johnius belangerii</i>															
	<i>Leiognathus nuchalis</i>															
	<i>Lepidotrigla microptera</i>															
	<i>Lisa macrolepis</i>	16	570.0		4	252.0		12	390.0		7	205.0		1	52.0	
	<i>Lutjanus dodeacanthoides</i>															
	<i>Muraenesox cinereus</i>													1	96.0	
	<i>Nemipterus japonicus</i>	1	7.0		1	4.0		1	3.0							
	<i>Paramonacanthus polynema</i>	1	9.0													
	<i>Pennahia anea</i>	1	10.0													
	<i>Platycephalus indicus</i>	2	514.0		2	42.0		2	125.0		1	86.0		3	133.0	
	<i>Plotosus lineatus</i>													2	360.0	
	<i>Pseudorhombus cinnamomeus</i>															
	<i>Saurida elongata</i>	1	171.0		1	128.0										
	<i>Scatophagus argus</i>							1	390.0							
	<i>Sebastiscus marmoratus</i>															
	<i>Siganus fuscescens</i>															
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>															
	<i>Stephanolepis cirrifer</i>															
	<i>Takifugu niphobles</i>	2	630.0													
	<i>Takifugu poecilonotus</i>				1	510.0					1	380.0				
	<i>Thryssa kammalensis</i>															
	<i>Trachicephalus uranoscopus</i>															
	<i>Trypauchen vagina</i>	1	12.0		1	5.0					1	13.0				
Prawn or shrimp	<i>Alpheus brevicristatus</i>															
	<i>Alpheus distinguendus</i>							1	5.0		2	6.0		7	22.0	

		TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
Group	Species Name	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
		number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)
	<i>Metapenaeopsis barbata</i>	2	11.0		7	24.0		2	11.0					1	8.0	
	<i>Metapenaeus affinis</i>															
	<i>Metapenaeus joyneri</i>				1	12.0										
	<i>Parapeneopsis hungerfordii</i>	5	32.0		3	16.0		3	23.0		5	25.0		5	22.0	
	<i>Parapeneopsis tenella</i>				1	3.0		2	5.0							
	<i>Penaeus japonicus</i>															
	<i>Penaeus merguensis</i>	4	140.0		4	170.0		1	35.0		1	46.0				
	<i>Solenocera crassicornis</i>				1	5.0					4	23.0		4	11.0	
Crab	<i>Charybdis affinis</i>	7	170.0		15	360.0		5	103.0		6	160.0		13	305.0	
	<i>Charybdis annulata</i>				1	7.0		1	6.0		1	3.0				
	<i>Charybdis cruciata</i>	6	210.0		7	550.0		4	107.0		1	30.0		4	230.0	
	<i>Charybdis feriatius</i>							2	8.4							
	<i>Charybdis hellerii</i>															
	<i>Charybdis japonica</i>				2	55.0								2	52.0	
	<i>Charybdis truncata</i>				1	13.0										
	<i>Charybdis variegata</i>															
	<i>Charybdis spp.</i>	50	580.0	*	40	430.0	*	40	430.0	*	50	610.0	*	40	440.0	*
	<i>Dorippe polita</i>	20	160.0	*	8	110.0		20	182.0	*	11	96.0		20	190.0	*
	<i>Dorippe granulata</i>															
	<i>Eucrate crenata</i>	2	9.4					2	9.2		3	14.6				
	<i>Eucrate solaris</i>				1	4.1										
	<i>Galene bispinosa</i>										3	283.0		5	404.0	
	Hermit crab				3	11.6		6	21.8							
	<i>Maorophthalmus japonicus</i>	3	16.4					1	6.2					3	17.4	
	<i>Parthenope validus</i>										1	10.2				
	<i>Porcellanella picta</i>	20	6.2	*	20	6.2	*	20	6.2	*	20	5.9	*	20	5.8	*
	<i>Portunus hastatoides</i>															
	<i>Portunus trituberculatus</i>															
	<i>Typhlocarcinus sp.</i>															
	<i>Varuna litterata</i>															
Mantis shrimp	<i>Dictyosquilla foveolata</i>															
	<i>Harpiosquilla harpax</i>	1	44.0		1	83.0		1	7.0		6	194.0		4	190.0	
	<i>Oratosquilla interrupta</i>															
	<i>Oratosquilla oratoria</i>				2	40.0		1	20.0					1	25.0	
Gastropod	<i>Calyptrea sp.</i>							3	1.2							
	<i>Drupa musiva</i>															
	<i>Lophiotoma leucotropis</i>				1	2.8										
	<i>Murex trapa</i>	20	174.0	*	7	62.0								3	20.4	
	<i>Nassarius succinctus</i>	20	43.4	*				20	42.6	*	5	11.2				
	<i>Pilosabia trigona</i>										2	1.1				
	<i>Ranularia caudatum</i>							1	12.6							
	<i>Siphopatella walshi</i>															
	<i>Turritella terebra</i>	4	32.0								3	22.6				
	Sea hare (c.f. <i>Aplysia sp.</i>)							1	4.1		3	9.2		1	3.4	
Bivalve	<i>Anomalocardia squamosa</i>							3	4.2							
	<i>Crossostrea sp.</i>															
	<i>Macoma candida</i>															
	<i>Ostrea sp.</i>															

		TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
Group	Species Name	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
		number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)
	<i>Perna viridis</i>															
	<i>Ruditapes philippinarum</i>										1	3.3				
	<i>Scapharca subcrenata</i>															
	<i>Tegillarca nodifera</i>															
	<i>Vepricardium asiaticum</i>				1	4.2										
Cephalopod	<i>Lolingid squid</i>				1	12.0										
	<i>Sepiid cuttlefish</i>															
Echinoderm	<i>Acaudina molpadioides</i>	140	1370.0	*	110	2140.0	*	130	1480.0	*	140	1560.0	*	130	1290.0	*
	<i>Amphioplus sp.</i>	3	2.6					3	1.9		2	2.3		1	1.2	
	<i>Styela plicata</i>							1	4.2							
	<i>Temnopleurus toreumaticus</i>															
Cnidaria	<i>Carcinactis ichikawai</i>	3	2.1					9	4.6					7	4.1	
	<i>Cavernularia habereri</i>	210	1690.0	*	230	1780.0	*	190	2110.0	*	180	1920.0	*	150	2080.0	*
	<i>Ellisella laevis</i>	3	38.5					1	14.5							
	<i>Pteroeides chinense</i>	130	3180.0	*	120	2970.0	*	110	2610.0	*	120	2860.0	*	90	2140.0	*
	<i>Gorgonia spp.</i>										1	11.2				
	Jellyfish	2	280.0								1	340.0				
	Sea anomea	2	12.3											1	6.2	
	<i>Virgularia gustaviana</i>	2	12.3								4	21.6		1	13.4	
Porifera	Spongiatia															
Cirripedia	<i>c.f. Balanus spp.</i>				20	16.0	*									