

Trawling Data in January 2019

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acentrogobius caninus</i>															
	<i>Apogon fasciatus</i>															
	<i>Apogon kiensis</i>															
	<i>Apogon lineatus</i>															
	<i>Alepes kalla</i>															
	<i>Arius arius</i>															
	<i>Arnoglossus waitei</i>													1	10	
	<i>Bothidae sp.</i>															
	<i>Callionymus curvicornis</i>															
	<i>Coilia mystus</i>															
	<i>Collichthys lucidus</i>															
	<i>Cryptocentrus filifer</i>															
	<i>Cynoglossus arel</i>										1	30				
	<i>Cynoglossus puncticeps</i>															
	<i>Cynoglossus roulei</i>															
	<i>Dasyatis akajei</i>															
	<i>Dasyatis zugei</i>				1	96										
	<i>Dendrophysa russelii</i>															
	<i>Diagramma pictum</i>													2	140	
	<i>Epinephelus awoara</i>															
	<i>Gerres abbreviatus</i>				1	23					1	20				
	<i>Gerres lucidus</i>															
	<i>Grammolites scaber</i>				1	15										
	<i>Gymnura japonica</i>															
	<i>Ilisha elongata</i>															
	<i>Inimicus japonicus</i>				1	4										
	<i>Johnius amblycephalus</i>															
	<i>Johnius belangerii</i>							1	6							
	<i>Johnius carouna</i>															
	<i>Konosirus punctatus</i>															
	<i>Leiognathus nuchalis</i>													11	53	
	<i>Lepturacanthus savala</i>															
	<i>Lisa macrolepis</i>															
	<i>Lisa sp.</i>															
	<i>Lutjanus dodecakanthoides</i>				1	28					1	29				
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>															
	<i>Nibea albiflora</i>															
	<i>Oxyurichthys tentacularis</i>				1	3										
	<i>Parachaeturichthys polynema</i>															
	<i>Paralichthys lethostigma</i>															
	<i>Pennahia anea</i>															
	<i>Platycephalus indicus</i>				1	120		4	40					2	50	
	<i>Plotosus lineatus</i>				56	2630										
	<i>Polydactylus sextarius</i>															
	<i>Sardina pilchardus</i>															
	<i>Saurida elongata</i>															
	<i>Scatophagus argus</i>															
	<i>Sciaenidae sp.</i>															
	<i>Sebastiscus marmoratus</i>	1	20		1	10		2	19		1	40		1	13	
	<i>Siganus fuscescens</i>	1	30													
	<i>Sillago sihama</i>				1	130								1	42	

Trawling Data in January 2019

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Solea ovata</i>	2	32		1	12						1	7			
	<i>Takifugu oblongus</i>															
	<i>Takifugu xanthopterus</i>											1	68		3	1120
	<i>Thryssa dussumieri</i>															
	<i>Thryssa hamiltonii</i>				1	9		8	61							
	<i>Trypauchen vagina</i>	1	7													
	<i>Zebrias zebra</i>															
Prawn or shrimp	<i>Alpheus brevicristatus</i>															
	<i>Alpheus distinguendus</i>															
	<i>Exopalaemon carinicauda</i>															
	<i>Metapenaeopsis barbata</i>				1	4										
	<i>Metapenaeus affinis</i>															
	<i>Metapenaeus ensis</i>															
	<i>Metapenaeus joyneri</i>															
	<i>Metapenaeus moyeri</i>															
	<i>Parapenaeopsis cultirostris</i>															
	<i>Parapenaeopsis hardwickii</i>															
	<i>Parapeneopsis hungerfordii</i>															
	<i>Parapeneopsis tenella</i>															
	<i>Penaeus japonicus</i>							1	3							
	<i>Penaeus merguensis</i>															
	<i>Solenocera crassicornis</i>															
Crab	<i>Calappa philargius</i>				1	59										
	<i>Charybdis affinis</i>															
	<i>Charybdis annulata</i>															
	<i>Charybdis bimaculata</i>															
	<i>Charybdis cruciata</i>															
	<i>Charybdis japonica</i>							4	68							
	<i>Charybdis natator</i>															
	<i>Charybdis variegata</i>															
	<i>Charybdis spp.</i>	30	320	*	30	320	*	30	360	*	40	490	*	30	380	*
	<i>Doclea sp.</i>	6	136		20	470	*	20	480	*	30	740	*	20	460	*
	<i>Doclea sinensis</i>	2	40.4											20	320	*
	<i>Dorippe dorsipes</i>	20	310	*	20	320	*	30	608	*	20	320	*	20	320	*
	<i>Dorippe polita</i>				6	112										
	<i>Eucrate crenata</i>	30	240	*	20	180	*	20	180	*	40	290	*	20	180	*
	<i>Galene bispinosa</i>															
	<i>Halimede ochtodes</i>				20	360	*	5	82							
	Hermit crab	40	140	*	30	110	*	40	150	*	40	160	*			
	<i>Leucosia craniolaris</i>	20	76	*	20	76	*									
	<i>Scylla paramamosain</i>							1	370							
	<i>Parapanope euagora</i>															
	<i>Parthenope validus</i>	80	1340	*	170	2660	*	90	1580	*	80	1330	*	60	920	*
	<i>Philyra pisum</i>															
	<i>Porcellanella picta</i>															
	<i>Portunus hastatoides</i>															

Trawling Data in January 2019

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Portunus pelagicus</i>				2	400		1	300							
	<i>Portunus trituberculatus</i>				2	830		2	970							
	<i>Portunus spp.</i>															
Mantis shrimp	<i>Harpiosquilla harpax</i>															
	<i>Oratosquilla interrupta</i>				1	25										
	<i>Oratosquilla oratoria</i>															
	<i>Oratosquilla kempii</i>															
Gastropod	<i>Bursa rana</i>															
	<i>Calyptreaea sp.</i>	1	0.8		3	1.2							2	0.9		
	<i>Drupa musiva</i>	20	104	*	9	36		20	102	*	6	31	10	53		
	<i>Inquistor flavidula</i>															
	<i>Lophiotoma leucotropis</i>															
	<i>Murex trapa</i>	20	150	*	8	52		20	150	*	20	140	30	180	*	
	<i>Nassarius succinctus</i>										3	0.9				
	<i>Pilosabia pilosa</i>															
	<i>Siphopatella walshi</i>															
	<i>Tonna sulcosa</i>															
	<i>Turritella terebra</i>	70	680	*	50	510	*	60	590	*	80	790	70	680	*	
	UNID Nudibranch															
Bivalve	<i>Chione isabellina</i>				4	21							20	96	*	
	<i>Chlamys nobilis</i>															
	<i>Chlamys spp.</i>	40	330	*	40	320	*	30	230	*	20	96	30	220	*	
	<i>Macoma candida</i>															
	<i>Ostrea sp.</i>	6	11		20	23	*						30	54	*	
	<i>Paphia undulata</i>															
	<i>Perna viridis</i>															
	<i>Pinctada martensii</i>															
	<i>Ruditapes philippinarum</i>	30	160	*	40	218	*	20	92	*	7	31	20	106	*	
	<i>Scapharca subcrenata</i>															
	<i>Tolonostrea talonata</i>															
	<i>Vepricardium asiaticum</i>															
Cephalopod	Lolingid squid															
	Octopus															
	Sepiid cuttlefish												1	10		
Echinoderm	<i>Acaudina molpadioides</i>															
	<i>Archaster typicus (c.f.)</i>	6	88					5	86		20	320	6	104	*	
	<i>Asteroidea (red spot)</i>				1	8.4										
	<i>Colochruis quadrangularis</i>															
	Sea cucumber															
	<i>Temnopleurus toreumaticus</i>	30	310	*	30	420	*	30	430	*	40	710	40	710	*	
Cnidaria	<i>Carcinactis ichikawai</i>															
	<i>Cavernularia habereri</i>												2	6.2		
	<i>Edwardsia japonica (c.f.)</i>															
	<i>Ellisella laevis</i>															
	<i>Metacrinus sp</i>							1	4.2							
	<i>Pteroeides chinense</i>	2	41		5	11.6		7	180		1	21	5	160		
	<i>Gorgonia spp.</i>				2	9					1	26	1	6.4		
	Sea anomea															
	<i>Virgularia gustaviana</i>	2	21		4	57.6		2	16.3				1	11.4		
Urochordata	Sea Squirts							3	14		2	9				
Cirripedia	<i>c.f. Bananus spp.</i>				40	26	*	70	42	*	40	26	50	31	*	

Trawling Data in January 2019

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acentrogobius caninus</i>															
	<i>Apogon fasciatus</i>															
	<i>Apogon kiensis</i>															
	<i>Apogon lineatus</i>															
	<i>Alepes kalla</i>															
	<i>Arius arius</i>													1	78	
	<i>Arnoglossus waitei</i>							1	28							
	<i>Bothidae sp.</i>															
	<i>Callionymus curvicornis</i>															
	<i>Coilia mystus</i>															
	<i>Collichthys lucidus</i>															
	<i>Cryptocentrus filifer</i>															
	<i>Cynoglossus arel</i>							1	10							
	<i>Cynoglossus puncticeps</i>													1	11	
	<i>Cynoglossus roulei</i>				1	16										
	<i>Dasyatis akajei</i>															
	<i>Dasyatis zugei</i>															
	<i>Dendrophysa russelii</i>	1	20					1	20							
	<i>Diagramma pictum</i>															
	<i>Epinephelus awoara</i>															
	<i>Gerres abbreviatus</i>															
	<i>Gerres lucidus</i>															
	<i>Grammolites scaber</i>	1	17		3	61		2	21					1	15	
	<i>Gymnura japonica</i>															
	<i>Ilisha elongata</i>															
	<i>Inimicus japonicus</i>										1	3				
	<i>Johnius amblycephalus</i>										1	30		2	9	
	<i>Johnius belangerii</i>	2	50		6	100		4	120		2	10		8	260	
	<i>Johnius carouna</i>															
	<i>Konosirus punctatus</i>															
	<i>Leiognathus nuchalis</i>	5	60													
	<i>Lepturacanthus savala</i>															
	<i>Lisa macrolepis</i>															
	<i>Lisa sp.</i>															
	<i>Lutjanus dodecacanthoides</i>															
	<i>Muraenesox cinereus</i>				1	250										
	<i>Nemipterus japonicus</i>															
	<i>Nibea albiflora</i>															
	<i>Oxyurichthys tentacularis</i>															
	<i>Parachaeturichthys polynema</i>															
	<i>Paralichthys lethostigma</i>										1	38				
	<i>Pennahia anea</i>															
	<i>Platycephalus indicus</i>							1	18							
	<i>Plotosus lineatus</i>															
	<i>Polydactylus sextarius</i>															
	<i>Sardina pilchardus</i>															
	<i>Saurida elongata</i>															
	<i>Scatophagus argus</i>															
	<i>Sciaenidae sp.</i>															
	<i>Sebastiscus marmoratus</i>	1	40													
	<i>Siganus fuscescens</i>															
	<i>Sillago sihama</i>															

Trawling Data in January 2019

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Solea ovata</i>	3	38		3	28		2	17		3	16		6	76	
	<i>Takifugu oblongus</i>															
	<i>Takifugu xanthopterus</i>															
	<i>Thryssa dussumieri</i>															
	<i>Thryssa hamiltonii</i>															
	<i>Trypauchen vagina</i>															
	<i>Zebrias zebra</i>															
Prawn or shrimp	<i>Alpheus brevicristatus</i>															
	<i>Alpheus distinguendus</i>				1	6										
	<i>Exopalaemon carinicauda</i>															
	<i>Metapenaeopsis barbata</i>															
	<i>Metapenaeus affinis</i>															
	<i>Metapenaeus ensis</i>							2	9							
	<i>Metapenaeus joyneri</i>															
	<i>Metapenaeus moyeri</i>															
	<i>Parapenaeopsis cultirostris</i>															
	<i>Parapenaeopsis hardwickii</i>															
	<i>Parapeneopsis hungerfordii</i>															
	<i>Parapeneopsis tenella</i>				1	5								1	3	
	<i>Penaeus japonicus</i>															
	<i>Penaeus merguensis</i>															
	<i>Solenocera crassicornis</i>															
Crab	<i>Calappa philargius</i>															
	<i>Charybdis affinis</i>							2	32		1	17		3	30	
	<i>Charybdis annulata</i>													9	42	
	<i>Charybdis bimaculata</i>															
	<i>Charybdis cruciata</i>															
	<i>Charybdis japonica</i>							1	70							
	<i>Charybdis natator</i>															
	<i>Charybdis variegata</i>															
	<i>Charybdis spp.</i>	50	1160	*												
	<i>Doclea sp.</i>															
	<i>Doclea sinensis</i>	3	54													
	<i>Dorippe dorsipes</i>															
	<i>Dorippe polita</i>															
	<i>Eucrate crenata</i>				20	180	*									
	<i>Galene bispinosa</i>															
	<i>Halimede ochtodes</i>	4	72													
	Hermit crab															
	<i>Leucosia craniolaris</i>															
	<i>Scylla paramamosain</i>															
	<i>Parapanope euagora</i>															
	<i>Parthenope validus</i>	50	820	*	50	840	*									
	<i>Philyra pisum</i>															
	<i>Porcellanella picta</i>															
	<i>Portunus hastatoides</i>				1	6										

Trawling Data in January 2019

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Portunus pelagicus</i>													1	170	
	<i>Portunus trituberculatus</i>															
	<i>Portunus spp.</i>															
Mantis shrimp	<i>Harpisquilla harpax</i>															
	<i>Oratosquilla interrupta</i>	2	20		1	5								1	3	
	<i>Oratosquilla oratoria</i>													2	70	
	<i>Oratosquilla kempfi</i>															
Gastropod	<i>Bursa rana</i>															
	<i>Calyptraea sp.</i>													2	0.8	
	<i>Drupa musiva</i>	20	160	*	30	210	*	20	160	*	7	39		4	13	
	<i>Inquistor flavidula</i>															
	<i>Lophiotoma leucotropis</i>							1	6.2							
	<i>Murex trapa</i>	40	310	*	30	260	*	30	250	*	30	260	*	40	310	*
	<i>Nassarius succinctus</i>															
	<i>Pilosabia pilosa</i>															
	<i>Siphopatella walshi</i>															
	<i>Tonna sulcosa</i>															
	<i>Turritella terebra</i>	160	1380	*	170	1680	*	190	1880	*	170	1680	*	150	1470	*
	<i>UNID Nudibranch</i>															
Bivalve	<i>Chione isabellina</i>															
	<i>Chlamys nobilis</i>															
	<i>Chlamys spp.</i>	20	160	*	30	220	*	30	210	*	20	120	*	40	320	*
	<i>Macoma candida</i>															
	<i>Ostrea sp.</i>				7	21		3	6.8							
	<i>Paphia undulata</i>															
	<i>Perna viridis</i>				3	26										
	<i>Pinctada martensii</i>															
	<i>Ruditapes philippinarum</i>	20	90	*	20	82	*	30	140	*	20	110	*	30	160	*
	<i>Scapharca subcrenata</i>	2	52													
	<i>Tolonostrea talonata</i>				3	8.4										
	<i>Vepricardium asiaticum</i>															
Cephalopod	<i>Lolingid squid</i>															
	<i>Octopus</i>	1	195													
	<i>Sepiid cuttlefish</i>															
Echinoderm	<i>Acaudina molpadioides</i>															
	<i>Archaster typicus (c.f.)</i>	30	542	*	16	186		20	220	*	20	310	*	12	180	
	<i>Asteroidea (red spot)</i>															
	<i>Colochruis quadrangularis</i>															
	<i>Sea cucumber</i>															
	<i>Temnopleurus toreumaticus</i>	50	940	*	40	510	*	30	390	*	50	880	*	50	880	*
Cnidaria	<i>Carcinactis ichikawai</i>															
	<i>Cavernularia habereri</i>	20	104	*							4	11				
	<i>Edwardsia japonica (c.f.)</i>															
	<i>Ellisella laevis</i>															
	<i>Metacrinus sp</i>															
	<i>Pteroeides chinense</i>	7	260		3	82		1	14		4	110		2	36	
	<i>Gorgonia spp.</i>							2	8.8		1	11				
	<i>Sea anomea</i>	1	7.4													
	<i>Virgularia gustaviana</i>	2	48.6					1	8.4							
Urochordata	Sea Squirts										1	3.8				
Cirripedia	<i>c.f. Bananus spp.</i>															

Trawling Data in January 2019

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acentrogobius caninus</i>															
	<i>Apogon fasciatus</i>															
	<i>Apogon kiensis</i>															
	<i>Apogon lineatus</i>															
	<i>Alepes kalla</i>															
	<i>Arius arius</i>															
	<i>Arnoglossus waitei</i>															
	<i>Bothidae sp.</i>															
	<i>Callionymus curvicornis</i>															
	<i>Coilia mystus</i>													1	22	
	<i>Collichthys lucidus</i>	6	150		1	30		1	50							
	<i>Cryptocentrus filifer</i>	1	11													
	<i>Cynoglossus arel</i>	2	40					3	40		6	120				
	<i>Cynoglossus puncticeps</i>							1	10					1	8	
	<i>Cynoglossus roulei</i>	2	30		2	41		1	41					3	110	
	<i>Dasyatis akajei</i>															
	<i>Dasyatis zugei</i>													1	90	
	<i>Dendrophysa russelii</i>	3	50													
	<i>Diagramma pictum</i>															
	<i>Epinephelus awoara</i>															
	<i>Gerres abbreviatus</i>															
	<i>Gerres lucidus</i>															
	<i>Grammolites scaber</i>				1	18		3	79							
	<i>Gymnura japonica</i>															
	<i>Ilisha elongata</i>	2	75		1	130		1	52							
	<i>Inimicus japonicus</i>															
	<i>Johnius amblycephalus</i>										1	30		5	106	
	<i>Johnius belangerii</i>	32	710		30	740		39	890		13	250		11	160	
	<i>Johnius carouna</i>															
	<i>Konosirus punctatus</i>															
	<i>Leiognathus nuchalis</i>				1	9										
	<i>Lepturacanthus savala</i>															
	<i>Lisa macrolepis</i>															
	<i>Lisa sp.</i>															
	<i>Lutjanus dodecacanthoides</i>															
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>															
	<i>Nibea albiflora</i>															
	<i>Oxyurichthys tentacularis</i>															
	<i>Parachaeturichthys polynema</i>															
	<i>Paralichthys lethostigma</i>															
	<i>Pennahia anea</i>															
	<i>Platycephalus indicus</i>				2	140										
	<i>Plotosus lineatus</i>															
	<i>Polydactylus sextarius</i>															
	<i>Sardina pilchardus</i>															
	<i>Saurida elongata</i>															
	<i>Scatophagus argus</i>															
	<i>Sciaenidae sp.</i>															
	<i>Sebastiscus marmoratus</i>															
	<i>Siganus fuscescens</i>	1	8													
	<i>Sillago sihama</i>															

Trawling Data in January 2019

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Solea ovata</i>	14	112		11	96		15	130		22	193		11	90	
	<i>Takifugu oblongus</i>															
	<i>Takifugu xanthopterus</i>															
	<i>Thryssa dussumieri</i>															
	<i>Thryssa hamiltonii</i>															
	<i>Trypauchen vagina</i>															
	<i>Zebrias zebra</i>				1	10								1	10	
Prawn or shrimp	<i>Alpheus brevicristatus</i>													1	4	
	<i>Alpheus distinguendus</i>															
	<i>Exopalaemon carinicauda</i>															
	<i>Metapenaeopsis barbata</i>													1	3	
	<i>Metapenaeus affinis</i>	5	20		6	40		20	70		25	90		37	110	
	<i>Metapenaeus ensis</i>				8	30										
	<i>Metapenaeus joyneri</i>										1	10				
	<i>Metapenaeus moyeri</i>															
	<i>Parapenaeopsis cultirostris</i>	28	110		23	98		27	140		2	10		14	65	
	<i>Parapenaeopsis hardwickii</i>	16	90		10	60		12	70		3	10		2	31	
	<i>Parapeneopsis hungerfordii</i>							8	19		1	6		3	11	
	<i>Parapeneopsis tenella</i>	7	10		1	11								1	5	
	<i>Penaeus japonicus</i>															
	<i>Penaeus merguensis</i>	6	230		17	730		12	510		2	70		1	43	
	<i>Solenocera crassicornis</i>	1	10					1	8							
Crab	<i>Calappa philargius</i>															
	<i>Charybdis affinis</i>	8	180		3	100		2	60					6	160	
	<i>Charybdis annulata</i>													3	40	
	<i>Charybdis bimaculata</i>															
	<i>Charybdis cruciata</i>															
	<i>Charybdis japonica</i>															
	<i>Charybdis natator</i>															
	<i>Charybdis variegata</i>				1	10										
	<i>Charybdis spp.</i>	80	1480	*	70	1260	*	60	1180	*	70	1240	*	70	1240	*
	<i>Doclea sp.</i>															
	<i>Doclea sinensis</i>															
	<i>Dorippe dorsipes</i>															
	<i>Dorippe polita</i>				3	12										
	<i>Eucrate crenata</i>	4	40								1	8.2				
	<i>Galene bispinosa</i>	6	380					1	38		3	120				
	<i>Halimede ochtodes</i>															
	Hermit crab	30	120	*	20	82	*	20	84	*	20	60	*	20	60	*
	<i>Leucosia craniolaris</i>							3	12							
	<i>Scylla paramamosain</i>															
	<i>Parapanope euagora</i>															
	<i>Parthenope validus</i>															
	<i>Philyra pisum</i>															
	<i>Porcellanella picta</i>															
	<i>Portunus hastatoides</i>															

Trawling Data in January 2019

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Portunus pelagicus</i>															
	<i>Portunus trituberculatus</i>													1	380	
	<i>Portunus spp.</i>															
Mantis shrimp	<i>Harpisquilla harpax</i>															
	<i>Oratosquilla interrupta</i>	4	50		1	10		3	33							
	<i>Oratosquilla oratoria</i>	1	20													
	<i>Oratosquilla kempfi</i>	1	20		2	24										
Gastropod	<i>Bursa rana</i>															
	<i>Calyptrea sp.</i>															
	<i>Drupa musiva</i>															
	<i>Inquistor flavidula</i>															
	<i>Lophiotoma leucotropis</i>							1	13							
	<i>Murex trapa</i>	20	110	*	7	36		20	110	*	20	110	*	11	68	
	<i>Nassarius succinctus</i>															
	<i>Pilosabia pilosa</i>															
	<i>Siphopatella walshi</i>										1	0.2				
	<i>Tonna sulcosa</i>															
	<i>Turritella terebra</i>	120	1170	*	80	720	*	70	680	*	70	680	*	80	730	
	UNID Nudibranch															
Bivalve	<i>Chione isabellina</i>															
	<i>Chlamys nobilis</i>															
	<i>Chlamys spp.</i>															
	<i>Macoma candida</i>															
	<i>Ostrea sp.</i>															
	<i>Paphia undulata</i>															
	<i>Perna viridis</i>															
	<i>Pinctada martensii</i>															
	<i>Ruditapes philippinarum</i>															
	<i>Scapharca subcrenata</i>															
	<i>Tolonostrea talonata</i>															
	<i>Vepricardium asiaticum</i>															
Cephalopod	<i>Lolingid squid</i>															
	<i>Octopus</i>							1	160		2	315				
	<i>Sepiid cuttlefish</i>															
Echinoderm	<i>Acaudina molpadioides</i>	3	96										2	36		
	<i>Archaster typicus (c.f.)</i>															
	<i>Asteroidea (red spot)</i>															
	<i>Colochruis quadrangularis</i>	1	19													
	<i>Sea cucumber</i>				1	21										
	<i>Temnopleurus toreumaticus</i>	60	1880	*	180	2370	*	190	2670	*	310	5960	*	320	6070	
Cnidaria	<i>Carcinactis ichikawai</i>				2	1.2										
	<i>Cavernularia habereri</i>	3	13		20	160	*	5	16		2	6.4	20	170	*	
	<i>Edwardsia japonica (c.f.)</i>				1	4.3					2	8.6				
	<i>Ellisella laevis</i>															
	<i>Metacrinus sp</i>															
	<i>Pteroeides chinense</i>	5	140										1	16		
	<i>Gorgonia spp.</i>															
	<i>Sea anomea</i>				1	5.7					1	16				
	<i>Virgularia gustaviana</i>	1	6.8													
Urochordata	Sea Squirts															
Cirripedia	<i>c.f. Bananus spp.</i>															

Trawling Data in January 2019

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acentrogobius caninus</i>	1	3													
	<i>Apogon fasciatus</i>															
	<i>Apogon kiensis</i>	1	4													
	<i>Apogon lineatus</i>															
	<i>Alepes kalla</i>															
	<i>Arius arius</i>				1	48					1	205				
	<i>Arnoglossus waitei</i>															
	<i>Bothidae sp.</i>	3	15		2	12		3	19				1	7		
	<i>Callionymus curvicornis</i>															
	<i>Coilia mystus</i>															
	<i>Collichthys lucidus</i>															
	<i>Cryptocentrus filifer</i>							1	8							
	<i>Cynoglossus arel</i>	1	20					1	10							
	<i>Cynoglossus puncticeps</i>															
	<i>Cynoglossus roulei</i>	4	122		3	170		2	40				2	37		
	<i>Dasyatis akajei</i>															
	<i>Dasyatis zugei</i>	4	603		2	540		3	570		3	770	2	492		
	<i>Dendrophysa russelii</i>	2	20		5	60		2	30		1	16	1	9		
	<i>Diagramma pictum</i>															
	<i>Epinephelus awoara</i>															
	<i>Gerres abbreviatus</i>															
	<i>Gerres lucidus</i>															
	<i>Grammolites scaber</i>															
	<i>Gymnura japonica</i>															
	<i>Ilisha elongata</i>										1	17				
	<i>Inimicus japonicus</i>										1	4				
	<i>Johnius amblycephalus</i>							2	10							
	<i>Johnius belangerii</i>	2	30								2	45	4	150		
	<i>Johnius carouna</i>															
	<i>Konosirus punctatus</i>				2	221		2	113		8	320	6	288		
	<i>Leiognathus nuchalis</i>	8	95		2	10					4	58	2	36		
	<i>Lepturacanthus savala</i>										2	170				
	<i>Lisa macrolepis</i>	7	298													
	<i>Lisa sp.</i>	1	20													
	<i>Lutjanus dodecacanthoides</i>															
	<i>Muraenesox cinereus</i>										3	657	1	210		
	<i>Nemipterus japonicus</i>							1	22							
	<i>Nibea albiflora</i>															
	<i>Oxyurichthys tentacularis</i>															
	<i>Parachaeturichthys polynema</i>							1	9				2	21		
	<i>Paralichthys lethostigma</i>															
	<i>Pennahia anea</i>															
	<i>Platycephalus indicus</i>	2	78		7	308							3	198		
	<i>Plotosus lineatus</i>															
	<i>Polydactylus sextarius</i>	1	18		1	26		1	11		3	45	1	17		
	<i>Sardina pilchardus</i>															
	<i>Saurida elongata</i>															
	<i>Scatophagus argus</i>															
	<i>Sciaenidae sp.</i>															
	<i>Sebastiscus marmoratus</i>															
	<i>Siganus fuscescens</i>	1	31										1	9		
	<i>Sillago sihama</i>															

Trawling Data in January 2019

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Solea ovata</i>	9	80		5	50		7	47		5	44		6	37	
	<i>Takifugu oblongus</i>															
	<i>Takifugu xanthopterus</i>															
	<i>Thryssa dussumieri</i>															
	<i>Thryssa hamiltonii</i>															
	<i>Trypauchen vagina</i>	1	6		1	10		3	40		2	30				
	<i>Zebrias zebra</i>															
Prawn or shrimp	<i>Alpheus brevirostratus</i>	1	5													
	<i>Alpheus distinguendus</i>															
	<i>Exopalaemon carinicauda</i>							1	7							
	<i>Metapenaeopsis barbata</i>															
	<i>Metapenaeus affinis</i>							4	20		1	9				
	<i>Metapenaeus ensis</i>															
	<i>Metapenaeus joyneri</i>	1	10					4	30		2	10		2	18	
	<i>Metapenaeus moyeri</i>				3	13										
	<i>Parapenaeopsis cultirostris</i>	3	14					1	10		3	12		1	11	
	<i>Parapenaeopsis hardwickii</i>	8	41		1	9		10	60		1	6		7	36	
	<i>Parapenaeopsis hungerfordii</i>															
	<i>Parapenaeopsis tenella</i>															
	<i>Penaeus japonicus</i>										1	90				
	<i>Penaeus merguensis</i>	6	237		7	270		5	230		8	308		3	130	
	<i>Solenocera crassicornis</i>	2	9					1	8							
Crab	<i>Calappa philargius</i>															
	<i>Charybdis affinis</i>	3	40		1	20		11	220		8	160				
	<i>Charybdis annulata</i>															
	<i>Charybdis bimaculata</i>															
	<i>Charybdis cruciata</i>															
	<i>Charybdis japonica</i>				2	90		1	50							
	<i>Charybdis natator</i>													1	7	
	<i>Charybdis variegata</i>							1	8							
	<i>Charybdis spp.</i>	90	1610	*	80	1480	*	80	1480	*	70	1240	*	70	1220	*
	<i>Doclea sp.</i>															
	<i>Doclea sinensis</i>				4	79		2	68							
	<i>Dorippe dorsipes</i>															
	<i>Dorippe polita</i>				16	200		20	220	*	7	79				
	<i>Eucrate crenata</i>	3	14								5	28				
	<i>Galene bispinosa</i>	2	62					20	1080	*	20	1170	*	6	290	
	<i>Halimede ochtodes</i>															
	Hermit crab	20	51	*	20	46	*	4	11		20	40	*	20	40	*
	<i>Leucosia craniolaris</i>	30	130	*	20	90	*	5	22		3	11				
	<i>Scylla paramamosain</i>															
	<i>Parapanope euagora</i>															
	<i>Parthenope validus</i>															
	<i>Philyra pisum</i>															
	<i>Porcellanella picta</i>															
	<i>Portunus hastatoides</i>							3	12							

Trawling Data in January 2019

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Portunus pelagicus</i>															
	<i>Portunus trituberculatus</i>													2	605	
	<i>Portunus spp.</i>															
Mantis shrimp	<i>Harpisquilla harpax</i>													1	18	
	<i>Oratosquilla interrupta</i>	3	60		1	10		8	130		2	38		1	20	
	<i>Oratosquilla oratoria</i>	1	10					2	30							
	<i>Oratosquilla kempfi</i>				1	9		1	9					1	10	
Gastropod	<i>Bursa rana</i>															
	<i>Calyptreaea sp.</i>															
	<i>Drupa musiva</i>															
	<i>Inquistor flavidula</i>															
	<i>Lophiotoma leucotropis</i>															
	<i>Murex trapa</i>	30	210	*	30	208	*	20	160	*	20	160	*	30	210	*
	<i>Nassarius succinctus</i>															
	<i>Pilosabia pilosa</i>				1	0.2										
	<i>Siphopatella walshi</i>	2	0.5													
	<i>Tonna sulcosa</i>															
	<i>Turritella terebra</i>	360	3520	*	320	3080	*	320	2970	*	280	2740	*	280	2740	*
	UNID Nudibranch															
Bivalve	<i>Chione isabellina</i>															
	<i>Chlamys nobilis</i>															
	<i>Chlamys spp.</i>															
	<i>Macoma candida</i>													1	1.2	
	<i>Ostrea sp.</i>															
	<i>Paphia undulata</i>															
	<i>Perna viridis</i>													1	7.4	
	<i>Pinctada martensii</i>															
	<i>Ruditapes philippinarum</i>															
	<i>Scapharca subcrenata</i>															
	<i>Tolonostrea talonata</i>															
	<i>Vepricardium asiaticum</i>															
Cephalopod	<i>Lolingid squid</i>													1	30	
	<i>Octopus</i>										1	77				
	<i>Sepiid cuttlefish</i>															
Echinoderm	<i>Acaudina molpadioides</i>	7	320		20	680	*	10	390		5	260		3	96	
	<i>Archaster typicus (c.f.)</i>															
	<i>Asteroidea (red spot)</i>															
	<i>Colochruis quadrangularis</i>															
	<i>Sea cucumber</i>															
	<i>Temnopleurus toreumaticus</i>	310	7080	*	310	7080	*	320	3140	*	410	4060	*	410	8060	*
Cnidaria	<i>Carcinactis ichikawai</i>	1	1.1					2	1.8							
	<i>Cavernularia habereri</i>	20	140	*	30	160	*	5	32		30	190	*	20	120	*
	<i>Edwardsia japonica (c.f.)</i>	1	3.6		3	11.4		2	10.4		1	4.1				
	<i>Ellisella laevis</i>															
	<i>Metacrinus sp</i>															
	<i>Pteroeides chinense</i>	20	860	*	2	74		2	66		7	310		1	34	
	<i>Gorgonia spp.</i>															
	<i>Sea anomea</i>										1	8.2				
	<i>Virgularia gustaviana</i>	3	21													
Urochordata	Sea Squirts															
Cirripedia	c.f. <i>Bananus spp.</i>															

Trawling Data in January 2019

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acentrogobius caninus</i>	1	2		1	10		3	20		3	50		3	62	
	<i>Apogon fasciatus</i>	3	28					2	11							
	<i>Apogon kiensis</i>															
	<i>Apogon lineatus</i>				1	8										
	<i>Alepes kalla</i>	1	30													
	<i>Arius arius</i>	1	60								1	190		1	165	
	<i>Arnoglossus waitei</i>															
	<i>Bothidae sp.</i>	20	150		7	38		21	130		16	98		5	33	
	<i>Callionymus curvicornis</i>															
	<i>Coilia mystus</i>															
	<i>Collichthys lucidus</i>	2	100											1	50	
	<i>Cryptocentrus filifer</i>				1	4										
	<i>Cynoglossus arel</i>	6	140		5	140		4	110		2	80		7	160	
	<i>Cynoglossus puncticeps</i>															
	<i>Cynoglossus roulei</i>	1	620								1	30				
	<i>Dasyatis akajei</i>															
	<i>Dasyatis zugei</i>	6	1120		1	272		1	362					1	90	
	<i>Dendrophysa russelii</i>	7	100		4	60		2	50		2	40		2	40	
	<i>Diagramma pictum</i>															
	<i>Epinephelus awoara</i>															
	<i>Gerres abbreviatus</i>															
	<i>Gerres lucidus</i>	3	60		5	88		2	50		1	20		1	24	
	<i>Grammolites scaber</i>															
	<i>Gymnura japonica</i>	1	1080								1	580				
	<i>Ilisha elongata</i>	1	20		6	244		2	80							
	<i>Inimicus japonicus</i>	4	50		2	17		2	20		1	12		1	9	
	<i>Johnius amblycephalus</i>															
	<i>Johnius belangerii</i>	1	30					2	105					1	40	
	<i>Johnius carouna</i>															
	<i>Konosirus punctatus</i>	1	35		3	209								1	47	
	<i>Leiognathus nuchalis</i>	12	140		5	60		4	60		22	312		17	240	
	<i>Lepturacanthus savala</i>	1	83													
	<i>Lisa macrolepis</i>										6	232		1	20	
	<i>Lisa sp.</i>															
	<i>Lutjanus dodecakanthoides</i>															
	<i>Muraenesox cinereus</i>				1	140					1	180				
	<i>Nemipterus japonicus</i>	2	31		3	60		2	40		1	30		3	68	
	<i>Nibea albiflora</i>	1	140													
	<i>Oxyurichthys tentacularis</i>	2	8		3	6		6	30		4	18		1	6	
	<i>Parachaeturichthys polynema</i>							1	8							
	<i>Paralichthys lethostigma</i>															
	<i>Pennahia anea</i>															
	<i>Platycephalus indicus</i>	15	470		12	698		14	530		14	605		15	507	
	<i>Plotosus lineatus</i>															
	<i>Polydactylus sextarius</i>															
	<i>Sardina pilchardus</i>							1	10							
	<i>Saurida elongata</i>	1	202													
	<i>Scatophagus argus</i>										1	210				
	<i>Sciaenidae sp.</i>	1	140													
	<i>Sebastiscus marmoratus</i>															
	<i>Siganus fuscescens</i>	2	38		1	40					3	63		2	30	
	<i>Sillago sihama</i>				1	50										

Trawling Data in January 2019

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Solea ovata</i>	1	9		1	9		2	21							
	<i>Takifugu oblongus</i>										1	18				
	<i>Takifugu xanthopterus</i>	1	290											2	766	
	<i>Thryssa dussumieri</i>															
	<i>Thryssa hamiltonii</i>	4	80		2	15					3	18				
	<i>Trypauchen vagina</i>	6	51		3	30		3	50		1	20				
	<i>Zebrias zebra</i>															
Prawn or shrimp	<i>Alpheus brevicristatus</i>															
	<i>Alpheus distinguendus</i>															
	<i>Exopalaemon carinicauda</i>															
	<i>Metapenaeopsis barbata</i>	2	5													
	<i>Metapenaeus affinis</i>	13	180		5	70					1	10		2	40	
	<i>Metapenaeus ensis</i>													1	10	
	<i>Metapenaeus joyneri</i>															
	<i>Metapenaeus moyeri</i>															
	<i>Parapenaeopsis cultirostris</i>															
	<i>Parapenaeopsis hardwickii</i>	2	10		1	9		3	13		3	27		3	20	
	<i>Parapeneopsis hungerfordii</i>															
	<i>Parapeneopsis tenella</i>															
	<i>Penaeus japonicus</i>															
	<i>Penaeus merguensis</i>	4	230		5	310		9	160		4	183		2	90	
	<i>Solenocera crassicornis</i>	1	5					5	10		1	15		3	14	
Crab	<i>Calappa philargius</i>															
	<i>Charybdis affinis</i>	15	260		19	330		25	492		5	110		1	20	
	<i>Charybdis annulata</i>															
	<i>Charybdis bimaculata</i>															
	<i>Charybdis cruciata</i>	2	68		2	60		4	112		5	90		3	150	
	<i>Charybdis japonica</i>															
	<i>Charybdis natator</i>															
	<i>Charybdis variegata</i>															
	<i>Charybdis spp.</i>															
	<i>Doclea sp.</i>															
	<i>Doclea sinensis</i>															
	<i>Dorippe dorsipes</i>															
	<i>Dorippe polita</i>										30	470	*			
	<i>Eucrate crenata</i>															
	<i>Galene bispinosa</i>	7	460		13	980		20	1320	*	20	1340	*	6	370	
	<i>Halimede ochtodes</i>															
	Hermit crab	40	120	*	20	78	*	20	80	*	20	80	*	30	94	*
	<i>Leucosia craniolaris</i>	20	72	*	30	110	*	20	84	*	20	80	*	30	110	*
	<i>Scylla paramamosain</i>															
	<i>Parapanope euagora</i>										1	180				
	<i>Parthenope validus</i>	30	450	*	20	360	*	20	370	*	20	380	*	30	470	*
	<i>Philyra pisum</i>															
	<i>Porcellanella picta</i>										1	0.2				
	<i>Portunus hastatoides</i>	5	18		5	16		3	14		10	30		5	18	

Trawling Data in January 2019

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Portunus pelagicus</i>	1	370		1	230		9	920					1	402	
	<i>Portunus trituberculatus</i>															
	<i>Portunus spp.</i>							1	5							
Mantis shrimp	<i>Harpisquilla harpax</i>							2	80		1	30		2	70	
	<i>Oratosquilla interrupta</i>	3	60		3	50		4	70		4	59		4	50	
	<i>Oratosquilla oratoria</i>	3	80		1	17		3	60		1	40		7	120	
	<i>Oratosquilla kempii</i>										1	17		1	20	
Gastropod	<i>Bursa rana</i>															
	<i>Calyptreaea sp.</i>										1	0.3				
	<i>Drupa musiva</i>				2	9.2										
	<i>Inquistor flavidula</i>	30	82	*	5	12		30	84	*				2	5.3	
	<i>Lophiotoma leucotropis</i>															
	<i>Murex trapa</i>	20	210	*	30	260	*	30	250	*	40	310	*	30	260	*
	<i>Nassarius succinctus</i>							20	48	*	20	52	*			
	<i>Pilosabia pilosa</i>															
	<i>Siphopatella walshi</i>															
	<i>Tonna sulcosa</i>										1	221				
	<i>Turritella terebra</i>	160	1480	*	180	1790	*	230	2260	*	150	1430	*	190	1880	*
	<i>UNID Nudibranch</i>															
Bivalve	<i>Chione isabellina</i>	6	38		20	108	*				20	110	*			
	<i>Chlamys nobilis</i>				3	26		1	7.2							
	<i>Chlamys spp.</i>															
	<i>Macoma candida</i>															
	<i>Ostrea sp.</i>															
	<i>Paphia undulata</i>	1	4.2								5	39				
	<i>Perna viridis</i>															
	<i>Pinctada martensii</i>															
	<i>Ruditapes philippinarum</i>															
	<i>Scapharca subcrenata</i>				1	119		3	286					2	180	
	<i>Tolonostrea talonata</i>															
	<i>Vepricardium asiaticum</i>	1	17.6								2	32.4				
Cephalopod	<i>Lolingid squid</i>							1	10							
	<i>Octopus</i>															
	<i>Sepiid cuttlefish</i>				1	28		2	30					1	30	
Echinoderm	<i>Acaudina molpadioides</i>															
	<i>Archaster typicus (c.f.)</i>										2	28				
	<i>Asteroidea (red spot)</i>															
	<i>Colochruis quadrangularis</i>															
	<i>Sea cucumber</i>															
	<i>Temnopleurus toreumaticus</i>	2800	47600	*	3200	58900	*	3600	62700	*	3200	57800	*	3970	61800	*
Cnidaria	<i>Carcinactis ichikawai</i>										3	1.4		1	0.7	
	<i>Cavernularia habereri</i>	7	28													
	<i>Edwardsia japonica (c.f.)</i>							1	4.8							
	<i>Ellisella laevis</i>										1	14				
	<i>Metacrinus sp</i>															
	<i>Pteroeides chinense</i>				2	46		1	17.8					3	120	
	<i>Gorgonia spp.</i>															
	<i>Sea anomea</i>													1	7.4	
	<i>Virgularia gustaviana</i>															
Urochordata	Sea Squirts							1	4.2							
Cirripedia	<i>c.f. Bananus spp.</i>													40	82	*

Trawling Data in January 2019

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acentrogobius caninus</i>	6	54		4	80		1	20							
	<i>Apogon fasciatus</i>															
	<i>Apogon kiensis</i>															
	<i>Apogon lineatus</i>															
	<i>Alepes kalla</i>															
	<i>Arius arius</i>	1	210		2	280										
	<i>Arnoglossus waitei</i>															
	<i>Bothidae sp.</i>	6	30		3	30		4	32		2	12		1	8	
	<i>Callionymus curvicornis</i>													1	15	
	<i>Coilia mystus</i>															
	<i>Collichthys lucidus</i>															
	<i>Cryptocentrus filifer</i>															
	<i>Cynoglossus arel</i>	1	10		1	20		1	10					1	50	
	<i>Cynoglossus puncticeps</i>															
	<i>Cynoglossus roulei</i>	1	20					1	190					1	10	
	<i>Dasyatis akajei</i>				2	3505		1	1515							
	<i>Dasyatis zugei</i>	6	1165		3	600		2	580		1	90		2	630	
	<i>Dendrophysa russelii</i>	2	20		1	20		1	10		2	60		1	12	
	<i>Diagramma pictum</i>															
	<i>Epinephelus awoara</i>	1	12					1	305							
	<i>Gerres abbreviatus</i>															
	<i>Gerres lucidus</i>	1	30													
	<i>Grammolites scaber</i>													1	20	
	<i>Gymnura japonica</i>	1	320		1	630										
	<i>Ilisha elongata</i>	8	190		2	30		2	52		1	40		2	44	
	<i>Inimicus japonicus</i>				1	10										
	<i>Johnius amblycephalus</i>															
	<i>Johnius belangerii</i>	5	160					5	148		17	470		22	615	
	<i>Johnius carouna</i>				2	70										
	<i>Konosirus punctatus</i>				1	60										
	<i>Leiognathus nuchalis</i>	97	1240		52	660		40	510		13	160		12	140	
	<i>Lepturacanthus savala</i>															
	<i>Lisa macrolepis</i>															
	<i>Lisa sp.</i>															
	<i>Lutjanus dodecacanthoides</i>															
	<i>Muraenesox cinereus</i>	1	170													
	<i>Nemipterus japonicus</i>	1	33													
	<i>Nibea albiflora</i>															
	<i>Oxyurichthys tentacularis</i>	2	11													
	<i>Parachaeturichthys polynema</i>															
	<i>Paralichthys lethostigma</i>															
	<i>Pennahia anea</i>				1	18										
	<i>Platycephalus indicus</i>	2	73		3	102		3	390							
	<i>Plotosus lineatus</i>										1	58				
	<i>Polydactylus sextarius</i>	2	30		1	20		5	90		2	32		7	130	
	<i>Sardina pilchardus</i>															
	<i>Saurida elongata</i>															
	<i>Scatophagus argus</i>															
	<i>Sciaenidae sp.</i>															
	<i>Sebastes marmoratus</i>															
	<i>Siganus fuscescens</i>							1	20		1	10		1	9	
	<i>Sillago sihama</i>															

Trawling Data in January 2019

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Solea ovata</i>				1	10									1	20
	<i>Takifugu oblongus</i>														1	40
	<i>Takifugu xanthopterus</i>	2	520		1	230					2	450		4	1380	
	<i>Thryssa dussumieri</i>				4	80										
	<i>Thryssa hamiltonii</i>	8	56		5	70		1	10							
	<i>Trypauchen vagina</i>	1	10		1	20					1	10				
	<i>Zebrias zebra</i>															
Prawn or shrimp	<i>Alpheus brevicristatus</i>															
	<i>Alpheus distinguendus</i>															
	<i>Exopalaemon carinicauda</i>															
	<i>Metapenaeopsis barbata</i>	1	5											1	6	
	<i>Metapenaeus affinis</i>															
	<i>Metapenaeus ensis</i>															
	<i>Metapenaeus joyneri</i>	1	10		1	10					1	10				
	<i>Metapenaeus moyeri</i>															
	<i>Parapenaeopsis cultirostris</i>															
	<i>Parapenaeopsis hardwickii</i>	1	8		2	10		1	7							
	<i>Parapeneopsis hungerfordii</i>															
	<i>Parapeneopsis tenella</i>				1	21										
	<i>Penaeus japonicus</i>															
	<i>Penaeus merguensis</i>	1	20		4	170		5	210					7	370	
	<i>Solenocera crassicornis</i>										1	8				
Crab	<i>Calappa philargius</i>															
	<i>Charybdis affinis</i>	13	280		9	198		2	40							
	<i>Charybdis annulata</i>															
	<i>Charybdis bimaculata</i>										1	30				
	<i>Charybdis cruciata</i>	1	8		4	220		2	30							
	<i>Charybdis japonica</i>				1	88										
	<i>Charybdis natator</i>															
	<i>Charybdis variegata</i>															
	<i>Charybdis spp.</i>															
	<i>Doclea sp.</i>															
	<i>Doclea sinensis</i>															
	<i>Dorippe dorsipes</i>															
	<i>Dorippe polita</i>							30	250	*						
	<i>Eucrater crenata</i>															
	<i>Galene bispinosa</i>	30	2180	*	20	1390	*	20	1400	*	20	1500	*	20	1400	*
	<i>Halimede ochtodes</i>							1	11.6							
	Hermit crab	40	110	*	30	102	*	40	120	*	20	82	*	30	110	*
	<i>Leucosia craniolaris</i>	20	86	*	20	86	*	30	120	*	20	80	*	20	80	*
	<i>Scylla paramamosain</i>															
	<i>Parapanope euagora</i>															
	<i>Parthenope validus</i>	30	310	*	30	320	*	20	210	*	20	220	*	30	320	*
	<i>Philyra pisum</i>							1	4.3							
	<i>Porcellanella picta</i>															
	<i>Portunus hastatoides</i>	2	8													

Trawling Data in January 2019

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Portunus pelagicus</i>															
	<i>Portunus trituberculatus</i>															
	<i>Portunus spp.</i>															
Mantis shrimp	<i>Harpisquilla harpax</i>	1	23		1	20					1	40		3	100	
	<i>Oratosquilla interrupta</i>	2	20		2	30		2	28		2	20		1	20	
	<i>Oratosquilla oratoria</i>				3	18		1	10		1	9		1	20	
	<i>Oratosquilla kempfi</i>	1	12													
Gastropod	<i>Bursa rana</i>	3	41.6		1	14.6					2	28.4		1	18.4	
	<i>Calyptrea sp.</i>				2	0.6		3	0.9							
	<i>Drupa musiva</i>	20	92	*	20	88	*	7	36							
	<i>Inquistor flavidula</i>	30	82	*	6	16		20	54	*	20	52	*	30	92	
	<i>Lophiotoma leucotropis</i>															
	<i>Murex trapa</i>	20	160	*	20	160	*	30	210	*	20	160	*	30	220	
	<i>Nassarius succinctus</i>	5	14		20	58	*				3	11				
	<i>Pilosabia pilosa</i>															
	<i>Siphopatella walshi</i>															
	<i>Tonna sulcosa</i>							1	111							
	<i>Turritella terebra</i>	70	690	*	70	690	*	110	1070	*	80	780	*	70	680	
	<i>UNID Nudibranch</i>							1	4.2							
Bivalve	<i>Chione isabellina</i>	30	170	*				2	8.2							
	<i>Chlamys nobilis</i>															
	<i>Chlamys spp.</i>															
	<i>Macoma candida</i>															
	<i>Ostrea sp.</i>				4	7.2										
	<i>Paphia undulata</i>															
	<i>Perna viridis</i>															
	<i>Pinctada martensii</i>				2	84		1	37.6		1	38		3	180	
	<i>Ruditapes philippinarum</i>															
	<i>Scapharca subcrenata</i>	3	290								1	96				
	<i>Tolonostrea talonata</i>				5	21					20	44	*	30	72	
	<i>Vepricardium asiaticum</i>				1	16										
Cephalopod	<i>Lolingid squid</i>															
	<i>Octopus</i>				1	60					2	200		1	110	
	<i>Sepiid cuttlefish</i>				1	60										
Echinoderm	<i>Acaudina molpadioides</i>	3	110		2	86								1	21.8	
	<i>Archaster typicus (c.f.)</i>	8	150		5	104		20	280	*	20	280	*	30	490	
	<i>Astroidea (red spot)</i>															
	<i>Colochruis quadrangularis</i>															
	<i>Sea cucumber</i>															
	<i>Temnopleurus toreumaticus</i>	110	1670	*	120	2170	*	120	2180	*	160	2660	*	60	820	
Cnidaria	<i>Carcinactis ichikawai</i>	2	1.1					2	1.1		3	1.3				
	<i>Cavernularia habereri</i>	20	84	*	9	160		20	78	*	5	36		7	46	
	<i>Edwardsia japonica (c.f.)</i>										1	6.2				
	<i>Ellisella laevis</i>							2	24							
	<i>Metacrinus sp</i>															
	<i>Pteroeides chinense</i>	3	132		4	128		5	196		7	276		4	160	
	<i>Gorgonia spp.</i>															
	<i>Sea anomea</i>							1	9.4					2	16.7	
	<i>Virgularia gustaviana</i>				1	13										
Urochordata	Sea Squirts															
Cirripedia	<i>c.f. Bananus spp.</i>															