

Trawling Data in January 2021

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Arnoglossus waitei</i>	1	4.0		2	9.0		1	8.0					2	9.0	
	<i>Acanthopagrus schlegelii</i>															
	<i>Acentrogobius caninus</i>															
	<i>Apogon kiensis</i>							2	9.0							
	<i>Arius chinensis</i>				1	43.0										
	<i>Butis koilomatodon</i>															
	<i>Clupanodon thrissa</i>															
	<i>Cryptocentrus filifer</i>															
	<i>Cynoglossus arel</i>															
	<i>Cynoglossus roulei</i>															
	<i>Dasyatis akajei</i>	1	210.0											1	433.0	
	<i>Dasyatis zugei</i>															
	<i>Dendrophysa russelli</i>															
	<i>Epinephelus awoara</i>				1	298.0										
	<i>Gerres abbreviatus</i>	2	82.0		1	140.0		4	137.0		1	16.0				
	<i>Gerres lucidus</i>															
	<i>Grammoplites scaber</i>	2	110.0		1	16.0		1	18.0							
	<i>Gymnura japonica</i>															
	<i>Ilisha elongata</i>															
	<i>Inimicus japonicus</i>	1	17.0					1	8.0							
	<i>Johnius belangerii</i>															
	<i>Lagocephalus sceleratus</i>				1	99.0										
	<i>Leiognathus nuchalis</i>															
	<i>Lepturacanthus savala</i>															
	<i>Minous monodactylus</i>										1	130.0				
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>															
	<i>Paramonacanthus polynema</i>															
	<i>Pennahia anea</i>															
	<i>Platycephalus indicus</i>							3	68.0					1	13.0	
	<i>Polydactylus sextarius</i>															
	<i>Pseudorhombus cinnamomeus</i>				1	51.0										
	<i>Pseudorhombus oligodon</i>															
	<i>Saurida elongata</i>															
	<i>Scatophagus argus</i>				1	166.0										
	<i>Sebastiscus marmoratus</i>				1	48.0		6	420.0					1	170.0	
	<i>Siganus fuscescens</i>							2	190.0							
	<i>Sillago sihama</i>				2	150.0		2	86.0							
	<i>Solea ovata</i>	2	13.0													
	<i>Stephanolepis cirrhifer</i>	1	165.0		1	28.0		3	120.0							
	<i>Takifugu bimaculatus</i>							1	170.0							
	<i>Takifugu xanthopterus</i>				1	375.0		1	577.0							
	<i>Thryssa kammalensis</i>										1	7.0		1	8.0	
	<i>Trachicephalus uranoscopus</i>															
	<i>Trypauchen vagina</i>										1	10.0				
Prawn or shrimp	<i>Alpheus brevicristatus</i>							1	6.0							
	<i>Alpheus distinguendus</i>															
	<i>Metapenaeopsis barbata</i>															

Trawling Data in January 2021

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Metapenaeus affinis</i>															
	<i>Metapenaeus joyneri</i>															
	<i>Parapenaeopsis cultirostris</i>															
	<i>Parapenaeopsis hardwickii</i>															
	<i>Parapenaeopsis hungerfordii</i>										1	4.0				
	<i>Penaeus merguensis</i>															
	<i>Solenocera crassicornis</i>															
Crab	<i>Charybdis affinis</i>										2	40.0				
	<i>Charybdis annulata</i>							1	4.0							
	<i>Charybdis cruciata</i>															
	<i>Charybdis hellerii</i>															
	<i>Charybdis japonica</i>	2	44.0					3	78.0							
	<i>Charybdis truncata</i>															
	<i>Charybdis variegata</i>	3	6.0					3	22.0							
	<i>Charybdis spp.</i>															
	<i>Calappa philargius</i>	1	110.0		1	104.0										
	<i>Dorippe dorsipes</i>				2	16.0		20	280.0	*	3	26.0		2	14.2	
	<i>Dorippe granulata</i>															
	<i>Dorippe polita</i>															
	<i>Euclate solaris</i>															
	<i>Galene bispinosa</i>															
	Hermit crab	5	22.0					20	46.0	*	7	21.6		3	11.6	
	<i>Parthenope validus</i>							2	17.4							
	<i>Porcellanella picta</i>															
	<i>Portunus hastatoides</i>															
	<i>Portunus trituberculatus</i>															
Mantis shrimp	<i>Harpisquilla harpax</i>															
	<i>Oratosquilla interrupta</i>															
	<i>Oratosquilla oratoria</i>															
Gastropod	<i>Calyptreaea sp.</i>				3	1.4					20	9.0	*	20	9.2	*
	<i>Drupa musiva</i>							1	3.9							
	<i>Epitonium scalare</i>															
	<i>Inquistor flavidula</i>															
	<i>Murex trapa</i>				2	10.3								4	21.6	
	<i>Nassarius succinctus</i>															
	<i>Siphopatella walshi</i>	20	16.0	*	5	51.2		3	21.8		5	48.0		7	64.4	
	<i>Tonna sulcosa</i>															
	<i>Turritella terebra</i>	3	30.0					2	18.0		7	63.0				
	Sea hare (c.f. <i>Aplysia sp.</i>)															
Bivalve	<i>Anomalocardia squamosa</i>															
	<i>Chione isabellina</i>															
	<i>Chlamys spp.</i>							1	8.6							
	<i>Crossostrea sp.</i>							2	380.0							
	<i>Ostrea sp.</i>	12	18.4								50	39.0	*	60	42.0	*
	<i>Perna viridis</i>							14	820.0					12	340.0	
	<i>Ruditapes philippinarum</i>										1	3.1				
	<i>Scapharca subcrenata</i>															
	<i>Tegillarca nodifera</i>															

Trawling Data in January 2021

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Cephalopod	<i>Lolingid squid</i>															
	<i>Sepiid cuttlefish</i>	1	70.0													
	<i>Octopus</i>															
Echinoderm	<i>Acaudina molpadioides</i>															
	<i>Amphioplus sp.</i>															
	<i>Colochirus quadrangularis</i>						1	36.0					1	38.0		
	Sea star															
	<i>Styela plicata</i>				4	12.6					2	9.4		3	11.0	
	<i>Temnopleurus toreumaticus</i>	20	210.0	*	7	64.0		20	206.0	*	20	204.0	*	9	86.0	
Cnidaria	<i>Carcinactis ichikawai</i>															
	<i>Cavernularia habereri</i>	5	18.4		1	3.2										
	<i>Ellisella laevis</i>	1	16.0													
	<i>Pteroeides chinense</i>	3	39.5					1	8.6		2	21.8		3	42.0	
	<i>Gorgonia spp.</i>	2	32.0		1	59.0		2	1130.0		4	830.0		3	21.0	
	Sea anomea															
	<i>Virgularia gustaviana</i>	2	18.8		3	29.6					1	6.4		1	3.2	
Cirripedia	<i>c.f. Balanus spp.</i>	130	72.0	*	50	32.0	*	120	68.0	*	300	140.0	*	260	110.0	

Trawling Data in January 2021

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Arnoglossus waitei</i>	2	12.0					1	7.0							
	<i>Acanthopagrus schlegelii</i>															
	<i>Acentrogobius caninus</i>															
	<i>Apogon kiensis</i>															
	<i>Arius chinensis</i>															
	<i>Butis koilomatodon</i>							1	6.0							
	<i>Clupanodon thrissa</i>															
	<i>Cryptocentrus filifer</i>															
	<i>Cynoglossus arel</i>	1	20.0													
	<i>Cynoglossus roulei</i>															
	<i>Dasyatis akajei</i>															
	<i>Dasyatis zugei</i>															
	<i>Dendrophysa russelli</i>															
	<i>Epinephelus awoara</i>															
	<i>Gerres abbreviatus</i>															
	<i>Gerres lucidus</i>															
	<i>Grammoplites scaber</i>				1	22.0		1	37.0		3	57.0				
	<i>Gymnura japonica</i>															
	<i>Ilisha elongata</i>															
	<i>Inimicus japonicus</i>															
	<i>Johnius belangerii</i>	1	13.0		1	10.0					2	34.0		1	12.0	
	<i>Lagocephalus sceleratus</i>															
	<i>Leiognathus nuchalis</i>	2	10.0													
	<i>Lepturacanthus savala</i>															
	<i>Minous monodactylus</i>													2	320.0	
	<i>Muraenesox cinereus</i>				1	120.0										
	<i>Nemipterus japonicus</i>															
	<i>Paramonacanthus polynema</i>															
	<i>Pennahia anea</i>															
	<i>Platycephalus indicus</i>															
	<i>Polydactylus sextarius</i>															
	<i>Pseudorhombus cinnamomeus</i>															
	<i>Pseudorhombus oligodon</i>															
	<i>Saurida elongata</i>															
	<i>Scatophagus argus</i>				1	90.0										
	<i>Sebastiscus marmoratus</i>	2	125.0		1	120.0		1	18.0		2	126.0				
	<i>Siganus fuscescens</i>															
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>	2	24.0		2	13.0					3	33.0		1	8.0	
	<i>Stephanolepis cirrhifer</i>															
	<i>Takifugu bimaculatus</i>															
	<i>Takifugu xanthopterus</i>															
	<i>Thryssa kammalensis</i>															
	<i>Trachicephalus uranoscopus</i>				1	16.0		2	26.0		1	7.0				
	<i>Trypauchen vagina</i>															
Prawn or shrimp	<i>Alpheus brevicristatus</i>															
	<i>Alpheus distinguendus</i>															
	<i>Metapenaeopsis barbata</i>													1	5.0	

Trawling Data in January 2021

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Metapenaeus affinis</i>							1	6.0							
	<i>Metapenaeus joyneri</i>															
	<i>Parapenaeopsis cultirostris</i>															
	<i>Parapenaeopsis hardwickii</i>															
	<i>Parapenaeopsis hungerfordii</i>															
	<i>Penaeus merguensis</i>															
	<i>Solenocera crassicornis</i>															
Crab	<i>Charybdis affinis</i>				1	30.0										
	<i>Charybdis annulata</i>															
	<i>Charybdis cruciata</i>															
	<i>Charybdis hellerii</i>															
	<i>Charybdis japonica</i>	3	75.0		1	40.0		3	105.0		1	25.0		2	11.0	
	<i>Charybdis truncata</i>															
	<i>Charybdis variegata</i>															
	<i>Charybdis spp.</i>															
	<i>Calappa philargius</i>															
	<i>Dorippe dorsipes</i>							1	4.3		3	12.6				
	<i>Dorippe granulata</i>				2	11.2										
	<i>Dorippe polita</i>							4	28.0							
	<i>Eucrate solaris</i>															
	<i>Galene bispinosa</i>															
	Hermit crab				3	12.0					2	4.2		7	26.0	
	<i>Parthenope validus</i>							3	28.6		5	62.0				
	<i>Porcellanella picta</i>															
	<i>Portunus hastatoides</i>										1	5.0				
	<i>Portunus trituberculatus</i>															
Mantis shrimp	<i>Harpisquilla harpax</i>															
	<i>Oratosquilla interrupta</i>															
	<i>Oratosquilla oratoria</i>															
Gastropod	<i>Calyptreaea sp.</i>										20	8.0	*	5	2.2	
	<i>Drupa musiva</i>															
	<i>Epitonium scalare</i>															
	<i>Inquistor flavidula</i>										2	4.6				
	<i>Murex trapa</i>				3	9.8		4	12.6		2	9.2		3	11.2	
	<i>Nassarius succinctus</i>															
	<i>Siphopatella walshi</i>	4	31.0		6	78.0		5	42.0		3	21.0		7	59.0	
	<i>Tonna sulcosa</i>															
	<i>Turritella terebra</i>				5	46.0		2	16.4							
	Sea hare (c.f. <i>Aplysia sp.</i>)															
Bivalve	<i>Anomalocardia squamosa</i>															
	<i>Chione isabellina</i>															
	<i>Chlamys spp.</i>															
	<i>Crossostrea sp.</i>													1	360.0	
	<i>Ostrea sp.</i>	30	16.0	*												
	<i>Perna viridis</i>				4	160.0		3	28.0							
	<i>Ruditapes philippinarum</i>															
	<i>Scapharca subcrenata</i>															
	<i>Tegillarca nodifera</i>															

Trawling Data in January 2021

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Cephalopod	<i>Lolingid squid</i>															
	<i>Sepiid cuttlefish</i>															
	<i>Octopus</i>															
Echinoderm	<i>Acaudina molpadioides</i>															
	<i>Amphioplus sp.</i>															
	<i>Colochirus quadrangularis</i>															
	Sea star															
	<i>Styela plicata</i>	1	4.2											1	3.2	
	<i>Temnopleurus toreumaticus</i>	6	52.0		10	96.0		8	73.0		20	180.0	*	5	46.0	
Cnidaria	<i>Carcinactis ichikawai</i>															
	<i>Cavernularia habereri</i>	2	5.2								2	6.2		3	11.2	
	<i>Ellisella laevis</i>															
	<i>Pteroeides chinense</i>	1	22.0		4	96.0		2	48.0		3	82.0		5	140.0	
	<i>Gorgonia spp.</i>	2	19.0								1	11.4		4	110.0	
	Sea anomea															
	<i>Virgularia gustaviana</i>				2	10.4		1	5.1					3	11.2	
Cirripedia	<i>c.f. Balanus spp.</i>	120	63.0	*	90	46.0	*	30	12.0	*	130	72.0	*	160	84.0	*

Trawling Data in January 2021

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Arnoglossus waitei</i>															
	<i>Acanthopagrus schlegelii</i>															
	<i>Acentrogobius caninus</i>															
	<i>Apogon kiensis</i>															
	<i>Arius chinensis</i>															
	<i>Butis koilomatodon</i>															
	<i>Clupanodon thrissa</i>															
	<i>Cryptocentrus filifer</i>															
	<i>Cynoglossus arel</i>	3	40.0		1	10.0		3	90.0				1	22.0		
	<i>Cynoglossus roulei</i>	1	11.0					2	30.0		1	20.0				
	<i>Dasyatis akajei</i>															
	<i>Dasyatis zugei</i>	1	46.0													
	<i>Dendrophysa russelli</i>															
	<i>Epinephelus awoara</i>															
	<i>Gerres abbreviatus</i>	1	18.0		1	15.0										
	<i>Gerres lucidus</i>															
	<i>Grammoplites scaber</i>							2	50.0		1	80.0				
	<i>Gymnura japonica</i>															
	<i>Ilisha elongata</i>												1	28.0		
	<i>Inimicus japonicus</i>															
	<i>Johnius belangerii</i>	3	8.0		1	3.0		6	60.0		3	70.0		1	7.0	
	<i>Lagocephalus sceleratus</i>															
	<i>Leiognathus nuchalis</i>	3	30.0										1	20.0		
	<i>Lepturacanthus savala</i>															
	<i>Minous monodactylus</i>															
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>															
	<i>Paramonacanthus polynema</i>												1	6.0		
	<i>Pennahia anea</i>	1	8.0		1	2.0					1	15.0		2	26.0	
	<i>Platycephalus indicus</i>															
	<i>Polydactylus sextarius</i>							1	24.0							
	<i>Pseudorhombus cinnamomeus</i>															
	<i>Pseudorhombus oligodon</i>															
	<i>Saurida elongata</i>															
	<i>Scatophagus argus</i>															
	<i>Sebastiscus marmoratus</i>															
	<i>Siganus fuscescens</i>													1	30.0	
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>	1	10.0					5	53.0		6	62.0		5	48.0	
	<i>Stephanolepis cirrhifer</i>															
	<i>Takifugu bimaculatus</i>															
	<i>Takifugu xanthopterus</i>															
	<i>Thryssa kammalensis</i>							2	12.0							
	<i>Trachicephalus uranoscopus</i>															
	<i>Trypauchen vagina</i>															
Prawn or shrimp	<i>Alpheus brevicristatus</i>															
	<i>Alpheus distinguendus</i>										2	13.0				
	<i>Metapenaeopsis barbata</i>												1	5.0		

Trawling Data in January 2021

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Metapenaeus affinis</i>	5	20.0		5	15.0		2	20.0							
	<i>Metapenaeus joyneri</i>															
	<i>Parapenaeopsis cultirostris</i>										1	7.0				
	<i>Parapenaeopsis hardwickii</i>										1	6.0				
	<i>Parapenaeopsis hungerfordii</i>	12	44.0					1	13.0				4	23.0		
	<i>Penaeus merguensis</i>	2	43.0		3	110.0		2	90.0		1	33.0				
	<i>Solenocera crassicornis</i>	3	11.0													
Crab	<i>Charybdis affinis</i>	11	180.0		6	110.0		4	85.0		15	250.0		9	170.0	
	<i>Charybdis annulata</i>															
	<i>Charybdis cruciata</i>	1	10.0					1	10.0		1	14.0		4	90.0	
	<i>Charybdis hellerii</i>															
	<i>Charybdis japonica</i>															
	<i>Charybdis truncata</i>				1	12.0										
	<i>Charybdis variegata</i>															
	<i>Charybdis spp.</i>	20	210.0	*	20	210.0	*	16	154.0		7	62.0		20	220.0	
	<i>Calappa philargius</i>															
	<i>Dorippe dorsipes</i>															
	<i>Dorippe granulata</i>															
	<i>Dorippe polita</i>	20	130.0	*	20	130.0	*	11	92.0		8	70.0		12	96.0	
	<i>Eucrate solaris</i>										3	16.2				
	<i>Galene bispinosa</i>															
	Hermit crab										4	16.0				
	<i>Parthenope validus</i>															
	<i>Porcellanella picta</i>															
	<i>Portunus hastatoides</i>										1	8.0		1	5.0	
	<i>Portunus trituberculatus</i>															
Mantis shrimp	<i>Harpisquilla harpax</i>	4	130.0		3	102.0								1	25.0	
	<i>Oratosquilla interrupta</i>							1	23.0							
	<i>Oratosquilla oratoria</i>															
Gastropod	<i>Calyptreaea sp.</i>							1	0.4							
	<i>Drupa musiva</i>				1	5.4										
	<i>Epitonium scalare</i>															
	<i>Inquistor flavidula</i>							20	410.0	*						
	<i>Murex trapa</i>							2	12.6							
	<i>Nassarius succinctus</i>															
	<i>Siphopatella walshi</i>										6	2.2				
	<i>Tonna sulcosa</i>															
	<i>Turritella terebra</i>	20	210.0	*	20	210.0	*	9	92.0		12	108.0		5	62.0	
	Sea hare (c.f. <i>Aplysia sp.</i>)							1	116.0							
Bivalve	<i>Anomalocardia squamosa</i>															
	<i>Chione isabellina</i>															
	<i>Chlamys spp.</i>															
	<i>Crossostrea sp.</i>															
	<i>Ostrea sp.</i>															
	<i>Perna viridis</i>							6	63.0							
	<i>Ruditapes philippinarum</i>															
	<i>Scapharca subcrenata</i>															
	<i>Tegillarca nodifera</i>															

Trawling Data in January 2021

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Cephalopod	<i>Lolingid squid</i>										1	30.0				
	<i>Sepiid cuttlefish</i>	1	10.0													
	<i>Octopus</i>	1	110.0													
Echinoderm	<i>Acaudina molpadioides</i>	40	1620.0	*	50	1930.0	*	50	1890.0	*	40	1710.0	*	50	1920.0	*
	<i>Amphioplus sp.</i>															
	<i>Colochirus quadrangularis</i>															
	Sea star															
	<i>Styela plicata</i>															
	<i>Temnopleurus toreumaticus</i>										2	19.6		5	53.8	
Cnidaria	<i>Carcinactis ichikawai</i>				2	1.4										
	<i>Cavernularia habereri</i>	40	170.0	*	30	140.0	*	30	140.0	*	40	180.0	*	20	110.0	*
	<i>Ellisella laevis</i>													1	6.2	
	<i>Pteroeides chinense</i>	310	6870.0	*	290	6030.0	*	270	5710.0	*	280	5960.0	*	270	5800.0	*
	<i>Gorgonia spp.</i>										2	28.0				
	Sea anomea							1	5.6					1	6.3	
	<i>Virgularia gustaviana</i>				1	6.3					2	11.2		1	12.0	
Cirripedia	<i>c.f. Balanus spp.</i>				20	9.0	*									

Trawling Data in January 2021

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Arnoglossus waitei</i>	2	21.0		2	19.0					1	11.0		1	13.0	
	<i>Acanthopagrus schlegelii</i>										1	1760.0				
	<i>Acentrogobius caninus</i>							1	12.0							
	<i>Apogon kiensis</i>	1	11.0													
	<i>Arius chinensis</i>															
	<i>Butis koilomatodon</i>															
	<i>Clupanodon thrissa</i>															
	<i>Cryptocentrus filifer</i>															
	<i>Cynoglossus arel</i>	1	80.0					1	10.0							
	<i>Cynoglossus roulei</i>	3	73.0								3	160.0		1	33.0	
	<i>Dasyatis akajei</i>															
	<i>Dasyatis zugei</i>	4	530.0		2	210.0		1	350.0		1	270.0		3	350.0	
	<i>Dendrophysa russelli</i>				1	20.0					1	30.0		1	20.0	
	<i>Epinephelus awoara</i>															
	<i>Gerres abbreviatus</i>							1	10.0		1	23.0		1	10.0	
	<i>Gerres lucidus</i>															
	<i>Grammolites scaber</i>															
	<i>Gymnura japonica</i>	1	390.0													
	<i>Ilisha elongata</i>															
	<i>Inimicus japonicus</i>															
	<i>Johnius belangerii</i>										2	60.0				
	<i>Lagocephalus sceleratus</i>															
	<i>Leiognathus nuchalis</i>	27	260.0		7	60.0		22	230.0		9	130.0		1	10.0	
	<i>Lepturacanthus savala</i>															
	<i>Minous monodactylus</i>															
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>															
	<i>Paramonacanthus polynema</i>															
	<i>Pennahia anea</i>							1	60.0		1	20.0				
	<i>Platycephalus indicus</i>	2	385.0		3	550.0		1	58.0		1	70.0		2	130.0	
	<i>Polydactylus sextarius</i>							1	27.0							
	<i>Pseudorhombus cinnamomeus</i>															
	<i>Pseudorhombus oligodon</i>															
	<i>Saurida elongata</i>															
	<i>Scatophagus argus</i>															
	<i>Sebastiscus marmoratus</i>															
	<i>Siganus fuscescens</i>															
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>							1	9.0							
	<i>Stephanolepis cirrhifer</i>															
	<i>Takifugu bimaculatus</i>															
	<i>Takifugu xanthopterus</i>															
	<i>Thryssa kammalensis</i>															
	<i>Trachicephalus uranoscopus</i>															
	<i>Trypauchen vagina</i>				1	20.0								1	25.0	
Prawn or shrimp	<i>Alpheus brevicristatus</i>															
	<i>Alpheus distinguendus</i>															
	<i>Metapenaeopsis barbata</i>															

Trawling Data in January 2021

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Metapenaeus affinis</i>															
	<i>Metapenaeus joyneri</i>															
	<i>Parapenaeopsis cultirostris</i>															
	<i>Parapenaeopsis hardwickii</i>															
	<i>Parapenaeopsis hungerfordii</i>	1	7.0		2	12.0								1	8.0	
	<i>Penaeus merguensis</i>	12	410.0		5	180.0		4	205.0					1	50.0	
	<i>Solenocera crassicornis</i>															
Crab	<i>Charybdis affinis</i>	3	40.0		1	15.0		5	90.0					1	20.0	
	<i>Charybdis annulata</i>															
	<i>Charybdis cruciata</i>				1	10.0		1	90.0					1	350.0	
	<i>Charybdis hellerii</i>										1	4.0		1	6.0	
	<i>Charybdis japonica</i>															
	<i>Charybdis truncata</i>															
	<i>Charybdis variegata</i>															
	<i>Charybdis spp.</i>	20	220.0	*	11	96.0		13	108.0		6	52.0		20	220.0	
	<i>Calappa philargius</i>															
	<i>Dorippe dorsipes</i>															
	<i>Dorippe granulata</i>															
	<i>Dorippe polita</i>	40	380.0	*	30	310.0	*	20	12.0	*	9	71.0		5	36.0	
	<i>Eucratis solaris</i>															
	<i>Galene bispinosa</i>	1	182.0								1	40.0				
	Hermit crab										3	8.4		2	4.2	
	<i>Parthenope validus</i>	1	13.2					3	36.2							
	<i>Porcellanella picta</i>															
	<i>Portunus hastatoides</i>				3	11.0					1	3.0				
	<i>Portunus trituberculatus</i>															
Mantis shrimp	<i>Harpisquilla harpax</i>	1	54.0											1	38.0	
	<i>Oratosquilla interrupta</i>	3	50.0		1	20.0					1	23.0		1	20.0	
	<i>Oratosquilla oratoria</i>															
Gastropod	<i>Calyptrea sp.</i>				2	0.8		5	1.8							
	<i>Drupa musiva</i>															
	<i>Epitonium scalare</i>							1	8.6							
	<i>Inquistor flavidula</i>															
	<i>Murex trapa</i>							3	24.0		2	16.0				
	<i>Nassarius succinctus</i>	40	86.0	*	8	16.3										
	<i>Siphopatella walshi</i>															
	<i>Tonna sulcosa</i>	1	96.4													
	<i>Turritella terebra</i>	19	170.0		30	310.0	*	15	153.0		3	46.0		14	130.0	
	Sea hare (c.f. <i>Aplysia sp.</i>)															
Bivalve	<i>Anomalocardia squamosa</i>															
	<i>Chione isabellina</i>															
	<i>Chlamys spp.</i>															
	<i>Crossostrea sp.</i>	1	229.0													
	<i>Ostrea sp.</i>															
	<i>Perna viridis</i>															
	<i>Ruditapes philippinarum</i>															
	<i>Scapharca subcrenata</i>															
	<i>Tegillarca nodifera</i>															

Trawling Data in January 2021

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Cephalopod	<i>Lolingid squid</i>							1	20.0							
	<i>Sepiid cuttlefish</i>															
	<i>Octopus</i>															
Echinoderm	<i>Acaudina molpadioides</i>	30	1190.0	*	30	1180.0	*	40	1680.0	*	20	620.0	*	20	620.0	*
	<i>Amphioplus sp.</i>															
	<i>Colochirus quadrangularis</i>															
	Sea star															
	<i>Styela plicata</i>				1	6.2										
	<i>Temnopleurus toreumaticus</i>															
	<i>Carcinactis ichikawai</i>	4	2.8		2	1.6										
Cnidaria	<i>Cavernularia habereri</i>	20	108.0	*	30	150.0	*	20	108.0	*	16	58.0		11	46.0	
	<i>Ellisella laevis</i>															
	<i>Pteroeides chinense</i>	240	5760.0	*	210	5310.0	*	190	3810.0	*	210	5160.0	*	170	2680.0	*
	<i>Gorgonia spp.</i>				1	24.6		2	27.2							
	Sea anomea															
Cirripedia	<i>Virgularia gustaviana</i>							2	12.4							
	<i>c.f. Balanus spp.</i>															

Trawling Data in January 2021

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Arnoglossus waitei</i>							1	9.0							
	<i>Acanthopagrus schlegelii</i>	2	3800.0													
	<i>Acentrogobius caninus</i>	1	16.0		2	40.0		3	56.0		1	12.0		1	32.0	
	<i>Apogon kiensis</i>	1	7.0		2	9.0								1	4.0	
	<i>Arius chinensis</i>															
	<i>Butis koilomatodon</i>															
	<i>Clupanodon thrissa</i>															
	<i>Cryptocentrus filifer</i>	1	3.0		4	18.0		4	11.0		3	8.0		3	11.0	
	<i>Cynoglossus arel</i>	1	30.0		3	270.0		4	240.0		3	126.0		4	230.0	
	<i>Cynoglossus roulei</i>															
	<i>Dasyatis akajei</i>	1	105.0													
	<i>Dasyatis zugei</i>	5	742.0		4	550.0		3	260.0		2	128.0				
	<i>Dendrophysa russelli</i>	2	40.0					1	20.0		1	20.0		1	44.0	
	<i>Epinephelus awoara</i>															
	<i>Gerres abbreviatus</i>	2	33.0		1	17.0					1	15.0				
	<i>Gerres lucidus</i>															
	<i>Grammolites scaber</i>															
	<i>Gymnura japonica</i>															
	<i>Ilisha elongata</i>															
	<i>Inimicus japonicus</i>				1	13.0					1	15.0				
	<i>Johnius belangerii</i>										2	90.0		3	140.0	
	<i>Lagocephalus sceleratus</i>															
	<i>Leiognathus nuchalis</i>															
	<i>Lepturacanthus savala</i>															
	<i>Minous monodactylus</i>															
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>							1	22.0							
	<i>Paramonacanthus polynema</i>							1	8.0							
	<i>Pennahia anea</i>															
	<i>Platycephalus indicus</i>	14	1700.0		11	525.0		12	963.0		11	930.0		9	430.0	
	<i>Polydactylus sextarius</i>															
	<i>Pseudorhombus cinnamomeus</i>	1	84.0													
	<i>Pseudorhombus oligodon</i>													2	238.0	
	<i>Saurida elongata</i>	6	1025.0		7	1288.0		2	390.0							
	<i>Scatophagus argus</i>	2	390.0		1	210.0		4	498.0		2	510.0				
	<i>Sebastiscus marmoratus</i>															
	<i>Siganus fuscescens</i>				2	250.0										
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>										1	6.0				
	<i>Stephanolepis cirrhifer</i>															
	<i>Takifugu bimaculatus</i>															
	<i>Takifugu xanthopterus</i>	5	2008.0		4	1690.0		4	1690.0		1	316.0		1	420.0	
	<i>Thryssa kammalensis</i>															
	<i>Trachicephalus uranoscopus</i>															
	<i>Trypauchen vagina</i>	1	4.0		2	7.0		1	20.0		1	5.0				
Prawn or shrimp	<i>Alpheus brevirostratus</i>															
	<i>Alpheus distinguendus</i>															
	<i>Metapenaeopsis barbata</i>	1	5.0					1	5.0		2	8.0				

Trawling Data in January 2021

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Metapenaeus affinis</i>	2	20.0		7	110.0		2	20.0		3	22.0		2	10.0	
	<i>Metapenaeus joyneri</i>										1	6.0				
	<i>Parapenaeopsis cultirostris</i>															
	<i>Parapenaeopsis hardwickii</i>															
	<i>Parapenaeopsis hungerfordii</i>							2	12.0		3	13.0		2	11.0	
	<i>Penaeus merguensis</i>	18	710.0		16	580.0		12	370.0		14	430.0		9	230.0	
	<i>Solenocera crassicornis</i>										2	9.0		1	7.0	
Crab	<i>Charybdis affinis</i>	3	70.0		3	30.0		4	100.0		12	280.0		4	95.0	
	<i>Charybdis annulata</i>							3	9.0							
	<i>Charybdis cruciata</i>				1	130.0		2	180.0		8	600.0		7	290.0	
	<i>Charybdis hellerii</i>	1	4.0								2	8.0				
	<i>Charybdis japonica</i>															
	<i>Charybdis truncata</i>															
	<i>Charybdis variegata</i>															
	<i>Charybdis spp.</i>															
	<i>Calappa philargius</i>															
	<i>Dorippe dorsipes</i>															
	<i>Dorippe granulata</i>															
	<i>Dorippe polita</i>	70	620.0	*	40	370.0	*	30	230.0	*	20	180.0	*	30	240.0	*
	<i>Eucrate solaris</i>															
	<i>Galene bispinosa</i>															
	Hermit crab	4	18.0								6	32.0		30	140.0	*
	<i>Parthenope validus</i>															
	<i>Porcellanella picta</i>	60	30.0	*	70	32.0	*	50	26.0	*	70	36.0	*	60	31.0	*
	<i>Portunus hastatoides</i>	3	11.0					5	21.0		2	9.0		1	5.0	
	<i>Portunus trituberculatus</i>															
Mantis shrimp	<i>Harpisquilla harpax</i>	1	10.0													
	<i>Oratosquilla interrupta</i>				1	20.0										
	<i>Oratosquilla oratoria</i>							1	18.0					3	70.0	
Gastropod	<i>Calyptrea sp.</i>										3	1.2				
	<i>Drupa musiva</i>				1	3.8								2	9.4	
	<i>Epitonium scalare</i>															
	<i>Inquistor flavidula</i>															
	<i>Murex trapa</i>				7	53.0										
	<i>Nassarius succinctus</i>	60	130.0	*	20	43.0	*									
	<i>Siphopatella walshi</i>															
	<i>Tonna sulcosa</i>															
	<i>Turritella terebra</i>	7	70.0		20	210.0	*	9	86.0		13	116.0		12	112.0	
	Sea hare (c.f. <i>Aplysia sp.</i>)	1	7.2					1	6.2							
Bivalve	<i>Anomalocardia squamosa</i>															
	<i>Chione isabellina</i>															
	<i>Chlamys spp.</i>															
	<i>Crossostrea sp.</i>															
	<i>Ostrea sp.</i>				20	14.0	*							5	2.8	
	<i>Perna viridis</i>															
	<i>Ruditapes philippinarum</i>															
	<i>Scapharca subcrenata</i>										1	20.4				
	<i>Tegillarca nodifera</i>													30	140.0	*

Trawling Data in January 2021

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Cephalopod	<i>Lolingid squid</i>				1	16.0								2	40.0	
	<i>Sepiid cuttlefish</i>													1	70.0	
	<i>Octopus</i>															
Echinoderm	<i>Acaudina molpadioides</i>	20	860.0	*	20	860.0	*	11	270.0		20	840.0	*	20	840.0	*
	<i>Amphioplus sp.</i>															
	<i>Colochirus quadrangularis</i>															
	Sea star							1	3.8							
	<i>Styela plicata</i>															
	<i>Temnopleurus toreumaticus</i>										2	21.6				
Cnidaria	<i>Carcinactis ichikawai</i>	5	6.3		7	8.6										
	<i>Cavernularia habereri</i>	40	190.0	*	30	130.0	*	40	190.0	*	50	240.0	*	60	260.0	*
	<i>Ellisella laevis</i>															
	<i>Pteroeides chinense</i>	290	4880.0	*	280	4210.0	*	260	3970.0	*	280	4190.0	*	260	3820.0	*
	<i>Gorgonia spp.</i>															
	Sea anomea															
	<i>Virgularia gustaviana</i>							1	6.2					3	37.0	
Cirripedia	<i>c.f. Balanus spp.</i>													30	16.0	*

Trawling Data in January 2021

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Arnoglossus waitei</i>	1	9.0					3	29.0							
	<i>Acanthopagrus schlegelii</i>															
	<i>Acentrogobius caninus</i>	1	19.0										1	25.0		
	<i>Apogon kiensis</i>															
	<i>Arius chinensis</i>															
	<i>Butis koilomatodon</i>															
	<i>Clupanodon thrissa</i>												1	60.0		
	<i>Cryptocentrus filifer</i>							3	10.0		1	4.0	1	5.0		
	<i>Cynoglossus arel</i>				3	96.0							1	80.0		
	<i>Cynoglossus roulei</i>															
	<i>Dasyatis akajei</i>										1	210.0				
	<i>Dasyatis zugei</i>	5	1870.0		5	1510.0		3	450.0		4	303.0	3	650.0		
	<i>Dendrophysa russelli</i>	1	20.0								1	23.0				
	<i>Epinephelus awoara</i>															
	<i>Gerres abbreviatus</i>	2	48.0					1	22.0				1	24.0		
	<i>Gerres lucidus</i>										1	18.0				
	<i>Grammolites scaber</i>															
	<i>Gymnura japonica</i>	1	3720.0		2	3290.0										
	<i>Ilisha elongata</i>															
	<i>Inimicus japonicus</i>															
	<i>Johnius belangerii</i>							1	8.0							
	<i>Lagocephalus sceleratus</i>				1	26.0										
	<i>Leiognathus nuchalis</i>	2	30.0					7	100.0		4	70.0	5	90.0		
	<i>Lepturacanthus savala</i>										1	130.0				
	<i>Minous monodactylus</i>															
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>															
	<i>Paramonacanthus polynema</i>	1	7.0													
	<i>Pennahia anea</i>				1	10.0							1	7.0		
	<i>Platycephalus indicus</i>	4	236.0		1	570.0		6	505.0							
	<i>Polydactylus sextarius</i>										1	22.0				
	<i>Pseudorhombus cinnamomeus</i>															
	<i>Pseudorhombus oligodon</i>	1	97.0					2	230.0							
	<i>Saurida elongata</i>															
	<i>Scatophagus argus</i>															
	<i>Sebastiscus marmoratus</i>															
	<i>Siganus fuscescens</i>															
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>															
	<i>Stephanolepis cirrhifer</i>															
	<i>Takifugu bimaculatus</i>															
	<i>Takifugu xanthopterus</i>							1	235.0							
	<i>Thryssa kammalensis</i>										3	18.0	1	12.0		
	<i>Trachicephalus uranoscopus</i>															
	<i>Trypauchen vagina</i>	1	6.0					1	3.0							
Prawn or shrimp	<i>Alpheus brevicristatus</i>															
	<i>Alpheus distinguendus</i>															
	<i>Metapenaeopsis barbata</i>	1	5.0										1	3.0		

Trawling Data in January 2021

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Metapenaeus affinis</i>													2	10.0	
	<i>Metapenaeus joyneri</i>							1	9.0							
	<i>Parapenaeopsis cultirostris</i>															
	<i>Parapenaeopsis hardwickii</i>															
	<i>Parapenaeopsis hungerfordii</i>	2	13.0		2	15.0					2	11.0		1	8.0	
	<i>Penaeus merguensis</i>	6	240.0		4	150.0		1	33.0		2	90.0		3	150.0	
	<i>Solenocera crassicornis</i>															
Crab	<i>Charybdis affinis</i>	8	80.0		6	110.0		1	20.0		2	50.0		13	320.0	
	<i>Charybdis annulata</i>							2	7.0					1	4.0	
	<i>Charybdis cruciata</i>	4	70.0		7	257.0		1	15.0		2	16.0		5	80.0	
	<i>Charybdis hellerii</i>															
	<i>Charybdis japonica</i>															
	<i>Charybdis truncata</i>															
	<i>Charybdis variegata</i>															
	<i>Charybdis spp.</i>															
	<i>Calappa philargius</i>															
	<i>Dorippe dorsipes</i>															
	<i>Dorippe granulata</i>															
	<i>Dorippe polita</i>	20	180.0	*	8	66.0		13	91.0		20	190.0	*	30	230.0	*
	<i>Eucrate solaris</i>															
	<i>Galene bispinosa</i>				1	140.0								1	30.0	
	Hermit crab				3	12.0		5	21.0		8	41.0		2	8.2	
	<i>Parthenope validus</i>															
	<i>Porcellanella picta</i>	40	19.0	*	30	13.0	*	40	18.0	*	30	12.0	*	30	12.0	*
	<i>Portunus hastatoides</i>	1	3.0					3	13.0		1	8.0				
	<i>Portunus trituberculatus</i>													1	470.0	
Mantis shrimp	<i>Harpisquilla harpax</i>										1	13.0		1	90.0	
	<i>Oratosquilla interrupta</i>										1	10.0		1	10.0	
	<i>Oratosquilla oratoria</i>				1	20.0										
Gastropod	<i>Calyptrea sp.</i>	6	2.8								2	1.1		3	1.6	
	<i>Drupa musiva</i>															
	<i>Epitonium scalare</i>															
	<i>Inquistor flavidula</i>															
	<i>Murex trapa</i>	50	360.0	*	20	160.0	*				5	32.0				
	<i>Nassarius succinctus</i>										30	64.0	*	5	11.0	
	<i>Siphopatella walshi</i>							2	0.8		4	1.6				
	<i>Tonna sulcosa</i>															
	<i>Turritella terebra</i>	30	310.0	*	5	51.0		20	210.0	*	16	150.0		8	91.0	
	Sea hare (c.f. <i>Aplysia sp.</i>)															
Bivalve	<i>Anomalocardia squamosa</i>	1	2.6					1	2.4							
	<i>Chione isabellina</i>							1	2.3							
	<i>Chlamys spp.</i>															
	<i>Crossostrea sp.</i>															
	<i>Ostrea sp.</i>							7	3.9							
	<i>Perna viridis</i>															
	<i>Ruditapes philippinarum</i>															
	<i>Scapharca subcrenata</i>															
	<i>Tegillarca nodifera</i>															

Trawling Data in January 2021

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Cephalopod	<i>Lolingid squid</i>										1	10.0				
	<i>Sepiid cuttlefish</i>															
	<i>Octopus</i>															
Echinoderm	<i>Acaudina molpadioides</i>	7	260.0		15	630.0		11	420.0		9	310.0		10	410.0	
	<i>Amphioplus sp.</i>				1	1.2										
	<i>Colochirus quadrangularis</i>															
	Sea star															
	<i>Styela plicata</i>				1	3.4		2	6.2							
	<i>Temnopleurus toreumaticus</i>															
Cnidaria	<i>Carcinactis ichikawai</i>	1	6.1								4	2.1		5	6.2	
	<i>Cavernularia habereri</i>	20	90.0	*				7	28.0		3	12.0		9	38.0	
	<i>Ellisella laevis</i>															
	<i>Pteroeides chinense</i>	1860	2760.0	*	1640	2380.0	*	1290	2040.0	*	1480	3120.0	*	1170	2610.0	
	<i>Gorgonia spp.</i>															
	Sea anomea															
	<i>Virgularia gustaviana</i>				2	12.0		3	26.0							
Cirripedia	<i>c.f. Balanus spp.</i>															