

Trawling Data in July 2018

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acanthopagrus berda</i>															
	<i>Acentrogobius caninus</i>															
	<i>Acentrogobius chlorostigmatoides</i>															
	<i>Apogon kiensis</i>										2	14		1	5	
	<i>Arius arius</i>															
	<i>Arnoglossus waitei</i>															
	<i>Bothidae spp.</i>	1	6					1	3					1	4	
	<i>Butis koilmoatodon</i>															
	<i>Callionymus curvicornis</i>				1	15								1	10	
	<i>Callionymus richardsoni</i>															
	<i>Chrysochir aureus</i>															
	<i>Coilia mystus</i>															
	<i>Collichthys lucidus</i>															
	<i>Crenimugil crenilabis</i>															
	<i>Cryptocentrus filifer</i>	1	13													
	<i>Cryptocentrus papuanus</i>															
	<i>Cynoglossus abbreviatus</i>															
	<i>Cynoglossus arel</i>							1	23					1	22	
	<i>Cynoglossus puncticeps</i>				1	20					1	23				
	<i>Cynoglossus roulei</i>															
	<i>Dasyatis zugei</i>							1	49		2	67				
	<i>Dendrophysa russelii</i>							1	33							
	<i>Drepane longimana</i>															
	<i>Drepane punctata</i>	1	48		1	37								2	75	
	<i>Epinephelus awoara</i>	1	134								3	513		1	124	
	<i>Epinephelus bruneus</i>															
	<i>Gerres abbreviatus</i>															
	<i>Grammolites scaber</i>	2	101		1	48					4	17				
	<i>Gymnura japonica</i>							1	281		1	670		1	288	
	<i>Hapalogenys nitens</i>													1	166	
	<i>Harpadon nehereus</i>															
	<i>Inegocia japonica</i>	2	18		6	45		9	94					2	113	
	<i>Inimicus didactylus</i>	1	115		3	841		1	125							
	<i>Inegocia japonica</i>															
	<i>Johnius amblycephalus</i>															
	<i>Johnius belangerii</i>	7	150					2	83		8	440		6	338	
	<i>Johnius carouna</i>													4	53	
	<i>Johnius taiwanese</i>															
	<i>Johnius trewavasae</i>										1	23				
	<i>Konosirus punctatus</i>															
	<i>Leiognathus brevirostris</i>	2	34		6	66		11	129		4	68		7	110	
	<i>Leiognathus nuchalis</i>															
	<i>Liza macrolepis</i>															
	<i>Mugil cephalus</i>															
	<i>Muraenesox cinereus</i>				2	224		1	67		2	141				
	<i>Monacanthus chinensis</i>				1	12										
	<i>Nemipterus japonicus</i>															
	<i>Oxyurichthys microlepis</i>															
	<i>Oxyurichthys papuensis</i>															

Trawling Data in July 2018

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Oxyurichthys tentacularis</i>															
	<i>Paracentropogon rubripinnis</i>															
	<i>Parachaeturichthys polynema</i>															
	<i>Paralagusia japonica</i>															
	<i>Parargyrops edita</i>				2	20		1	7		1	19		1	12	
	<i>Pennahia anea</i>															
	<i>Pennahia pawak</i>	4	44		4	36		24	297		1	6.5		3	36	
	<i>Pisodonophis boro</i>															
	<i>Platycephalus indicus</i>													1	296	
	<i>Plectorhynchus pictus</i>	1	12		2	14		4	24		2	17		1	7	
	<i>Plotosus lineatus</i>															
	<i>Polydactylus sextarius</i>															
	<i>Priacanthus macracanthus</i>				1	10		5	390							
	<i>Pseudorhombus cinnamoneus</i>	1	29		5	113										
	<i>Pseudorhombus oligodon</i>							3	48		3	31		2	24	
	<i>Pseudorhombus sp.</i>															
	<i>Sardinella zunasi</i>															
	<i>Saurida elongata</i>				1	40					1	37		2	89	
	<i>Scatophagus argus</i>															
	<i>Sciaenidae sp.</i>															
	<i>Scoliodon sorrakowah</i>															
	<i>Sebastiscus marmoratus</i>															
	<i>Siganus fuscescens</i>	4	58		4	54					8	72		6	101	
	<i>Sillago japonica</i>															
	<i>Sillago sihama</i>							3	147							
	<i>Solea ovata</i>	5	81		3	32		6	89		1	12		7	84	
	<i>Stolephorus commersonii</i>													1	3	
	<i>Sufflamen chrysopterum</i>															
	<i>Takifugu niphobles</i>													1	114	
	<i>Terapon jarbua</i>															
	<i>Thamnaconus modestus</i>															
	<i>Thryssa hamiltonii</i>															
	<i>Trachycephalus uranoscopa</i>							1	10		2	24				
	<i>Trypauchen vagina</i>															
	<i>Zebrias zebra</i>															
Prawn or shrimp	<i>Alpheus distinguendus</i>															
	<i>Atypopenaeus stenodactylus</i>															
	<i>Exopalaemon carinicauda</i>															
	<i>Metapenaeus affinis</i>															
	<i>Metapenaeus ensis</i>				1	6								1	5	
	<i>Metapenaeus joyneri</i>															
	<i>Parapenaeopsis cultirostris</i>															
	<i>Parapenaeopsis hardwickii</i>	1	5											1	1	
	<i>Parapenaeopsis hungerfordii</i>															
	<i>Penaeus japonicus</i>															
	<i>Penaeus merguensis</i>	4	36		1	7		7	57		8	48		1	7	
	<i>Penaeus semisulcatus</i>							2	36		1	10		2	23	
	<i>Solenocera crassicornis</i>															

Trawling Data in July 2018

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Trachypenaeus curvirostris</i>															
Crab	<i>Arcania undecimspinosa</i>	3	42								2	41.6				
	<i>Calappa philargius</i>	2	72		4	160		3	150		1	88		3	250	
	<i>Charybdis affinis</i>	15	195		5	97		22	225		3	76		6	105	
	<i>Charybdis cruciata</i>							1	45							
	<i>Charybdis hellerii</i>	4	136		2	75		3	115		4	166		3	158	
	<i>Charybdis japonica</i>							1	118		1	62				
	<i>Charybdis variegata</i>	12	88		2	17		5	39		1	10		2	19	
	<i>Charybdis truncata</i>															
	<i>Charybdis spp.</i>	40	480	*	40	480	*	30	410	*	50	630	*	50	640	
	<i>Dorippe dorsipes</i>															
	<i>Dorippe polita</i>	60	1260	*	70	1400	*	20	260	*	30	294	*	40	860	
	<i>Dromia dehaani</i>				1	380										
	<i>Eriocheir sinensis</i>				1	53								2	58	
	<i>Eucrate crenata</i>	4	12.4		2	8.4		11	68					20	140	
	<i>Galene bispinosa</i>							2	84.6		6	230		1	43	
	Hermit crab	30	110	*	60	270	*	50	240	*	40	160	*	30	120	
	<i>Huliuede ochtades</i>	1	11.4					1	9.2		1	16.4				
	<i>Leucosia craniolaris</i>	6	21		3	11		20	126	*	5	22		4	18.2	
	<i>Parthenope validus</i>	30	410	*	50	250	*	30	360	*	30	360	*	40	490	
	<i>Porcellanella picta</i>				1	0.3										
	<i>Portunus hastatoides</i>															
	<i>Portunus pelagicus</i>	4	115		4	166		11	725		12	706		4	218	
	<i>Portunus sanguinolentus</i>															
	<i>Portunus trituberculatus</i>															
	<i>Pugettia minor</i>	1	6.5													
	<i>Teucosia sp.</i>															
Mantis shrimp	<i>Anchisquilla fasciata</i>															
	<i>Dictyosquilla foveolata</i>															
	<i>Harpisquilla harpax</i>				1	40					2	128				
	<i>Oratosquilla interrupta</i>				1	30		1	7					2	50	
	<i>Oratosquilla oratoria</i>															
Gastropod	<i>Bursa rana</i>							2	21.6		1	11.4		3	19.2	
	<i>Calyptrea sp.</i>	3	1.6		1	0.6					3	1.2				
	<i>Drupa musiva</i>	2	7.2													
	<i>Epitonium scalare</i>															
	<i>Inquistor flavidula</i>															
	<i>Lophiotoma leucotropis</i>				30	46.2		7	14.4							
	<i>Murex trapa</i>	30	190	*	20	170	*	40	240	*	20	170	*	20	170	
	<i>Nassarius hepaticus</i>															
	<i>Nassarius succinctus</i>				20	44.6	*	5	12.3							
	<i>Nassarius sp.</i>										20	31.5	*			
	<i>Philine sp.</i>				1	5.2		3	12							
	<i>Pilosabia pilosa</i>	1	0.4											5	2.2	
	<i>Siphopatella walshi</i>	8	3.4		3	1.4		20	84	*				1	0.3	
	<i>Tonna sulcosa</i>	2	89					1	44.8							
	<i>Turritella terebra</i>	70	710	*	110	1360	*	50	520	*	30	320	*	40	430	
	UNID Nudibranch															
Bivalve	<i>Anomia chinensus</i>															

Trawling Data in July 2018

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Arca inflata</i>				2	81.4		4	280							
	<i>Chione isabellina</i>	6	28		20	116	*	2	10.4					5	24.2	
	<i>Chlamys nobilis</i>	30	468	*	30	468	*	40	620	*	20	210	*	20	210	*
	<i>Crossostrea sp.</i>	2	164													
	<i>Ostrea sp.</i>				20	39	*									
	<i>Paphia undulata</i>	1	5.2								20	160	*			
	<i>Perna viridis</i>				20	280	*	1	31.4							
	<i>Pinctada martensii</i>										2	48		1	21.6	
	<i>Placuna placenta</i>															
	<i>Ruditapes philippinarum</i>	20	93	*	6	27		7	31.4		2	9.6		11	58.6	
	<i>Tolonostrea talonata</i>	30	84	*				7	46		2	6.1		2	6.4	
	<i>Vepricardium asiaticum</i>	4	56		20	230	*				6	52		3	21.6	
Cephalopod	<i>Lolingid squid</i>							1	11							
	<i>Octopus</i>	1	78		1	54					2	188		1	88	
	<i>Sepiid cuttlefish</i>	1	53		2	83		1	83		1	63		1	116	
Echinoderm	<i>Acaudina molpadioides</i>							1	18.8		2	46.4				
	<i>Archaster typicus</i>	30	580	*	30	580	*	30	580	*	20	340	*	30	560	*
	<i>Asteroidea</i>													1	6.4	
	<i>Pseudocolochirus Sp.</i>	1	84.8													
	<i>Temnopleurus toreumaticus</i>	520	5610	*	610	6380	*	460	4910	*	480	5100	*	390	4210	*
Cnidaria	<i>Carcinactis ichikawai</i>	20	12	*	2	1.2		4	6.8							
	<i>Cavernularia habereri</i>	6	38		13	87		2	68		5	31		11	43.4	
	<i>Edwardsia japonica (c.f.)</i>				1	4.2										
	<i>Ellisella laevis</i>				1	12.2								1	11.2	
	<i>Pteroeides chinense</i>	4	96.2		12	351.4		12	242		16	410		13	372	
	<i>Sea anomea</i>	3	18.2					2	18		1	6.4				
	<i>Virgularia gustaviana</i>										1	6.4				
Annelida	<i>Echiuroidea</i>															
Urochordata	<i>Sea Squirts</i>	1	5.4		2	8.2		20	136	*	1	4.3		4	18	
Cirripedia	<i>c.f. Bananus spp.</i>	50	42	*	80	51	*	90	54	*	110	62	*	100	48	*

Trawling Data in July 2018

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acanthopagrus berda</i>															
	<i>Acentrogobius caninus</i>															
	<i>Acentrogobius chlorostigmatoides</i>															
	<i>Apogon kiensis</i>				2	8					2	10				
	<i>Arius arius</i>															
	<i>Arnoglossus waitei</i>															
	<i>Bothidae spp.</i>															
	<i>Butis koilmoatodon</i>				1	6										
	<i>Callionymus curvicornis</i>															
	<i>Callionymus richardsoni</i>															
	<i>Chrysochir aureus</i>															
	<i>Coilia mystus</i>															
	<i>Collichthys lucidus</i>				9	100					1	8				
	<i>Crenimugil crenilabis</i>															
	<i>Cryptocentrus filifer</i>				1	14										
	<i>Cryptocentrus papuanus</i>				3	17										
	<i>Cynoglossus abbreviatus</i>															
	<i>Cynoglossus arel</i>	2	40		2	47										
	<i>Cynoglossus puncticeps</i>													1	18	
	<i>Cynoglossus roulei</i>															
	<i>Dasyatis zugei</i>				1	28								2	226	
	<i>Dendrophysa russelii</i>				3	92										
	<i>Drepane longimana</i>															
	<i>Drepane punctata</i>	1	23		1	18		1	28							
	<i>Epinephelus awoara</i>				2	248										
	<i>Epinephelus bruneus</i>				1	64										
	<i>Gerres abbreviatus</i>															
	<i>Grammolites scaber</i>				1	7					1	43		1	82	
	<i>Gymnura japonica</i>															
	<i>Hapalogenys nitens</i>															
	<i>Harpadon nehereus</i>															
	<i>Inegocia japonica</i>							1	108							
	<i>Inimicus didactylus</i>															
	<i>Inegocia japonica</i>															
	<i>Johnius amblycephalus</i>															
	<i>Johnius belangerii</i>	4	155		1	39		27	122		3	11				
	<i>Johnius carouna</i>	1	78		5	62										
	<i>Johnius taiwanese</i>				4	34										
	<i>Johnius trewavasae</i>															
	<i>Konosirus punctatus</i>															
	<i>Leiognathus brevirostris</i>				7	102										
	<i>Leiognathus nuchalis</i>															
	<i>Liza macrolepis</i>															
	<i>Mugil cephalus</i>															
	<i>Muraenesox cinereus</i>															
	<i>Monacanthus chinensis</i>															
	<i>Nemipterus japonicus</i>							1	21							
	<i>Oxyurichthys microlepis</i>															
	<i>Oxyurichthys papuensis</i>															

Trawling Data in July 2018

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Oxyurichthys tentacularis</i>															
	<i>Paracentropogon rubripinnis</i>															
	<i>Parachaeturichthys polynema</i>															
	<i>Paralagusia japonica</i>															
	<i>Parargyrops edita</i>															
	<i>Pennahia anea</i>															
	<i>Pennahia pawak</i>				4	48		2	42							
	<i>Pisodonophis boro</i>															
	<i>Platycephalus indicus</i>				6	90										
	<i>Plectorhynchus pictus</i>	1	6		1	9		1	6							
	<i>Plotosus lineatus</i>															
	<i>Polydactylus sextarius</i>				1	9										
	<i>Priacanthus macracanthus</i>	3	180		5	222		1	8				2	105		
	<i>Pseudorhombus cinnamoneus</i>												1	30		
	<i>Pseudorhombus oligodon</i>	1	9													
	<i>Pseudorhombus sp.</i>															
	<i>Sardinella zunasi</i>															
	<i>Saurida elongata</i>															
	<i>Scatophagus argus</i>															
	<i>Sciaenidae sp.</i>							4	230				18	334		
	<i>Scoliodon sorrakowah</i>															
	<i>Sebastiscus marmoratus</i>															
	<i>Siganus fuscescens</i>				2	19		2	25				1	15		
	<i>Sillago japonica</i>															
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>	2	29		1	21										
	<i>Stolephorus commersonii</i>															
	<i>Sufflamen chrysopterum</i>															
	<i>Takifugu niphobles</i>															
	<i>Terapon jarbua</i>															
	<i>Thamnaconus modestus</i>							1	7							
	<i>Thryssa hamiltonii</i>															
	<i>Trachycephalus uranoscopa</i>							2	29							
	<i>Trypauchen vagina</i>				11	85							1	14		
	<i>Zebrias zebra</i>															
Prawn or shrimp	<i>Alpheus distinguendus</i>															
	<i>Atypopenaeus stenodactylus</i>															
	<i>Exopalaemon carinicauda</i>															
	<i>Metapenaeus affinis</i>				321	860					4	23				
	<i>Metapenaeus ensis</i>															
	<i>Metapenaeus joyneri</i>				6	20										
	<i>Parapenaeopsis cultirostris</i>															
	<i>Parapenaeopsis hardwickii</i>				14	65					3	9	2	13		
	<i>Parapenaeopsis hungerfordii</i>															
	<i>Penaeus japonicus</i>															
	<i>Penaeus merguensis</i>				29	246		36	300		5	15	8	46		
	<i>Penaeus semisulcatus</i>				1	12										
	<i>Solenocera crassicornis</i>				3	18										

Trawling Data in July 2018

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Trachypenaeus curvirostris</i>															
Crab	<i>Arcania undecimspinoso</i>															
	<i>Calappa philargius</i>							1	42							
	<i>Charybdis affinis</i>	42	815		47	873		23	460		6	100		11	280	
	<i>Charybdis cruciata</i>															
	<i>Charybdis hellerii</i>	13	529		8	265		8	320		5	172		8	374	
	<i>Charybdis japonica</i>															
	<i>Charybdis variegata</i>	1	7													
	<i>Charybdis truncata</i>															
	<i>Charybdis spp.</i>	30	370	*	40	490	*	40	480	*	30	380	*	40	580	
	<i>Dorippe dorsipes</i>															
	<i>Dorippe polita</i>	40	410	*	30	350	*	40	420	*	50	860	*	40	460	
	<i>Dromia dehaani</i>															
	<i>Eriocheir sinensis</i>							2	41.6					1	21.4	
	<i>Eucrate crenata</i>				4	28					20	160	*	3	21	
	<i>Galene bispinosa</i>	2	84					1	52		2	78				
	Hermit crab	20	90	*	30	110	*	30	110	*	40	160	*	30	120	
	<i>Hulioede ochtades</i>															
	<i>Leucosia craniolaris</i>	5	22		1	4.2					3	15				
	<i>Parthenope validus</i>	30	560	*	30	560	*	20	380	*	20	380	*	40	560	
	<i>Porcellanella picta</i>															
	<i>Portunus hastatooides</i>															
	<i>Portunus pelagicus</i>	1	29		4	256		3	104							
	<i>Portunus sanguinolentus</i>															
	<i>Portunus trituberculatus</i>				4	302		2	191		1	59				
	<i>Pugettia minor</i>															
	<i>Teucosia sp.</i>															
Mantis shrimp	<i>Anchisquilla fasciata</i>															
	<i>Dictyosquilla foveolata</i>				1	7										
	<i>Harpisquilla harpax</i>	1	61		1	59		2	183				1	39		
	<i>Oratosquilla interrupta</i>				21	202		4	38		2	14		4	92	
	<i>Oratosquilla oratoria</i>				1	12								2	20	
Gastropod	<i>Bursa rana</i>							2	21.6							
	<i>Calyptraea sp.</i>	3	1.1		6	2.8					2	0.8				
	<i>Drupa musiva</i>				2	9.4		3	18.6					4	22.6	
	<i>Epitonium scalare</i>	1	5.6													
	<i>Inquistor flavidula</i>															
	<i>Lophiotoma leucotropis</i>													1	4.2	
	<i>Murex trapa</i>	20	160	*	20	170	*	20	170	*	30	220	*	30	220	
	<i>Nassarius hepaticus</i>															
	<i>Nassarius succinctus</i>															
	<i>Nassarius sp.</i>				1	2.2										
	<i>Philine sp.</i>				2	10.2										
	<i>Pilosabia pilosa</i>				6	2.2					2	0.7				
	<i>Siphopatella walshi</i>				20	9.2	*	3	0.9							
	<i>Tonna sulcosa</i>				1	63										
	<i>Turritella terebra</i>	50	510	*	40	420	*	50	520	*	70	740	*	90	880	
	UNID Nudibranch															
Bivalve	<i>Anomia chinensus</i>															

Trawling Data in July 2018

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Arca inflata</i>	3	146		1	48					2	96				
	<i>Chione isabellina</i>	3	18					1	6.1		5	21				
	<i>Chlamys nobilis</i>	20	230	*	20	230	*	20	220	*	30	220	*	30	230	*
	<i>Crossostrea sp.</i>															
	<i>Ostrea sp.</i>	20	52	*	20	46	*									
	<i>Paphia undulata</i>	3	18.4								1	5.2				
	<i>Perna viridis</i>										4	38				
	<i>Pinctada martensii</i>				1	26								1	32	
	<i>Placuna placenta</i>										1	12.2				
	<i>Ruditapes philippinarum</i>	4	22					20	108	*						
	<i>Tolonostrea talonata</i>	3	9.6		1	3.2										
	<i>Vepricardium asiaticum</i>							3	18		20	260	*	4	29	
Cephalopod	<i>Lolingid squid</i>															
	<i>Octopus</i>															
	<i>Sepiid cuttlefish</i>															
Echinoderm	<i>Acaudina molpadioides</i>				4	170		1	26		2	58		3	160	
	<i>Archaster typicus</i>	20	320	*	30	540	*	30	540	*	20	330	*	20	310	*
	<i>Asteroidea</i>															
	<i>Pseudocolochirus Sp.</i>															
	<i>Temnopleurus toreumaticus</i>	140	2050	*	140	2120	*	360	7400	*	340	7200	*	330	7120	*
Cnidaria	<i>Carinactis ichikawai</i>															
	<i>Cavernularia habereri</i>	20	98	*	11	54		20	90	*	7	32		30	140	*
	<i>Edwardsia japonica (c.f.)</i>	2	17.4								1	8.2				
	<i>Ellisella laevis</i>							1	7.8		1	14				
	<i>Pteroeides chinense</i>	4	91.6		7	158		3	82		5	110		2	62	
	<i>Sea anomea</i>	4	22		20	146	*	8	53		10	60		5	26	
	<i>Virgularia gustaviana</i>	2	21.4											1	8.4	
Annelida	<i>Echiuroidea</i>															
Urochordata	Sea Squirts				2	21					1	18				
Cirripedia	<i>c.f. Bananus spp.</i>	70	32	*	110	51	*	80	36	*	90	41	*	80	32	*

Trawling Data in July 2018

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acanthopagrus berda</i>															
	<i>Acentrogobius caninus</i>															
	<i>Acentrogobius chlorostigmatoides</i>															
	<i>Apogon kiensis</i>												2	10		
	<i>Arius arius</i>							1	38							
	<i>Arnoglossus waitei</i>															
	<i>Bothidae spp.</i>															
	<i>Butis koilmoatodon</i>															
	<i>Callionymus curvicornis</i>															
	<i>Callionymus richardsoni</i>															
	<i>Chrysochir aureus</i>															
	<i>Coilia mystus</i>				1	18					1	14				
	<i>Collichthys lucidus</i>	29	281		28	272		112	586		9	221		2	47	
	<i>Crenimugil crenilabis</i>															
	<i>Cryptocentrus filifer</i>															
	<i>Cryptocentrus papuanus</i>															
	<i>Cynoglossus abbreviatus</i>										4	32				
	<i>Cynoglossus arel</i>	4	53		1	22					5	24				
	<i>Cynoglossus puncticeps</i>															
	<i>Cynoglossus roulei</i>															
	<i>Dasyatis zugei</i>	2	92		1	43					2	127				
	<i>Dendrophysa russelii</i>	10	280		7	189		3	87					3	76	
	<i>Drepane longimana</i>															
	<i>Drepane punctata</i>													3	87	
	<i>Epinephelus awoara</i>													2	200	
	<i>Epinephelus bruneus</i>															
	<i>Gerres abbreviatus</i>															
	<i>Grammolites scaber</i>							2	64							
	<i>Gymnura japonica</i>															
	<i>Hapalogenys nitens</i>															
	<i>Harpadon nehereus</i>	1	8		2	144		2	85		14	300		3	143	
	<i>Inegocia japonica</i>															
	<i>Inimicus didactylus</i>															
	<i>Inegocia japonica</i>															
	<i>Johnius amblycephalus</i>										2	31				
	<i>Johnius belangerii</i>															
	<i>Johnius carouna</i>	7	128		2	85		2	61		30	312		4	70	
	<i>Johnius taiwanese</i>															
	<i>Johnius trewavasae</i>															
	<i>Konosirus punctatus</i>															
	<i>Leiognathus brevirostris</i>															
	<i>Leiognathus nuchalis</i>	8	134											8	120	
	<i>Liza macrolepis</i>															
	<i>Mugil cephalus</i>															
	<i>Muraenesox cinereus</i>	2	3													
	<i>Monacanthus chinensis</i>															
	<i>Nemipterus japonicus</i>	1	8													
	<i>Oxyurichthys microlepis</i>															
	<i>Oxyurichthys papuensis</i>															

Trawling Data in July 2018

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Oxyurichthys tentacularis</i>															
	<i>Paracentropogon rubripinnis</i>															
	<i>Parachaeturichthys polynema</i>	1	6													
	<i>Paralagusia japonica</i>															
	<i>Parargyrops edita</i>															
	<i>Pennahia anea</i>															
	<i>Pennahia pawak</i>															
	<i>Pisodonophis boro</i>															
	<i>Platycephalus indicus</i>										1	32				
	<i>Plectorhynchus pictus</i>	1	8													
	<i>Plotosus lineatus</i>															
	<i>Polydactylus sextarius</i>	2	8													
	<i>Priacanthus macracanthus</i>															
	<i>Pseudorhombus cinnamoneus</i>															
	<i>Pseudorhombus oligodon</i>	2	8													
	<i>Pseudorhombus sp.</i>															
	<i>Sardinella zunasi</i>															
	<i>Saurida elongata</i>															
	<i>Scatophagus argus</i>															
	<i>Sciaenidae sp.</i>															
	<i>Scoliodon sorrakowah</i>															
	<i>Sebastiscus marmoratus</i>															
	<i>Siganus fuscescens</i>	4	28													
	<i>Sillago japonica</i>															
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>							1	9							
	<i>Stolephorus commersonii</i>															
	<i>Sufflamen chrysopterum</i>															
	<i>Takifugu niphobles</i>															
	<i>Terapon jarbua</i>															
	<i>Thamnaconus modestus</i>															
	<i>Thryssa hamiltonii</i>															
	<i>Trachycephalus uranoscopa</i>	2	15													
	<i>Trypauchen vagina</i>	5	75		14	157		2	24		2	18				
	<i>Zebrias zebra</i>							3	88							
Prawn or shrimp	<i>Alpheus distinguendus</i>															
	<i>Atypopenaeus stenodactylus</i>										1	2				
	<i>Exopalaemon carinicauda</i>										7	17	3	8		
	<i>Metapenaeus affinis</i>	170	791		125	1060		86	545		99	759	97	593		
	<i>Metapenaeus ensis</i>															
	<i>Metapenaeus joyneri</i>															
	<i>Parapenaeopsis cultirostris</i>							3	14							
	<i>Parapenaeopsis hardwickii</i>							19	129		26	210				
	<i>Parapenaeopsis hungerfordii</i>	86	350		73	426		76	352		104	460	154	560		
	<i>Penaeus japonicus</i>															
	<i>Penaeus merguensis</i>	2	18					3	30		4	24				
	<i>Penaeus semisulcatus</i>															
	<i>Solenocera crassicornis</i>	8	20		13	36		4	12		3	8	13	30		

Trawling Data in July 2018

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Trachypenaeus curvirostris</i>													2	9	
Crab	<i>Arcania undecimspinosa</i>															
	<i>Calappa philargius</i>				1	43										
	<i>Charybdis affinis</i>	14	220		3	50		10	176		25	372		42	564	
	<i>Charybdis cruciata</i>				1	66										
	<i>Charybdis hellerii</i>	2	144					1	68							
	<i>Charybdis japonica</i>															
	<i>Charybdis variegata</i>															
	<i>Charybdis truncata</i>															
	<i>Charybdis spp.</i>	20	270	*	20	280	*	30	390	*	30	420	*	20	290	*
	<i>Dorippe dorsipes</i>															
	<i>Dorippe polita</i>	20	240	*	20	290	*	20	280	*	30	360	*	20	280	*
	<i>Dromia dehaani</i>															
	<i>Eriocheir sinensis</i>															
	<i>Eucrate crenata</i>										2	18.6				
	<i>Galene bispinosa</i>										1	52		2	116	
	Hermit crab	30	150	*	20	92	*	20	110	*	30	160	*	30	160	*
	<i>Huliuede ochtades</i>															
	<i>Leucosia craniolaris</i>				1	4.2								5	21	
	<i>Parthenope validus</i>	20	360	*	20	360	*	30	470	*	20	360	*	30	480	*
	<i>Porcellanella picta</i>				1	0.4										
	<i>Portunus hastatoides</i>															
	<i>Portunus pelagicus</i>							2	165					1	27	
	<i>Portunus sanguinolentus</i>															
	<i>Portunus trituberculatus</i>													1	97	
	<i>Pugettia minor</i>															
	<i>Teucosia sp.</i>															
Mantis shrimp	<i>Anchisquilla fasciata</i>															
	<i>Dictyosquilla foveolata</i>	1	12													
	<i>Harpisquilla harpax</i>	1	65					2	115							
	<i>Oratosquilla interrupta</i>	18	238		27	211		20	213		21	297		36	377	
	<i>Oratosquilla oratoria</i>				4	25					4	26		5	33	
Gastropod	<i>Bursa rana</i>				1	12.3										
	<i>Calyptrea sp.</i>										3	0.9				
	<i>Drupa musiva</i>	2	14								2	15				
	<i>Epitonium scalare</i>				1	6.4										
	<i>Inquistor flavidula</i>															
	<i>Lophiotoma leucotropis</i>				1	6.2										
	<i>Murex trapa</i>	20	140	*	20	140	*	30	180	*	30	180	*	30	180	*
	<i>Nassarius hepaticus</i>															
	<i>Nassarius succinctus</i>	5	11		30	72	*							2	5.1	
	<i>Nassarius sp.</i>															
	<i>Philine sp.</i>															
	<i>Pilosabia pilosa</i>							1	0.3							
	<i>Siphonotus walshi</i>	30	18	*	1	0.3										
	<i>Tonna sulcosa</i>										1	86				
	<i>Turritella terebra</i>	270	2740	*	290	2914	*	320	3180	*	310	3090	*	420	4170	*
	UNID Nudibranch															
Bivalve	<i>Anomia chinensis</i>															

Trawling Data in July 2018

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Arca inflata</i>				2	120					3	160		2	116	
	<i>Chione isabellina</i>				3	14		5	37							
	<i>Chlamys nobilis</i>	20	310	*	20	320	*	20	320	*	30	420	*	20	310	*
	<i>Crossostrea sp.</i>															
	<i>Ostrea sp.</i>													20	26	
	<i>Paphia undulata</i>															
	<i>Perna viridis</i>				3	18										
	<i>Pinctada martensii</i>															
	<i>Placuna placenta</i>															
	<i>Ruditapes philippinarum</i>	20	186	*	7	62					20	170	*			
	<i>Tolonostrea talonata</i>															
	<i>Vepricardium asiaticum</i>							20	260	*	5	56				
Cephalopod	<i>Lolingid squid</i>															
	<i>Octopus</i>															
	<i>Sepiid cuttlefish</i>															
Echinoderm	<i>Acaudina molpadioides</i>	5	260		2	56		3	108					2	42	
	<i>Archaster typicus</i>	6	170					3	68		2	36				
	<i>Asteroidea</i>													1	6.4	
	<i>Pseudocolochirus Sp.</i>															
	<i>Temnopleurus toreumaticus</i>	600	11800	*	600	12400	*	500	9650	*	1100	18430	*	980	14760	*
Cnidaria	<i>Carcinactis ichikawai</i>				1	0.6		2	1.2							
	<i>Cavernularia habereri</i>	30	120	*	20	106	*	30	120	*	20	80	*	28	84	*
	<i>Edwardsia japonica (c.f.)</i>										1	7.2				
	<i>Ellisella laevis</i>							1	12							
	<i>Pteroeides chinense</i>	20	380	*	7	140		5	110		30	530	*	20	360	*
	<i>Sea anomea</i>				1	8					2	16				
	<i>Virgularia gustaviana</i>										1	11				
Annelida	<i>Echiuroidea</i>															
Urochordata	Sea Squirts	1	21					1	16							
Cirripedia	<i>c.f. Bananus spp.</i>	80	42	*	90	44	*	110	54	*	120	62	*	90	46	*

Trawling Data in July 2018

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acanthopagrus berda</i>															
	<i>Acentrogobius caninus</i>															
	<i>Acentrogobius chlorostigmatoides</i>															
	<i>Apogon kiensis</i>	2	7					2	10							
	<i>Arius arius</i>				1	46					1	149				
	<i>Arnoglossus waitei</i>															
	<i>Bothidae spp.</i>							5	35							
	<i>Butis koilmoatodon</i>															
	<i>Callionymus curvicornis</i>															
	<i>Callionymus richardsoni</i>															
	<i>Chrysochir aureus</i>															
	<i>Coilia mystus</i>															
	<i>Collichthys lucidus</i>	3	44		1	17		10	93		1	15		3	13	
	<i>Crenimugil crenilabis</i>															
	<i>Cryptocentrus filifer</i>															
	<i>Cryptocentrus papuanus</i>															
	<i>Cynoglossus abbreviatus</i>													1	10	
	<i>Cynoglossus arel</i>	4	87					5	68		1	27		1	27	
	<i>Cynoglossus puncticeps</i>															
	<i>Cynoglossus roulei</i>	1	420													
	<i>Dasyatis zugei</i>	2	99		2	306		5	455		5	807		1	600	
	<i>Dendrophysa russelii</i>	4	29								2	30		1	33	
	<i>Drepane longimana</i>															
	<i>Drepane punctata</i>															
	<i>Epinephelus awoara</i>															
	<i>Epinephelus bruneus</i>															
	<i>Gerres abbreviatus</i>															
	<i>Grammolites scaber</i>													1	4	
	<i>Gymnura japonica</i>															
	<i>Hapalogenys nitens</i>															
	<i>Harpadon nehereus</i>															
	<i>Inegocia japonica</i>							1	255							
	<i>Inimicus didactylus</i>															
	<i>Inegocia japonica</i>															
	<i>Johnius amblycephalus</i>															
	<i>Johnius belangerii</i>															
	<i>Johnius carouna</i>				2	17		2	21					7	74	
	<i>Johnius taiwanese</i>															
	<i>Johnius trewavasae</i>															
	<i>Konosirus punctatus</i>															
	<i>Leiognathus brevirostris</i>															
	<i>Leiognathus nuchalis</i>				6	73		21	208		2	25		6	75	
	<i>Liza macrolepis</i>	10	120													
	<i>Mugil cephalus</i>															
	<i>Muraenesox cinereus</i>							1	288		2	461				
	<i>Monacanthus chinensis</i>															
	<i>Nemipterus japonicus</i>	2	14													
	<i>Oxyurichthys microlepis</i>	4	16					2	13		1	7				
	<i>Oxyurichthys papuensis</i>															

Trawling Data in July 2018

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Oxyurichthys tentacularis</i>															
	<i>Paracentropogon rubripinnis</i>															
	<i>Parachaeturichthys polynema</i>							1	9							
	<i>Paralagusia japonica</i>															
	<i>Parargyrops edita</i>												1	25		
	<i>Pennahia anea</i>															
	<i>Pennahia pawak</i>				4	45					1	12				
	<i>Pisodonophis boro</i>												1	12		
	<i>Platycephalus indicus</i>	10	260					15	525		4	61		8	300	
	<i>Plectorhynchus pictus</i>															
	<i>Plotosus lineatus</i>															
	<i>Polydactylus sextarius</i>				2	24					2	15				
	<i>Priacanthus macracanthus</i>															
	<i>Pseudorhombus cinnamomeus</i>															
	<i>Pseudorhombus oligodon</i>												5	35		
	<i>Pseudorhombus sp.</i>	1	24													
	<i>Sardinella zunasi</i>															
	<i>Saurida elongata</i>															
	<i>Scatophagus argus</i>															
	<i>Sciaenidae sp.</i>							16	142							
	<i>Scoliodon sorrakowah</i>	1	26					1	60							
	<i>Sebastiscus marmoratus</i>															
	<i>Siganus fuscescens</i>							1	10		2	17		1	17	
	<i>Sillago japonica</i>															
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>				1	12										
	<i>Stolephorus commersonii</i>															
	<i>Sufflamen chrysopterum</i>	16	78					12	55		6	38		6	40	
	<i>Takifugu niphobles</i>															
	<i>Terapon jarbua</i>															
	<i>Thamnaconus modestus</i>															
	<i>Thryssa hamiltonii</i>	3	32					3	47							
	<i>Trachycephalus uranoscopa</i>	1	8		1	16										
	<i>Trypauchen vagina</i>	5	45		2	18		6	46		3	40		1	8	
	<i>Zebrias zebra</i>															
Prawn or shrimp	<i>Alpheus distinguendus</i>															
	<i>Atyppopenaeus stenodactyl</i>															
	<i>Exopalaemon carinicauda</i>															
	<i>Metapenaeus affinis</i>	135	699		76	460		154	1225		104	520		135	649	
	<i>Metapenaeus ensis</i>															
	<i>Metapenaeus joyneri</i>	10	34													
	<i>Parapenaeopsis cultirostris</i>															
	<i>Parapenaeopsis hardwickii</i>															
	<i>Parapenaeopsis hungerfordii</i>	9	44		16	87		10	55		12	58		24	160	
	<i>Penaeus japonicus</i>															
	<i>Penaeus merguensis</i>	4	124		12	68		11	118		15	155		37	365	
	<i>Penaeus semisulcatus</i>															
	<i>Solenocera crassicornis</i>							1	8		1	6				

Trawling Data in July 2018

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Trachypenaeus curvirostris</i>															
Crab	<i>Arcania undecimspinosa</i>															
	<i>Calappa philargius</i>															
	<i>Charybdis affinis</i>	26	371		2	29		30	482		8	171		6	70	
	<i>Charybdis cruciata</i>							1	23							
	<i>Charybdis hellerii</i>													1	56	
	<i>Charybdis japonica</i>															
	<i>Charybdis variegata</i>															
	<i>Charybdis truncata</i>															
	<i>Charybdis spp.</i>	20	280	*	30	390	*	30	380	*	20	290	*	30	360	*
	<i>Dorippe dorsipes</i>							2	22.4							
	<i>Dorippe polita</i>	60	960	*	30	360	*	30	360	*	20	280	*	30	370	*
	<i>Dromia dehaani</i>															
	<i>Eriocheir sinensis</i>															
	<i>Eucrate crenata</i>	3	18													
	<i>Galene bispinosa</i>				1	58										
	Hermit crab	40	170	*	30	140	*	20	90	*	30	150	*	30	150	*
	<i>Huliuede ochtades</i>															
	<i>Leucosia craniolaris</i>	20	84	*				4	19.4							
	<i>Parthenope validus</i>	70	1160	*	50	880	*	60	960	*	50	840	*	50	830	*
	<i>Porcellanella picta</i>	3	1.1													
	<i>Portunus hastatooides</i>	4	12								1	5		1	5	
	<i>Portunus pelagicus</i>	2	103					1	32					4	75	
	<i>Portunus sanguinolentus</i>															
	<i>Portunus trituberculatus</i>	15	1101		1	38		13	960		5	445		7	340	
	<i>Pugettia minor</i>															
	<i>Teucosia sp.</i>															
Mantis shrimp	<i>Anchisquilla fasciata</i>															
	<i>Dictyosquilla foveolata</i>	3	20		2	18		2	14		1	5		2	8	
	<i>Harpisquilla harpax</i>													3	156	
	<i>Oratosquilla interrupta</i>	28	247		10	118		26	312		10	119		15	109	
	<i>Oratosquilla oratoria</i>	5	39					2	16					1	8	
Gastropod	<i>Bursa rana</i>	1	12.8					2	26.4							
	<i>Calyptraea sp.</i>	3	1.6		1	0.3										
	<i>Drupa musiva</i>				2	13		7	43					2	14	
	<i>Epitonium scalare</i>															
	<i>Inquistor flavidula</i>															
	<i>Lophiotoma leucotropis</i>	1	6.3											2	14.6	
	<i>Murex trapa</i>	20	140	*	15	130	*	30	190	*	30	220	*	40	370	*
	<i>Nassarius hepaticus</i>															
	<i>Nassarius succinctus</i>	20	52	*				20	50	*						
	<i>Nassarius sp.</i>															
	<i>Philine sp.</i>				1	5.2										
	<i>Pilosabia pilosa</i>	5	1.8		2	0.8										
	<i>Siphopatella walshi</i>				2	0.8		1	0.3							
	<i>Tonna sulcosa</i>							2	210		1	140				
	<i>Turritella terebra</i>	160	1580	*	210	1960	*	240	2280	*	360	3470	*	360	3470	*
	UNID Nudibranch	2	26													
Bivalve	<i>Anomia chinensus</i>															

Trawling Data in July 2018

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Arca inflata</i>	2	82		1	64					3	194				
	<i>Chione isabellina</i>				5	22										
	<i>Chlamys nobilis</i>	40	460	*	30	380	*	30	380	*	50	690	*	40	460	*
	<i>Crossostrea sp.</i>															
	<i>Ostrea sp.</i>	30	23	*				13	10.6							
	<i>Paphia undulata</i>							5	37					1	5.2	
	<i>Perna viridis</i>															
	<i>Pinctada martensii</i>															
	<i>Placuna placenta</i>															
	<i>Ruditapes philippinarum</i>	30	230	*				5	27		20	160	*			
	<i>Tolonostrea talonata</i>	7	18													
	<i>Vepricardium asiaticum</i>				1	8.4		2	16.6							
Cephalopod	<i>Lolingid squid</i>															
	<i>Octopus</i>															
	<i>Sepiid cuttlefish</i>	1	148								1	19		1	18	
Echinoderm	<i>Acaudina molpadioides</i>	6	320		10	490		8	510		5	280		7	470	
	<i>Archaster typicus</i>							2	38		1	29				
	<i>Astroidea</i>															
	<i>Pseudocolochirus Sp.</i>															
	<i>Temnopleurus toreumaticus</i>	1600	21820	*	1500	19730	*	1700	22740	*	1700	22800	*	1600	22100	*
Cnidaria	<i>Carcinactis ichikawai</i>	3	1.8					2	1.1		4	2.2				
	<i>Cavernularia habereri</i>	40	160	*	30	120	*	50	190	*	30	130	*	40	160	*
	<i>Edwardsia japonica (c.f.)</i>				1	11.4								2	18.6	
	<i>Ellisella laevis</i>															
	<i>Pteroeides chinense</i>	20	410	*	30	598	*	30	620	*	20	400	*	20	420	*
	<i>Sea anomea</i>				1	6.2										
	<i>Virgularia gustaviana</i>				1	13										
Annelida	<i>Echiuroidea</i>				1	4.6										
Urochordata	Sea Squirts	5	36		2	12		7	58					2	16	
Cirripedia	<i>c.f. Bananus spp.</i>	80	52	*	140	71	*	50	32	*	40	26	*	40	26	*

Trawling Data in July 2018

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acanthopagrus berda</i>											1	26			
	<i>Acentrogobius caninus</i>															
	<i>Acentrogobius chlorostigmatoides</i>															
	<i>Apogon kiensis</i>	4	7		1	3		2	6		1	10				
	<i>Arius arius</i>	1	33		1	57					2	180		3	396	
	<i>Arnoglossus waitei</i>															
	<i>Bothidae spp.</i>	8	18		4	8		5	10		2	5		1	2	
	<i>Butis koilmoatodon</i>															
	<i>Callionymus curvicornis</i>															
	<i>Callionymus richardsoni</i>															
	<i>Chrysochir aureus</i>															
	<i>Coilia mystus</i>															
	<i>Collichthys lucidus</i>															
	<i>Crenimugil crenilabis</i>	4	184		2	104		37	1864							
	<i>Cryptocentrus filifer</i>				2	20										
	<i>Cryptocentrus papuanus</i>															
	<i>Cynoglossus abbreviatus</i>							5	20							
	<i>Cynoglossus arel</i>				2	7								1	23	
	<i>Cynoglossus puncticeps</i>															
	<i>Cynoglossus roulei</i>															
	<i>Dasyatis zugei</i>										4	501		3	703	
	<i>Dendrophysa russelii</i>				1	3		1	3					1	24	
	<i>Drepane longimana</i>															
	<i>Drepane punctata</i>	2	80		3	125		2	80							
	<i>Epinephelus awoara</i>															
	<i>Epinephelus bruneus</i>							1	48		1	74				
	<i>Gerres abbreviatus</i>	2	27		7	135		6	90							
	<i>Grammolites scaber</i>															
	<i>Gymnura japonica</i>										1	500				
	<i>Hapalogenys nitens</i>															
	<i>Harpadon nehereus</i>															
	<i>Inegocia japonica</i>															
	<i>Inimicus didactylus</i>															
	<i>Inegocia japonica</i>															
	<i>Johnius amblycephalus</i>															
	<i>Johnius belangerii</i>															
	<i>Johnius carouna</i>										2	31		2	58	
	<i>Johnius taiwanese</i>										3	15				
	<i>Johnius trewavasae</i>															
	<i>Konosirus punctatus</i>	3	61		3	68		6	142		6	213		6	242	
	<i>Leiognathus brevirostris</i>															
	<i>Leiognathus nuchalis</i>	24	115		14	146		29	298		13	156		53	129	
	<i>Liza macrolepis</i>															
	<i>Mugil cephalus</i>															
	<i>Muraenesox cinereus</i>				1	132					1	87		2	209	
	<i>Monacanthus chinensis</i>															
	<i>Nemipterus japonicus</i>	2	11		2	23		2	10		2	23				
	<i>Oxyurichthys microlepis</i>															
	<i>Oxyurichthys papuensis</i>	2	3		6	19		11	43		1	1				

Trawling Data in July 2018

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Oxyurichthys tentacularis</i>															
	<i>Paracentropogon rubripinnis</i>	21	126		11	85		2	158							
	<i>Parachaeturichthys polynema</i>															
	<i>Paralagusia japonica</i>															
	<i>Parargyrops edita</i>															
	<i>Pennahia anea</i>							3	10							
	<i>Pennahia pawak</i>	16	229		22	256					2	29				
	<i>Pisodonophis boro</i>															
	<i>Platycephalus indicus</i>	13	349		9	222		12	384		2	15		5	398	
	<i>Plectorhynchus pictus</i>															
	<i>Plotosus lineatus</i>															
	<i>Polydactylus sextarius</i>										5	35		5	34	
	<i>Priacanthus macracanthus</i>															
	<i>Pseudorhombus cinnamoneus</i>													1	7	
	<i>Pseudorhombus oligodon</i>	4	44		1	6		1	7							
	<i>Pseudorhombus sp.</i>															
	<i>Sardinella zunasi</i>										5	24		3	10	
	<i>Saurida elongata</i>							1	53					1	45	
	<i>Scatophagus argus</i>													1	134	
	<i>Sciaenidae sp.</i>	3	20		4	58		16	163		7	67				
	<i>Scoliodon sorrakowah</i>										1	37				
	<i>Sebastiscus marmoratus</i>										1	10				
	<i>Siganus fuscescens</i>	60	607		41	435		46	588		4	64		3	34	
	<i>Sillago japonica</i>															
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>	7	69		2	21		8	93		3	40				
	<i>Stolephorus commersonii</i>															
	<i>Sufflamen chrysopterum</i>															
	<i>Takifugu niphobles</i>										2	325				
	<i>Terapon jarbua</i>	1	12		1	8										
	<i>Thamnaconus modestus</i>															
	<i>Thryssa hamiltonii</i>															
	<i>Trachycephalus uranoscopa</i>	10	103		8	94		6	76					1	20	
	<i>Trypauchen vagina</i>	2	7		14	119		9	90		2	26				
	<i>Zebrias zebra</i>															
Prawn or shrimp	<i>Alpheus distinguendus</i>															
	<i>Atypopenaeus stenodactylus</i>															
	<i>Exopalaemon carinicauda</i>															
	<i>Metapenaeus affinis</i>							10	67							
	<i>Metapenaeus ensis</i>	60	286		60	620		6	29							
	<i>Metapenaeus joyneri</i>	4	18		3	13					13	57		12	46	
	<i>Parapenaeopsis cultirostris</i>															
	<i>Parapenaeopsis hardwickii</i>											1	11			
	<i>Parapenaeopsis hungerfordii</i>	33	160		27	125		38	160		11	48		7	38	
	<i>Penaeus japonicus</i>														1	6
	<i>Penaeus merguensis</i>	44	334		28	346		64	315		45	350		36	445	
	<i>Penaeus semisulcatus</i>								1	19		1	15		1	19
	<i>Solenocera crassicornis</i>															

Trawling Data in July 2018

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Trachypenaeus curvirostris</i>															
Crab	<i>Arcania undecimspinosa</i>															
	<i>Calappa philargius</i>															
	<i>Charybdis affinis</i>	56	580		17	218		57	667		9	130		4	75	
	<i>Charybdis cruciata</i>															
	<i>Charybdis hellerii</i>							1	15					1	46	
	<i>Charybdis japonica</i>															
	<i>Charybdis variegata</i>							1	16		1	5				
	<i>Charybdis truncata</i>	5	20		2	6		22	86		1	6				
	<i>Charybdis spp.</i>	40	510	*				50	590	*						
	<i>Dorippe dorsipes</i>															
	<i>Dorippe polita</i>	80	860	*				60	690	*						
	<i>Dromia dehaani</i>															
	<i>Eriocheir sinensis</i>															
	<i>Eucrate crenata</i>							6	32		2	6.9				
	<i>Galene bispinosa</i>	3	190								5	390				
	Hermit crab	70	160	*				60	250	*						
	<i>Huliuede ochtades</i>															
	<i>Leucosia craniolaris</i>	80	320	*				120	560	*	20	86	*			
	<i>Parthenope validus</i>							20	320	*	30	470	*			
	<i>Porcellanella picta</i>	4	1.6					3	1.1		1	0.4				
<i>Portunus hastatoides</i>	29	60		10	18		22	105								
<i>Portunus pelagicus</i>	4	18		4	222		3	85		1	65		4	439		
<i>Portunus sanguinolentus</i>	3	108		2	136		1	35								
<i>Portunus trituberculatus</i>	42	1935		21	1666		32	2149		4	290		2	168		
<i>Pugettia minor</i>																
<i>Teucosia sp.</i>										2	6.8					
Mantis shrimp	<i>Anchisquilla fasciata</i>									1	10					
	<i>Dictyosquilla foveolata</i>															
	<i>Harpisquilla harpax</i>	1	47							1	32					
	<i>Oratosquilla interrupta</i>				3	15		3	59		3	8		4	58	
	<i>Oratosquilla oratoria</i>	3	36		4	32		2	29		6	49		3	15	
Gastropod	<i>Bursa rana</i>	6	118					1	21.4		2	24.8				
	<i>Calyptraea sp.</i>	4	2.2					1	0.7		20	12.4	*			
	<i>Drupa musiva</i>	5	32					20	140	*	2	10.7				
	<i>Epitonium scalare</i>															
	<i>Inquistor flavidula</i>	2	4.3													
	<i>Lophiotoma leucotropis</i>										1	6.8				
	<i>Murex trapa</i>	80	890	*	70	160	*	140	1670	*	130	1580	*	190	1740	
	<i>Nassarius hepaticus</i>															
	<i>Nassarius succinctus</i>															
	<i>Nassarius sp.</i>															
	<i>Philine sp.</i>															
	<i>Pilosabia pilosa</i>	3	0.8								3	1.1				
	<i>Siphopatella walshi</i>	1	0.2								6	2.8				
	<i>Tonna sulcosa</i>	1	96.4													
	<i>Turritella terebra</i>	540	5180	*	490	4830	*	620	6050	*	580	5710	*	680	7030	
UNID Nudibranch																
Bivalve	<i>Anomia chinensus</i>				1	11.2										

Trawling Data in July 2018

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Arca inflata</i>	5	420		3	260		3	260		2	112		7	530	
	<i>Chione isabellina</i>	60	380	*	4	21		20	160	*	5	32		11	64	
	<i>Chlamys nobilis</i>	40	360	*	30	310	*	30	310	*	40	380	*	50	420	*
	<i>Crossostrea sp.</i>				3	26										
	<i>Ostrea sp.</i>															
	<i>Paphia undulata</i>	7	48		5	22		20	87.6	*	11	63		1	4.6	
	<i>Perna viridis</i>										1	22				
	<i>Pinctada martensii</i>				1	31.6					1	63				
	<i>Placuna placenta</i>				1	8.6										
	<i>Ruditapes philippinarum</i>	4	22											1	4.3	
	<i>Tolonostrea talonata</i>	2	4.1					1	2.2		6	17				
	<i>Vepricardium asiaticum</i>	20	230	*	20	230	*	7	58		12	94		8	63	
Cephalopod	<i>Lolingid squid</i>	1	10		1	17		2	26		1	8				
	<i>Octopus</i>															
	<i>Sepiid cuttlefish</i>	5	155		5	189		9	219		3	192		1	29	
Echinoderm	<i>Acaudina molpadioides</i>				3	148		6	320					2	44	
	<i>Archaster typicus</i>				11	220		6	160		20	380	*	40	860	*
	<i>Asteroidea</i>															
	<i>Pseudocolochirus Sp.</i>															
	<i>Temnopleurus toreumaticus</i>	920	18200	*	780	12380	*	1400	28610	*	1500	29620	*	1500	29140	*
Cnidaria	<i>Carcinactis ichikawai</i>	6	4.4		2	1.6		1	0.8		4	2.9		20	18	
	<i>Cavernularia habereri</i>	7	32		2	8.1		20	118	*	4	22		11	62	
	<i>Edwardsia japonica (c.f.)</i>										1	7.6				
	<i>Ellisella laevis</i>							1	11.6					2	36.8	
	<i>Pteroeides chinense</i>	5	110		13	264		8	186		17	340		14	372	
	<i>Sea anomea</i>	5	63		8	3.6		18	18		4	56		2	13	
	<i>Virgularia gustaviana</i>				1	11.2										
Annelida	<i>Echiuroidea</i>															
Urochordata	Sea Squirts	5	28		3	18		1	6.4					1	21	
Cirripedia	<i>c.f. Bananus spp.</i>	80	38	*				50	27	*	60	31	*			

Trawling Data in July 2018

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acanthopagrus berda</i>				1	51		1	35							
	<i>Acentrogobius caninus</i>											1	23			
	<i>Acentrogobius chlorostigmatoides</i>				2	40		1	23							
	<i>Apogon kiensis</i>				1	4		1	5		3	8		2	14	
	<i>Arius arius</i>				3	468		2	85							
	<i>Arnoglossus waitei</i>										11	112				
	<i>Bothidae spp.</i>	7	22		4	13		11	34		2	4		13	47	
	<i>Butis koilmoatodon</i>															
	<i>Callionymus curvicornis</i>															
	<i>Callionymus richardsoni</i>				1	6										
	<i>Chrysochir aureus</i>				1	150										
	<i>Coilia mystus</i>															
	<i>Collichthys lucidus</i>															
	<i>Crenimugil crenilabis</i>	68	2906		61	3638		3	174				49	1932		
	<i>Cryptocentrus filifer</i>							1	10							
	<i>Cryptocentrus papuanus</i>															
	<i>Cynoglossus abbreviatus</i>							2	24							
	<i>Cynoglossus arel</i>	3	85		5	124		3	102				1	46		
	<i>Cynoglossus puncticeps</i>															
	<i>Cynoglossus roulei</i>				2	550		1	165		4	63				
	<i>Dasyatis zugei</i>	2	760		3	112		1	39							
	<i>Dendrophysa russelii</i>	1	3		9	135		9	192		2	26		1	4	
	<i>Drepane longimana</i>													1	27	
	<i>Drepane punctata</i>				1	43					2	84		2	78	
	<i>Epinephelus awoara</i>										2	14				
	<i>Epinephelus bruneus</i>													1	55	
	<i>Gerres abbreviatus</i>				1	13		2	53							
	<i>Grammolites scaber</i>										1	14		1	11	
	<i>Gymnura japonica</i>				1	780										
	<i>Hapalogenys nitens</i>															
	<i>Harpadon nehereus</i>															
	<i>Inegocia japonica</i>															
	<i>Inimicus didactylus</i>															
	<i>Inegocia japonica</i>										6	93				
	<i>Johnius amblycephalus</i>													1	8	
	<i>Johnius belangerii</i>							1	75		6	79				
	<i>Johnius carouna</i>				1	15		5	65							
	<i>Johnius taiwanese</i>										11	133				
	<i>Johnius trewavasae</i>															
	<i>Konosirus punctatus</i>	4	164		11	330		4	142		2	55				
	<i>Leiognathus brevirostris</i>										35	340		20	278	
	<i>Leiognathus nuchalis</i>	34	450		59	889		23	358		21	190		6	53	
	<i>Liza macrolepis</i>															
	<i>Mugil cephalus</i>	300	3100		260	2700		270	2800		17	849				
	<i>Muraenesox cinereus</i>															
	<i>Monacanthus chinensis</i>															
	<i>Nemipterus japonicus</i>	3	47		1	10		4	85		7	105		4	55	
	<i>Oxyurichthys microlepis</i>															
	<i>Oxyurichthys papuensis</i>				1	4								4	17	

Trawling Data in July 2018

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Oxyurichthys tentacularis</i>							5	19							
	<i>Paracentropogon rubripinnis</i>													1	4	
	<i>Parachaeturichthys polynema</i>															
	<i>Paralagusia japonica</i>										9	87				
	<i>Parargyrops edita</i>															
	<i>Pennahia anea</i>															
	<i>Pennahia pawak</i>				9	115		4	47				8	98		
	<i>Pisodonophis boro</i>															
	<i>Platycephalus indicus</i>	14	640		5	217		9	367							
	<i>Plectorhynchus pictus</i>															
	<i>Plotosus lineatus</i>							1	27							
	<i>Polydactylus sextarius</i>				1	4		2	15							
	<i>Priacanthus macracanthus</i>															
	<i>Pseudorhombus cinnamoneus</i>												1	5		
	<i>Pseudorhombus oligodon</i>	3	21		4	50		3	43				9	112		
	<i>Pseudorhombus sp.</i>															
	<i>Sardinella zunasi</i>															
	<i>Saurida elongata</i>							1	41							
	<i>Scatophagus argus</i>															
	<i>Sciaenidae sp.</i>	6	89													
	<i>Scoliodon sorrakowah</i>															
	<i>Sebastiscus marmoratus</i>															
	<i>Siganus fuscescens</i>	1	510		4	68		2	19		30	285	31	432		
	<i>Sillago japonica</i>															
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>	1	14		9	98		4	52		1	10	1	8		
	<i>Stolephorus commersonii</i>										1	5				
	<i>Sufflamen chrysopterum</i>															
	<i>Takifugu niphobles</i>	8	3673		9	3117		4	2100							
	<i>Terapon jarbua</i>															
	<i>Thamnaconus modestus</i>															
	<i>Thryssa hamiltonii</i>															
	<i>Trachycephalus uranoscopa</i>	2	24		4	62		2	26				2	26		
	<i>Trypauchen vagina</i>	9	143		14	175		3	50		5	28	5	65		
	<i>Zebrias zebra</i>															
Prawn or shrimp	<i>Alpheus distinguendus</i>							1	2							
	<i>Atypopenaeus stenodactylus</i>															
	<i>Exopalaemon carinicauda</i>															
	<i>Metapenaeus affinis</i>	5	40								79	478				
	<i>Metapenaeus ensis</i>				10	80					43	413	32	181		
	<i>Metapenaeus joyneri</i>												2	9		
	<i>Parapenaeopsis cultirostris</i>	1	3													
	<i>Parapenaeopsis hardwickii</i>															
	<i>Parapenaeopsis hungerfordii</i>	26	188		12	128		11	42		70	248	21	91		
	<i>Penaeus japonicus</i>															
	<i>Penaeus merguensis</i>	39	454		44	155		19	248		2	25	14	148		
	<i>Penaeus semisulcatus</i>	1	21													
	<i>Solenocera crassicornis</i>															

Trawling Data in July 2018

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Trachypenaeus curvirostris</i>															
Crab	<i>Arcania undecimspinoso</i>															
	<i>Calappa philargius</i>				2	52		2	88							
	<i>Charybdis affinis</i>	4	92		27	513		21	298		40	370		54	638	
	<i>Charybdis cruciata</i>															
	<i>Charybdis hellerii</i>	1	15					2	53							
	<i>Charybdis japonica</i>							1	25					2	62	
	<i>Charybdis variegata</i>	1	3		1	3										
	<i>Charybdis truncata</i>							1	7		20	74		13	63	
	<i>Charybdis spp.</i>	30	520	*										3	3	
	<i>Dorippe dorsipes</i>															
	<i>Dorippe polita</i>	40	560	*				50	620	*				40	580	*
	<i>Dromia dehaani</i>															
	<i>Eriocheir sinensis</i>				1	26								1	32	
	<i>Eucrate crenata</i>	4	26													
	<i>Galene bispinosa</i>	4	240					3	160		1	58				
	Hermit crab	60	208	*												
	<i>Hulioede ochtades</i>															
	<i>Leucosia craniolaris</i>	3	12											50	220	*
	<i>Parthenope validus</i>	30	570	*												
	<i>Porcellanella picta</i>															
	<i>Portunus hastatooides</i>	7	15		6	19		8	25		33	71		34	66	
	<i>Portunus pelagicus</i>	3	147		2	180					4	140		3	220	
	<i>Portunus sanguinolentus</i>	8	289		11	399		7	260		2	133		3	149	
	<i>Portunus trituberculatus</i>	3	266		5	848		2	192		17	1226		27	1402	
	<i>Pugettia minor</i>				1	18.4		1	26							
	<i>Teucosia sp.</i>															
Mantis shrimp	<i>Anchisquilla fasciata</i>															
	<i>Dictyosquilla foveolata</i>				1	17		1	13							
	<i>Harpisquilla harpax</i>	4	168		3	105		2	67							
	<i>Oratosquilla interrupta</i>	5	60		11	122		7	118		6	27		4	65	
	<i>Oratosquilla oratoria</i>	10	88		9	74		8	56		11	85		9	75	
Gastropod	<i>Bursa rana</i>				1	14								3	36	
	<i>Calyptraea sp.</i>	5	4.1								3	14				
	<i>Drupa musiva</i>	1	5.6		4	26								1	6.2	
	<i>Epitonium scalare</i>										1	5.8				
	<i>Inquistor flavidula</i>															
	<i>Lophiotoma leucotropis</i>							1	6.4		2	13				
	<i>Murex trapa</i>	140	1580	*	110	1260	*	130	1290	*	130	1480	*	160	1570	*
	<i>Nassarius hepaticus</i>															
	<i>Nassarius succinctus</i>				5	9.8										
	<i>Nassarius sp.</i>	1	2.4								2	2.6				
	<i>Philine sp.</i>															
	<i>Pilosabia pilosa</i>															
	<i>Siphopatella walshi</i>	20	7.6	*												
	<i>Tonna sulcosa</i>										1	120				
	<i>Turritella terebra</i>	860	8320	*	620	6070	*	590	5770	*	710	6880	*	550	5360	*
	UNID Nudibranch															
Bivalve	<i>Anomia chinensis</i>										4	24				

Trawling Data in July 2018

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Arca inflata</i>	1	42		6	430		2	160		3	280		3	280	
	<i>Chione isabellina</i>	20	170	*	8	36		20	180	*	30	190	*	2	9.4	
	<i>Chlamys nobilis</i>	30	290	*	40	360	*	30	280	*	20	180	*	20	180	*
	<i>Crossostrea sp.</i>															
	<i>Ostrea sp.</i>															
	<i>Paphia undulata</i>	20	120	*	5	17		20	118	*	6	21		20	106	*
	<i>Perna viridis</i>	2	26					1	18							
	<i>Pinctada martensii</i>															
	<i>Placuna placenta</i>															
	<i>Ruditapes philippinarum</i>				6	28		20	120	*						
	<i>Tolonostrea talonata</i>							3	15							
	<i>Vepricardium asiaticum</i>	4	30					20	130	*	4	86.4		3	21	
Cephalopod	<i>Lolingid squid</i>	1	10					2	28							
	<i>Octopus</i>							1	48							
	<i>Sepiid cuttlefish</i>				3	130		1	57		5	223		6	192	
Echinoderm	<i>Acaudina molpadioides</i>	5	186		4	280		6	310					1	21.8	
	<i>Archaster typicus</i>							80	500	*	20	560	*	30	740	*
	<i>Asteroidea</i>															
	<i>Pseudocolochirus Sp.</i>															
	<i>Temnopleurus toreumaticus</i>	1800	31720	*	2100	41820	*	2100	40790	*	1800	32100	*	1700	29940	*
Cnidaria	<i>Carcinactis ichikawai</i>	2	1.8		6	4.8					2	2.4		1	1.1	
	<i>Cavernularia habereri</i>	3	13		8	51		6	48		2	7.4		3	13	
	<i>Edwardsia japonica (c.f.)</i>	2	26.3					2	24		1	5.6				
	<i>Ellisella laevis</i>				2	41.6										
	<i>Pteroeides chinense</i>	9	280		6	120		3	64		10	410		5	120	
	<i>Sea anomea</i>	20	150	*	1	9.2		3	29					2	21	
	<i>Virgularia gustaviana</i>							2	16.4							
Annelida	<i>Echiuroidea</i>															
Urochordata	Sea Squirts				2	36		4	22		1	6.2		5	27	
Cirripedia	<i>c.f. Bananus spp.</i>	60	34	*												