

WATER COLUMN PROFILING FOR ESC CMP Vb													
05-03-2021													
Pos. No.	Easting	Northing	Tide	Depth	Temp.	Salinity	Turbidity(Ntu)	D.O.(%)	D.O.(mg/l)	pH	Time	Speed	Direction
Downstream	810478.2	822615.8	Mid Flood	20.0	20.53	29.83	15.23	83.88	6.33	7.97	0.48	0.37	284.2
				20.0	20.52	29.88	16.03	83.23	6.28	7.90	0.50	0.64	254.9
				20.0	20.51	29.92	14.54	82.69	6.24	7.90	0.51	0.14	0.0
				19.0	20.53	29.82	19.63	83.88	6.33	7.93	0.48	1.13	317.2
				19.0	20.52	29.88	15.03	83.03	6.27	7.90	0.50	0.68	352.2
				19.0	20.52	29.91	14.14	82.59	6.23	7.90	0.51	0.23	57.7
				18.0	20.53	29.82	20.23	83.77	6.33	7.92	0.48	0.48	198.7
				18.0	20.52	29.89	15.53	83.32	6.29	7.90	0.50	0.52	307.7
				18.0	20.53	29.89	14.54	82.79	6.25	7.90	0.51	0.72	323.5
				17.0	20.53	29.84	24.83	83.77	6.33	7.91	0.48	0.81	33.5
				17.0	20.52	29.88	15.33	83.32	6.29	7.90	0.50	0.44	179.4
				17.0	20.52	29.91	13.04	82.99	6.26	7.90	0.51	0.18	62.3
				16.0	20.52	29.85	21.43	83.67	6.32	7.91	0.48	0.67	321.0
				16.0	20.53	29.87	14.84	83.42	6.30	7.90	0.50	0.34	247.3
				16.0	20.52	29.90	12.64	82.69	6.24	7.89	0.51	0.91	303.5
				15.0	20.53	29.83	18.83	83.56	6.31	7.91	0.48	0.83	286.3
				15.0	20.51	29.91	15.33	83.22	6.28	7.91	0.50	0.27	104.7
				15.0	20.53	29.89	13.54	83.08	6.27	7.89	0.52	0.22	300.0
				14.0	20.54	29.78	13.34	83.96	6.34	7.91	0.48	0.29	258.7
				14.0	20.52	29.90	14.14	83.32	6.29	7.90	0.50	0.15	202.7
				14.0	20.52	29.91	12.74	82.88	6.26	7.89	0.52	0.28	227.0
				13.0	20.53	29.82	17.13	83.66	6.32	7.91	0.49	0.36	263.4
				13.0	20.52	29.89	15.13	83.32	6.29	7.90	0.50	0.45	34.6
				13.0	20.52	29.93	13.74	82.98	6.26	7.89	0.52	0.27	76.8
				12.0	20.53	29.83	15.33	83.75	6.32	7.91	0.49	0.50	313.3
				12.0	20.52	29.89	14.04	83.21	6.28	7.90	0.50	0.73	188.6
				12.0	20.54	30.12	15.83	82.48	6.22	7.89	0.52	0.06	94.0
				11.0	20.53	29.82	13.84	83.65	6.32	7.91	0.49	0.18	280.4
				11.0	20.52	29.89	13.64	83.51	6.30	7.90	0.50	1.17	297.5
				11.0	20.51	30.00	14.64	82.68	6.24	7.89	0.52	0.51	308.2
				10.0	20.53	29.83	15.33	83.65	6.32	7.90	0.49	0.67	301.7
				10.0	20.53	29.88	13.24	83.61	6.31	7.90	0.50	0.81	273.8
				10.0	20.54	30.16	14.74	82.48	6.21	7.90	0.52	0.51	335.6

WATER COLUMN PROFILING FOR ESC CMP Vb													
05-03-2021													
Pos. No.	Easting	Northing	Tide	Depth	Temp.	Salinity	Turbidity(Ntu)	D.O.(%)	D.O.(mg/l)	pH	Time	Speed	Direction
Downstream	810478.2	822615.8	Mid Flood	9.0	20.53	29.82	14.24	83.74	6.32	7.90	0.49	0.67	89.9
				9.0	20.52	29.88	13.24	83.51	6.31	7.90	0.50	1.03	229.6
				9.0	20.52	30.06	14.94	82.77	6.24	7.90	0.52	0.73	27.1
				8.0	20.52	29.86	14.04	83.74	6.32	7.90	0.49	0.52	334.1
				8.0	20.53	29.86	12.24	83.91	6.33	7.90	0.51	0.51	197.4
				8.0	20.52	30.00	14.04	82.77	6.25	7.90	0.52	0.26	78.7
				7.0	20.53	29.83	14.44	83.74	6.32	7.90	0.49	0.48	266.5
				7.0	20.53	29.87	11.94	83.91	6.33	7.90	0.51	0.19	51.0
				7.0	20.53	29.99	13.74	83.17	6.27	7.89	0.52	0.62	7.8
				6.0	20.53	29.82	15.03	83.84	6.33	7.90	0.49	0.53	150.2
				6.0	20.53	29.88	13.04	83.80	6.33	7.90	0.51	0.14	254.7
				6.0	20.53	30.00	13.94	82.97	6.26	7.89	0.52	0.35	242.4
				5.0	20.53	29.82	14.34	83.94	6.34	7.90	0.49	0.60	292.6
				5.0	20.53	29.88	12.84	83.90	6.33	7.90	0.51	0.47	140.2
				5.0	20.52	29.98	14.74	83.37	6.29	7.90	0.52	0.46	359.8
				4.0	20.55	29.76	12.74	84.23	6.36	7.90	0.49	0.98	313.3
				4.0	20.54	29.86	12.24	83.80	6.33	7.90	0.51	0.58	333.3
				4.0	20.53	29.94	13.14	83.57	6.31	7.90	0.52	0.72	133.4
				3.0	20.54	29.79	12.64	84.43	6.38	7.90	0.49	0.69	308.4
				3.0	20.53	29.87	12.74	84.10	6.35	7.90	0.51	0.80	323.4
				3.0	20.52	29.97	12.54	83.46	6.30	7.89	0.52	0.71	117.2
				2.0	20.55	29.74	12.34	84.43	6.38	7.90	0.50	0.53	321.6
				2.0	20.53	29.88	11.14	83.90	6.33	7.90	0.51	1.26	333.5
				2.0	20.52	29.97	13.54	83.56	6.31	7.90	0.52	0.48	8.4
				1.0	20.55	29.73	11.84	84.33	6.37	7.90	0.50	1.00	283.7
				1.0	20.53	29.88	13.14	83.90	6.33	7.90	0.51	0.25	10.2
				1.0	20.55	29.94	10.84	83.86	6.33	7.90	0.52	0.66	293.9

WATER COLUMN PROFILING FOR ESC CMP Vb													
05-03-2021													
Pos. No.	Easting	Northing	Tide	Depth	Temp.	Salinity	Turbidity(Ntu)	D.O.(%)	D.O.(mg/l)	pH	Time	Speed	Direction
Upstream	810691.3	822499.1	Mid Flood	22.0	20.53	30.52	18.03	82.42	6.20	7.89	0.54	0.32	149.4
				22.0	20.53	30.57	13.94	81.38	6.12	7.88	0.56	0.17	197.0
				22.0	20.53	30.60	12.54	80.95	6.08	7.87	0.57	0.55	247.7
				21.0	20.53	30.51	18.13	82.12	6.18	7.89	0.54	0.19	19.8
				21.0	20.53	30.56	14.04	81.38	6.12	7.88	0.56	1.18	195.4
				21.0	20.53	30.53	11.54	81.05	6.09	7.87	0.57	0.16	180.4
				20.0	20.53	30.48	15.93	82.12	6.18	7.89	0.54	0.40	0.9
				20.0	20.53	30.44	14.04	81.68	6.15	7.88	0.56	0.63	187.7
				20.0	20.53	30.45	9.54	81.34	6.12	7.88	0.57	0.47	280.4
				19.0	20.54	30.39	14.94	82.31	6.19	7.89	0.54	0.12	107.2
				19.0	20.54	30.33	11.14	81.98	6.17	7.88	0.56	0.17	311.3
				19.0	20.53	30.42	11.44	81.54	6.14	7.87	0.58	0.37	43.5
				18.0	20.54	30.21	12.64	82.61	6.22	7.89	0.55	0.10	30.0
				18.0	20.53	30.38	11.74	81.98	6.17	7.88	0.56	0.11	197.1
				18.0	20.53	30.37	10.04	81.84	6.16	7.87	0.58	0.08	139.0
				17.0	20.54	30.10	12.44	82.91	6.25	7.89	0.55	0.25	157.3
				17.0	20.53	30.31	12.14	82.17	6.19	7.88	0.56	0.26	254.4
				17.0	20.53	30.35	7.94	81.44	6.13	7.88	0.58	0.16	286.4
				16.0	20.54	30.10	12.24	83.01	6.26	7.89	0.55	0.19	291.1
				16.0	20.53	30.29	13.04	82.17	6.19	7.88	0.56	0.06	172.2
				16.0	20.53	30.32	9.94	81.74	6.15	7.87	0.58	0.40	90.4
				15.0	20.54	30.10	11.84	83.01	6.26	7.89	0.55	0.21	309.7
				15.0	20.53	30.24	11.84	82.57	6.22	7.88	0.56	0.72	143.7
				15.0	20.53	30.35	10.74	81.73	6.15	7.87	0.58	0.43	156.4
				14.0	20.53	30.09	13.04	83.10	6.27	7.89	0.55	0.57	79.1
				14.0	20.53	30.20	11.44	82.47	6.21	7.88	0.56	0.18	59.9
				14.0	20.53	30.33	9.84	81.93	6.17	7.87	0.58	0.12	326.9
				13.0	20.53	30.08	12.14	83.20	6.27	7.89	0.55	0.64	178.5
				13.0	20.53	30.16	10.14	82.67	6.23	7.88	0.56	0.29	65.6
				13.0	20.53	30.35	10.84	82.03	6.18	7.88	0.58	0.19	178.2
				12.0	20.53	30.08	11.34	83.30	6.28	7.89	0.55	0.39	15.3
				12.0	20.53	30.11	9.14	82.76	6.24	7.88	0.57	0.69	62.8
				12.0	20.53	30.35	10.94	81.83	6.16	7.88	0.58	0.60	139.7
				11.0	20.53	30.07	12.94	83.20	6.27	7.89	0.55	0.14	281.2
				11.0	20.53	30.09	9.14	82.96	6.25	7.88	0.57	0.61	78.0
				11.0	20.53	30.40	11.94	82.13	6.18	7.88	0.58	0.41	141.2

WATER COLUMN PROFILING FOR ESC CMP Vb													
05-03-2021													
Pos. No.	Easting	Northing	Tide	Depth	Temp.	Salinity	Turbidity(Ntu)	D.O.(%)	D.O.(mg/l)	pH	Time	Speed	Direction
Upstream	810691.3	822499.1	Mid Flood	10.0	20.53	30.07	10.94	83.30	6.28	7.89	0.55	0.24	89.8
				10.0	20.53	30.08	9.14	82.96	6.26	7.88	0.57	0.67	279.0
				10.0	20.53	30.40	10.24	82.12	6.18	7.87	0.58	0.59	223.3
				9.0	20.54	30.06	11.04	83.30	6.28	7.89	0.55	0.21	333.8
				9.0	20.53	30.08	9.14	82.86	6.25	7.88	0.57	0.83	95.4
				9.0	20.53	30.28	9.14	82.22	6.19	7.87	0.58	0.36	72.5
				8.0	20.55	30.06	9.04	83.59	6.30	7.89	0.55	0.14	107.5
				8.0	20.53	30.08	8.74	83.06	6.26	7.87	0.57	0.18	83.0
				8.0	20.53	30.21	9.54	82.42	6.21	7.87	0.58	0.76	117.3
				7.0	20.54	30.06	9.24	83.79	6.32	7.89	0.55	0.49	358.1
				7.0	20.54	30.08	8.84	83.25	6.28	7.87	0.57	0.60	16.1
				7.0	20.53	30.16	9.64	82.72	6.23	7.86	0.58	0.61	112.5
				6.0	20.54	30.06	10.34	83.59	6.30	7.89	0.55	0.40	206.4
				6.0	20.53	30.08	9.24	83.35	6.28	7.87	0.57	0.59	68.7
				6.0	20.52	30.08	9.54	82.72	6.24	7.87	0.58	1.06	85.6
				5.0	20.54	30.06	9.64	83.59	6.30	7.89	0.55	0.82	319.2
				5.0	20.54	30.08	8.04	83.15	6.27	7.87	0.57	0.40	15.7
				5.0	20.52	30.06	9.74	82.71	6.24	7.87	0.59	0.26	158.6
				4.0	20.55	30.06	8.74	84.08	6.34	7.88	0.55	0.39	138.6
				4.0	20.54	30.07	9.14	83.45	6.29	7.87	0.57	0.26	227.1
				4.0	20.52	30.06	9.14	82.61	6.23	7.87	0.59	0.65	123.3
				3.0	20.53	30.07	10.04	83.48	6.29	7.88	0.56	0.68	5.8
				3.0	20.55	30.07	8.24	83.55	6.3	7.87	0.57	0.56	128
				3.0	20.54	30.06	8.04	83.01	6.26	7.87	0.59	0.11	183.8
				2.0	20.54	30.07	9.24	83.38	6.29	7.88	0.56	0.8	35.9
				2.0	20.57	30.08	7.44	83.74	6.31	7.87	0.57	0.36	318.1
				2.0	20.54	30.06	7.94	83.11	6.27	7.87	0.59	0.22	138.3
				1.0	20.56	30.06	7.44	84.28	6.35	7.88	0.56	0.17	244.3
				1.0	20.58	30.08	7.64	83.94	6.32	7.87	0.57	0.5	130.3
				1.0	20.58	30.05	7.44	83.31	6.28	7.87	0.59	0.1	345.4