

WATER COLUMN PROFILING FOR ESC CMP Vb													
05/11/2025													
Pos. No.	Easting	Northing	Tide	Depth	Temp.	Salinity	Turbidity(NTU)	D.O.(%)	D.O.(mg/l)	pH	Time	Speed	Direction
Downstream	811073.3	822388.2	Mid Ebb	7.0	24.90	32.75	36.02	89.8	6.17	8.02	11:59:58	0.58	87.7
				7.0	24.92	32.75	41.52	90.2	6.19	8.02	12:16:40	0.57	122.7
				7.0	24.95	32.74	25.61	89.4	6.14	8.02	12:34:42	0.60	125.3
				7.0	25.03	32.73	18.10	88.6	6.08	8.01	12:48:26	0.49	120.0
				6.0	24.91	32.74	32.51	90.1	6.19	8.02	12:01:49	0.57	109.1
				6.0	24.95	32.73	29.61	89.6	6.15	8.02	12:21:08	0.53	101.9
				6.0	24.96	32.74	20.50	89.2	6.13	8.02	12:36:45	0.75	125.3
				6.0	25.08	32.72	17.30	88.8	6.08	8.01	12:50:50	0.65	131.1
				5.0	24.90	32.75	32.81	90.3	6.21	8.03	12:05:38	0.63	108.7
				5.0	24.96	32.74	27.81	90.0	6.18	8.03	12:24:19	0.81	124.9
				5.0	24.98	32.73	16.20	89.4	6.13	8.02	12:40:58	0.78	132.2
				5.0	25.09	32.72	16.80	88.8	6.08	8.01	12:53:39	0.91	127.2
				4.0	24.89	32.76	35.72	90.6	6.22	8.02	12:07:23	0.58	106.0
				4.0	25.00	32.73	20.70	88.8	6.09	8.02	12:25:46	0.98	107.8
				4.0	25.05	32.70	12.59	89.8	6.16	8.02	12:42:22	0.70	116.6
				4.0	25.13	32.71	15.40	88.5	6.06	8.00	12:55:08	0.66	149.5
				3.0	25.00	32.67	20.00	90.6	6.22	8.02	12:09:17	0.69	122.3
				3.0	25.00	32.71	16.30	88.9	6.10	8.01	12:28:22	0.72	128.6
				3.0	25.10	32.71	9.79	89.7	6.14	8.01	12:43:41	0.91	128.8
				3.0	25.15	32.70	16.90	88.2	6.04	8.00	12:57:18	0.81	151.5
				2.0	25.10	32.66	12.19	90.6	6.21	8.01	12:11:53	0.67	118.1
				2.0	25.14	32.63	6.49	89.4	6.12	8.00	12:30:10	0.87	134.5
				2.0	25.35	32.71	7.09	89.4	6.10	8.01	12:45:32	0.71	133.6
				2.0	25.17	32.71	21.20	88.3	6.04	8.00	12:58:39	0.73	126.0
				1.0	25.28	32.59	4.88	90.0	6.15	8.00	12:14:02	0.71	118.6
				1.0	25.28	32.58	5.49	90.2	6.16	8.00	12:32:13	0.75	118.1
				1.0	25.48	32.70	6.39	90.0	6.13	8.00	12:46:39	0.64	120.2
				1.0	25.14	32.71	24.90	88.4	6.05	8.00	13:00:52	0.75	117.7

WATER COLUMN PROFILING FOR ESC CMP Vb													
05/11/2025													
Pos. No.	Easting	Northing	Tide	Depth	Temp.	Salinity	Turbidity(NTU)	D.O.(%)	D.O.(mg/l)	pH	Time	Speed	Direction
Upstream	810517.0	822861.5	Mid Ebb	8.0	24.94	32.72	66.85	91.1	6.26	8.03	13:23:15	0.74	132.9
				8.0	24.99	32.70	51.13	89.1	6.12	8.00	13:41:43	0.57	124.0
				8.0	24.99	32.73	39.72	88.8	6.09	7.99	13:57:04	0.55	127.8
				8.0	24.99	32.72	30.31	88.8	6.09	7.98	14:09:55	0.49	130.5
				7.0	24.95	32.69	54.33	91.0	6.25	8.01	13:27:02	0.59	135.8
				7.0	24.99	32.70	46.53	89.0	6.10	8.00	13:42:58	0.74	130.1
				7.0	24.99	32.73	33.01	89.1	6.11	7.99	13:58:24	0.41	119.5
				7.0	24.99	32.72	30.01	89.3	6.13	7.99	14:11:36	0.33	131.8
				6.0	24.95	32.68	42.62	90.3	6.20	8.01	13:29:25	0.60	127.7
				6.0	25.02	32.71	40.42	88.9	6.10	7.99	13:45:43	0.63	126.5
				6.0	24.99	32.72	30.91	89.2	6.12	8.00	13:59:23	0.67	139.1
				6.0	24.99	32.72	28.71	89.4	6.14	7.99	14:12:58	0.54	120.6
				5.0	24.96	32.69	39.62	89.9	6.17	8.00	13:31:35	0.80	135.4
				5.0	25.09	32.71	30.91	88.6	6.07	7.99	13:47:19	0.64	133.9
				5.0	24.99	32.72	24.70	89.6	6.15	7.99	14:01:17	0.80	132.5
				5.0	25.04	32.71	22.80	89.0	6.10	7.98	14:16:15	0.42	113.4
				4.0	25.02	32.69	29.71	89.3	6.12	8.00	13:32:55	0.75	145.1
				4.0	25.04	32.72	29.01	88.2	6.05	7.99	13:49:21	0.69	130.7
				4.0	25.21	32.70	14.29	89.4	6.11	7.99	14:03:21	0.78	141.4
				4.0	25.07	32.72	18.00	89.1	6.10	7.98	14:19:00	0.35	141.0
				3.0	25.13	32.70	12.59	87.9	6.02	7.99	13:35:46	0.73	144.4
				3.0	25.10	32.72	24.60	88.7	6.08	7.99	13:50:19	0.71	150.2
				3.0	25.08	32.71	16.50	89.3	6.12	7.98	14:06:22	0.80	132.6
				3.0	25.16	32.72	14.79	89.3	6.11	7.98	14:19:59	0.81	146.3
				2.0	25.61	32.70	4.28	89.2	6.06	7.99	13:37:05	0.77	141.5
				2.0	25.25	32.73	12.49	88.5	6.05	7.99	13:51:31	0.76	123.8
				2.0	25.30	32.70	9.19	88.9	6.07	7.98	14:07:21	0.49	133.2
				2.0	25.40	32.55	6.09	92.0	6.27	7.98	14:21:54	0.63	125.2
				1.0	25.61	32.70	3.88	89.0	6.04	7.99	13:38:26	0.89	132.5
				1.0	25.57	32.71	4.08	89.5	6.08	7.98	13:54:19	0.64	142.5
				1.0	25.38	32.69	5.39	89.6	6.11	7.98	14:08:25	0.76	133.6
				1.0	25.45	32.50	5.09	92.0	6.27	7.98	14:23:06	0.65	136.1