

## Demersal Trawling Data in August 2014

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acentrogobius caninus</i>	2.0	34.0		3.0	54.0										
	<i>Apogon kiensis</i>	4.0	14.0		1.0	2.0		2.0	4.0							
	<i>Arius sinensis</i>	1.0	38.0													
	<i>Acanthopagrus latus</i>	1.0	48.0		2.0	42.0		1.0	50.0							
	<i>Ambassis sp.</i>	2.0	6.0													
	<i>Bothidae</i>															
	<i>Callichthys Callichthys</i>															
	<i>Caxanx kalla</i>															
	<i>Collichthys lucidus</i>							1.0	12.0		1.0	12.0		2.0	16.0	
	<i>Cryptocentrus filifer</i>										1.0	6.0				
	<i>Coilia grayii</i>															
	<i>Cynoglossus arel</i>										1.0	48.0		2.0	46.0	
	<i>Cynoglossus puncticeps</i>															
	<i>Cynoglossus sinicus</i>										1.0	170.0				
	<i>Dasyatis akajei</i>															
	<i>Dasyatis zugei</i>	2.0	500.0		2.0	136.0		1.0	36.0		1.0	282.0		1.0	82.0	
	<i>Dendrophysa russelii</i>	1.0	40.0					2.0	42.0		1.0	6.0		2.0	14.0	
	<i>Drepane longimana</i>				2.0	82.0		1.0	46.0		4.0	182.0		1.0	30.0	
	<i>Drepane punctata</i>															
	<i>Epinephelus quoyanus</i>													1.0	56.0	
	<i>Gerres filamentosus</i>	1.0	30.0		1.0	16.0		1.0	18.0		1.0	32.0				
	<i>Gymnura japonica</i>															
	<i>Harpadon nehereus</i>															
	<i>Ilisha elongata</i>										1.0	28.0				
	<i>Johnius belangerii</i>	1.0	52.0		2.0	106.0		1.0	38.0		4.0	168.0				
	<i>Johnius heterolepis</i>															
	<i>Inimicus didactylus</i>															
	<i>Inimicus japonicus</i>				1.0	102.0										
	<i>Inegocia japonicus</i>				1.0	8.0										
	<i>Iracundus signifer</i>															
	<i>Konosirus punctatus</i>													1.0	92.0	
	<i>Lagocephalus wheeleri</i>	2.0	120.0								1.0	40.0		1.0	26.0	
	<i>Larimichthys crocea</i>															
	<i>Leiognathus brevirostris</i>	30.0	348.0		10.0	136.0		101.0	1586.0		123.0	1906.0		92.0	1452.0	
	<i>Leiognathus nuchalis</i>	25.0	152.0		6.0	42.0		12.0	120.0		37.0	304.0		20.0	216.0	
	<i>Muraenesox cinereus</i>													1.0	252.0	
	<i>Nemipterus japonicus</i>				1.0	20.0		1.0	8.0		1.0	16.0		1.0	16.0	
	<i>Nibea albiflora</i>															
	<i>Oxyurichthys tentacularis</i>															
	<i>Otolithes ruber</i>															
	<i>Pampus argenteus</i>															
	<i>Parachaeturichthys polynema</i>															
	<i>Paracentropogon rubripinnis</i>															
	<i>Pennahia anea</i>	1.0	4.0					1.0	4.0		1.0	16.0				
	<i>Pennahia macrocephalus</i>															
	<i>Platycephalus indicus</i>	2.0	252.0		1.0	212.0		1.0	178.0		1.0	254.0		1.0	140.0	

## Demersal Trawling Data in August 2014

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Platycephalus sp.</i>															
	<i>Plectorhinchus cinctus</i>															
	<i>Plotosus lineatus</i>															
	<i>Polydactylus sextarius</i>							4.0	62.0		3.0	34.0		6.0	60.0	
	<i>Pisodonophis boro</i>															
	<i>Pseudorhombus sp.</i>	2.0	20.0		2.0	26.0		3.0	38.0		1.0	31.0				
	<i>Priacanthus sp.</i>	1.0	32.0													
	<i>Saurida elongata</i>	1.0	50.0		1.0	44.0										
	<i>Sardinella sp.</i>															
	<i>Scatophagus argus</i>							1.0	168.0					1.0	388.0	
	<i>Sebastes marmoratus</i>	2.0	12.0		3.0	72.0										
	<i>Siganus fuscescens</i>	6.0	38.0		8.0	52.0		4.0	36.0		4.0	64.0		3.0	40.0	
	<i>Sillago sihama</i>				3.0	120.0								2.0	86.0	
	<i>Solea ovata</i>	2.0	26.0		4.0	36.0		2.0	20.0		1.0	6.0		4.0	38.0	
	<i>Stephanolepis cirrhifer</i>													1.0	6.0	
	<i>Stolephorus insularis</i>															
	<i>Syngnathus acus</i>															
	<i>Scoliodon sorrakowah</i>															
	<i>Terapon jarbua</i>	1.0	105.0								1.0	92.0				
	<i>Terapon theraps</i>				1.0	22.0										
	<i>Trachycephalus uranoscopa</i>	1.0	2.0		2.0	22.0					1.0	14.0				
	<i>Trypauchen vagina</i>	1.0	8.0													
	<i>Thryssa kammalensis</i>	1.0	4.0								1.0	14.0		4.0	34.0	
	<i>Thryssa mystax</i>															
	<i>Grammoplites scaber</i>	1.0	4.0					1.0	4.0		1.0	2.0		3.0	46.0	
	<i>Valamugil sp.</i>															
	<i>Zebrias zebra</i>										1.0	94.0				
Prawn or shrimp	<i>Alpheus distinguendus</i>															
	<i>Exopalaemon carinicacla</i>															
	<i>Metapenaeopsis barbata</i>							1.0	2.0		1.0	2.0				
	<i>Metapenaeus affinis</i>	4.0	28.0													
	<i>Metapenaeus ensis</i>	3.0	20.0													
	<i>Metapenaeus joyneri</i>															
	<i>Parapenaeopsis hardwickii</i>															
	<i>Parapenaeopsis tenella</i>	3.0	24.0					2.0	12.0							
	<i>Penaeus japonicus</i>															
	<i>Penaeus merguensis</i>															
	<i>Penaeus penicillatus</i>	2.0	18.0		4.0	26.0		2.0	18.0		2.0	16.0				
	<i>Solenocera crassicornis</i>															

## Demersal Trawling Data in August 2014

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Crab	<i>Calappa philargius</i>							7.0	192.0					2.0	116.0	
	<i>Charybdis affinis</i>	5.0	98.0					8.0	142.0		3.0	60.0		4.0	100.0	
	<i>Charybdis cruciata</i>															
	<i>Charybdis japonica</i>															
	<i>Charybdis spp.</i>	70.0	1160.0	*	80.0	1480.0	*				2.0	84.0				
	<i>Dorippe polita</i>	11.0	59.0		40.0	316.0	*	20.0	186.0	*	6.0	63.2		20.0	180.0	*
	<i>Eucrate crenata</i>				20.0	140.0	*									
	<i>Galene bispinosa</i>				4.0	270.0								7.0	260.0	
	Hermit crab	50.0	140.0	*	50.0	160.0	*	30.0	140.0	*	50.0	210.0	*	40.0	160.0	*
	<i>Leucosia craniolaris</i>				3.0	9.4										
	<i>Macrophthalmus japonicus</i>				2.0	14.3										
	<i>Parthenope validus</i>	4.0	46.2		7.0	74.6		30.0	320.0	*						
	<i>Porcellanella picta</i>	30.0	11.2	*	8.0	3.2										
	<i>Portunus pelagicus</i>	1.0	126.0					1.0	154.0		1.0	136.0				
	<i>Portunus sanguinolentus</i>	2.0	134.0													
	<i>Portunus trituberculatus</i>										1.0	62.0				
	<i>Tachypleus tridentatus</i>				2.0	1.4										
	<i>Typhlocarcinus sp.</i>															
	Mantis shrimp	<i>Harpisquilla harpax</i>	1.0	44.0								4.0	194.0			
<i>Dictyosquilla foveolata</i>																
<i>Oratosquilla interrupta</i>		5.0	98.0		1.0	4.0		2.0	14.0		3.0	62.0		4.0	68.0	
	<i>Oratosquilla oratoria</i>	2.0	30.0		1.0	8.0				1.0	10.0					
Gastropod	<i>Apollon olivator rubustus</i>															
	<i>Bursa rana</i>									1.0	6.2					
	<i>Calyptrea sp.</i>	20.0	11.6	*												
	<i>Dendrodoris fumata</i>															
	<i>Drupa fiscella</i>															
	<i>Drupa musiva</i>				2.0	9.3								2.0	9.4	
	<i>Inquistor flavidula</i>															
	<i>Lophiotoma leucotropis</i>															
	<i>Murex trapa</i>	40.0	160.0	*	50.0	410.0	*	30.0	140.0	*	40.0	460.0	*	40.0	160.0	*
	<i>Nassarius hepaticus</i>	1.0	1.2													
	<i>Nassarius succinctus</i>	5.0	11.0					3.0	6.2							
	<i>Nassarius sp.</i>															
	<i>Natica onea</i>															
	<i>Natica tigrina</i>															
	<i>Philine sp.</i>	20.0	83.0	*				2.0	8.2							
	<i>Pilosabia pilosa</i>															
	<i>Siphopatella walshi</i>	1.0	0.3													
	<i>Tonna olearium</i>															
	<i>Tonna sulcosa</i>															
<i>Turricula nelliae</i>										1.0	1.3					
<i>Turritella terebra</i>	680.0	6630.0	*	720.0	7060.0	*	560.0	5340.0	*	920.0	8970.0	*	520.0	4980.0	*	
	<i>UNID Nudibranch</i>															

## Demersal Trawling Data in August 2014

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Bivalve	<i>Anomia chinensis</i>															
	<i>Atrina pectinata</i>															
	<i>Crassostrea spp.</i>															
	<i>Chione isabellina</i>															
	<i>Chlamys nobilis</i>										2.0	10.3				
	<i>Macoma candida</i>															
	<i>Ostrea sp.</i>															
	<i>Paphia undulata</i>	30.0	180.0	*				3.0	9.8					20.0	140.0	*
	<i>Perna viridis</i>															
	<i>Scapharca subcrenata</i>													1.0	56.2	
	<i>Tegillarca nodifera</i>															
<i>Vepricardium asiaticum</i>																
<i>Tolonostrea talonata</i>																
Cephalopod	<i>Lolingid squid</i>															
	<i>Sepiid cuttlefish</i>	2.0	74.0				1.0	26.0								
	<i>Octopus sp.</i>	1.0	60.0		3.0	78.0							1.0	36.0		
Echinoderm	<i>Acaudina molpadioides</i>	48.0	1820.0	*	30.0	1260.0	*	20.0	790.0	*	40.0	1680.0	*	30.0	1240.0	*
	<i>Colochirus quadrangularis</i>													1.0	8.2	
	<i>Temnopleurus toreumaticus</i>	20.0	194.0	*	30.0	250.0	*	11.0	69.0		30.0	250.0	*	5.0	32.0	
Cnidaria	<i>Edwardsia japonica (c.f.)</i>				2.0	10.2										
	<i>Ellisella laevis</i>	3.0	32.6								2.0	16.2				
	<i>Echinogorgia complexa(c.f.)</i>															
	<i>Gorgonia spp.</i>	2.0	41.4													
	<i>Carcinactis ichikawai</i>				3.0	1.6		4.0	2.1							
	<i>Cavernularia habereri</i>	190.0	540.0	*	210.0	930.0	*	140.0	510.0	*	360.0	980.0	*	260.0	860.0	*
	Jelly fish							1.0	860.0							
<i>Pteroeides chinense</i>	230.0	5760.0	*	170.0	3290.0	*	290.0	5860.0	*	230.0	6080.0	*	250.0	6140.0	*	
Sea anomea										2.0	18.4					
<i>Virgularia gustaviana</i>	6.0	46.4		2.0	11.2		5.0	56.2		20.0	216.0	*	7.0	78.0		
Urochordata	Sea Squirts										3.0	8.2				
Cirripedia	<i>Balanus spp.(c.f.)</i>				170.0	83.0	*	160.0	84.0	*						

## Demersal Trawling Data in August 2014

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acentrogobius caninus</i>															
	<i>Apogon kiensis</i>				2.0	12.0		5.0	16.0					2.0	4.0	
	<i>Arius sinensis</i>															
	<i>Acanthopagrus latus</i>															
	<i>Ambassis sp.</i>							2.0	6.0							
	<i>Bothidae</i>															
	<i>Callichthys Callichthys</i>										1.0	8.0				
	<i>Caxanx kalla</i>															
	<i>Collichthys lucidus</i>															
	<i>Cryptocentrus filifer</i>															
	<i>Coilia grayii</i>															
	<i>Cynoglossus arel</i>				3.0	116.0		1.0	34.0				3.0	82.0		
	<i>Cynoglossus puncticeps</i>															
	<i>Cynoglossus sinicus</i>															
	<i>Dasyatis akajei</i>															
	<i>Dasyatis zugei</i>				1.0	24.0		1.0	46.0		4.0	414.0	2.0	112.0		
	<i>Dendrophysa russelii</i>				1.0	26.0										
	<i>Drepane longimana</i>												2.0	80.0		
	<i>Drepane punctata</i>															
	<i>Epinephelus quoyanus</i>															
	<i>Gerres filamentosus</i>							1.0	28.0							
	<i>Gymnura japonica</i>															
	<i>Harpadon nehereus</i>															
	<i>Ilisha elongata</i>				1.0	4.0					1.0	18.0				
	<i>Johnius belangerii</i>							3.0	110.0		1.0	54.0	2.0	128.0		
	<i>Johnius heterolepis</i>															
	<i>Inimicus didactylus</i>															
	<i>Inimicus japonicus</i>															
	<i>Inegocia japonicus</i>				1.0	10.0										
	<i>Iracundus signifer</i>															
	<i>Konosirus punctatus</i>				1.0	112.0		1.0	94.0				4.0	424.0		
	<i>Lagocephalus wheeleri</i>				1.0	36.0										
	<i>Larimichthys crocea</i>															
	<i>Leiognathus brevirostris</i>				21.0	212.0		18.0	202.0		86.0	1154.0	60.0	798.0		
	<i>Leiognathus nuchalis</i>				1.0	2.0		3.0	22.0		9.0	72.0	29.0	248.0		
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>							5.0	60.0		2.0	22.0	3.0	40.0		
	<i>Nibea albiflora</i>															
	<i>Oxyurichthys tentacularis</i>				1.0	6.0		1.0	6.0							
	<i>Otolithes ruber</i>															
	<i>Pampus argenteus</i>															
	<i>Parachaeturichthys polynema</i>															
	<i>Paracentropogon rubripinnis</i>															
	<i>Pennahia anea</i>							1.0	20.0		3.0	44.0	7.0	100.0		
	<i>Pennahia macrocephalus</i>															
	<i>Platycephalus indicus</i>				1.0	158.0		2.0	294.0		1.0	216.0	2.0	18.0		

Demersal Trawling Data in August 2014

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Platycephalus sp.</i>															
	<i>Plectorhinchus cinctus</i>													1.0	10.0	
	<i>Plotosus lineatus</i>															
	<i>Polydactylus sextarius</i>				1.0	14.0		6.0	58.0		7.0	116.0		5.0	60.0	
	<i>Pisodonophis boro</i>															
	<i>Pseudorhombus sp.</i>				3.0	40.0		1.0	10.0		2.0	24.0		4.0	32.0	
	<i>Priacanthus sp.</i>															
	<i>Saurida elongata</i>															
	<i>Sardinella sp.</i>															
	<i>Scatophagus argus</i>															
	<i>Sebastiscus marmoratus</i>							1.0	8.0							
	<i>Siganus fuscescens</i>				5.0	60.0		4.0	34.0		8.0	76.0		7.0	96.0	
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>													1.0	8.0	
	<i>Stephanolepis cirrhifer</i>															
	<i>Stolephorus insularis</i>															
	<i>Syngnathus acus</i>															
	<i>Scoliodon sorrakowah</i>															
	<i>Terapon jarbua</i>															
	<i>Terapon theraps</i>										1.0	16.0				
	<i>Trachycephalus uranoscopa</i>				1.0	16.0		1.0	12.0		1.0	18.0		4.0	64.0	
	<i>Trypauchen vagina</i>				1.0	18.0					2.0	20.0		2.0	24.0	
	<i>Thryssa kammalensis</i>							5.0	24.0		21.0	132.0		16.0	116.0	
	<i>Thryssa mystax</i>															
	<i>Grammoplites scaber</i>				1.0	4.0		3.0	18.0		2.0	10.0		6.0	30.0	
	<i>Valamugil sp.</i>															
	<i>Zebrias zebra</i>															
Prawn or shrimp	<i>Alpheus distinguendus</i>															
	<i>Exopalaemon carinicaucula</i>															
	<i>Metapenaeopsis barbata</i>							1.0	2.0							
	<i>Metapenaeus affinis</i>				17.0	138.0		4.0	16.0		3.0	22.0		11.0	88.0	
	<i>Metapenaeus ensis</i>				5.0	36.0										
	<i>Metapenaeus joyneri</i>															
	<i>Parapenaeopsis hardwickii</i>															
	<i>Parapenaeopsis tenella</i>													2.0	10.0	
	<i>Penaeus japonicus</i>				1.0	16.0		1.0	18.0		2.0	80.0		2.0	32.0	
	<i>Penaeus merguensis</i>															
	<i>Penaeus penicillatus</i>				30.0	30.0								2.0	22.0	
	<i>Solenocera crassicornis</i>															

## Demersal Trawling Data in August 2014

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Crab	<i>Calappa philargius</i>	1.0	32.4					1.0	36.2		4.0	220.0		0.0	81.6	
	<i>Charybdis affinis</i>				10.0	196.0		12.0	258.0					3.0	46.0	
	<i>Charybdis cruciata</i>				2.0	86.0					2.0	202.0		2.0	16.0	
	<i>Charybdis japonica</i>															
	<i>Charybdis spp.</i>	70.0	530.0	*	60.0	508.0	*	60.0	508.0	*	60.0	470.0	*	70.0	820.0	*
	<i>Dorippe polita</i>	30.0	346.0	*	30.0	320.0	*	30.0	460.0	*	11.0	87.8		40.0	430.0	*
	<i>Eucrate crenata</i>	20.0	180.0	*	7.0	47.0		4.0	31.2					20.0	240.0	*
	<i>Galene bispinosa</i>	30.0	1920.0	*	5.0	210.0		6.0	410.0					20.0	1260.0	*
	Hermit crab	50.0	140.0	*	40.0	110.0	*	60.0	210.0	*	50.0	140.0	*	40.0	180.0	*
	<i>Leucosia craniolaris</i>	1.0	4.1													
	<i>Macrophthalmus japonicus</i>	1.0	3.6		1.0	8.3										
	<i>Parthenope validus</i>							1.0	11.2					20.0	220.0	*
	<i>Porcellanella picta</i>	4.0	1.2		20.0	9.0	*	3.0	1.1		2.0	35.0		30.0	16.2	*
	<i>Portunus pelagicus</i>				1.0	136.0		1.0	254.0		1.0	50.0		1.0	92.0	
	<i>Portunus sanguinolentus</i>				1.0	82.0					1.0	52.0		2.0	110.0	
	<i>Portunus trituberculatus</i>															
	<i>Tachypleus tridentatus</i>	1.0	0.4													
<i>Typhlocarcinus sp.</i>																
Mantis shrimp	<i>Harpisquilla harpax</i>				3.0	96.0		3.0	116.0		3.0	116.0		1.0	20.0	
	<i>Dictyosquilla foveolata</i>							1.0	8.0							
	<i>Oratosquilla interrupta</i>				8.0	112.0		2.0	40.0		2.0	46.0		7.0	62.0	
	<i>Oratosquilla oratoria</i>				2.0	30.0								1.0	16.0	
Gastropod	<i>Apollon olivator rubustus</i>															
	<i>Bursa rana</i>															
	<i>Calyptreaea sp.</i>							3.0	1.4							
	<i>Dendrodoris fumata</i>															
	<i>Drupa fiscella</i>															
	<i>Drupa musiva</i>							5.0	31.0							
	<i>Inquistor flavidula</i>							5.0	7.6							
	<i>Lophiotoma leucotropis</i>															
	<i>Murex trapa</i>	40.0	230.0	*	60.0	550.0	*	30.0	210.0	*	40.0	360.0	*	50.0	460.0	*
	<i>Nassarius hepaticus</i>							1.0	1.3							
	<i>Nassarius succinctus</i>				20.0	46.0	*									
	<i>Nassarius sp.</i>															
	<i>Natica onea</i>															
	<i>Natica tigrina</i>															
	<i>Philine sp.</i>	1.0	4.2								1.0	3.9		1.0	4.2	
	<i>Pilosabia pilosa</i>							2.0	0.8							
	<i>Siphopatella walshi</i>				2.0	0.6					1.0	0.5				
<i>Tonna olearium</i>	1.0	56.3														
<i>Tonna sulcosa</i>				1.0	68.4					1.0	71.2					
<i>Turricula nelliae</i>																
<i>Turritella terebra</i>	860.0	8370.0	*	1130.0	10810.0	*	910.0	8760.0	*	780.0	7510.0	*	1230.0	11810.0	*	
UNID Nudibranch																

Demersal Trawling Data in August 2014

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Bivalve	<i>Anomia chinensis</i>															
	<i>Atrina pectinata</i>															
	<i>Crassostrea spp.</i>															
	<i>Chione isabellina</i>				1.0	6.1										
	<i>Chlamys nobilis</i>															
	<i>Macoma candida</i>															
	<i>Ostrea sp.</i>				20.0	36.0	*				30.0	52.0	*			
	<i>Paphia undulata</i>	30.0	162.0	*												
	<i>Perna viridis</i>	1.0	21.2													
	<i>Scapharca subcrenata</i>															
	<i>Tegillarca nodifera</i>															
<i>Vepricardium asiaticum</i>																
<i>Tolonostrea talonata</i>	1.0	3.2														
Cephalopod	<i>Lolingid squid</i>															
	<i>Sepiid cuttlefish</i>							2.0	248.0		3.0	120.0		4.0	218.0	
	<i>Octopus sp.</i>							1.0	74.0		1.0	106.0				
Echinoderm	<i>Acaudina molpadioides</i>	40.0	1140.0	*	40.0	1160.0	*	30.0	860.0	*	50.0	1860.0	*	40.0	1140.0	*
	<i>Colochirus quadrangularis</i>															
	<i>Temnopleurus toreumaticus</i>				3.0	14.2					20.0	240.0	*	30.0	290.0	*
Cnidaria	<i>Edwardsia japonica (c.f.)</i>							2.0	11.2							
	<i>Ellisella laevis</i>	2.0	17.3		1.0	11.2							1.0	13.4		
	<i>Echinogorgia complexa(c.f.)</i>	1.0	4.2													
	<i>Gorgonia spp.</i>							3.0	44.0		3.0	52.6		3.0	62.2	
	<i>Carcinactis ichikawai</i>	3.0	1.2		4.0	1.6		4.0	1.9					20.0	9.5	*
	<i>Cavernularia habereri</i>	90.0	310.0	*	140.0	460.0	*	110.0	480.0	*	520.0	11140.0	*	180.0	490.0	*
	Jelly fish				1.0	620.0										
<i>Pteroeides chinense</i>	160.0	3260.0	*	230.0	6140.0	*	190.0	3270.0	*	460.0	13630.0	*	210.0	5480.0	*	
Sea anomea				1.0	6.8								1.0	8.4		
<i>Virgularia gustaviana</i>	2.0	11.4		3.0	48.2		4.0	26.2		20.0	230.0	*	4.0	42.6		
Urochordata	Sea Squirts															
Cirripedia	<i>Balanus spp.(c.f.)</i>	90.0	42.0	*	140.0	82.0	*	310.0	112.0	*	310.0	120.0	*			



## Demersal Trawling Data in August 2014

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acentrogobius caninus</i>															
	<i>Apogon kiensis</i>	3.0	12.0		1.0	4.0		2.0	6.0		1.0	4.0				
	<i>Arius sinensis</i>															
	<i>Acanthopagrus latus</i>															
	<i>Ambassis sp.</i>															
	<i>Bothidae</i>															
	<i>Callichthys Callichthys</i>															
	<i>Caxanx kalla</i>															
	<i>Collichthys lucidus</i>	9.0	50.0		6.0	42.0					11.0	62.0		26.0	204.0	
	<i>Cryptocentrus filifer</i>															
	<i>Coilia grayii</i>	3.0	36.0		3.0	30.0										
	<i>Cynoglossus arel</i>	1.0	30.0		2.0	110.0		10.0	88.0		11.0	114.0		14.0	164.0	
	<i>Cynoglossus puncticeps</i>							1.0	8.0							
	<i>Cynoglossus sinicus</i>										4.0	72.0		1.0	14.0	
	<i>Dasyatis akajei</i>															
	<i>Dasyatis zugei</i>															
	<i>Dendrophysa russelii</i>										1.0	20.0				
	<i>Drepane longimana</i>															
	<i>Drepane punctata</i>															
	<i>Epinephelus quoyanus</i>															
	<i>Gerres filamentosus</i>															
	<i>Gymnura japonica</i>															
	<i>Harpadon nehereus</i>	1.0	30.0		3.0	52.0		1.0	4.0		1.0	8.0				
	<i>Ilisha elongata</i>													1.0	10.0	
	<i>Johnius belangerii</i>	3.0	82.0		2.0	56.0		57.0	852.0		16.0	258.0		44.0	628.0	
	<i>Johnius heterolepis</i>															
	<i>Inimicus didactylus</i>															
	<i>Inimicus japonicus</i>															
	<i>Inegocia japonicus</i>															
	<i>Iracundus signifer</i>				1.0	6.0										
	<i>Konosirus punctatus</i>															
	<i>Lagocephalus wheeleri</i>															
	<i>Larimichthys crocea</i>															
	<i>Leiognathus brevirostris</i>	2.0	34.0		2.0	24.0		1.0	14.0							
	<i>Leiognathus nuchalis</i>															
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>	1.0	10.0		2.0	20.0		5.0	70.0							
	<i>Nibea albiflora</i>										1.0	54.0				
	<i>Oxyurichthys tentacularis</i>															
	<i>Otolithes ruber</i>															
	<i>Pampus argenteus</i>													2.0	94.0	
	<i>Parachaeturichthys polynema</i>	1.0	6.0					1.0	12.0							
	<i>Paracentropogon rubripinnis</i>															
	<i>Pennahia anea</i>															
	<i>Pennahia macrocephalus</i>															
	<i>Platycephalus indicus</i>										1.0	12.0		2.0	200.0	

## Demersal Trawling Data in August 2014

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Platycephalus sp.</i>															
	<i>Plectorhinchus cinctus</i>															
	<i>Plotosus lineatus</i>															
	<i>Polydactylus sextarius</i>				1.0	14.0										
	<i>Pisodonophis boro</i>															
	<i>Pseudorhombus sp.</i>															
	<i>Priacanthus sp.</i>															
	<i>Saurida elongata</i>															
	<i>Sardinella sp.</i>															
	<i>Scatophagus argus</i>															
	<i>Sebastes marmoratus</i>															
	<i>Siganus fuscescens</i>	1.0	6.0													
	<i>Sillago sihama</i>							1.0	30.0							
	<i>Solea ovata</i>	1.0	8.0					5.0	32.0		5.0	44.0		17.0	138.0	
	<i>Stephanolepis cirrhifer</i>															
	<i>Stolephorus insularis</i>															
	<i>Syngnathus acus</i>															
	<i>Scoliodon sorrakowah</i>	1.0	30.0													
	<i>Terapon jarbua</i>															
	<i>Terapon theraps</i>															
	<i>Trachycephalus uranoscopa</i>															
	<i>Trypauchen vagina</i>	4.0	36.0		3.0	32.0		3.0	28.0		4.0	42.0		2.0	14.0	
	<i>Thryssa kammalensis</i>															
	<i>Thryssa mystax</i>															
	<i>Grammoplites scaber</i>							6.0	216.0		2.0	108.0				
	<i>Valamugil sp.</i>															
	<i>Zebrias zebra</i>															
Prawn or shrimp	<i>Alpheus distinguendus</i>															
	<i>Exopalaemon carinicaucala</i>	2.0	16.0		5.0	22.0		37.0	150.0		1.0	2.0		2.0	4.0	
	<i>Metapenaeopsis barbata</i>							1.0	2.0							
	<i>Metapenaeus affinis</i>	64.0	412.0		116.0	748.0		90.0	690.0		14.0	106.0		55.0	438.0	
	<i>Metapenaeus ensis</i>	2.0	10.0					6.0	36.0		2.0	16.0		2.0	30.0	
	<i>Metapenaeus joyneri</i>	2.0	10.0								2.0	6.0				
	<i>Parapenaeopsis hardwickii</i>										1.0	10.0		3.0	32.0	
	<i>Parapenaeopsis tenella</i>				4.0	36.0		2.0	8.0		1.0	4.0		6.0	28.0	
	<i>Penaeus japonicus</i>															
	<i>Penaeus merguensis</i>							1.0	18.0		3.0	30.0				
	<i>Penaeus penicillatus</i>				3.0	22.0					1.0	16.0		2.0	30.0	
	<i>Solenocera crassicornis</i>	2.0	6.0		4.0	10.0		5.0	10.0					2.0	40.0	

Demersal Trawling Data in August 2014

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Crab	<i>Calappa philargius</i>															
	<i>Charybdis affinis</i>	11.0	274.0		19.0	306.0		15.0	246.0		3.0	156.0		38.0	574.0	
	<i>Charybdis cruciata</i>	2.0	88.0		6.0	30.0		3.0	32.0		1.0	44.0		5.0	34.0	
	<i>Charybdis japonica</i>										1.0	32.0				
	<i>Charybdis spp.</i>	50.0	680.0	*	60.0	740.0	*	50.0	670.0	*	40.0	520.0	*	40.0	520.0	*
	<i>Dorippe polita</i>				2.0	18.7					20.0	19.6	*			
	<i>Eucrate crenata</i>	30.0	194.0	*		6.0	62.0							12.0	83.2	
	<i>Galene bispinosa</i>				2.0	86.0		3.0	116.0							
	Hermit crab	70.0	260.0	*	50.0	210.0	*	60.0	250.0	*	40.0	180.0	*	50.0	21.0	*
	<i>Leucosia craniolaris</i>													2.0	7.8	
	<i>Macrophthalmus japonicus</i>															
	<i>Parthenope validus</i>				2.0	22.4					3.0	32.4		1.0	11.2	
	<i>Porcellanella picta</i>															
	<i>Portunus pelagicus</i>				1.0	28.0										
	<i>Portunus sanguinolentus</i>															
	<i>Portunus trituberculatus</i>															
<i>Tachypleus tridentatus</i>																
<i>Typhlocarcinus sp.</i>																
Mantis shrimp	<i>Harpisquilla harpax</i>															
	<i>Dictyosquilla foveolata</i>				1.0	10.0										
	<i>Oratosquilla interrupta</i>	14.0	354.0		20.0	448.0		13.0	230.0		7.0	152.0		18.0	330.0	
	<i>Oratosquilla oratoria</i>	4.0	34.0							2.0	20.0					
Gastropod	<i>Apollon olivator rubustus</i>															
	<i>Bursa rana</i>												1.0	8.2		
	<i>Calyptraea sp.</i>	2.0	1.2		1.0	0.7		20.0	9.4	*			1.0	0.4		
	<i>Dendrodoris fumata</i>	1.0	6.3										40.0	520.0	*	
	<i>Drupa fiscella</i>															
	<i>Drupa musiva</i>				4.0	35.0					20.0	130.0	*			
	<i>Inquistor flavidula</i>							30.0	74.0	*	5.0	12.0				
	<i>Lophiotoma leucotropis</i>							1.0	3.2					1.0	2.6	
	<i>Murex trapa</i>	30.0	260.0	*	40.0	310.0	*	26.0	240.0	*	50.0	410.0	*	40.0	320.0	*
	<i>Nassarius hepaticus</i>															
	<i>Nassarius succinctus</i>				20.0	52.0	*	6.0	13.0					30.0	72.0	*
	<i>Nassarius sp.</i>							3.0	5.4							
	<i>Natica onea</i>				1.0	2.1										
	<i>Natica tigrina</i>	1.0	3.2													
	<i>Philine sp.</i>				1.0	4.2										
	<i>Pilosabia pilosa</i>															
<i>Siphopatella walshi</i>	3.0	0.8														
<i>Tonna olearium</i>																
<i>Tonna sulcosa</i>																
<i>Turricula nelliae</i>																
<i>Turritella terebra</i>	240.0	2270.0	*	980.0	9410.0	*	1160.0	10430.0	*	1360.0	11870.0	*	1450.0	12870.0	*	
	UNID Nudibranch															

## Demersal Trawling Data in August 2014

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Bivalve	<i>Anomia chinensis</i>															
	<i>Atrina pectinata</i>				1.0	73.2										
	<i>Crassostrea spp.</i>															
	<i>Chione isabellina</i>							2.0	8.7				1.0	4.2		
	<i>Chlamys nobilis</i>							1.0	5.4		2.0	12.6				
	<i>Macoma candida</i>				20.0	130.0	*						3.0	14.2		
	<i>Ostrea sp.</i>				20.0	32.0	*									
	<i>Paphia undulata</i>				4.0	28.2							6.0	38.2		
	<i>Perna viridis</i>															
	<i>Scapharca subcrenata</i>	2.0	162.0		3.0	180.0		20.0	1260.0	*	1.0	82.0		3.0	190.0	
	<i>Tegillarca nodifera</i>	11.0	52.0					20.0	88.0	*				3.0	12.4	
<i>Vepricardium asiaticum</i>																
<i>Tolonostrea talonata</i>							1.0	2.9								
Cephalopod	<i>Lolingid squid</i>															
	<i>Sepiid cuttlefish</i>															
	<i>Octopus sp.</i>						1.0	38.0					1.0	42.0		
Echinoderm	<i>Acaudina molpadioides</i>	8.0	140.0		20.0	430.0	*	20.0	440.0	*	30.0	760.0	*	50.0	1130.0	*
	<i>Colochirus quadrangularis</i>															
	<i>Temnopleurus toreumaticus</i>	20.0	170.0	*	11.0	87.0		30.0	240.0	*	5.0	46.2		20.0	170.0	*
Cnidaria	<i>Edwardsia japonica (c.f.)</i>	1.0	4.1					1.0	5.6							
	<i>Ellisella laevis</i>							1.0	11.2							
	<i>Echinogorgia complexa(c.f.)</i>															
	<i>Gorgonia spp.</i>				1.0	11.3					2.0	41.0		2.0	22.2	
	<i>Carcinactis ichikawai</i>				2.0	0.8								1.0	0.5	
	<i>Cavernularia habereri</i>	70.0	310.0	*	60.0	280.0	*	60.0	270.0	*	50.0	210.0	*	60.0	270.0	*
	Jelly fish							1.0	840.0							
<i>Pteroeides chinense</i>																
Sea anomea				1.0	432.0								2.0	11.3		
<i>Virgularia gustaviana</i>				4.0	18.2		2.0	46.4					3.0	31.4		
Urochordata	Sea Squirts				1.0	11.3							1.0	6.2		
Cirripedia	<i>Balanus spp.(c.f.)</i>	120.0	63.0	*	220.0	108.0	*	230.0	112.0	*	180.0	84.0	*	260.0	120.0	*

## Demersal Trawling Data in August 2014

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acetorogobius caninus</i>										1.0	20.0				
	<i>Apogon kiensis</i>	5.0	14.0		1.0	2.0		40.0	74.0					5.0	22.0	
	<i>Arius sinensis</i>															
	<i>Acanthopagrus latus</i>															
	<i>Ambassis sp.</i>															
	<i>Bothidae</i>							1.0	6.0							
	<i>Callichthys Callichthys</i>															
	<i>Caxanx kalla</i>													1.0	42.0	
	<i>Collichthys lucidus</i>	5.0	66.0		13.0	122.0		18.0	132.0		2.0	24.0		2.0	34.0	
	<i>Cryptocentrus filifer</i>															
	<i>Coilia grayii</i>															
	<i>Cynoglossus arel</i>	8.0	254.0		8.0	230.0		15.0	278.0		7.0	318.0		3.0	84.0	
	<i>Cynoglossus puncticeps</i>															
	<i>Cynoglossus sinicus</i>										1.0	12.0				
	<i>Dasyatis akajei</i>	1.0	60.0													
	<i>Dasyatis zugei</i>	10.0	556.0		9.0	508.0		1.0	50.0							
	<i>Dendrophysa russelii</i>							2.0	44.0		2.0	48.0		1.0	6.0	
	<i>Drepane longimana</i>															
	<i>Drepane punctata</i>															
	<i>Epinephelus quoyanus</i>															
	<i>Gerres filamentosus</i>															
	<i>Gymnura japonica</i>										1.0	356.0				
	<i>Harpadon nehereus</i>													1.0	74.0	
	<i>Ilisha elongata</i>							1.0	16.0		1.0	2.0				
	<i>Johnius belangerii</i>										1.0	24.0				
	<i>Johnius heterolepis</i>															
	<i>Inimicus didactylus</i>															
	<i>Inimicus japonicus</i>															
	<i>Inegocia japonicus</i>															
	<i>Iracundus signifer</i>	8.0	48.0		2.0	50.0		6.0	34.0		1.0	10.0				
	<i>Konosirus punctatus</i>				2.0	122.0										
	<i>Lagocephalus wheeleri</i>							1.0	60.0							
	<i>Larimichthys crocea</i>															
	<i>Leiognathus brevisrostris</i>	30.0	318.0		49.0	574.0		40.0	540.0		39.0	356.0		6.0	58.0	
	<i>Leiognathus nuchalis</i>										1.0	8.0				
	<i>Muraenesox cinereus</i>	1.0	198.0					1.0	236.0		1.0	250.0				
	<i>Nemipterus japonicus</i>															
	<i>Nibea albiflora</i>															
	<i>Oxyurichthys tentacularis</i>	5.0	20.0		3.0	12.0		13.0	58.0							
	<i>Otolithes ruber</i>															
	<i>Pampus argenteus</i>															
	<i>Parachaeturichthys polynema</i>							2.0	18.0		1.0	6.0				
	<i>Paracentropogon rubripinnis</i>															
	<i>Pennahia anea</i>							2.0	14.0							
	<i>Pennahia macrocephalus</i>							1.0	4.0							
	<i>Platycephalus indicus</i>	10.0	1044.0		6.0	686.0		5.0	806.0		3.0	58.0				

Demersal Trawling Data in August 2014

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Platycephalus sp.</i>	3.0	502.0		2.0	290.0										
	<i>Plectorhinchus cinctus</i>															
	<i>Plotosus lineatus</i>						1.0	2.0								
	<i>Polydactylus sextarius</i>	2.0	36.0		1.0	20.0	4.0	44.0					1.0	12.0		
	<i>Pisodonophis boro</i>															
	<i>Pseudorhombus sp.</i>	2.0	14.0		1.0	8.0					6.0	60.0	1.0	14.0		
	<i>Priacanthus sp.</i>															
	<i>Saurida elongata</i>															
	<i>Sardinella sp.</i>															
	<i>Scatophagus argus</i>															
	<i>Sebastiscus marmoratus</i>															
	<i>Siganus fuscescens</i>	1.0	8.0		3.0	40.0	7.0	46.0			1.0	6.0	2.0	18.0		
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>	2.0	4.0		1.0	10.0	6.0	26.0			1.0	8.0	1.0	4.0		
	<i>Stephanolepis cirrhifer</i>															
	<i>Stolephorus insularis</i>						1.0	4.0			1.0	4.0	1.0	4.0		
	<i>Syngnathus acus</i>															
	<i>Scoliodon sorrakowah</i>															
	<i>Terapon jarbua</i>	1.0	50.0													
	<i>Terapon theraps</i>															
	<i>Trachycephalus uranoscopa</i>						1.0	14.0								
	<i>Trypauchen vagina</i>	9.0	64.0		5.0	50.0	15.0	136.0			7.0	45.0	2.0	34.0		
	<i>Thryssa kammalensis</i>						2.0	12.0								
	<i>Thryssa mystax</i>	1.0	8.0													
	<i>Grammoplites scaber</i>						3.0	30.0					1.0	4.0		
	<i>Valamugil sp.</i>	1.0	28.0													
	<i>Zebrias zebra</i>															
Prawn or shrimp	<i>Alpheus distinguendus</i>															
	<i>Exopalaemon carinicaucula</i>															
	<i>Metapenaeopsis barbata</i>						1.0	2.0					1.0	2.0		
	<i>Metapenaeus affinis</i>	211.0	1314.0		85.0	664.0	225.0	1514.0			86.0	730.0	103.0	712.0		
	<i>Metapenaeus ensis</i>															
	<i>Metapenaeus joyneri</i>												2.0	10.0		
	<i>Parapenaeopsis hardwickii</i>															
	<i>Parapenaeopsis tenella</i>	3.0	18.0				7.0	50.0			6.0	54.0	6.0	34.0		
	<i>Penaeus japonicus</i>				1.0	10.0										
	<i>Penaeus merguensis</i>															
	<i>Penaeus penicillatus</i>	2.0	20.0								2.0	24.0	1.0	16.0		
	<i>Solenocera crassicornis</i>	6.0	20.0		1.0	2.0	8.0	18.0					13.0	38.0		

## Demersal Trawling Data in August 2014

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Crab	<i>Calappa philargius</i>															
	<i>Charybdis affinis</i>	30.0	386.0		24.0	312.0		39.0	516.0		7.0	100.0		10.0	154.0	
	<i>Charybdis cruciata</i>	1.0	2.0					4.0	4.0		1.0	100.0		5.0	96.0	
	<i>Charybdis japonica</i>															
	<i>Charybdis spp.</i>	50.0	370.0	*	40.0	310.0	*	50.0	430.0	*	40.0	330.0	*	50.0	380.0	
	<i>Dorippe polita</i>	4.0	41.4		7.0	71.2		8.0	76.6		4.0	38.2		8.0	61.3	
	<i>Eucrate crenata</i>	6.0	36.0		15.0	88.0					6.0	58.2		3.0	16.4	
	<i>Galene bispinosa</i>	3.0	214.0		2.0	186.0		1.0	56.4							
	Hermit crab	120.0	380.0	*	110.0	310.0	*	120.0	430.0	*	80.0	470.0	*	50.0	210.0	
	<i>Leucosia craniolaris</i>				1.0	3.6		1.0	5.3							
	<i>Macrophthalmus japonicus</i>										1.0	6.1				
	<i>Parthenope validus</i>				2.0	1.1		1.0	0.4							
	<i>Porcellanella picta</i>															
	<i>Portunus pelagicus</i>	1.0	24.0					1.0	126.0							
	<i>Portunus sanguinolentus</i>															
	<i>Portunus trituberculatus</i>															
<i>Tachypleus tridentatus</i>																
<i>Typhlocarcinus sp.</i>																
Mantis shrimp	<i>Harpisquilla harpax</i>	1.0	72.0				1.0	8.0		5.0	260.0		1.0	58.0		
	<i>Dictyosquilla foveolata</i>	1.0	6.0				1.0	6.0		1.0	8.0					
	<i>Oratosquilla interrupta</i>	4.0	78.0		1.0	24.0		11.0	222.0		10.0	192.0		13.0	128.0	
	<i>Oratosquilla oratoria</i>				1.0	4.0					1.0	8.0				
Gastropod	<i>Apollon olivator rubustus</i>															
	<i>Bursa rana</i>															
	<i>Calyptrea sp.</i>				2.0	1.6					1.0	0.4				
	<i>Dendrodoris fumata</i>															
	<i>Drupa fiscella</i>															
	<i>Drupa musiva</i>				1.0	5.3										
	<i>Inquistor flavidula</i>										20.0	43.0	*			
	<i>Lophiotoma leucotropis</i>							1.0	4.1							
	<i>Murex trapa</i>	40.0	250.0	*	30.0	210.0	*	30.0	210.0	*	40.0	290.0	*	40.0	260.0	
	<i>Nassarius hepaticus</i>															
	<i>Nassarius succinctus</i>				5.0	11.0		30.0	64.0	*				30.0	62.0	
	<i>Nassarius sp.</i>															
	<i>Natica onea</i>	1.0	2.6													
	<i>Natica tigrina</i>															
	<i>Philine sp.</i>															
	<i>Pilosabia pilosa</i>	2.0	0.4					1.0	0.2					1.0	0.2	
<i>Siphopatella walshi</i>				3.0	1.2											
<i>Tonna olearium</i>																
<i>Tonna sulcosa</i>																
<i>Turricula nelliae</i>																
<i>Turritella terebra</i>	3010.0	3200.0	*	2680.0	24300.0	*	1860.0	17420.0	*	2100.0	19740.0	*	1620.0	14800.0		
UNID Nudibranch																

Demersal Trawling Data in August 2014

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Bivalve	<i>Anomia chinensis</i>															
	<i>Atrina pectinata</i>										1.0	74.0				
	<i>Crassostrea spp.</i>															
	<i>Chione isabellina</i>				2.0	8.4										
	<i>Chlamys nobilis</i>															
	<i>Macoma candida</i>															
	<i>Ostrea sp.</i>	30.0	36.0	*				5.0	7.8							
	<i>Paphia undulata</i>							2.0	16.0							
	<i>Perna viridis</i>										3.0	14.5				
	<i>Scapharca subcrenata</i>	4.0	360.0		2.0	150.0		5.0	380.0		1.0	67.0		3.0	320.0	
	<i>Tegillarca nodifera</i>							3.0	10.2		20.0	94.0	*			
<i>Vepricardium asiaticum</i>																
<i>Tolonostrea talonata</i>																
Cephalopod	<i>Lolingid squid</i>															
	<i>Sepiid cuttlefish</i>	2.0	100.0				1.0	36.0		1.0	30.0		1.0	80.0		
	<i>Octopus sp.</i>									1.0	74.0					
Echinoderm	<i>Acaudina molpadioides</i>	30.0	920.0	*	20.0	680.0	*	20.0	660.0	*	90.0	810.0	*	70.0	640.0	*
	<i>Colochirus quadrangularis</i>															
	<i>Temnopleurus toreumaticus</i>	3.0	16.2		30.0	260.0	*	20.0	210.0	*	30.0	260.0	*	50.0	480.0	*
Cnidaria	<i>Edwardsia japonica (c.f.)</i>							2.0	8.4							
	<i>Ellisella laevis</i>							1.0	6.2							
	<i>Echinogorgia complexa(c.f.)</i>															
	<i>Gorgonia spp.</i>															
	<i>Carcinactis ichikawai</i>													4.0	1.6	
	<i>Cavernularia habereri</i>	30.0	180.0	*	30.0	120.0	*	40.0	312.0	*	40.0	180.0	*	30.0	140.0	*
	Jelly fish				1.0	620.0										
<i>Pteroeides chinense</i>	4.0	82.0		2.0	32.0											
Sea anomea											1.0	4.2				
<i>Virgularia gustaviana</i>	1.0	6.8									2.0	11.2				
Urochordata	Sea Squirts															
Cirripedia	<i>Balanus spp.(c.f.)</i>	140.0	62.0	*	130.0	52.0	*	140.0	70.0	*	210.0	79.0	*	180.0	62.0	*



## Demersal Trawling Data in August 2014

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acentrogobius caninus</i>	3.0	54.0		2.0	42.0					4.0	64.0		4.0	98.0	
	<i>Apogon kiensis</i>				2.0	4.0										
	<i>Arius sinensis</i>							1.0	140.0		1.0	36.0				
	<i>Acanthopagrus latus</i>															
	<i>Ambassis sp.</i>										1.0	2.0				
	<i>Bohidae</i>															
	<i>Callichthys Callichthys</i>				1.0	2.0					2.0	6.0		1.0	4.0	
	<i>Caxanx kalla</i>															
	<i>Collichthys lucidus</i>													1.0	10.0	
	<i>Cryptocentrus filifer</i>															
	<i>Coilia grayii</i>															
	<i>Cynoglossus arel</i>	1.0	30.0		5.0	46.0		8.0	162.0					3.0	72.0	
	<i>Cynoglossus puncticeps</i>															
	<i>Cynoglossus sinicus</i>															
	<i>Dasyatis akajei</i>															
	<i>Dasyatis zugei</i>															
	<i>Dendrophysa russelii</i>	4.0	24.0		1.0	6.0		2.0	14.0		1.0	8.0				
	<i>Drepane longimana</i>										1.0	38.0				
	<i>Drepane punctata</i>															
	<i>Epinephelus quoyanus</i>															
	<i>Gerres filamentosus</i>	1.0	4.0		3.0	18.0		3.0	118.0		2.0	28.0		1.0	38.0	
	<i>Gymnura japonica</i>				1.0	428.0										
	<i>Harpadon nehereus</i>															
	<i>Ilisha elongata</i>															
	<i>Johnius belangerii</i>															
	<i>Johnius heterolepis</i>															
	<i>Inimicus didactylus</i>															
	<i>Inimicus japonicus</i>															
	<i>Inegocia japonicus</i>															
	<i>Iracundus signifer</i>	1.0	4.0		8.0	50.0		3.0	24.0					1.0	8.0	
	<i>Konosirus punctatus</i>															
	<i>Lagocephalus wheeleri</i>															
	<i>Larimichthys crocea</i>															
	<i>Leiognathus brevirostris</i>	51.0	410.0		77.0	694.0		192.0	1564.0		58.0	520.0		105.0	1080.0	
	<i>Leiognathus nuchalis</i>	5.0	24.0		25.0	102.0		11.0	52.0		7.0	36.0		7.0	48.0	
	<i>Muraenesox cinereus</i>										1.0	38.0		1.0	166.0	
	<i>Nemipterus japonicus</i>	1.0	18.0		1.0	12.0										
	<i>Nibea albiflora</i>															
	<i>Oxyurichthys tentacularis</i>							2.0	8.0							
	<i>Otolithes ruber</i>															
	<i>Pampus argenteus</i>															
	<i>Parachaeturichthys polynema</i>															
	<i>Paracentropogon rubripinnis</i>															
	<i>Pennahia anea</i>	2.0	26.0								1.0	22.0		1.0	24.0	
	<i>Pennahia macrocephalus</i>															
	<i>Platycephalus indicus</i>	11.0	614.0		9.0	270.0		8.0	462.0		3.0	286.0		4.0	304.0	

Demersal Trawling Data in August 2014

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Platycephalus sp.</i>															
	<i>Plectorhinchus cinctus</i>															
	<i>Plotosus lineatus</i>															
	<i>Polydactylus sextarius</i>	1.0	14.0		3.0	36.0		6.0	72.0				1.0	12.0		
	<i>Pisodonophis boro</i>							1.0	288.0							
	<i>Pseudorhombus sp.</i>	3.0	30.0		3.0	28.0		2.0	20.0		8.0	84.0		14.0	138.0	
	<i>Priacanthus sp.</i>															
	<i>Saurida elongata</i>															
	<i>Sardinella sp.</i>										1.0	2.0				
	<i>Scatophagus argus</i>															
	<i>Sebastiscus marmoratus</i>															
	<i>Siganus fuscescens</i>	7.0	46.0		4.0	26.0		5.0	38.0		4.0	26.0		5.0	44.0	
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>	1.0	6.0		1.0	8.0										
	<i>Stephanolepis cirrhifer</i>															
	<i>Stolephorus insularis</i>	2.0	8.0													
	<i>Syngnathus acus</i>										1.0	2.0				
	<i>Scoliodon sorrakowah</i>															
	<i>Terapon jarbua</i>															
	<i>Terapon theraps</i>							1.0	6.0							
	<i>Trachycephalus uranoscopa</i>	10.0	140.0		23.0	324.0		16.0	194.0		6.0	78.0		17.0	192.0	
	<i>Trypauchen vagina</i>	5.0	58.0		10.0	116.0		4.0	46.0		2.0	22.0		2.0	28.0	
	<i>Thryssa kammalensis</i>															
	<i>Thryssa mystax</i>															
	<i>Grammoplites scaber</i>	1.0	4.0		2.0	10.0		4.0	20.0							
	<i>Valamugil sp.</i>															
	<i>Zebrias zebra</i>															
Prawn or shrimp	<i>Alpheus distinguendus</i>															
	<i>Exopalaemon carinicaucala</i>															
	<i>Metapenaeopsis barbata</i>															
	<i>Metapenaeus affinis</i>	38.0	284.0		100.0	770.0		36.0	242.0		14.0	110.0		22.0	172.0	
	<i>Metapenaeus ensis</i>	2.0	14.0		6.0	40.0		69.0	168.0		9.0	58.0		41.0	260.0	
	<i>Metapenaeus joyneri</i>	4.0	22.0													
	<i>Parapenaeopsis hardwickii</i>															
	<i>Parapenaeopsis tenella</i>	1.0	6.0		5.0	40.0		1.0	4.0		6.0	18.0		17.0	110.0	
	<i>Penaeus japonicus</i>															
	<i>Penaeus merguensis</i>															
	<i>Penaeus penicillatus</i>							2.0	16.0					2.0	14.0	
	<i>Solenocera crassicornis</i>															

Demersal Trawling Data in August 2014

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Crab	<i>Calappa philargius</i>															
	<i>Charybdis affinis</i>	6.0	128.0		14.0	170.0		10.0	132.0		5.0	110.0		4.0	76.0	
	<i>Charybdis cruciata</i>	1.0	54.0								2.0	78.0		1.0	358.0	
	<i>Charybdis japonica</i>															
	<i>Charybdis spp.</i>	50.0	430.0	*	40.0	410.0	*	40.0	420.0	*	60.0	570.0	*	30.0	290.0	*
	<i>Dorippe polita</i>				8.0	81.2		30.0	310.0	*	20.0	140.0	*			
	<i>Eucrate crenata</i>	7.0	53.0		20.0	98.0	*				3.0	14.2				
	<i>Galene bispinosa</i>				3.0	140.0		20.0	1460.0	*				1.0	65.0	
	Hermit crab	40.0	160.0	*	30.0	110.0	*	40.0	160.0	*	40.0	160.0	*	50.0	260.0	*
	<i>Leucosia craniolaris</i>				1.0	634.0		2.0	6.8							
	<i>Macrophthalmus japonicus</i>							2.0	8.4							
	<i>Parthenope validus</i>	6.0	59.0								3.0	32.4				
	<i>Porcellanella picta</i>															
	<i>Portunus pelagicus</i>				1.0	214.0										
	<i>Portunus sanguinolentus</i>	1.0	34.0													
	<i>Portunus trituberculatus</i>															
	<i>Tachypleus tridentatus</i>															
	<i>Typhlocarcinus sp.</i>				1.0	0.8		2.0	1.2							
Mantis shrimp	<i>Harpiosquilla harpax</i>				1.0	2.0								1.0	42.0	
	<i>Dictyosquilla foveolata</i>	1.0	6.0		2.0	8.0		1.0	4.0							
	<i>Oratosquilla interrupta</i>	3.0	24.0		6.0	80.0		2.0	24.0		4.0	26.0		1.0	2.0	
	<i>Oratosquilla oratoria</i>	1.0	6.0								2.0	12.0		2.0	38.0	
Gastropod	<i>Apollon olivator rubustus</i>															
	<i>Bursa rana</i>															
	<i>Calyptreaea sp.</i>				2.0	0.6					3.0	0.7				
	<i>Dendrodoris fumata</i>															
	<i>Drupa fiscella</i>				5.0	38.0		2.0	11.4					2.0	9.2	
	<i>Drupa musiva</i>															
	<i>Inquistor flavidula</i>	11.0	23.4											35.0	76.0	*
	<i>Lophiotoma leucotropis</i>													20.0	61.0	*
	<i>Murex trapa</i>	70.0	450.0	*	60.0	410.0	*	60.0	410.0	*	30.0	210.0	*	40.0	270.0	*
	<i>Nassarius hepaticus</i>				1.0	1.2								1.0	1.6	
	<i>Nassarius succinctus</i>				20.0	46.0	*	30.0	72.0	*				30.0	66.0	*
	<i>Nassarius sp.</i>															
	<i>Natica onea</i>															
	<i>Natica tigrina</i>															
	<i>Philine sp.</i>				1.0	4.2										
	<i>Pilosabia pilosa</i>							2.0	0.5							
	<i>Siphopatella walshi</i>							1.0	0.3							
	<i>Tonna olearium</i>															
	<i>Tonna sulcosa</i>															
	<i>Turricula nelliae</i>															
	<i>Turritella terebra</i>	440.0	4320.0	*	380.0	3760.0	*	720.0	6940.0	*	320.0	3110.0	*	520.0	5040.0	*
	UNID Nudibranch															

## Demersal Trawling Data in August 2014

Group	Species Name	TSA															
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5			
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	
Bivalve	<i>Anomia chinensis</i>																
	<i>Atrina pectinata</i>							1.0	62.0					2.0	124.0		
	<i>Crassostrea spp.</i>																
	<i>Chione isabellina</i>				2.0	8.3		1.0	4.8								
	<i>Chlamys nobilis</i>										2.0	11.2					
	<i>Macoma candida</i>				20.0	94.0	*										
	<i>Ostrea sp.</i>														30.0	44.0	*
	<i>Paphia undulata</i>	30.0	140.0	*	20.0	92.0	*	15.0	62.0		20.0	112.0	*	7.0	34.0		
	<i>Perna viridis</i>				3.0	21.4					2.0	10.2			2.0	21.2	
	<i>Scapharca subcrenata</i>	5.0	280.0		3.0	182.0					1.0	130.0			2.0	46.0	
	<i>Tegillarca nodifera</i>				4.0	23.0		30.0	210.0	*	20.0	840.0	*	30.0	156.0	*	
	<i>Vepricardium asiaticum</i>							1.0	14.2								
		<i>Tolonostrea talonata</i>															
Cephalopod	<i>Lolingid squid</i>																
	<i>Sepiid cuttlefish</i>				1.0	38.0											
	<i>Octopus sp.</i>				1.0	16.0				1.0	28.0						
Echinoderm	<i>Acaudina molpadioides</i>	4.0	62.0		20.0	420.0	*	9.0	180.0		6.0	116.0		2.0	26.4		
	<i>Colochirus quadrangularis</i>																
	<i>Temnopleurus toreumaticus</i>	40.0	350.0	*	130.0	1690.0	*	160.0	1760.0	*	320.0	2106.0	*	380.0	2560.0	*	
Cnidaria	<i>Edwardsia japonica (c.f.)</i>							1.0	4.2								
	<i>Ellisella laevis</i>				2.0	23.0											
	<i>Echinogorgia complexa(c.f.)</i>																
	<i>Gorgonia spp.</i>										1.0	8.5					
	<i>Carcinactis ichikawai</i>							3.0	1.1		2.0	0.8					
	<i>Cavernularia habereri</i>	7.0	26.0		12.0	34.0		20.0	76.0	*	10.0	38.0		30.0	140.0	*	
	Jelly fish																
	<i>Pteroeides chinense</i>																
	Sea anomea													1.0	43.0		
	<i>Virgularia gustaviana</i>	20.0	76.0	*				1.0	14.5					2.0	8.6		
Urochordata	Sea Squirts													2.0	22.6		
Cirripedia	<i>Balanus spp.(c.f.)</i>	140.0	68.0	*	90.0	46.0	*	180.0	82.0	*	170.0	63.0	*	160.0	60.0	*	

## Demersal Trawling Data in August 2014

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acentrogobius caninus</i>	4.0	82.0		2.0	34.0		1.0	24.0		1.0	16.0		1.0	14.0	
	<i>Apogon kiensis</i>													2.0	2.0	
	<i>Arius sinensis</i>															
	<i>Acanthopagrus latus</i>				1.0	38.0										
	<i>Ambassis sp.</i>															
	<i>Bohidae</i>															
	<i>Callichthys Callichthys</i>															
	<i>Caxanx kalla</i>										1.0	8.0				
	<i>Collichthys lucidus</i>	3.0	48.0		1.0	6.0		1.0	8.0		1.0	6.0				
	<i>Cryptocentrus filifer</i>															
	<i>Coilia grayii</i>															
	<i>Cynoglossus arel</i>				1.0	18.0		3.0	82.0		1.0	28.0		2.0	56.0	
	<i>Cynoglossus puncticeps</i>													1.0	130.0	
	<i>Cynoglossus sinicus</i>															
	<i>Dasyatis akajei</i>															
	<i>Dasyatis zugei</i>															
	<i>Dendrophysa russelii</i>	4.0	100.0		2.0	12.0		3.0	50.0							
	<i>Drepane longimana</i>															
	<i>Drepane punctata</i>				1.0	32.0										
	<i>Epinephelus quoyanus</i>															
	<i>Gerres filamentosus</i>	1.0	12.0					1.0	28.0		1.0	18.0				
	<i>Gymnura japonica</i>															
	<i>Harpadon nehereus</i>															
	<i>Ilisha elongata</i>															
	<i>Johnius belangerii</i>	4.0	124.0		3.0	78.0		6.0	132.0					3.0	160.0	
	<i>Johnius heterolepis</i>															
	<i>Inimicus didactylus</i>															
	<i>Inimicus japonicus</i>															
	<i>Inegocia japonicus</i>															
	<i>Iracundus signifer</i>															
	<i>Konosirus punctatus</i>	1.0	58.0													
	<i>Lagocephalus wheeleri</i>															
	<i>Larimichthys crocea</i>															
	<i>Leiognathus brevirostris</i>	93.0	1036.0		83.0	948.0		52.0	622.0		32.0	464.0		28.0	386.0	
	<i>Leiognathus nuchalis</i>				4.0	40.0										
	<i>Muraenesox cinereus</i>													2.0	276.0	
	<i>Nemipterus japonicus</i>	2.0	46.0		3.0	44.0										
	<i>Nibea albiflora</i>															
	<i>Oxyurichthys tentacularis</i>													1.0	2.0	
	<i>Otolithes ruber</i>				1.0	232.0					1.0	24.0				
	<i>Pampus argenteus</i>															
	<i>Parachaeturichthys polynema</i>															
	<i>Paracentropogon rubripinnis</i>															
	<i>Pennahia anea</i>															
	<i>Pennahia macrocephalus</i>															
	<i>Platycephalus indicus</i>	1.0	504.0		1.0	212.0					1.0	16.0		1.0	24.0	

## Demersal Trawling Data in August 2014

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Platycephalus sp.</i>															
	<i>Plectorhinchus cinctus</i>															
	<i>Plotosus lineatus</i>															
	<i>Polydactylus sextarius</i>	4.0	58.0		5.0	80.0		3.0	52.0		1.0	18.0		3.0	42.0	
	<i>Pisodonophis boro</i>															
	<i>Pseudorhombus sp.</i>				1.0	10.0		3.0	32.0					4.0	42.0	
	<i>Priacanthus sp.</i>															
	<i>Saurida elongata</i>															
	<i>Sardinella sp.</i>															
	<i>Scatophagus argus</i>													1.0	118.0	
	<i>Sebastiscus marmoratus</i>															
	<i>Siganus fuscescens</i>	5.0	30.0		5.0	38.0		4.0	30.0		1.0	10.0		6.0	64.0	
	<i>Sillago sihama</i>	1.0	30.0								1.0	68.0				
	<i>Solea ovata</i>															
	<i>Stephanolepis cirrhifer</i>															
	<i>Stolephorus insularis</i>	1.0	4.0													
	<i>Syngnathus acus</i>															
	<i>Scoliodon sorrakowah</i>															
	<i>Terapon jarbua</i>															
	<i>Terapon theraps</i>															
	<i>Trachycephalus uranoscopa</i>	1.0	12.0		1.0	18.0					1.0	8.0		1.0	20.0	
	<i>Trypauchen vagina</i>	2.0	18.0		5.0	78.0		2.0	24.0							
	<i>Thryssa kammalensis</i>	6.0	50.0		5.0	58.0		6.0	56.0							
	<i>Thryssa mystax</i>															
	<i>Grammoplites scaber</i>				1.0	42.0		3.0	18.0					2.0	30.0	
	<i>Valamugil sp.</i>	1.0	42.0		4.0	162.0		1.0	44.0		1.0	32.0		1.0	38.0	
	<i>Zebrias zebra</i>															
Prawn or shrimp	<i>Alpheus distinguendus</i>				1.0	2.0										
	<i>Exopalaemon carinicacla</i>															
	<i>Metapenaeopsis barbata</i>															
	<i>Metapenaeus affinis</i>				1.0	6.0										
	<i>Metapenaeus ensis</i>	3.0	58.0		3.0	26.0										
	<i>Metapenaeus joyneri</i>															
	<i>Parapenaeopsis hardwickii</i>															
	<i>Parapenaeopsis tenella</i>	4.0	24.0		1.0	6.0		5.0	24.0		1.0	6.0		2.0	12.0	
	<i>Penaeus japonicus</i>													1.0	10.0	
	<i>Penaeus merguensis</i>															
	<i>Penaeus penicillatus</i>				1.0	14.0										
	<i>Solenocera crassicornis</i>															

## Demersal Trawling Data in August 2014

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Crab	<i>Calappa philargius</i>															
	<i>Charybdis affinis</i>	10.0	206.0		7.0	124.0		1.0	8.0					2.0	42.0	
	<i>Charybdis cruciata</i>															
	<i>Charybdis japonica</i>															
	<i>Charybdis spp.</i>	30.0	280.0	*	40.0	350.0	*	50.0	420.0	*	40.0	410.0	*	50.0	480.0	*
	<i>Dorippe polita</i>	6.0	48.0		2.0	17.2					11.0	92.6		4.0	41.6	
	<i>Eucrate crenata</i>				5.0	43.0		1.0	4.2							
	<i>Galene bispinosa</i>	3.0	150.0		4.0	230.0					4.0	280.0				
	Hermit crab	70.0	260.0	*	40.0	170.0	*	50.0	220.0	*	30.0	140.0	*	40.0	160.0	*
	<i>Leucosia craniolaris</i>															
	<i>Macrophthalmus japonicus</i>															
	<i>Parthenope validus</i>	2.0	21.4		6.0	64.2		20.0	276.0	*	5.0	61.3		4.0	44.2	
	<i>Porcellanella picta</i>															
	<i>Portunus pelagicus</i>							1.0	138.0		1.0	82.0				
	<i>Portunus sanguinolentus</i>															
	<i>Portunus trituberculatus</i>															
	<i>Tachypleus tridentatus</i>															
	<i>Typhlocarcinus sp.</i>				1.0	0.4										
	Mantis shrimp	<i>Harpisquilla harpax</i>	2.0	72.0		1.0	46.0					2.0	76.0		3.0	128.0
<i>Dictyosquilla foveolata</i>																
<i>Oratosquilla interrupta</i>		3.0	58.0		4.0	72.0		9.0	162.0		2.0	32.0		1.0	24.0	
<i>Oratosquilla oratoria</i>		1.0	8.0		1.0	4.0					1.0	10.0				
Gastropod	<i>Apollon olivator rubustus</i>															
	<i>Bursa rana</i>				1.0	8.2					2.0	13.4				
	<i>Calyptreaea sp.</i>				2.0	0.8		1.0	0.4							
	<i>Dendrodoris fumata</i>															
	<i>Drupa fiscella</i>							1.0	5.2		6.0	53.2				
	<i>Drupa musiva</i>															
	<i>Inquistor flavidula</i>				20.0	42.0	*									
	<i>Lophiotoma leucotropis</i>				2.0	7.2										
	<i>Murex trapa</i>	40.0	270.0	*	40.0	270.0	*	50.0	320.0	*	40.0	280.0	*	30.0	220.0	*
	<i>Nassarius hepaticus</i>															
	<i>Nassarius succinctus</i>	30.0	64.0	*	5.0	12.0					20.0	54.0	*			
	<i>Nassarius sp.</i>													1.0	2.6	
	<i>Natica onea</i>															
	<i>Natica tigrina</i>															
	<i>Philine sp.</i>							2.0	8.4							
	<i>Pilosabia pilosa</i>															
	<i>Siphopatella walshi</i>				2.0	0.6					1.0	0.3				
	<i>Tonna olearium</i>															
	<i>Tonna sulcosa</i>															
<i>Turricula nelliae</i>																
<i>Turritella terebra</i>	550.0	5370.0	*	820.0	8010.0	*	460.0	4420.0	*	280.0	2460.0	*	220.0	2060.0	*	
UNID Nudibranch																

## Demersal Trawling Data in August 2014

Group	Species Name	TSB															
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5			
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	
Bivalve	<i>Anomia chinensis</i>				1.0	4.3								1.0	3.2		
	<i>Atrina pectinata</i>	2.0	184.0								1.0	56.0					
	<i>Crassostrea spp.</i>						2.0	510.0									
	<i>Chione isabellina</i>	2.0	11.2							1.0	5.1						
	<i>Chlamys nobilis</i>												1.0	5.2			
	<i>Macoma candida</i>																
	<i>Ostrea sp.</i>				20.0	38.0	*	20.0	46.0	*	30.0	16.0	*				
	<i>Paphia undulata</i>				20.0	90.0	*	50.0	460.0	*	20.0	90.0	*	5.0	32.0		
	<i>Perna viridis</i>				1.0	8.6											
	<i>Scapharca subcrenata</i>	6.0	410.0		3.0	270.0					2.0	110.0					
	<i>Tegillarca nodifera</i>				2.0	8.4		15.0	76.0					20.0	84.0	*	
	<i>Vepricardium asiaticum</i>																
	<i>Tolonostrea talonata</i>																
Cephalopod	<i>Lolingid squid</i>																
	<i>Sepiid cuttlefish</i>																
	<i>Octopus sp.</i>	2.0	74.0		3.0	158.0		4.0	118.0		1.0	46.0					
Echinoderm	<i>Acaudina molpadioides</i>	11.0	14.2		3.0	28.4		20.0	310.0	*				5.0	80.0		
	<i>Colochirus quadrangularis</i>																
	<i>Temnopleurus toreumaticus</i>	140.0	1230.0	*	70.0	680.0	*	160.0	1480.0	*	130.0	1170.0	*				
Cnidaria	<i>Edwardsia japonica (c.f.)</i>	2.0	14.2														
	<i>Ellisella laevis</i>																
	<i>Echinogorgia complexa(c.f.)</i>										1.0	6.2					
	<i>Gorgonia spp.</i>																
	<i>Carcinactis ichikawai</i>										3.0	1.2		1.0	0.5		
	<i>Cavernularia habereri</i>	20.0	130.0	*	5.0	18.0		6.0	21.0		20.0	130.0	*	20.0	130.0	*	
	Jelly fish				1.0	460.0											
<i>Pteroeides chinense</i>										2.0	22.6						
Sea anomea																	
<i>Virgularia gustaviana</i>				8.0	42.0		1.0	4.2									
Urochordata	Sea Squirts																
Cirripedia	<i>Bananus spp.(c.f.)</i>	210.0	102.0	*	190.0	84.0	*	340.0	80.0	*	90.0	44.0	*	160.0	72.0	*	