

Demersal Trawling Data in February 2015

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acentrogobius caninus</i>															
	<i>Apogon kiensis</i>															
	<i>Arius sinensis</i>															
	<i>Acanthopagrus latus</i>															
	<i>Acanthopagrus berda</i>							1.0	214.0							
	<i>Arnolossus waitei</i>	1.0	6.0		1.0	6.0		1.0	10.0							
	<i>Callionymus curvicornis</i>															
	<i>Collichthys lucidus</i>															
	<i>Cryptocentrus filifer</i>	1.0	12.0					1.0	8.0							
	<i>Chaeturichthys stigmatias</i>															
	<i>Cynoglossus arel</i>										2.0	26.0				
	<i>Cynoglossus abbreviatus</i>															
	<i>Cynoglossus puncticeps</i>							1.0	10.0							
	<i>Cynoglossus sinicus</i>															
	<i>Crossorhombus azureus</i>															
	<i>Dasyatis akajei</i>										1.0	1136.0				
	<i>Dasyatis zugei</i>	1.0	346.0		2.0	352.0		1.0	142.0							
	<i>Dendrophysa russelii</i>															
	<i>Drepane punctata</i>	2.0	218.0		1.0	112.0										
	<i>Epinephelus awoara</i>				1.0	70.0										
	<i>Inegocia japonica</i>				1.0	132.0		1.0	132.0		1.0	34.0				
	<i>Johnius belangerii</i>															
	<i>Inimicus japonicus</i>															
	<i>Lateolabrax japonicus</i>															
	<i>Leiognathus brevisrostris</i>															
	<i>Leiognathus nuchalis</i>															
	<i>Lepturacanthus savala</i>															
	<i>Liza macrolepis</i>															
	<i>Lutjanus dodecacanthoides</i>															
	<i>Muraenesox cinereus</i>										1.0	218.0				
	<i>Nemipterus japonicus</i>															
	<i>Oxyurichthys tentacularis</i>															
	<i>Otolithes ruber</i>															
	<i>Parachaeturichthys polynema</i>															
	<i>Pennahia anea</i>															
	<i>Platycephalus indicus</i>	1.0	58.0					2.0	412.0				2.0	266.0		
	<i>Plotosus lineatus</i>															
	<i>Polydactylus sextarius</i>															
	<i>Pseudorhombus sp.</i>															
	<i>Scatophagus argus</i>							2.0	258.0							
	<i>Sebastes marmoratus</i>	1.0	16.0		1.0	22.0		3.0	100.0							
	<i>Siganus fuscescens</i>	1.0	16.0													
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>	5.0	52.0		9.0	98.0		10.0	106.0		7.0	74.0		5.0	60.0	
	<i>Syngnathus schlegeli</i>															
	<i>Scophthalmus maxima</i>															
	<i>Takifugu niphobles</i>															
	<i>Trachycephalus uranoscopa</i>				1.0	2.0										
	<i>Trypauchen vagina</i>															

Demersal Trawling Data in February 2015

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Thryssa kammalensis</i>															
	<i>Grammoplites scaber</i>	2.0	70.0		2.0	132.0		1.0	28.0		3.0	154.0				
	<i>Uroconger lepturus</i>															
	<i>Zebrias zebra</i>															
Prawn or shrimp	<i>Alpheus distinguendus</i>	1.0	2.0													
	<i>Metapenaeopsis barbata</i>							2.0	4.0							
	<i>Metapenaeus ensis</i>															
	<i>Metapenaeus joyneri</i>															
	<i>Parapenaeopsis hardwickii</i>															
	<i>Parapenaeopsis tenella</i>															
	<i>Penaeus merguensis</i>															
Crab	<i>Charybdis affinis</i>													2.0	44.0	
	<i>Charybdis cruciata</i>	2.0	552.0													
	<i>Charybdis japonica</i>															
	<i>Charybdis natator</i>	1.0	348.0													
	<i>Charybdis spp.</i>	30.0	270.0	*	36.0	310.0	*	20.0	190.0	*	30.0	280.0	*	40.0	370.0	
	<i>Dorippe polita</i>	4.0	38.2								3.0	31.0				
	<i>Eucrate crenata</i>															
	<i>Eriocheir sinensis</i>															
	<i>Galene bispinosa</i>							1.0	52.0							
	Hermit crab															
	<i>Leucosia craniolaris</i>										2.0	7.1				
	<i>Macrophthalmus japonicus</i>															
	<i>Parthenope validus</i>										1.0	19.4				
	<i>Porcellanella picta</i>															
	<i>Portunus pelagicus</i>															
	<i>Portunus hastatoides</i>	2.0	6.0					4.0	8.0		1.0	4.0				
	<i>Arcania heptacontra</i>															
	<i>Typhlocarcinus sp.</i>															
Mantis shrimp	<i>Harpiosquilla harpax</i>															
	<i>Dictyosquilla foveolata</i>															
	<i>Oratosquilla interrupta</i>				2.0	32.0					3.0	32.0		2.0	34.0	
	<i>Oratosquilla kempii</i>															
	<i>Oratosquilla oratoria</i>															
Gastropod	<i>Apollon olivator rubustus</i>															
	<i>Bursa rana</i>	1.0	9.2													
	<i>Calyptrea sp.</i>	1.0	0.4													
	<i>Drupa musiva</i>				3.0	12.4										
	<i>Inquistor flavidula</i>															
	<i>Lophiotoma leucotropis</i>				1.0	5.2										
	<i>Murex trapa</i>	30.0	190.0	*	40.0	240.0	*	20.0	160.0	*	30.0	180.0	*	20.0	150.0	
	<i>Nassarius hepaticus</i>															
	<i>Nassarius succinctus</i>															
	<i>Gemmula deshayesii</i>															
	<i>Turricula javana</i>															
	<i>Philine sp.</i>							1.0	4.1							
	<i>Pilosabia pilosa</i>															
	<i>Siphopatella walshi</i>							2.0	0.8							
	<i>Turricula nelliae</i>							2.0	4.1							

Demersal Trawling Data in February 2015

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Turritella terebra</i>	280.0	2760.0	*	210.0	1990.0	*	310.0	2870.0	*	190.0	1740.0	*	280.0	2730.0	*
	UNID Nudibranch															
Bivalve	<i>Chione isabellina</i>															
	<i>Chlamys nobilis</i>	7.0	36.2		2.0	7.6		2.0	9.2					1.0	4.2	
	<i>Macoma candida</i>															
	<i>Ostrea sp.</i>	40.0	90.0	*	30.0	112.0	*	50.0	160.0	*	5.0	16.0		20.0	47.0	*
	<i>Ocrossostrea sp.</i>															
	<i>Paphia undulata</i>	30.0	250.0	*	7.0	54.0		40.0	380.0	*	20.0	160.0	*	30.0	190.0	*
	<i>Perna viridis</i>															
	<i>Ruditapes philippinarum</i>										2.0	11.2				
	<i>Scapharca subcrenata</i>															
	<i>Spondylus sp.</i>															
	<i>Tegillarca nodifera</i>															
Cephalopod	Lolingid squid															
	Sepiid cuttlefish															
	<i>Octopus sp.</i>															
Echinoderm	<i>Acaudina molpadioides</i>															
	<i>Pseudocolochirus sp.</i>															
	<i>Temnopleurus toreumaticus</i>				4.0	43.2								1.0	11.2	
Cnidaria	<i>Edwardsia japonica (c.f.)</i>															
	<i>Ellisella laevis</i>	1.0	4.2					1.0	23.4							
	<i>Echinogorgia complexa(c.f.)</i>													1.0	4.1	
	<i>Gorgonia spp.</i>															
	<i>Carcinactis ichikawai</i>	2.0	0.8					1.0	0.5		1.0	0.6				
	<i>Cavernularia habereri</i>	40.0	150.0	*	30.0	140.0	*	30.0	180.0	*	40.0	220.0	*	30.0	150.0	*
	Jelly fish															
	<i>Pteroeides chinense</i>	20.0	1320.0	*	11.0	340.0		20.0	680.0	*	15.0	340.0				
	Sea anomea							1.0	8.1							
	<i>Virgularia gustaviana</i>	2.0	36.0		1.0	6.4								3.0	21.2	
Urochordata	Sea Squirts	1.0	68.2					2.0	83.0							
Cirripedia	<i>Balanus spp.(c.f.)</i>															

Demersal Trawling Data in February 2015

Group	Species Name	INB													
		INB-1			INB-2			INB-3			INB-4			INB-5	
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)
Fish	<i>Acentrogobius caninus</i>	1.0	14.0												
	<i>Apogon kiensis</i>														
	<i>Arius sinensis</i>														
	<i>Acanthopagrus latus</i>	1.0	380.0												
	<i>Acanthopagrus berda</i>														
	<i>Arnolossus waitei</i>				2.0	20.0					2.0	22.0			
	<i>Callionymus curvicornis</i>														
	<i>Collichthys lucidus</i>														
	<i>Cryptocentrus filifer</i>												1.0	16.0	
	<i>Chaeturichthys stigmatias</i>														
	<i>Cynoglossus arel</i>	5.0	546.0		3.0	320.0		1.0	20.0		1.0	142.0			
	<i>Cynoglossus abbreviatus</i>														
	<i>Cynoglossus puncticeps</i>				1.0	4.0		1.0	18.0						
	<i>Cynoglossus sinicus</i>														
	<i>Crossorhombus azureus</i>														
	<i>Dasyatis akajei</i>										1.0	1326.0			
	<i>Dasyatis zugei</i>							1.0	232.0		2.0	224.0	4.0	518.0	
	<i>Dendrophysa russelii</i>	1.0	18.0										1.0	20.0	
	<i>Drepane punctata</i>							4.0	176.0		1.0	88.0			
	<i>Epinephelus awoara</i>														
	<i>Inegocia japonica</i>														
	<i>Johnius belangerii</i>	1.0	34.0										1.0	22.0	
	<i>Inimicus japonicus</i>														
	<i>Lateolabrax japonicus</i>				1.0	760.0									
	<i>Leiognathus brevisrostris</i>														
	<i>Leiognathus nuchalis</i>														
	<i>Lepturacanthus savala</i>														
	<i>Liza macrolepis</i>														
	<i>Lutjanus dodecacanthoides</i>														
	<i>Muraenesox cinereus</i>							1.0	250.0						
	<i>Nemipterus japonicus</i>														
	<i>Oxyurichthys tentacularis</i>	1.0	4.0		1.0	6.0		1.0	2.0						
	<i>Otolithes ruber</i>														
	<i>Parachaeturichthys polynema</i>														
	<i>Pennahia anea</i>							3.0	12.0						
	<i>Platycephalus indicus</i>	4.0	1360.0		2.0	234.0		2.0	254.0		1.0	96.0	4.0	444.0	
	<i>Plotosus lineatus</i>							1.0	96.0		9.0	586.0	2.0	132.0	
	<i>Polydactylus sextarius</i>							2.0	40.0				1.0	24.0	
	<i>Pseudorhombus sp.</i>										1.0	82.0	1.0	142.0	
	<i>Scatophagus argus</i>														
	<i>Sebastiscus marmoratus</i>										2.0	26.0			
	<i>Siganus fuscescens</i>														
	<i>Sillago sihama</i>							4.0	166.0		1.0	26.0	3.0	66.0	
	<i>Solea ovata</i>							7.0	76.0		2.0	26.0	4.0	40.0	
	<i>Syngnathus schlegeli</i>														
	<i>Scophthalmus maxima</i>														
	<i>Takifugu niphobles</i>														
	<i>Trachycephalus uranoscopa</i>				1.0	26.0							1.0	18.0	
	<i>Trypauchen vagina</i>	3.0	48.0		2.0	16.0					1.0	2.0			

Demersal Trawling Data in February 2015

Group	Species Name	INB													
		INB-1			INB-2			INB-3			INB-4			INB-5	
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)
	<i>Thryssa kammalensis</i>	1.0	6.0												
	<i>Grammoplites scaber</i>							3.0	66.0						
	<i>Uroconger lepturus</i>														
	<i>Zebrias zebra</i>														
Prawn or shrimp	<i>Alpheus distinguendus</i>														
	<i>Metapenaeopsis barbata</i>				1.0	6.0									
	<i>Metapenaeus ensis</i>				2.0	44.0									
	<i>Metapenaeus joyneri</i>				1.0	8.0									
	<i>Parapenaeopsis hardwickii</i>							1.0	10.0						
	<i>Parapenaeopsis tenella</i>										4.0	12.0			
	<i>Penaeus merguensis</i>														
Crab	<i>Charybdis affinis</i>	4.0	122.0		4.0	108.0									
	<i>Charybdis cruciata</i>	1.0	322.0					1.0	76.0		3.0	278.0			
	<i>Charybdis japonica</i>														
	<i>Charybdis natator</i>				2.0	460.0					1.0	354.0			
	<i>Charybdis spp.</i>	40.0	260.0	*	50.0	310.0	*	40.0	260.0	*	30.0	210.0	*	40.0 260.0	
	<i>Dorippe polita</i>	20.0	290.0	*							8.0	58.0		4.0 37.0	
	<i>Eucrate crenata</i>							2.0	8.4						
	<i>Eriocheir sinensis</i>														
	<i>Galene bispinosa</i>	1.0	68.0		3.0	141.0									
	Hermit crab	30.0	110.0	*	20.0	80.0	*	20.0	80.0	*	40.0	120.0	*	30.0 80.0	
	<i>Leucosia craniolaris</i>	1.0	4.1												
	<i>Macrophthalmus japonicus</i>														
	<i>Parthenope validus</i>				2.0	38.2					4.0	56.0		3.0 46.0	
	<i>Porcellanella picta</i>	4.0	1.4		3.0	1.1		2.0	0.6		8.0	3.6		6.0 2.8	
	<i>Portunus pelagicus</i>				2.0	385.0		1.0	258.0						
	<i>Portunus hastatoides</i>	4.0	34.0												
	<i>Arcania heptacontra</i>														
	<i>Typhlocarcinus sp.</i>														
Mantis shrimp	<i>Harpisquilla harpax</i>	3.0	96.0		1.0	44.0		1.0	28.0		1.0	34.0		1.0 80.0	
	<i>Dictyosquilla foveolata</i>				1.0	16.0									
	<i>Oratosquilla interrupta</i>	4.0	118.0		2.0	42.0		5.0	114.0		3.0	28.0			
	<i>Oratosquilla kempfi</i>														
	<i>Oratosquilla oratoria</i>														
Gastropod	<i>Apollon olivator rubustus</i>														
	<i>Bursa rana</i>										1.0	23.2			
	<i>Calyptreaea sp.</i>				1.0	0.2		2.0	0.8						
	<i>Drupa musiva</i>				2.0	8.4					1.0	4.6			
	<i>Inquistor flavidula</i>														
	<i>Lophiotoma leucotropis</i>														
	<i>Murex trapa</i>	20.0	140.0	*	30.0	190.0	*	8.0	46.0		11.0	79.0		6.0 53.0	
	<i>Nassarius hepaticus</i>														
	<i>Nassarius succinctus</i>														
	<i>Gemmula deshayesii</i>														
	<i>Turricula javana</i>														
	<i>Philine sp.</i>	1.0	4.2												
	<i>Pilosabia pilosa</i>							2.0	0.8						
	<i>Siphopatella walshi</i>														
	<i>Turricula nelliae</i>														

Demersal Trawling Data in February 2015

Group	Species Name	INB													
		INB-1			INB-2			INB-3			INB-4			INB-5	
		Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total
number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)		
	<i>Turritella terebra</i>	140.0	1320.0	*	260.0	2480.0	*	120.0	1120.0	*	240.0	2310.0	*	210.0	1930.0
	<i>UNID Nudibranch</i>				1.0	8.4		1.0	16.2					1.0	4.2
Bivalve	<i>Chione isabellina</i>														
	<i>Chlamys nobilis</i>				1.0	4.6									
	<i>Macoma candida</i>														
	<i>Ostrea sp.</i>							6.0	12.4		4.0	9.2			
	<i>Ocrossostrea sp.</i>										2.0	260.0			
	<i>Paphia undulata</i>	20.0	160.0	*	3.0	16.0					2.0	11.0			
	<i>Perna viridis</i>														
	<i>Ruditapes philippinarum</i>														
	<i>Scapharca subcrenata</i>														
	<i>Spondylus sp.</i>														
	<i>Tegillarca nodifera</i>														
Cephalopod	<i>Lolingid squid</i>														
	<i>Sepiid cuttlefish</i>													1.0	510.0
	<i>Octopus sp.</i>														
Echinoderm	<i>Acaudina molpadioides</i>	8.0	460.0		6.0	340.0		5.0	190.0		20.0	960.0	*	12.0	460.0
	<i>Pseudocolochirus sp.</i>							1.0	72.0					1.0	82.0
	<i>Temnopleurus toreumaticus</i>										7.0	52.0		15.0	138.0
Cnidaria	<i>Edwardsia japonica (c.f.)</i>														
	<i>Ellisella laevis</i>							2.0	14.2						
	<i>Echinogorgia complexa(c.f.)</i>													1.0	18.2
	<i>Gorgonia spp.</i>														
	<i>Carcinactis ichikawai</i>				1.0	0.4					3.0	1.4			
	<i>Cavernularia habereri</i>	60.0	470.0	*	30.0	180.0	*	30.0	180.0	*	50.0	410.0	*	60.0	540.0
	Jelly fish							1.0	260.0						
	<i>Pteroeides chinense</i>	50.0	1620.0	*	40.0	1270.0	*	30.0	1020.0	*	70.0	3260.0	*	90.0	4720.0
	Sea anomea										1.0	6.2			
	<i>Virgularia gustaviana</i>	2.0	12.2					4.0	34.2					3.0	26.2
Urochordata	Sea Squirts														
Cirripedia	<i>Balanus spp.(c.f.)</i>							70.0	40.0	*	60.0	36.0	*	50.0	26.0

Demersal Trawling Data in February 2015

Group	Species Name	Subsampling
		(*)
Fish	<i>Acentrogobius caninus</i>	
	<i>Apogon kiensis</i>	
	<i>Arius sinensis</i>	
	<i>Acanthopagrus latus</i>	
	<i>Acanthopagrus berda</i>	
	<i>Arnolossus waitei</i>	
	<i>Callionymus curvicornis</i>	
	<i>Collichthys lucidus</i>	
	<i>Cryptocentrus filifer</i>	
	<i>Chaeturichthys stigmatias</i>	
	<i>Cynoglossus arel</i>	
	<i>Cynoglossus abbreviatus</i>	
	<i>Cynoglossus puncticeps</i>	
	<i>Cynoglossus sinicus</i>	
	<i>Crossorhombus azureus</i>	
	<i>Dasyatis akajei</i>	
	<i>Dasyatis zugei</i>	
	<i>Dendrophysa russelii</i>	
	<i>Drepane punctata</i>	
	<i>Epinephelus awoara</i>	
	<i>Inegocia japonica</i>	
	<i>Johnius belangerii</i>	
	<i>Inimicus japonicus</i>	
	<i>Lateolabrax japonicus</i>	
	<i>Leiognathus brevirostris</i>	
	<i>Leiognathus nuchalis</i>	
	<i>Lepturacanthus savala</i>	
	<i>Liza macrolepis</i>	
	<i>Lutjanus dodecacanthoides</i>	
	<i>Muraenesox cinereus</i>	
	<i>Nemipterus japonicus</i>	
	<i>Oxyurichthys tentacularis</i>	
	<i>Otolithes ruber</i>	
	<i>Parachaeturichthys polynema</i>	
	<i>Pennahia anea</i>	
	<i>Platycephalus indicus</i>	
	<i>Plotosus lineatus</i>	
	<i>Polydactylus sextarius</i>	
	<i>Pseudorhombus sp.</i>	
	<i>Scatophagus argus</i>	
	<i>Sebastiscus marmoratus</i>	
	<i>Siganus fuscescens</i>	
	<i>Sillago sihama</i>	
	<i>Solea ovata</i>	
	<i>Syngnathus schlegeli</i>	
	<i>Scophthalmus maxima</i>	
	<i>Takifugu niphobles</i>	
	<i>Trachycephalus uranoscopa</i>	
	<i>Trypauchen vagina</i>	

Demersal Trawling Data in February 2015

Group	Species Name	Subsampling
		(*)
	<i>Thryssa kammalensis</i>	
	<i>Grammoplites scaber</i>	
	<i>Uroconger lepturus</i>	
	<i>Zebrias zebra</i>	
Prawn or shrimp	<i>Alpheus distinguendus</i>	
	<i>Metapenaeopsis barbata</i>	
	<i>Metapenaeus ensis</i>	
	<i>Metapenaeus joyneri</i>	
	<i>Parapenaeopsis hardwickii</i>	
	<i>Parapenaeopsis tenella</i>	
	<i>Penaeus merguensis</i>	
Crab	<i>Charybdis affinis</i>	
	<i>Charybdis cruciata</i>	
	<i>Charybdis japonica</i>	
	<i>Charybdis natator</i>	
	<i>Charybdis spp.</i>	*
	<i>Dorippe polita</i>	
	<i>Eucrate crenata</i>	
	<i>Eriocheir sinensis</i>	
	<i>Galene bispinosa</i>	
	Hermit crab	*
	<i>Leucosia craniolaris</i>	
	<i>Macrophthalmus japonicus</i>	
	<i>Parthenope validus</i>	
	<i>Porcellanella picta</i>	
	<i>Portunus pelagicus</i>	
	<i>Portunus hastatoides</i>	
	<i>Arcania heptacontra</i>	
	<i>Typhlocarcinus sp.</i>	
Mantis shrimp	<i>Harpiosquilla harpax</i>	
	<i>Dictyosquilla foveolata</i>	
	<i>Oratosquilla interrupta</i>	
	<i>Oratosquilla kempii</i>	
	<i>Oratosquilla oratoria</i>	
Gastropod	<i>Apollon olivator rubustus</i>	
	<i>Bursa rana</i>	
	<i>Calyptreaea sp.</i>	
	<i>Drupa musiva</i>	
	<i>Inquistor flavidula</i>	
	<i>Lophiotoma leucotropis</i>	
	<i>Murex trapa</i>	
	<i>Nassarius hepaticus</i>	
	<i>Nassarius succinctus</i>	
	<i>Gemmula deshayesii</i>	
	<i>Turricula javana</i>	
	<i>Philinae sp.</i>	
	<i>Pilosabia pilosa</i>	
	<i>Siphopatella walshi</i>	
	<i>Turricula nelliae</i>	

Demersal Trawling Data in February 2015

Group	Species Name	Subsampling
		(*)
	<i>Turritella terebra</i>	*
	UNID Nudibranch	
Bivalve	<i>Chione isabellina</i>	
	<i>Chlamys nobilis</i>	
	<i>Macoma candida</i>	
	<i>Ostrea sp.</i>	
	<i>Ocrossostrea sp.</i>	
	<i>Paphia undulata</i>	
	<i>Perna viridis</i>	
	<i>Ruditapes philippinarum</i>	
	<i>Scapharca subcrenata</i>	
	<i>Spondylus sp.</i>	
	<i>Tegillarca nodifera</i>	
Cephalopod	Lolingid squid	
	Sepiid cuttlefish	
	<i>Octopus sp.</i>	
Echinoderm	<i>Acaudina molpadioides</i>	
	<i>Pseudocolochirus sp.</i>	
	<i>Temnopleurus toreumaticus</i>	
Cnidaria	<i>Edwardsia japonica (c.f.)</i>	
	<i>Ellisella laevis</i>	
	<i>Echinogorgia complexa(c.f.)</i>	
	<i>Gorgonia spp.</i>	
	<i>Carcinactis ichikawai</i>	
	<i>Cavernularia habereri</i>	*
	Jelly fish	
	<i>Pteroeides chinense</i>	*
	Sea anomea	
	<i>Virgularia gustaviana</i>	
Urochordata	Sea Squirts	
Cirripedia	<i>Balanus spp.(c.f.)</i>	*

Demersal Trawling Data in February 2015

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acentrogobius caninus</i>															
	<i>Apogon kiensis</i>															
	<i>Arius sinensis</i>															
	<i>Acanthopagrus latus</i>															
	<i>Acanthopagrus berda</i>															
	<i>Arnolossus waitei</i>															
	<i>Callionymus curvicornis</i>															
	<i>Collichthys lucidus</i>				1.0	64.0		3.0	126.0							
	<i>Cryptocentrus filifer</i>															
	<i>Chaeturichthys stigmatias</i>										1.0	16.0				
	<i>Cynoglossus arel</i>	3.0	66.0		10.0	36.0		6.0	58.0		2.0	26.0		1.0	10.0	
	<i>Cynoglossus abbreviatus</i>															
	<i>Cynoglossus puncticeps</i>										1.0	6.0		7.0	60.0	
	<i>Cynoglossus sinicus</i>							1.0	108.0		1.0	228.0		1.0	18.0	
	<i>Crossorhombus azureus</i>													1.0	8.0	
	<i>Dasyatis akajei</i>															
	<i>Dasyatis zugei</i>															
	<i>Dendrophysa russelii</i>															
	<i>Drepane punctata</i>															
	<i>Epinephelus awoara</i>															
	<i>Inegocia japonica</i>	1.0	210.0					1.0	112.0							
	<i>Johnius belangerii</i>	2.0	66.0		13.0	348.0		6.0	242.0		3.0	80.0		6.0	182.0	
	<i>Inimicus japonicus</i>															
	<i>Lateolabrax japonicus</i>															
	<i>Leiognathus brevisrostris</i>	2.0	20.0								1.0	12.0		3.0	40.0	
	<i>Leiognathus nuchalis</i>															
	<i>Lepturacanthus savala</i>															
	<i>Liza macrolepis</i>				1.0	50.0										
	<i>Lutjanus dodecacanthoides</i>							1.0	8.0							
	<i>Muraenesox cinereus</i>							1.0	286.0							
	<i>Nemipterus japonicus</i>	1.0	46.0													
	<i>Oxyurichthys tentacularis</i>															
	<i>Otolithes ruber</i>															
	<i>Parachaeturichthys polynema</i>															
	<i>Pennahia anea</i>				1.0	16.0		10.0	58.0		2.0	34.0				
	<i>Platycephalus indicus</i>															
	<i>Plotosus lineatus</i>															
	<i>Polydactylus sextarius</i>				1.0	36.0		1.0	24.0							
	<i>Pseudorhombus sp.</i>															
	<i>Scatophagus argus</i>															
	<i>Sebastiscus marmoratus</i>										1.0	22.0				
	<i>Siganus fuscescens</i>															
	<i>Sillago sihama</i>										1.0	28.0				
	<i>Solea ovata</i>	41.0	358.0		105.0	890.0		154.0	1364.0		34.0	278.0		52.0	428.0	
	<i>Syngnathus schlegeli</i>															
	<i>Scophthalmus maxima</i>										1.0	186.0				
	<i>Takifugu niphobles</i>															
	<i>Trachycephalus uranoscopa</i>															
	<i>Trypauchen vagina</i>	2.0	24.0					4.0	46.0							

Demersal Trawling Data in February 2015

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Thryssa kammalensis</i>				2.0	20.0										
	<i>Grammoplites scaber</i>							3.0	82.0		3.0	146.0		2.0	106.0	
	<i>Uroconger lepturus</i>															
	<i>Zebrias zebra</i>										1.0	38.0		1.0	36.0	
Prawn or shrimp	<i>Alpheus distinguendus</i>							1.0	2.0							
	<i>Metapenaeopsis barbata</i>							1.0	2.0							
	<i>Metapenaeus ensis</i>															
	<i>Metapenaeus joyneri</i>				2.0	12.0		4.0	18.0		1.0	8.0		3.0	18.0	
	<i>Parapenaeopsis hardwickii</i>	314.0	48.0		26.0	174.0		28.0	232.0		14.0	86.0		3.0	18.0	
	<i>Parapenaeopsis tenella</i>	9.0	34.0		33.0	118.0		54.0	212.0		8.0	38.0		7.0	34.0	
	<i>Penaeus merguensis</i>															
Crab	<i>Charybdis affinis</i>	12.0	264.0		11.0	250.0		22.0	538.0		12.0	450.0		16.0	464.0	
	<i>Charybdis cruciata</i>															
	<i>Charybdis japonica</i>							2.0	210.0					3.0	64.0	
	<i>Charybdis natator</i>										1.0	102.0				
	<i>Charybdis spp.</i>	30.0	314.0	*	40.0	430.0	*	30.0	320.0	*	30.0	320.0	*	40.0	480.0	
	<i>Dorippe polita</i>	11.0	92.0		7.0	43.0		30.0	260.0	*	7.0	46.0		20.0	176.0	
	<i>Eucrater crenata</i>				3.0	14.2					2.0	9.2				
	<i>Eriocheir sinensis</i>	1.0	120.0													
	<i>Galene bispinosa</i>															
	Hermit crab	30.0	120.0	*	30.0	120.0	*	20.0	86.0	*	30.0	140.0	*	20.0	90.0	
	<i>Leucosia craniolaris</i>															
	<i>Macrophthalmus japonicus</i>															
	<i>Parthenope validus</i>	3.0	36.4		3.0	46.3		4.0	41.8		2.0	24.8		5.0	76.0	
	<i>Porcellanella picta</i>															
	<i>Portunus pelagicus</i>	1.0	38.0													
	<i>Portunus hastatoides</i>				1.0	8.0										
	<i>Arcania heptacontra</i>															
	<i>Typhlocarcinus sp.</i>										1.0	1.2				
Mantis shrimp	<i>Harpisquilla harpax</i>															
	<i>Dictyosquilla foveolata</i>															
	<i>Oratosquilla interrupta</i>	2.0	110.0					8.0	190.0		1.0	28.0		1.0	22.0	
	<i>Oratosquilla kempii</i>															
	<i>Oratosquilla oratoria</i>										1.0	22.0				
Gastropod	<i>Apollon olivator rubustus</i>															
	<i>Bursa rana</i>							2.0	12.9							
	<i>Calyptreaea sp.</i>	1.0	0.3		5.0	1.9								3.0	1.2	
	<i>Drupa musiva</i>	1.0	5.6		4.0	2.1								4.0	26.0	
	<i>Inquistor flavidula</i>															
	<i>Lophiotoma leucotropis</i>							2.0	8.2							
	<i>Murex trapa</i>	5.0	36.0								30.0	250.0	*	7.0	59.0	
	<i>Nassarius hepaticus</i>															
	<i>Nassarius succinctus</i>	8.0	15.6								30.0	72.0	*			
	<i>Gemmula deshayesii</i>															
	<i>Turricula javana</i>															
	<i>Philina sp.</i>							1.0	4.8							
	<i>Pilosabia pilosa</i>							3.0	0.8							
	<i>Siphopatella walshi</i>										1.0	0.3				
	<i>Turricula nelliae</i>															

Demersal Trawling Data in February 2015

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)		
	<i>Turritella terebra</i>	610.0	5900.0	*	590.0	5840.0	*	560.0	5320.0	*	630.0	6170.0	*	590.0	5840.0	*
	UNID Nudibranch				1.0	7.3								1.0	21.2	
Bivalve	<i>Chione isabellina</i>															
	<i>Chlamys nobilis</i>				1.0	5.6										
	<i>Macoma candida</i>				2.0	11.2								1.0	5.2	
	<i>Ostrea sp.</i>				20.0	52.0	*									
	<i>Ocrossostrea sp.</i>										1.0	52.0				
	<i>Paphia undulata</i>	3.0	12.4								11.0	64.0		3.0	18.4	
	<i>Perna viridis</i>															
	<i>Ruditapes philippinarum</i>				2.0	11.2										
	<i>Scapharca subcrenata</i>							1.0	64.0					2.0	112.0	
	<i>Spondylus sp.</i>															
	<i>Tegillarca nodifera</i>															
Cephalopod	Lolingid squid															
	Sepiid cuttlefish															
	<i>Octopus sp.</i>															
Echinoderm	<i>Acaudina molpadioides</i>	6.0	410.0		4.0	204.0					3.0	46.2		2.0	59.4	
	<i>Pseudocolochirus sp.</i>															
	<i>Temnopleurus toreumaticus</i>				5.0	38.0		7.0	52.0					6.0	82.0	
Cnidaria	<i>Edwardsia japonica (c.f.)</i>							1.0	4.2							
	<i>Ellisella laevis</i>										1.0	12.3				
	<i>Echinogorgia complexa(c.f.)</i>															
	<i>Gorgonia spp.</i>				1.0	11.2										
	<i>Carcinactis ichikawai</i>	1.0	0.4													
	<i>Cavernularia habereri</i>	28.0	140.0	*	30.0	310.0	*	30.0	310.0	*	40.0	380.0	*	50.0	476.0	*
	Jelly fish				1.0	420.0										
	<i>Pteroeides chinense</i>															
	Sea anomea	1.0	6.2		1.0	5.8										
	<i>Virgularia gustaviana</i>	2.0	8.6		4.0	16.2								3.0	21.0	
Urochordata	Sea Squirts															
Cirripedia	<i>Balanus spp.(c.f.)</i>	40.0	20.0	*	60.0	32.0	*	60.0	32.0	*	70.0	42.0	*	60.0	30.0	*

Demersal Trawling Data in February 2015

Group	Species Name	TNB													
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5	
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)
Fish	<i>Acentrogobius caninus</i>													1.0	28.0
	<i>Apogon kiensis</i>							1.0	4.0			2.0	6.0		
	<i>Arius sinensis</i>														
	<i>Acanthopagrus latus</i>														
	<i>Acanthopagrus berda</i>														
	<i>Arnolossus waitei</i>	2.0	26.0												
	<i>Callionymus curvicornis</i>							1.0	4.0					1.0	2.0
	<i>Collichthys lucidus</i>													1.0	32.0
	<i>Cryptocentrus filifer</i>														
	<i>Chaeturichthys stigmatias</i>				1.0	14.0									
	<i>Cynoglossus arel</i>	4.0	118.0		1.0	10.0		5.0	114.0					1.0	30.0
	<i>Cynoglossus abbreviatus</i>														
	<i>Cynoglossus puncticeps</i>							6.0	42.0						
	<i>Cynoglossus sinicus</i>	1.0	168.0								4.0	18.0			
	<i>Crossorhombus azureus</i>														
	<i>Dasyatis akajei</i>														
	<i>Dasyatis zugei</i>	2.0	1104.0		2.0	682.0		1.0	238.0		1.0	304.0		1.0	358.0
	<i>Dendrophysa russelii</i>				1.0	28.0		2.0	48.0						
	<i>Drepane punctata</i>														
	<i>Epinephelus awoara</i>														
	<i>Inegocia japonica</i>														
	<i>Johnius belangerii</i>	1.0	16.0		1.0	16.0		1.0	16.0		1.0	30.0		2.0	48.0
	<i>Inimicus japonicus</i>										1.0	74.0			
	<i>Lateolabrax japonicus</i>														
	<i>Leiognathus brevirostris</i>	15.0	166.0		167.0	1769.0		57.0	654.0		40.0	470.0		63.0	748.0
	<i>Leiognathus nuchalis</i>				13.0	162.0		16.0	185.0						
	<i>Lepturacanthus savala</i>	1.0	68.0											1.0	64.0
	<i>Liza macrolepis</i>	10.0	482.0		14.0	672.0		14.0	752.0						
	<i>Lutjanus dodecakanthoides</i>														
	<i>Muraenesox cinereus</i>				1.0	184.0									
	<i>Nemipterus japonicus</i>	1.0	22.0												
	<i>Oxyurichthys tentacularis</i>	1.0	4.0		3.0	16.0								3.0	20.0
	<i>Otolithes ruber</i>														
	<i>Parachaeturichthys polynema</i>													1.0	10.0
	<i>Pennahia anea</i>	1.0	12.0		1.0	50.0		4.0	144.0		2.0	88.0		4.0	34.0
	<i>Platycephalus indicus</i>	5.0	236.0		2.0	102.0								2.0	150.0
	<i>Plotosus lineatus</i>														
	<i>Polydactylus sextarius</i>										1.0	20.0			
	<i>Pseudorhombus sp.</i>														
	<i>Scatophagus argus</i>														
	<i>Sebastiscus marmoratus</i>														
	<i>Siganus fuscescens</i>														
	<i>Sillago sihama</i>														
	<i>Solea ovata</i>	30.0	279.0		23.0	260.0		57.0	538.0		62.0	538.0		31.0	297.0
	<i>Syngnathus schlegeli</i>														
	<i>Scophthalmus maxima</i>				1.0	120.0									
	<i>Takifugu niphobles</i>				1.0	14.0									
	<i>Trachycephalus uranoscopa</i>														
	<i>Trypauchen vagina</i>										4.0	30.0		3.0	28.0

Demersal Trawling Data in February 2015

Group	Species Name	TNB													
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5	
		Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total
number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)		
	<i>Thryssa kammalensis</i>	7.0	68.0		2.0	16.0									
	<i>Grammoplites scaber</i>				1.0	18.0									
	<i>Uroconger lepturus</i>														
	<i>Zebrias zebra</i>														
Prawn or shrimp	<i>Alpheus distinguendus</i>														
	<i>Metapenaeopsis barbata</i>														
	<i>Metapenaeus ensis</i>						1.0	8.0		1.0	12.0		1.0	24.0	
	<i>Metapenaeus joyneri</i>	1.0	4.0				3.0	22.0		2.0	12.0				
	<i>Parapenaeopsis hardwickii</i>						3.0	12.0							
	<i>Parapenaeopsis tenella</i>	2.0	6.0							5.0	24.0		3.0	18.0	
	<i>Penaeus merguensis</i>				1.0	48.0		2.0	48.0		2.0	88.0		2.0	80.0
Crab	<i>Charybdis affinis</i>	8.0	292.0		8.0	216.0		12.0	296.0		11.0	260.0		10.0	280.0
	<i>Charybdis cruciata</i>				1.0	32.0					1.0	114.0		1.0	60.0
	<i>Charybdis japonica</i>							1.0	30.0						
	<i>Charybdis natator</i>														
	<i>Charybdis spp.</i>	30.0	240.0	*	38.0	280.0	*	40.0	360.0	*	40.0	360.0	*	30.0	250.0
	<i>Dorippe polita</i>	6.0	52.0		5.0	46.0		10.0	89.0		20.0	240.0	*	4.0	40.4
	<i>Eucrate crenata</i>	1.0	5.1					5.0	14.8		2.0	6.7			
	<i>Eriocheir sinensis</i>														
	<i>Galene bispinosa</i>														
	Hermit crab	30.0	112.0	*	40.0	180.0	*	30.0	120.0	*	40.0	130.0	*	30.0	120.0
	<i>Leucosia craniolaris</i>							1.0	3.8		1.0	3.8			
	<i>Macrophthalmus japonicus</i>														
	<i>Parthenope validus</i>	4.0	51.2		5.0	56.2		8.0	110.0		15.0	254.6		1.0	11.6
	<i>Porcellanella picta</i>														
	<i>Portunus pelagicus</i>														
	<i>Portunus hastatoides</i>	2.0	8.0												
	<i>Arcania heptacontra</i>														
	<i>Typhlocarcinus sp.</i>										2.0	1.8			
Mantis shrimp	<i>Harpiosquilla harpax</i>										1.0	50.0			
	<i>Dictyosquilla foveolata</i>														
	<i>Oratosquilla interrupta</i>	1.0	28.0		1.0	18.0		4.0	84.0		1.0	22.0		1.0	24.0
	<i>Oratosquilla kempii</i>														
	<i>Oratosquilla oratoria</i>										1.0	20.0			
Gastropod	<i>Apollon olivator rubustus</i>														
	<i>Bursa rana</i>												1.0	6.4	
	<i>Calyptraea sp.</i>							3.0	0.9						
	<i>Drupa musiva</i>	2.0	13.2								3.0	14.0			
	<i>Inquistor flavidula</i>														
	<i>Lophiotoma leucotropis</i>	1.0	3.4										14.1		
	<i>Murex trapa</i>	7.0	48.0		20.0	170.0	*	12.0	92.0		2.0	11.2		11.0	84.0
	<i>Nassarius hepaticus</i>										1.0	2.1			
	<i>Nassarius succinctus</i>							20.0	36.0	*	12.0	27.0			
	<i>Gemmula deshayesii</i>														
	<i>Turricula javana</i>				3.0	4.6									
	<i>Philine sp.</i>														
	<i>Pilosabia pilosa</i>				1.0	0.3									
	<i>Siphopatella walshi</i>	2.0	0.8								3.0	1.2			
	<i>Turricula nelliae</i>														

Demersal Trawling Data in February 2015

Group	Species Name	TNB													
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5	
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)
	<i>Turritella terebra</i>	560.0	5320.0	*	460.0	4480.0	*	420.0	4020.0	*	420.0	4070.0	*	360.0	3380.0
	UNID Nudibranch														
Bivalve	<i>Chione isabellina</i>							1.0	5.2						
	<i>Chlamys nobilis</i>														
	<i>Macoma candida</i>	3.0	11.0								5.0	31.0			
	<i>Ostrea sp.</i>	4.0	52.0		20.0	48.0	*	7.0	38.0					4.0	8.2
	<i>Ocrossostrea sp.</i>														
	<i>Paphia undulata</i>				3.0	19.0					11.0	68.0			
	<i>Perna viridis</i>														
	<i>Ruditapes philippinarum</i>														
	<i>Scapharca subcrenata</i>	1.0	7.0					2.0	160.0		1.0	82.0			
	<i>Spondylus sp.</i>														
	<i>Tegillarca nodifera</i>														
Cephalopod	<i>Lolingid squid</i>	1.0	4.0												
	<i>Sepiid cuttlefish</i>														
	<i>Octopus sp.</i>														
Echinoderm	<i>Acaudina molpadioides</i>	9.0	72.0		5.0	366.0		11.0	884.0		20.0	1840.0	*	8.0	690.0
	<i>Pseudocolochirus sp.</i>														
	<i>Temnopleurus toreumaticus</i>	4.0	36.0		7.0	46.0		15.0	94.2					2.0	13.0
Cnidaria	<i>Edwardsia japonica (c.f.)</i>	1.0	3.6					1.0	12.2						
	<i>Ellisella laevis</i>							1.0	8.4						
	<i>Echinogorgia complexa(c.f.)</i>														
	<i>Gorgonia spp.</i>										1.0	13.2			
	<i>Carcinactis ichikawai</i>				1.0	0.4		1.0	0.5		1.0	0.6			
	<i>Cavernularia habereri</i>	30.0	380.0	*	20.0	190.0	*	40.0	460.0	*	50.0	490.0	*	50.0	460.0
	Jelly fish														
	<i>Pteroeides chinense</i>				2.0	46.6									
	Sea anomea														
	<i>Virgularia gustaviana</i>	5.0	38.0					2.0	17.2		3.0	12.1		1.0	7.8
Urochordata	Sea Squirts														
Cirripedia	<i>Balanus spp.(c.f.)</i>	50.0	41.0	*	30.0	120.0	*	30.0	120.0	*	50.0	27.0	*	60.0	32.0

Demersal Trawling Data in February 2015

		5
Group	Species Name	Subsampling
		(*)
Fish	<i>Acentrogobius caninus</i>	
	<i>Apogon kiensis</i>	
	<i>Arius sinensis</i>	
	<i>Acanthopagrus latus</i>	
	<i>Acanthopagrus berda</i>	
	<i>Arnolossus waitei</i>	
	<i>Callionymus curvicornis</i>	
	<i>Collichthys lucidus</i>	
	<i>Cryptocentrus filifer</i>	
	<i>Chaeturichthys stigmatias</i>	
	<i>Cynoglossus arel</i>	
	<i>Cynoglossus abbreviatus</i>	
	<i>Cynoglossus puncticeps</i>	
	<i>Cynoglossus sinicus</i>	
	<i>Crossorhombus azureus</i>	
	<i>Dasyatis akajei</i>	
	<i>Dasyatis zugei</i>	
	<i>Dendrophysa russelii</i>	
	<i>Drepane punctata</i>	
	<i>Epinephelus awoara</i>	
	<i>Inegocia japonica</i>	
	<i>Johnius belangerii</i>	
	<i>Inimicus japonicus</i>	
	<i>Lateolabrax japonicus</i>	
	<i>Leiognathus brevirostris</i>	
	<i>Leiognathus nuchalis</i>	
	<i>Lepturacanthus savala</i>	
	<i>Liza macrolepis</i>	
	<i>Lutjanus dodecacanthoides</i>	
	<i>Muraenesox cinereus</i>	
	<i>Nemipterus japonicus</i>	
	<i>Oxyurichthys tentacularis</i>	
	<i>Otolithes ruber</i>	
	<i>Parachaeturichthys polynema</i>	
	<i>Pennahia anea</i>	
	<i>Platycephalus indicus</i>	
	<i>Plotosus lineatus</i>	
	<i>Polydactylus sextarius</i>	
	<i>Pseudorhombus sp.</i>	
	<i>Scatophagus argus</i>	
	<i>Sebastiscus marmoratus</i>	
	<i>Siganus fuscescens</i>	
	<i>Sillago sihama</i>	
	<i>Solea ovata</i>	
	<i>Syngnathus schlegeli</i>	
	<i>Scophthalmus maxima</i>	
	<i>Takifugu niphobles</i>	
	<i>Trachycephalus uranoscopa</i>	
	<i>Trypauchen vagina</i>	

Demersal Trawling Data in February 2015

		5
Group	Species Name	Subsampling
		(*)
	<i>Thryssa kammalensis</i>	
	<i>Grammoplites scaber</i>	
	<i>Uroconger lepturus</i>	
	<i>Zebrias zebra</i>	
Prawn or shrimp	<i>Alpheus distinguendus</i>	
	<i>Metapenaeopsis barbata</i>	
	<i>Metapenaeus ensis</i>	
	<i>Metapenaeus joyneri</i>	
	<i>Parapenaeopsis hardwickii</i>	
	<i>Parapenaeopsis tenella</i>	
	<i>Penaeus merguensis</i>	
Crab	<i>Charybdis affinis</i>	
	<i>Charybdis cruciata</i>	
	<i>Charybdis japonica</i>	
	<i>Charybdis natator</i>	
	<i>Charybdis spp.</i>	*
	<i>Dorippe polita</i>	
	<i>Eucrate crenata</i>	
	<i>Eriocheir sinensis</i>	
	<i>Galene bispinosa</i>	
	Hermit crab	*
	<i>Leucosia craniolaris</i>	
	<i>Macrophthalmus japonicus</i>	
	<i>Parthenope validus</i>	
	<i>Porcellanella picta</i>	
	<i>Portunus pelagicus</i>	
	<i>Portunus hastatoides</i>	
	<i>Arcania heptacontra</i>	
	<i>Typhlocarcinus sp.</i>	
Mantis shrimp	<i>Harpiosquilla harpax</i>	
	<i>Dictyosquilla foveolata</i>	
	<i>Oratosquilla interrupta</i>	
	<i>Oratosquilla kempii</i>	
	<i>Oratosquilla oratoria</i>	
Gastropod	<i>Apollon olivator rubustus</i>	
	<i>Bursa rana</i>	
	<i>Calyptreaea sp.</i>	
	<i>Drupa musiva</i>	
	<i>Inquistor flavidula</i>	
	<i>Lophiotoma leucotropis</i>	
	<i>Murex trapa</i>	
	<i>Nassarius hepaticus</i>	
	<i>Nassarius succinctus</i>	
	<i>Gemmula deshayesii</i>	
	<i>Turricula javana</i>	
	<i>Philine sp.</i>	
	<i>Pilosabia pilosa</i>	
	<i>Siphopatella walshi</i>	
	<i>Turricula nelliae</i>	

Demersal Trawling Data in February 2015

		5
Group	Species Name	Subsampling
		(*)
	<i>Turritella terebra</i>	*
	UNID Nudibranch	
Bivalve	<i>Chione isabellina</i>	
	<i>Chlamys nobilis</i>	
	<i>Macoma candida</i>	
	<i>Ostrea sp.</i>	
	<i>Ocrossostrea sp.</i>	
	<i>Paphia undulata</i>	
	<i>Perna viridis</i>	
	<i>Ruditapes philippinarum</i>	
	<i>Scapharca subcrenata</i>	
	<i>Spondylus sp.</i>	
	<i>Tegillarca nodifera</i>	
Cephalopod	Lolingid squid	
	Sepiid cuttlefish	
	<i>Octopus sp.</i>	
Echinoderm	<i>Acaudina molpadioides</i>	
	<i>Pseudocolochirus sp.</i>	
	<i>Temnopleurus toreumaticus</i>	
Cnidaria	<i>Edwardsia japonica (c.f.)</i>	
	<i>Ellisella laevis</i>	
	<i>Echinogorgia complexa(c.f.)</i>	
	<i>Gorgonia spp.</i>	
	<i>Carcinactis ichikawai</i>	
	<i>Cavernularia habereri</i>	*
	Jelly fish	
	<i>Pteroeides chinense</i>	
	Sea anomea	
	<i>Virgularia gustaviana</i>	
Urochordata	Sea Squirts	
Cirripedia	<i>Balanus spp.(c.f.)</i>	*

Demersal Trawling Data in February 2015

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acentrogobius caninus</i>															
	<i>Apogon kiensis</i>															
	<i>Arius sinensis</i>							1.0	120.0							
	<i>Acanthopagrus latus</i>															
	<i>Acanthopagrus berda</i>															
	<i>Arnolossus waitei</i>										1.0	2.0		1.0	2.0	
	<i>Callionymus curvicornis</i>	2.0	10.0											1.0	6.0	
	<i>Collichthys lucidus</i>															
	<i>Cryptocentrus filifer</i>															
	<i>Chaeturichthys stigmatias</i>															
	<i>Cynoglossus arel</i>	6.0	204.0		3.0	94.0		4.0	138.0					1.0	16.0	
	<i>Cynoglossus abbreviatus</i>				2.0	32.0					2.0	20.0				
	<i>Cynoglossus puncticeps</i>															
	<i>Cynoglossus sinicus</i>															
	<i>Crossorhombus azureus</i>															
	<i>Dasyatis akajei</i>				1.0	222.0					1.0	188.0				
	<i>Dasyatis zugei</i>				2.0	576.0		2.0	304.0					1.0	110.0	
	<i>Dendrophysa russelii</i>	1.0	36.0		4.0	74.0										
	<i>Drepane punctata</i>															
	<i>Epinephelus awoara</i>															
	<i>Inegocia japonica</i>															
	<i>Johnius belangerii</i>										1.0	100.0				
	<i>Inimicus japonicus</i>															
	<i>Lateolabrax japonicus</i>															
	<i>Leiognathus brevirostris</i>										19.0	228.0		13.0	162.0	
	<i>Leiognathus nuchalis</i>	13.0	208.0		6.0	88.0		5.0	76.0		1.0	18.0		1.0	10.0	
	<i>Lepturacanthus savala</i>															
	<i>Liza macrolepis</i>															
	<i>Lutjanus dodecakanthoides</i>															
	<i>Muraenesox cinereus</i>				1.0	236.0										
	<i>Nemipterus japonicus</i>															
	<i>Oxyrichthys tentacularis</i>							1.0	2.0		1.0	2.0				
	<i>Otolithes ruber</i>															
	<i>Parachaeturichthys polynema</i>															
	<i>Pennahia anea</i>															
	<i>Platycephalus indicus</i>	2.0	62.0		5.0	1010.0		4.0	834.0		1.0	24.0		2.0	78.0	
	<i>Plotosus lineatus</i>															
	<i>Polydactylus sextarius</i>	1.0	22.0											1.0	26.0	
	<i>Pseudorhombus sp.</i>	1.0	50.0											1.0	28.0	
	<i>Scatophagus argus</i>															
	<i>Sebastes marmoratus</i>															
	<i>Siganus fuscescens</i>															
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>	30.0	366.0		19.0	242.0		40.0	462.0		11.0	122.0		17.0	212.0	
	<i>Syngnathus schlegeli</i>															
	<i>Scophthalmus maxima</i>															
	<i>Takifugu niphobles</i>				1.0	34.0										
	<i>Trachycephalus uranoscopa</i>	2.0	26.0					1.0	12.0							
	<i>Trypauchen vagina</i>	3.0	44.0		6.0	92.0		1.0	14.0							

Demersal Trawling Data in February 2015

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Thryssa kammalensis</i>															
	<i>Grammoplites scaber</i>															
	<i>Uroconger lepturus</i>															
	<i>Zebrias zebra</i>															
Prawn or shrimp	<i>Alpheus distinguendus</i>	1.0	2.0					2.0	4.0		6.0	16.0		4.0	18.0	
	<i>Metapenaeopsis barbata</i>										1.0	4.0				
	<i>Metapenaeus ensis</i>	1.0	26.0					3.0	42.0							
	<i>Metapenaeus joyneri</i>															
	<i>Parapenaeopsis hardwickii</i>															
	<i>Parapenaeopsis tenella</i>	2.0	8.0		4.0	16.0		2.0	10.0				5.0	10.0		
	<i>Penaeus merguensis</i>	3.0	122.0		4.0	186.0		1.0	46.0		1.0	44.0		2.0	122.0	
Crab	<i>Charybdis affinis</i>	9.0	298.0		14.0	482.0		13.0	442.0		8.0	250.0		8.0	260.0	
	<i>Charybdis cruciata</i>															
	<i>Charybdis japonica</i>															
	<i>Charybdis natator</i>															
	<i>Charybdis spp.</i>	40.0	390.0	*	36.0	280.0	*	40.0	410.0	*	30.0	320.0	*	40.0	440.0	
	<i>Dorippe polita</i>	60.0	720.0	*	40.0	530.0	*	50.0	490.0	*	30.0	380.0	*	20.0	240.0	
	<i>Eucreate crenata</i>				3.0	21.2								11.0	56.2	
	<i>Eriocheir sinensis</i>															
	<i>Galene bispinosa</i>										2.0	112.0		1.0	56.0	
	Hermit crab	30.0	120.0	*	30.0	140.0	*	40.0	170.0	*	40.0	160.0	*	20.0	82.0	
	<i>Leucosia craniolaris</i>	1.0	3.8		2.0	6.1		1.0	2.8		3.0	11.2				
	<i>Macrophthalmus japonicus</i>							1.0	4.2							
	<i>Parthenope validus</i>	8.0	152.0		12.0	230.0		24.0	976.0		8.0	160.0		3.0	62.0	
	<i>Porcellanella picta</i>															
	<i>Portunus pelagicus</i>															
	<i>Portunus hastatoides</i>	3.0	12.0		1.0	4.0		2.0	10.0		8.0	30.0		1.0	4.0	
	<i>Arcania heptacontra</i>										1.0	4.2		20.0	140.0	
	<i>Typhlocarcinus sp.</i>				2.0	1.6										
Mantis shrimp	<i>Harpiosquilla harpax</i>	2.0	102.0		1.0	62.0		2.0	64.0		3.0	122.0		4.0	110.0	
	<i>Dictyosquilla foveolata</i>															
	<i>Oratosquilla interrupta</i>	3.0	42.0		1.0	22.0					3.0	42.0		1.0	18.0	
	<i>Oratosquilla kempfi</i>															
	<i>Oratosquilla oratoria</i>										1.0	20.0		1.0	24.0	
Gastropod	<i>Apollon olivator rubustus</i>							1.0	2.1		3.0	5.7				
	<i>Bursa rana</i>															
	<i>Calyptrea sp.</i>				2.0	0.9		1.0	0.8							
	<i>Drupa musiva</i>				3.0	16.2		20.0	140.0	*						
	<i>Inquistor flavidula</i>				30.0	61.2	*									
	<i>Lophiotoma leucotropis</i>							1.0	3.8							
	<i>Murex trapa</i>	30.0	250.0	*	40.0	310.0	*	40.0	320.0	*	50.0	410.0	*	30.0	240.0	
	<i>Nassarius hepaticus</i>	1.0	2.2					30.0	62.0	*	2.0	3.9		1.0	1.6	
	<i>Nassarius succinctus</i>				5.0	12.3		30.0	64.0	*	8.0	16.2				
	<i>Gemmula deshayesii</i>										30.0	51.2	*			
	<i>Turricula javana</i>							2.0	4.2							
	<i>Philine sp.</i>													1.0	3.2	
	<i>Pilosabia pilosa</i>							1.0	0.3							
	<i>Siphopatella walshi</i>							2.0	0.6							
	<i>Turricula nelliae</i>															

Demersal Trawling Data in February 2015

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Turritella terebra</i>	480.0	4760.0	*	390.0	3770.0	*	510.0	5060.0	*	370.0	3580.0	*	340.0	3290.0	*
	<i>UNID Nudibranch</i>															
Bivalve	<i>Chione isabellina</i>				2.0	12.3										
	<i>Chlamys nobilis</i>				1.0	7.2		2.0	14.2							
	<i>Macoma candida</i>															
	<i>Ostrea sp.</i>	30.0	82.0	*				20.0	44.0	*	50.0	110.0	*	40.0	94.0	*
	<i>Ocrossostrea sp.</i>															
	<i>Paphia undulata</i>										7.0	52.0		11.0	79.0	
	<i>Perna viridis</i>				1.0	21.3										
	<i>Ruditapes philippinarum</i>															
	<i>Scapharca subcrenata</i>							2.0	98.0							
	<i>Spondylus sp.</i>															
	<i>Tegillarca nodifera</i>							7.0	42.0		11.0	58.0		3.0	16.2	
Cephalopod	<i>Lolingid squid</i>										1.0	2.0				
	<i>Sepiid cuttlefish</i>															
	<i>Octopus sp.</i>															
Echinoderm	<i>Acaudina molpadioides</i>							3.0	82.0		1.0	48.0		7.0	194.0	
	<i>Pseudocolochirus sp.</i>															
	<i>Temnopleurus toreumaticus</i>	3.0	36.0		18.0	188.0		11.0	140.0		20.0	210.0	*	7.0	78.0	
Cnidaria	<i>Edwardsia japonica (c.f.)</i>				1.0	5.2		1.0	8.2							
	<i>Ellisella laevis</i>				2.0	28.2		1.0	12.3							
	<i>Echinogorgia complexa(c.f.)</i>										1.0	6.2				
	<i>Gorgonia spp.</i>													1.0	17.2	
	<i>Carcinactis ichikawai</i>	6.0	2.8		13.0	7.2		15.0	9.6		8.0	4.2		4.0	2.6	
	<i>Cavernularia habereri</i>	20.0	96.0	*	30.0	150.0	*	20.0	110.0	*	40.0	230.0	*	30.0	180.0	*
	Jelly fish															
	<i>Pteroeides chinense</i>															
	Sea anomea							1.0	7.2							
	<i>Virgularia gustaviana</i>	4.0	28.0		1.0	9.2		5.0	26.2		3.0	18.4		2.0	38.6	
Urochordata	Sea Squirts															
Cirripedia	<i>Balanus spp.(c.f.)</i>	70.0	38.0	*	90.0	48.0	*	140.0	79.0	*	110.0	62.0	*	130.0	72.0	*

Demersal Trawling Data in February 2015

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acentrogobius caninus</i>							1.0	18.0							
	<i>Apogon kiensis</i>															
	<i>Arius sinensis</i>															
	<i>Acanthopagrus latus</i>															
	<i>Acanthopagrus berda</i>															
	<i>Arnolossus waitei</i>															
	<i>Callionymus curvicornis</i>															
	<i>Collichthys lucidus</i>															
	<i>Cryptocentrus filifer</i>	1.0	16.0					1.0	6.0							
	<i>Chaeturichthys stigmatias</i>															
	<i>Cynoglossus arel</i>	1.0	14.0					1.0	82.0				1.0	12.0		
	<i>Cynoglossus abbreviatus</i>															
	<i>Cynoglossus puncticeps</i>															
	<i>Cynoglossus sinicus</i>	1.0	176.0					1.0	170.0				1.0	90.0		
	<i>Crossorhombus azureus</i>															
	<i>Dasyatis akajei</i>															
	<i>Dasyatis zugei</i>															
	<i>Dendrophysa russelii</i>	1.0	46.0													
	<i>Drepane punctata</i>															
	<i>Epinephelus awoara</i>															
	<i>Inegocia japonica</i>															
	<i>Johnius belangerii</i>												1.0	28.0		
	<i>Inimicus japonicus</i>															
	<i>Lateolabrax japonicus</i>															
	<i>Leiognathus brevisrostris</i>	1.0	10.0		2.0	26.0		12.0	172.0		2.0	24.0		5.0	72.0	
	<i>Leiognathus nuchalis</i>															
	<i>Lepturacanthus savala</i>															
	<i>Liza macrolepis</i>															
	<i>Lutjanus dodecacanthoides</i>															
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>															
	<i>Oxyurichthys tentacularis</i>															
	<i>Otolithes ruber</i>										2.0	262.0				
	<i>Parachaeturichthys polynema</i>															
	<i>Pennahia anea</i>															
	<i>Platycephalus indicus</i>							3.0	156.0		1.0	88.0				
	<i>Plotosus lineatus</i>															
	<i>Polydactylus sextarius</i>															
	<i>Pseudorhombus sp.</i>															
	<i>Scatophagus argus</i>															
	<i>Sebastiscus marmoratus</i>															
	<i>Siganus fuscescens</i>															
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>	6.0	72.0		4.0	52.0		12.0	156.0		1.0	8.0		5.0	66.0	
	<i>Syngnathus schlegeli</i>				1.0	4.0										
	<i>Scophthalmus maxima</i>															
	<i>Takifugu niphobles</i>	1.0	36.0													
	<i>Trachycephalus uranoscopa</i>	2.0	46.0		1.0	20.0										
	<i>Trypauchen vagina</i>				3.0	26.0										

Demersal Trawling Data in February 2015

		TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
Group	Species Name	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
		number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)
	<i>Thryssa kammalensis</i>							1.0	6.0							
	<i>Grammoplites scaber</i>	2.0	102.0		3.0	78.0								2.0	74.0	
	<i>Uroconger lepturus</i>	1.0	28.0					1.0	24.0							
	<i>Zebrias zebra</i>															
Prawn or shrimp	<i>Alpheus distinguendus</i>	1.0	4.0					5.0	16.0							
	<i>Metapenaeopsis barbata</i>							1.0	4.0		1.0	4.0				
	<i>Metapenaeus ensis</i>															
	<i>Metapenaeus joyneri</i>													2.0	14.0	
	<i>Parapenaeopsis hardwickii</i>															
	<i>Parapenaeopsis tenella</i>	1.0	4.0					1.0	4.0					2.0	18.0	
	<i>Penaeus merguensis</i>															
Crab	<i>Charybdis affinis</i>	8.0	234.0		7.0	202.0		11.0	346.0		6.0	218.0		9.0	208.0	
	<i>Charybdis cruciata</i>										1.0	210.0				
	<i>Charybdis japonica</i>	2.0	116.0		3.0	202.0		1.0	126.0		1.0	180.0		1.0	162.0	
	<i>Charybdis natator</i>	1.0	156.0													
	<i>Charybdis spp.</i>	30.0	310.0	*	20.0	180.0	*	36.0	350.0	*	40.0	370.0	*	20.0	180.0	*
	<i>Dorippe polita</i>	11.0	167.0		5.0	76.0		20.0	310.0	*	9.0	174.0		20.0	230.0	*
	<i>Eucreate crenata</i>	2.0	11.2					5.0	29.4					5.0	126.0	
	<i>Eriocheir sinensis</i>															
	<i>Galene bispinosa</i>							4.0	172.0		1.0	68.0				
	Hermit crab	40.0	160.0	*	30.0	110.0	*	50.0	180.0	*	20.0	92.0	*	30.0	120.0	*
	<i>Leucosia craniolaris</i>										1.0	3.2				
	<i>Macrophthalmus japonicus</i>				1.0	7.2										
	<i>Parthenope validus</i>	4.0	81.2		4.0	78.4		6.0	142.0		3.0	51.2		8.0	182.0	
	<i>Porcellanella picta</i>															
	<i>Portunus pelagicus</i>															
	<i>Portunus hastatoides</i>				1.0	6.0		1.0	10.0		2.0	12.0		1.0	4.0	
	<i>Arcania heptacontra</i>										1.0	2.4				
	<i>Typhlocarcinus sp.</i>															
Mantis shrimp	<i>Harpisquilla harpax</i>	4.0	130.0		1.0	34.0		6.0	164.0					1.0	40.0	
	<i>Dictyosquilla foveolata</i>															
	<i>Oratosquilla interrupta</i>	3.0	44.0		2.0	12.0		2.0	34.0		1.0	10.0		4.0	32.0	
	<i>Oratosquilla kempii</i>	1.0	34.0					1.0	6.0							
	<i>Oratosquilla oratoria</i>	5.0	112.0		2.0	46.0		3.0	66.0					2.0	46.0	
Gastropod	<i>Apollon olivator rubustus</i>							1.0	1.8							
	<i>Bursa rana</i>				1.0	7.2										
	<i>Calyptrea sp.</i>	3.0	1.1					2.0	1.2							
	<i>Drupa musiva</i>				1.0	5.2										
	<i>Inquistor flavidula</i>							40.0	88.0	*	30.0	72.0	*	20.0	46.0	*
	<i>Lophiotoma leucotropis</i>															
	<i>Murex trapa</i>	30.0	140.0	*	20.0	110.0	*	36.0	160.0	*	20.0	170.0	*	30.0	150.0	*
	<i>Nassarius hepaticus</i>															
	<i>Nassarius succinctus</i>	30.0	71.0	*	11.0	24.2		5.0	11.2		20.0	42.3	*	30.0	64.0	*
	<i>Gemmula deshavesii</i>															
	<i>Turricula javana</i>															
	<i>Philine sp.</i>															
	<i>Pilosabia pilosa</i>															
	<i>Siphopatella walshi</i>							3.0	1.1		30.0	14.2	*			
	<i>Turricula nelliae</i>															

Demersal Trawling Data in February 2015

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Turritella terebra</i>	310.0	2940.0	*	280.0	3710.0	*	240.0	2380.0	*	280.0	2710.0	*	310.0	2980.0	*
	<i>UNID Nudibranch</i>															
Bivalve	<i>Chione isabellina</i>				1.0	4.6										
	<i>Chlamys nobilis</i>										3.0	14.2		1.0	2.3	
	<i>Macoma candida</i>							2.0	9.4		1.0	4.8				
	<i>Ostrea sp.</i>	80.0	140.0	*	60.0	96.0	*	70.0	120.0	*	50.0	82.0	*	40.0	62.0	*
	<i>Ocrossostrea sp.</i>															
	<i>Paphia undulata</i>				4.0	21.2		40.0	280.0	*	20.0	160.0	*	6.0	38.0	
	<i>Perna viridis</i>															
	<i>Ruditapes philippinarum</i>															
	<i>Scapharca subcrenata</i>	2.0	124.0					3.0	210.0							
	<i>Spondylus sp.</i>	3.0	62.0		1.0	23.0										
	<i>Tegillarca nodifera</i>							5.0	28.0					2.0	8.6	
Cephalopod	<i>Lolingid squid</i>													1.0	26.0	
	<i>Sepiid cuttlefish</i>							1.0	58.0							
	<i>Octopus sp.</i>										1.0	44.0				
Echinoderm	<i>Acaudina molpadioides</i>															
	<i>Pseudocolochirus sp.</i>															
	<i>Temnopleurus toreumaticus</i>	16.0	230.0		7.0	132.0		2.0	36.4		20.0	260.0	*	20.0	220.0	*
Cnidaria	<i>Edwardsia japonica (c.f.)</i>				2.0	8.4										
	<i>Ellisella laevis</i>										1.0	26.2				
	<i>Echinogorgia complexa(c.f.)</i>															
	<i>Gorgonia spp.</i>	4.0	62.0		1.0	4.2										
	<i>Carcinactis ichikawai</i>	3.0	1.4		5.0	2.8		10.0	6.6		4.0	2.6		5.0	2.8	
	<i>Cavernularia habereri</i>	40.0	210.0	*	20.0	160.0	*	20.0	110.0	*	30.0	210.0	*	30.0	220.0	*
	Jelly fish															
	<i>Pteroeides chinense</i>															
	Sea anomea							1.0	6.1		1.0	12.4				
	<i>Virgularia gustaviana</i>				2.0	16.2		1.0	7.4							
Urochordata	Sea Squirts															
Cirripedia	<i>Balanus spp.(c.f.)</i>	140.0	94.0	*	220.0	170.0	*	90.0	53.0	*	230.0	140.0	*	60.0	32.0	*