

Demersal Trawling Data in January 2015

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acentrogobius caninus</i>															
	<i>Arius sinensis</i>															
	<i>Collichthys lucidus</i>															
	<i>Cryptocentrus filifer</i>															
	<i>Cynoglossus arel</i>	1.0	16.0								1.0	8.0				
	<i>Cynoglossus puncticeps</i>															
	<i>Cynoglossus sinicus</i>															
	<i>Dasyatis akajei</i>												2.0	972.0		
	<i>Dasyatis zugei</i>	1.0	782.0					1.0	112.0							
	<i>Dendrophysa russelii</i>															
	<i>Drepane longimana</i>															
	<i>Gerres abbreviatus</i>	2.0	70.0		1.0	38.0		1.0	22.0							
	<i>Inimicus japonica</i>															
	<i>Johnius belangerii</i>															
	<i>Inimicus didactylus</i>				1.0	104.0					3.0	340.0				
	<i>Inegocia japonica</i>	2.0	20.0		4.0	90.0		2.0	36.0		1.0	30.0				
	<i>Konosirus punctatus</i>															
	<i>Lagocephalus wheeleri</i>				1.0	46.0										
	<i>Lateolabrax japonicus</i>															
	<i>Leiognathus brevisrostris</i>															
	<i>Leiognathus nuchalis</i>															
	<i>Lepturacanthus savala</i>															
	<i>Lisa macrolepis</i>															
	<i>Monacanthus chinensis</i>															
	<i>Mugil cephalus</i>															
	<i>Nibea albiflora</i>															
	<i>Oxyurichthys tentacularis</i>															
	<i>Otolithes ruber</i>															
	<i>Parachaeturichthys polynema</i>															
	<i>Paraplagusia japonica</i>							2.0	12.0							
	<i>Paralichthys olivaceus</i>	1.0	750.0										1.0	78.0		
	<i>Pennahia anea</i>															
	<i>Platycephalus indicus</i>							2.0	482.0							
	<i>Polydactylus sextarius</i>															
	<i>Pseudorhombus cinnamoneus</i>															
	<i>Pseudorhombus sp.</i>															
	<i>Scatophagus argus</i>												1.0	162.0		
	<i>Sebastiscus marmoratus</i>	1.0	40.0					1.0	14.0		2.0	48.0				
	<i>Siganus canaliculatus</i>	1.0	40.0													
	<i>Sillago sihama</i>	1.0	28.0		1.0	74.0							1.0	34.0		
	<i>Solea ovata</i>	4.0	42.0		4.0	34.0		11.0	94.0				2.0	16.0		
	<i>Sparus latus Houuttuyn</i>															
	<i>Takifugu oblongus</i>				1.0	614.0		3.0	444.0							
	<i>Takifugu poecilonotus</i>										1.0	46.0				
	<i>Thryssa chefuensis</i>															
	<i>Thryssa hamiltonii</i>															
	<i>Trachycephalus uranoscopa</i>	2.0	32.0													
	<i>Trypauchen vagina</i>															
	<i>Grammoplites scaber</i>	2.0	14.0		1.0	12.0		4.0	62.0		1.0	22.0				

Demersal Trawling Data in January 2015

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Uroconger lepturus</i>															
Prawn or shrimp	<i>Alpheus distinguendus</i>															
	<i>Metapenaeopsis barbata</i>												1.0	4.0		
	<i>Metapenaeus ensis</i>															
	<i>Metapenaeus joyneri</i>															
	<i>Parapenaeopsis hardwickii</i>															
	<i>Parapenaeopsis tenella</i>															
	<i>Penaeus merguensis</i>															
	<i>Solenocera crassicornis</i>															
Crab	<i>Charybdis affinis</i>	1.0	22.0					1.0	20.0							
	<i>Charybdis cruciata</i>				1.0	14.0										
	<i>Charybdis spp.</i>	7.0	101.0		10.0	417.0		12.0	348.6		9.0	257.4		12.0	91.4	
	<i>Dorippe polita</i>							16.0	158.2		6.0	57.2		13.0	121.2	
	<i>Eucrate crenata</i>															
	<i>Galene bispinosa</i>															
	<i>Hermit crab</i>				6.0	21.0		30.0	240.0	*	40.0	160.0	*	30.0	140.0	
	<i>Leucosia craniolaris</i>				1.0	4.1										
	<i>Macrophthalmus japonicus</i>															
	<i>Parthenope validus</i>							7.0	72.4		3.0	38.2		1.0	11.2	
	<i>Porcellanella picta</i>							28.0	8.2	*	5.0	1.8		20.0	8.0	
	<i>Portunus pelagicus</i>															
	<i>Portunus trituberculatus</i>															
	<i>Typhlocarcinus sp.</i>															
	<i>Arcania heptacontra</i>												1.0	6.2		
Mantis shrimp	<i>Harpisquilla harpax</i>															
	<i>Oratosquilla interrupta</i>															
	<i>Oratosquilla oratoria</i>															
Gastropod	<i>Apollon olivator rubustus</i>															
	<i>Bursa rana</i>															
	<i>Calyptrea sp.</i>				2.0	0.8		1.0	0.4		3.0	1.1				
	<i>Drupa musiva</i>	2.0	8.4					3.0	9.4					1.0	4.3	
	<i>Hemifusus tuba</i>	1.0	41.3													
	<i>Inquistor flavidula</i>										6.0	8.4				
	<i>Lophiotoma leucotropis</i>				1.0	3.1										
	<i>Murex trapa</i>	11.0	72.0		6.0	48.0		8.0	54.0					5.0	42.0	
	<i>Nassarius hepaticus</i>															
	<i>Nassarius succinctus</i>				5.0	4.6										
	<i>Nassarius sp.</i>															
	<i>Natica sp.</i>															
	<i>Gemmula deshayesii</i>															
	<i>Philine sp.</i>										1.0	4.1				
	<i>Pilosabia pilosa</i>							1.0	0.4							
	<i>Siphopatella walshi</i>										2.0	0.8				
	<i>Turricula javana</i>															
	<i>Turricula nelliae</i>															
	<i>Turritella terebra</i>	410.0	4040.0	*	390.0	3780.0	*	340.0	3380.0	*	280.0	2760.0	*	240.0	2380.0	
	UNID Nudibranch															
Bivalve	<i>Anomalodiscus squamosus</i>															
	<i>Atrina pectinata</i>															

Demersal Trawling Data in January 2015

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Crassostrea spp.</i>															
	<i>Chione isabellina</i>															
	<i>Chlamys nobilis</i>				1.0	8.2		3.0	11.2							
	<i>Ostrea sp.</i>	80.0	166.0	*	70.0	152.0	*	80.0	170.0	*	70.0	39.0	*	60.0	32.0	*
	<i>Paphia gallus</i>															
	<i>Paphia undulata</i>	9.0	52.0		1.0	4.2		30.0	142.8	*	7.0	58.0				
	<i>Parahyotissa sp.</i>															
	<i>Perna viridis</i>															
	<i>Placuna placenta</i>							1.0	4.6		6.0	74.0		3.0	36.2	
	<i>Ruditapes philippinarum</i>															
	<i>Scapharca subcrenata</i>													2.0	73.2	
	<i>Spondylus violascens</i>													1.0	46.8	
	<i>Tegillarca nodifera</i>															
	<i>Vepricardium asiaticum</i>															
Cephalopod	<i>Lolingid squid</i>															
	<i>Sepiid cuttlefish</i>															
	<i>Octopus sp.</i>	1.0	204.0		2.0	286.0		1.0	46.0							
Echinoderm	<i>Acaudina molpadioides</i>	3.0	162.0		2.0	36.2								3.0	82.2	
	<i>Temnopleurus toreumaticus</i>	6.0	48.0		9.0	66.2		3.0	21.0					5.0	38.0	
Cnidaria	<i>Edwardsia japonica (c.f.)</i>															
	<i>Ellisella laevis</i>	1.0	32.2								1.0	28.7				
	<i>Echinogorgia complexa(c.f.)</i>															
	<i>Gorgonia spp.</i>													1.0	13.2	
	<i>Carcinactis ichikawai</i>							4.0	1.4		6.0	2.8		4.0	1.8	
	<i>Cavernularia habereri</i>	70.0	430.0	*	80.0	482.0	*	70.0	420.0	*	40.0	250.0	*	50.0	270.0	*
	<i>Pteroeides chinense</i>	80.0	4410.0	*	40.0	1840.0	*	140.0	5760.0	*	50.0	3360.0	*	40.0	1780.0	*
	<i>Sea anomea</i>													1.0	6.4	
	<i>Virgularia gustaviana</i>	4.0	27.3		4.0	21.2		6.0	71.0		3.0	22.8		11.0	187.0	
Cirripedia	<i>Balanus spp.(c.f.)</i>	90.0	42.0	*	130.0	62.0	*	240.0	220.0	*	160.0	190.0	*	80.0	112.0	*

Demersal Trawling Data in January 2015

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acentrogobius caninus</i>															
	<i>Arius sinensis</i>															
	<i>Collichthys lucidus</i>															
	<i>Cryptocentrus filifer</i>															
	<i>Cynoglossus arel</i>	5.0	108.0		2.0	48.0		2.0	56.0		1.0	20.0		2.0	64.0	
	<i>Cynoglossus puncticeps</i>															
	<i>Cynoglossus sinicus</i>															
	<i>Dasyatis akajei</i>															
	<i>Dasyatis zugei</i>							1.0	466.0		2.0	270.0		1.0	124.0	
	<i>Dendrophysa russelii</i>	1.0	28.0		2.0	168.0					1.0	24.0		2.0	36.0	
	<i>Drepane longimana</i>	1.0	18.0		1.0	62.0										
	<i>Gerres abbreviatus</i>															
	<i>Inimicus japonica</i>	1.0	110.0											1.0	420.0	
	<i>Johnius belangerii</i>															
	<i>Inimicus didactylus</i>										1.0	348.0				
	<i>Inegocia japonica</i>															
	<i>Konosirus punctatus</i>				1.0	82.0										
	<i>Lagocephalus wheeleri</i>															
	<i>Lateolabrax japonicus</i>															
	<i>Leiognathus brevisrostris</i>	49.0	416.0		26.0	252.0		28.0	294.0							
	<i>Leiognathus nuchalis</i>															
	<i>Lepturacanthus savala</i>															
	<i>Lisa macrolepis</i>															
	<i>Monacanthus chinensis</i>										1.0	58.0				
	<i>Mugil cephalus</i>															
	<i>Nibea albiflora</i>							1.0	34.0					1.0	48.0	
	<i>Oxyurichthys tentacularis</i>	1.0	6.0		1.0	2.0										
	<i>Otolithes ruber</i>															
	<i>Parachaeturichthys polynema</i>															
	<i>Paraplagusia japonica</i>	1.0	10.0											1.0	8.0	
	<i>Paralichthys olivaceus</i>															
	<i>Pennahia anea</i>				2.0	24.0										
	<i>Platycephalus indicus</i>	4.0	1014.0		3.0	1400.0					2.0	250.0		2.0	410.0	
	<i>Polydactylus sextarius</i>	1.0	14.0													
	<i>Pseudorhombus cinnamoneus</i>															
	<i>Pseudorhombus sp.</i>										1.0	324.0		1.0	78.0	
	<i>Scatophagus argus</i>															
	<i>Sebastiscus marmoratus</i>															
	<i>Siganus canaliculatus</i>															
	<i>Sillago sihama</i>							2.0	56.0							
	<i>Solea ovata</i>										2.0	20.0				
	<i>Sparus latus Houttuyn</i>				1.0	360.0										
	<i>Takifugu oblongus</i>															
	<i>Takifugu poecilonotus</i>															
	<i>Thryssa chefuensis</i>															
	<i>Thryssa hamiltonii</i>															
	<i>Trachycephalus uranoscopa</i>										1.0	8.0		2.0	24.0	
	<i>Trypauchen vagina</i>	2.0	72.0								1.0	16.0		1.0	18.0	
	<i>Grammoplites scaber</i>				4.0	70.0										

Demersal Trawling Data in January 2015

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Uroconger lepturus</i>															
Prawn or shrimp	<i>Alpheus distinguendus</i>															
	<i>Metapenaeopsis barbata</i>															
	<i>Metapenaeus ensis</i>	1.0	24.0		4.0	88.0							1.0	14.0		
	<i>Metapenaeus joyneri</i>															
	<i>Parapenaeopsis hardwickii</i>															
	<i>Parapenaeopsis tenella</i>	1.0	6.0								1.0	10.0				
	<i>Penaeus merguensis</i>															
	<i>Solenocera crassicornis</i>															
Crab	<i>Charybdis affinis</i>	1.0	16.0		1.0	46.0		1.0	48.0		1.0	30.0		1.0	12.0	
	<i>Charybdis cruciata</i>	1.0	344.0													
	<i>Charybdis spp.</i>	30.0	370.0	*	40.0	380.0	*	34.0	620.0	*	30.0	280.0	*	16.0	160.0	
	<i>Dorippe polita</i>	30.0	252.0	*	8.0	66.5		10.0	84.3		30.0	250.0	*	6.0	41.0	
	<i>Eucrate crenata</i>															
	<i>Galene bispinosa</i>															
	<i>Hermit crab</i>	30.0	110.0	*	30.0	110.0	*	20.0	84.0	*	8.0	31.6		20.0	80.0	
	<i>Leucosia craniolaris</i>	1.0	4.8													
	<i>Macrophthalmus japonicus</i>										1.0	8.4				
	<i>Parthenope validus</i>				1.0	16.3		1.0	11.2		6.0	94.6				
	<i>Porcellanella picta</i>	40.0	18.0	*	40.0	18.0	*	50.0	21.0	*	660.0	210.0	*	810.0	320.0	
	<i>Portunus pelagicus</i>							1.0	206.0							
	<i>Portunus trituberculatus</i>															
	<i>Typhlocarcinus sp.</i>															
	<i>Arcania heptacontra</i>															
Mantis shrimp	<i>Harpiosquilla harpax</i>	1.0	26.0		1.0	24.0					1.0	28.0				
	<i>Oratosquilla interrupta</i>	4.0	80.0		2.0	34.0					2.0	40.0		2.0	26.0	
	<i>Oratosquilla oratoria</i>	3.0	108.0		3.0	100.0										
Gastropod	<i>Apollon olivator rubustus</i>															
	<i>Bursa rana</i>															
	<i>Calyptreaea sp.</i>															
	<i>Drupa musiva</i>							3.0	12.2							
	<i>Hemifusus tuba</i>															
	<i>Inquistor flavidula</i>										6.0	8.2				
	<i>Lophiotoma leucotropis</i>															
	<i>Murex trapa</i>	7.0	63.0		30.0	210.0	*	11.0	92.0					2.0	16.2	
	<i>Nassarius hepaticus</i>															
	<i>Nassarius succinctus</i>										4.0	5.2				
	<i>Nassarius sp.</i>															
	<i>Natica sp.</i>															
	<i>Gemmula deshayesii</i>															
	<i>Philina sp.</i>							1.0	4.2					2.0	6.8	
	<i>Pilosabia pilosa</i>															
	<i>Siphopatella walshi</i>															
	<i>Turricula javana</i>															
	<i>Turricula nelliae</i>															
	<i>Turritella terebra</i>	320.0	3080.0	*	290.0	2930.0	*	420.0	4700.0	*	210.0	2030.0	*	190.0	1920.0	
	UNID Nudibranch							1.0	5.4		1.0	8.2				
Bivalve	<i>Anomalodiscus squamosus</i>															
	<i>Atrina pectinata</i>															

Demersal Trawling Data in January 2015

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Crassostrea spp.</i>															
	<i>Chione isabellina</i>				1.0	6.8								9.0	5.3	
	<i>Chlamys nobilis</i>															
	<i>Ostrea sp.</i>	40.0	62.0	*	30.0	52.0	*	70.0	240.0	*						
	<i>Paphia gallus</i>				1.0	6.1										
	<i>Paphia undulata</i>															
	<i>Parahyotissa sp.</i>										1.0	42.4				
	<i>Perna viridis</i>															
	<i>Placuna placenta</i>															
	<i>Ruditapes philippinarum</i>															
	<i>Scapharca subcrenata</i>															
	<i>Spondylus violascens</i>															
	<i>Tegillarca nodifera</i>															
	<i>Vepricardium asiaticum</i>															
Cephalopod	<i>Lolingid squid</i>	1.0	28.0													
	<i>Sepiid cuttlefish</i>	1.0	416.0													
	<i>Octopus sp.</i>												1.0	70.0		
Echinoderm	<i>Acaudina molpadioides</i>	6.0	112.0		4.0	110.4		2.0	38.0		5.0	260.0		4.0	136.8	
	<i>Temnopleurus toreumaticus</i>	40.0	310.0	*	35.0	290.0	*	30.0	270.0	*	9.0	70.4		5.0	42.3	
Cnidaria	<i>Edwardsia japonica (c.f.)</i>															
	<i>Ellisella laevis</i>				1.0	16.3					3.0	31.2		2.0	28.2	
	<i>Echinogorgia complexa(c.f.)</i>															
	<i>Gorgonia spp.</i>										1.0	14.2				
	<i>Carcinactis ichikawai</i>	2.0	1.1					1.0	0.5		6.0	2.4				
	<i>Cavernularia habereri</i>	80.0	430.0	*	70.0	390.0	*	30.0	280.0	*	40.0	220.0	*	30.0	280.0	
	<i>Pteroeides chinense</i>	90.0	2660.0	*	80.0	2130.0	*	120.0	3670.0	*	2100.0	110000.0	*	2400.0	120000.0	
	<i>Sea anomea</i>										1.0	4.3				
	<i>Virgularia gustaviana</i>	5.0	56.2		6.0	72.0		7.0	83.0	*	6.0	48.2		11.0	103.4	
Cirripedia	<i>Balanus spp.(c.f.)</i>	360.0	180.0	*	540.0	290.0	*	580.0	310.0	*						

Demersal Trawling Data in January 2015

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acentrogobius caninus</i>															
	<i>Arius sinensis</i>															
	<i>Collichthys lucidus</i>										12.0	280.0		3.0	76.0	
	<i>Cryptocentrus filifer</i>															
	<i>Cynoglossus arel</i>										1.0	48.0		1.0	10.0	
	<i>Cynoglossus puncticeps</i>							2.0	18.0							
	<i>Cynoglossus sinicus</i>	2.0	26.0		2.0	20.0		1.0	50.0		1.0	14.0		1.0	64.0	
	<i>Dasyatis akajei</i>															
	<i>Dasyatis zugei</i>															
	<i>Dendrophysa russelii</i>															
	<i>Drepane longimana</i>															
	<i>Gerres abbreviatus</i>															
	<i>Inimicus japonica</i>															
	<i>Johnius belangerii</i>										1.0	6.0				
	<i>Inimicus didactylus</i>															
	<i>Inegocia japonica</i>															
	<i>Konosirus punctatus</i>															
	<i>Lagocephalus wheeleri</i>															
	<i>Lateolabrax japonicus</i>															
	<i>Leiognathus brevisrostris</i>				4.0	38.0										
	<i>Leiognathus nuchalis</i>															
	<i>Lepturacanthus savala</i>															
	<i>Lisa macrolepis</i>															
	<i>Monacanthus chinensis</i>															
	<i>Mugil cephalus</i>															
	<i>Nibea albiflora</i>				1.0	38.0		2.0	168.0				12.0	382.0		
	<i>Oxyurichthys tentacularis</i>															
	<i>Otolithes ruber</i>															
	<i>Parachaeturichthys polynema</i>										2.0	18.0				
	<i>Paraplagusia japonica</i>	1.0	12.0													
	<i>Paralichthys olivaceus</i>															
	<i>Pennahia anea</i>	2.0	20.0		1.0	8.0					1.0	14.0		2.0	28.0	
	<i>Platycephalus indicus</i>															
	<i>Polydactylus sextarius</i>							1.0	16.0		2.0	48.0				
	<i>Pseudorhombus cinnamoneus</i>															
	<i>Pseudorhombus sp.</i>															
	<i>Scatophagus argus</i>															
	<i>Sebastiscus marmoratus</i>															
	<i>Siganus canaliculatus</i>															
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>	35.0	248.0		23.0	180.0		68.0	532.0		16.0	134.0		2.0	16.0	
	<i>Sparus latus Houttuyn</i>															
	<i>Takifugu oblongus</i>															
	<i>Takifugu poecilonotus</i>															
	<i>Thryssa chefuensis</i>															
	<i>Thryssa hamiltonii</i>										1.0	18.0				
	<i>Trachycephalus uranoscopa</i>															
	<i>Trypauchen vagina</i>															
	<i>Grammoplites scaber</i>	1.0	16.0		1.0	22.0		3.0	210.0							

Demersal Trawling Data in January 2015

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Uroconger lepturus</i>															
Prawn or shrimp	<i>Alpheus distinguendus</i>															
	<i>Metapenaeopsis barbata</i>															
	<i>Metapenaeus ensis</i>						1.0	14.0		1.0	22.0		1.0	14.0		
	<i>Metapenaeus joyneri</i>															
	<i>Parapenaeopsis hardwickii</i>	4.0	34.0		3.0	16.0		7.0	30.0		8.0	64.0		2.0	8.0	
	<i>Parapenaeopsis tenella</i>	8.0	50.0								11.0	26.0		2.0	12.0	
	<i>Penaeus merguensis</i>				1.0	44.0		1.0	18.0		9.0	280.0		5.0	158.0	
	<i>Solenocera crassicornis</i>										1.0	2.0				
	Crab	<i>Charybdis affinis</i>				3.0	64.0		7.0	158.0		19.0	238.0		2.0	52.0
<i>Charybdis cruciata</i>		1.0	300.0							1.0	34.0					
<i>Charybdis spp.</i>		13.0	87.2		30.0	167.2	*	17.0	980.0		12.0	71.2		8.0	56.2	
<i>Dorippe polita</i>		6.0	51.2		10.0	72.3		5.0	48.1		30.0	230.0	*	6.0	40.2	
<i>Eucrate crenata</i>								1.0	4.2							
<i>Galene bispinosa</i>																
<i>Hermit crab</i>		8.0	36.0											5.0	21.2	
<i>Leucosia craniolaris</i>																
<i>Macrophthalmus japonicus</i>																
<i>Parthenope validus</i>																
<i>Porcellanella picta</i>		5.0	1.9					3.0	0.8		2.0	0.7		1.0	0.3	
<i>Portunus pelagicus</i>																
<i>Portunus trituberculatus</i>								1.0	26.0							
<i>Typhlocarcinus sp.</i>																
<i>Arcania heptacontra</i>																
Mantis shrimp	<i>Harpisquilla harpax</i>															
	<i>Oratosquilla interrupta</i>							1.0	6.0					1.0	4.0	
	<i>Oratosquilla oratoria</i>															
Gastropod	<i>Apollon olivator rubustus</i>															
	<i>Bursa rana</i>															
	<i>Calyptreaea sp.</i>							1.0	0.4							
	<i>Drupa musiva</i>	6.0	32.0		1.0	6.4					2.0	8.6				
	<i>Hemifusus tuba</i>															
	<i>Inquistor flavidula</i>	30.0	59.0	*										11.0	16.4	
	<i>Lophiotoma leucotropis</i>				1.0	3.4										
	<i>Murex trapa</i>							3.0	18.2		1.0	7.2		2.0	12.3	
	<i>Nassarius hepaticus</i>															
	<i>Nassarius succinctus</i>	30.0	42.0	*							8.0	9.4				
	<i>Nassarius sp.</i>															
	<i>Natica sp.</i>															
	<i>Gemmula deshayesii</i>															
	<i>Philine sp.</i>	1.0	4.2					2.0	8.3							
	<i>Pilosabia pilosa</i>															
<i>Siphopatella walshi</i>										1.0	0.3					
<i>Turricula javana</i>																
<i>Turricula nelliae</i>	2.0	3.6											1.0	1.1		
<i>Turritella terebra</i>	80.0	816.0	*	90.0	830.0	*	70.0	690.0	*	60.0	620.0	*	50.0	510.0	*	
<i>UNID Nudibranch</i>																
Bivalve	<i>Anomalodiscus squamosus</i>															
	<i>Atrina pectinata</i>							1.0	42.4							

Demersal Trawling Data in January 2015

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)		
	<i>Crassostrea spp.</i>															
	<i>Chione isabellina</i>															
	<i>Chlamys nobilis</i>															
	<i>Ostrea sp.</i>															
	<i>Paphia gallus</i>															
	<i>Paphia undulata</i>															
	<i>Parahyotissa sp.</i>															
	<i>Perna viridis</i>															
	<i>Placuna placenta</i>															
	<i>Ruditapes philippinarum</i>															
	<i>Scapharca subcrenata</i>	3.0	192.3		5.0	412.4		2.0	94.6							
	<i>Spondylus violascens</i>															
	<i>Tegillarca nodifera</i>															
	<i>Vepricardium asiaticum</i>															
Cephalopod	<i>Lolingid squid</i>										1.0	62.0				
	<i>Sepiid cuttlefish</i>															
	<i>Octopus sp.</i>				1.0	56.0		1.0	74.0							
Echinoderm	<i>Acaudina molpadioides</i>	7.0	340.0		9.0	490.0		4.0	220.0				3.0	156.4		
	<i>Temnopleurus toreumaticus</i>	5.0	46.4		8.0	72.8		2.0	16.2		3.0	26.4	2.0	17.3		
Cnidaria	<i>Edwardsia japonica (c.f.)</i>															
	<i>Ellisella laevis</i>															
	<i>Echinogorgia complexa(c.f.)</i>															
	<i>Gorgonia spp.</i>							1.0	12.2		1.0	8.2				
	<i>Carcinactis ichikawai</i>	1.0	0.5		1.0	0.5					1.0	0.6		3.0	1.2	
	<i>Cavernularia habereri</i>	70.0	610.0	*	80.0	770.0	*	80.0	770.0	*	90.0	860.0	*	120.0	1130.0	
	<i>Pteroeides chinense</i>	30.0	870.0	*	36.0	1120.0	*	30.0	870.0	*	16.0	468.0		30.0	870.0	
	<i>Sea anomea</i>	1.0	2.2													
	<i>Virgularia gustaviana</i>	1.0	11.2					3.0	21.4		2.0	36.2		1.0	8.4	
Cirripedia	<i>Balanus spp.(c.f.)</i>															

Demersal Trawling Data in January 2015

Group	Species Name	TNB													
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5	
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)
Fish	<i>Acentrogobius caninus</i>														
	<i>Arius sinensis</i>				1.0	28.0								1.0	26.0
	<i>Collichthys lucidus</i>														
	<i>Cryptocentrus filifer</i>														
	<i>Cynoglossus arel</i>	5.0	192.0		4.0	160.0					3.0	314.0		1.0	16.0
	<i>Cynoglossus puncticeps</i>														
	<i>Cynoglossus sinicus</i>	3.0	60.0								1.0	142.0		1.0	14.0
	<i>Dasyatis akajei</i>				1.0	5720.0									
	<i>Dasyatis zugei</i>														
	<i>Dendrophysa russelii</i>													1.0	10.0
	<i>Drepane longimana</i>														
	<i>Gerres abbreviatus</i>										1.0	40.0			
	<i>Inimicus japonica</i>														
	<i>Johnius belangerii</i>														
	<i>Inimicus didactylus</i>														
	<i>Inegocia japonica</i>														
	<i>Konosirus punctatus</i>														
	<i>Lagocephalus wheeleri</i>														
	<i>Lateolabrax japonicus</i>							1.0	148.0						
	<i>Leiognathus brevis</i>														
	<i>Leiognathus nuchalis</i>	70.0	1374.0		60.0	1074.0		2.0	54.0						
	<i>Lepturacanthus savala</i>				1.0	88.0									
	<i>Lisa macrolepis</i>														
	<i>Monacanthus chinensis</i>														
	<i>Mugil cephalus</i>							1.0	38.0						
	<i>Nibea albiflora</i>														
	<i>Oxyurichthys tentacularis</i>	5.0	26.0		1.0	6.0		5.0	34.0		3.0	20.0			
	<i>Otolithes ruber</i>													2.0	298.0
	<i>Parachaeturichthys polynema</i>							1.0	6.0						
	<i>Paraplagusia japonica</i>														
	<i>Paralichthys olivaceus</i>														
	<i>Pennahia anea</i>										2.0	24.0		2.0	42.0
	<i>Platycephalus indicus</i>	4.0	358.0		2.0	64.0		1.0	54.0		1.0	14.0		3.0	326.0
	<i>Polydactylus sextarius</i>													1.0	10.0
	<i>Pseudorhombus cinnamomeus</i>														
	<i>Pseudorhombus sp.</i>	1.0	260.0												
	<i>Scatophagus argus</i>														
	<i>Sebastiscus marmoratus</i>														
	<i>Siganus canaliculatus</i>														
	<i>Sillago sihama</i>														
	<i>Solea ovata</i>	1.0	10.0					5.0	50.0		17.0	150.0		5.0	40.0
	<i>Sparus latus Houttuyn</i>														
	<i>Takifugu oblongus</i>														
	<i>Takifugu poecilonotus</i>														
	<i>Thryssa chefuensis</i>	8.0	60.0		4.0	34.0		12.0	86.0		1.0	6.0		1.0	6.0
	<i>Thryssa hamiltonii</i>				1.0	28.0									
	<i>Trachycephalus uranoscopa</i>							2.0	80.0						
	<i>Trypauchen vagina</i>	4.0	36.0					5.0	38.0					3.0	38.0
	<i>Grammolites scaber</i>							1.0	24.0					1.0	32.0

Demersal Trawling Data in January 2015

Group	Species Name	TNB													
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5	
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)
	<i>Uroconger lepturus</i>														
Prawn or shrimp	<i>Alpheus distinguendus</i>														
	<i>Metapenaeopsis barbata</i>														
	<i>Metapenaeus ensis</i>												2.0	26.0	
	<i>Metapenaeus joyneri</i>							1.0	4.0						
	<i>Parapenaeopsis hardwickii</i>														
	<i>Parapenaeopsis tenella</i>	2.0	12.0		3.0	22.0		3.0	22.0		6.0	12.0	6.0	38.0	
	<i>Penaeus merguensis</i>	8.0	318.0		5.0	274.0		4.0	140.0		3.0	92.0	3.0	116.0	
	<i>Solenocera crassicornis</i>	1.0	2.0												
Crab	<i>Charybdis affinis</i>	2.0	36.0		2.0	60.0		3.0	92.0		2.0	38.0	1.0	30.0	
	<i>Charybdis cruciata</i>				1.0	42.0									
	<i>Charybdis spp.</i>	20.0	160.0	*	12.0	76.0		16.0	92.0		20.0	160.0	*	13.0	106.2
	<i>Dorippe polita</i>	16.0	147.2		5.0	41.3		11.0	68.8		30.0	226.0	*	12.0	71.4
	<i>Eucrate crenata</i>														
	<i>Galene bispinosa</i>														
	<i>Hermit crab</i>	40.0	142.0	*	30.0	110.0	*	30.0	110.0	*	30.0	110.0	*	40.0	140.0
	<i>Leucosia craniolaris</i>														
	<i>Macrophthalmus japonicus</i>														
	<i>Parthenope validus</i>												2.0	26.4	
	<i>Porcellanella picta</i>	2.0	0.8		4.0	2.6		2.0	0.8		3.0	1.6	4.0	1.8	
	<i>Portunus pelagicus</i>														
	<i>Portunus trituberculatus</i>														
	<i>Typhlocarcinus sp.</i>										1.0	0.4			
	<i>Arcania heptacontra</i>														
Mantis shrimp	<i>Harpisquilla harpax</i>														
	<i>Oratosquilla interrupta</i>	1.0	22.0					1.0	10.0		1.0	8.0			
	<i>Oratosquilla oratoria</i>										1.0	50.0			
Gastropod	<i>Apollon olivator rubustus</i>				1.0	4.8									
	<i>Bursa rana</i>														
	<i>Calyptraea sp.</i>							1.0	0.5						
	<i>Drupa musiva</i>							3.0	11.2						
	<i>Hemifusus tuba</i>														
	<i>Inquistor flavidula</i>												5.0	6.3	
	<i>Lophiotoma leucotropis</i>														
	<i>Murex trapa</i>	4.0	39.0		2.0	11.2					30.0	216.2	*	5.0	41.0
	<i>Nassarius hepaticus</i>														
	<i>Nassarius succinctus</i>														
	<i>Nassarius sp.</i>														
	<i>Natica sp.</i>														
	<i>Gemmula deshayesii</i>														
	<i>Philine sp.</i>														
	<i>Pilosabia pilosa</i>							2.0	1.2						
	<i>Siphopatella walshi</i>										1.0	0.3			
	<i>Turricula javana</i>														
	<i>Turricula nelliae</i>														
	<i>Turritella terebra</i>	560.0	5560.0	*	510.0	4930.0	*	480.0	4670.0	*	480.0	4760.0	*	460.0	4530.0
	UNID Nudibranch														
Bivalve	<i>Anomalodiscus squamosus</i>														
	<i>Atrina pectinata</i>														

Demersal Trawling Data in January 2015

Group	Species Name	TNB													
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5	
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)
	<i>Crassostrea spp.</i>														
	<i>Chione isabellina</i>														
	<i>Chlamys nobilis</i>														
	<i>Ostrea sp.</i>														
	<i>Paphia gallus</i>														
	<i>Paphia undulata</i>										2.0	8.2			
	<i>Parahyotissa sp.</i>														
	<i>Perna viridis</i>														
	<i>Placuna placenta</i>														
	<i>Ruditapes philippinarum</i>														
	<i>Scapharca subcrenata</i>				2.0	79.4							1.0	64.2	
	<i>Spondylus violascens</i>														
	<i>Tegillarca nodifera</i>														
	<i>Vepricardium asiaticum</i>														
Cephalopod	<i>Lolingid squid</i>	1.0	36.0												
	<i>Sepiid cuttlefish</i>														
	<i>Octopus sp.</i>														
Echinoderm	<i>Acaudina molpadioides</i>	30.0	2160.0	*	30.0	2160.0	*	6.0	320.0		5.0	304.0	7.0	380.0	
	<i>Temnopleurus toreumaticus</i>	40.0	360.0	*	35.0	308.0	*	11.0	86.0		3.0	18.6	8.0	31.4	
Cnidaria	<i>Edwardsia japonica (c.f.)</i>														
	<i>Ellisella laevis</i>							1.0	6.4						
	<i>Echinogorgia complexa(c.f.)</i>												1.0	18.2	
	<i>Gorgonia spp.</i>										1.0	16.2	1.0	21.2	
	<i>Carcinactis ichikawai</i>	3.0	1.2		2.0	0.9		1.0	0.6		5.0	1.9	2.0	1.2	
	<i>Cavernularia habereri</i>	90.0	560.0	*	40.0	470.0	*	50.0	490.0	*	120.0	690.0	*	110.0	670.0
	<i>Pteroeides chinense</i>	80.0	2380.0	*	70.0	2680.0	*	60.0	1860.0	*	60.0	1860.0	*	70.0	2380.0
	<i>Sea anomea</i>														
	<i>Virgularia gustaviana</i>	5.0	62.0		7.0	79.0		1.0	9.2		2.0	13.2			
Cirripedia	<i>Bananus spp.(c.f.)</i>														

Demersal Trawling Data in January 2015

		5
Group	Species Name	Subsampling
		(*)
Fish	<i>Acentrogobius caninus</i>	
	<i>Arius sinensis</i>	
	<i>Collichthys lucidus</i>	
	<i>Cryptocentrus filifer</i>	
	<i>Cynoglossus arel</i>	
	<i>Cynoglossus puncticeps</i>	
	<i>Cynoglossus sinicus</i>	
	<i>Dasyatis akajei</i>	
	<i>Dasyatis zugei</i>	
	<i>Dendrophysa russelii</i>	
	<i>Drepane longimana</i>	
	<i>Gerres abbreviatus</i>	
	<i>Inimicus japonica</i>	
	<i>Johnius belangerii</i>	
	<i>Inimicus didactylus</i>	
	<i>Inegocia japonica</i>	
	<i>Konosirus punctatus</i>	
	<i>Lagocephalus wheeleri</i>	
	<i>Lateolabrax japonicus</i>	
	<i>Leiognathus brevirostris</i>	
	<i>Leiognathus nuchalis</i>	
	<i>Lepturacanthus savala</i>	
	<i>Lisa macrolepis</i>	
	<i>Monacanthus chinensis</i>	
	<i>Mugil cephalus</i>	
	<i>Nibea albiflora</i>	
	<i>Oxyurichthys tentacularis</i>	
	<i>Otolithes ruber</i>	
	<i>Parachaeturichthys polynema</i>	
	<i>Paraplagusia japonica</i>	
	<i>Paralichthys olivaceus</i>	
	<i>Pennahia anea</i>	
	<i>Platycephalus indicus</i>	
	<i>Polydactylus sextarius</i>	
	<i>Pseudorhombus cinnamoneus</i>	
	<i>Pseudorhombus sp.</i>	
	<i>Scatophagus argus</i>	
	<i>Sebastiscus marmoratus</i>	
	<i>Siganus canaliculatus</i>	
	<i>Sillago sihama</i>	
	<i>Solea ovata</i>	
	<i>Sparus latus Houttuyn</i>	
	<i>Takifugu oblongus</i>	
	<i>Takifugu poecilonotus</i>	
	<i>Thryssa chefuensis</i>	
	<i>Thryssa hamiltonii</i>	
	<i>Trachycephalus uranoscopa</i>	
	<i>Trypauchen vagina</i>	
	<i>Grammoplites scaber</i>	

Demersal Trawling Data in January 2015

		5
Group	Species Name	Subsampling
		(*)
	<i>Uroconger lepturus</i>	
Prawn or shrimp	<i>Alpheus distinguendus</i>	
	<i>Metapenaeopsis barbata</i>	
	<i>Metapenaeus ensis</i>	
	<i>Metapenaeus joyneri</i>	
	<i>Parapenaeopsis hardwickii</i>	
	<i>Parapenaeopsis tenella</i>	
	<i>Penaeus merguensis</i>	
	<i>Solenocera crassicornis</i>	
Crab	<i>Charybdis affinis</i>	
	<i>Charybdis cruciata</i>	
	<i>Charybdis spp.</i>	
	<i>Dorippe polita</i>	
	<i>Eucrate crenata</i>	
	<i>Galene bispinosa</i>	
	Hermit crab	*
	<i>Leucosia craniolaris</i>	
	<i>Macrophthalmus japonicus</i>	
	<i>Parthenope validus</i>	
	<i>Porcellanella picta</i>	
	<i>Portunus pelagicus</i>	
	<i>Portunus trituberculatus</i>	
	<i>Typhlocarcinus sp.</i>	
	<i>Arcania heptacontra</i>	
Mantis shrimp	<i>Harpisquilla harpax</i>	
	<i>Oratosquilla interrupta</i>	
	<i>Oratosquilla oratoria</i>	
Gastropod	<i>Apollon olivator rubustus</i>	
	<i>Bursa rana</i>	
	<i>Calyptraea sp.</i>	
	<i>Drupa musiva</i>	
	<i>Hemifusus tuba</i>	
	<i>Inquistor flavidula</i>	
	<i>Lophiotoma leucotropis</i>	
	<i>Murex trapa</i>	
	<i>Nassarius hepaticus</i>	
	<i>Nassarius succinctus</i>	
	<i>Nassarius sp.</i>	
	<i>Natica sp.</i>	
	<i>Gemmula deshayesii</i>	
	<i>Philine sp.</i>	
	<i>Pilosabia pilosa</i>	
	<i>Siphopatella walshi</i>	
	<i>Turricula javana</i>	
	<i>Turricula nelliae</i>	
	<i>Turritella terebra</i>	*
	UNID Nudibranch	
Bivalve	<i>Anomalodiscus squamosus</i>	
	<i>Atrina pectinata</i>	

Demersal Trawling Data in January 2015

		5
Group	Species Name	Subsampling
		(*)
	<i>Crassostrea spp.</i>	
	<i>Chione isabellina</i>	
	<i>Chlamys nobilis</i>	
	<i>Ostrea sp.</i>	
	<i>Paphia gallus</i>	
	<i>Paphia undulata</i>	
	<i>Parahyotissa sp.</i>	
	<i>Perna viridis</i>	
	<i>Placuna placenta</i>	
	<i>Ruditapes philippinarum</i>	
	<i>Scapharca subcrenata</i>	
	<i>Spondylus violascens</i>	
	<i>Tegillarca nodifera</i>	
	<i>Vepricardium asiaticum</i>	
Cephalopod	<i>Lolingid squid</i>	
	<i>Sepiid cuttlefish</i>	
	<i>Octopus sp.</i>	
Echinoderm	<i>Acaudina molpadioides</i>	
	<i>Temnopleurus toreumaticus</i>	
Cnidaria	<i>Edwardsia japonica (c.f.)</i>	
	<i>Ellisella laevis</i>	
	<i>Echinogorgia complexa(c.f.)</i>	
	<i>Gorgonia spp.</i>	
	<i>Carcinactis ichikawai</i>	
	<i>Cavernularia habereri</i>	*
	<i>Pteroeides chinense</i>	*
	<i>Sea anomea</i>	
	<i>Virgularia gustaviana</i>	
Cirripedia	<i>Balanus spp.(c.f.)</i>	

Demersal Trawling Data in January 2015

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acentrogobius caninus</i>				1.0	14.0										
	<i>Arius sinensis</i>															
	<i>Collichthys lucidus</i>															
	<i>Cryptocentrus filifer</i>															
	<i>Cynoglossus arel</i>	2.0	98.0		4.0	110.0		3.0	174.0		3.0	100.0		1.0	44.0	
	<i>Cynoglossus puncticeps</i>															
	<i>Cynoglossus sinicus</i>				1.0	20.0										
	<i>Dasyatis akajei</i>	1.0	248.0		2.0	830.0		1.0	268.0					1.0	262.0	
	<i>Dasyatis zugei</i>	2.0	408.0								2.0	286.0		1.0	118.0	
	<i>Dendrophysa russelii</i>	5.0	80.0		2.0	38.0		3.0	68.0					2.0	48.0	
	<i>Drepane longimana</i>															
	<i>Gerres abbreviatus</i>										2.0	72.0				
	<i>Inimicus japonica</i>															
	<i>Johnius belangerii</i>															
	<i>Inimicus didactylus</i>															
	<i>Inegocia japonica</i>															
	<i>Konosirus punctatus</i>															
	<i>Lagocephalus wheeleri</i>															
	<i>Lateolabrax japonicus</i>															
	<i>Leiognathus brevirostris</i>	2.0	12.0		8.0	52.0		3.0	30.0							
	<i>Leiognathus nuchalis</i>	8.0	84.0		15.0	180.0		1.0	28.0					2.0	32.0	
	<i>Lepturacanthus savala</i>															
	<i>Lisa macrolepis</i>				1.0	58.0										
	<i>Monacanthus chinensis</i>															
	<i>Mugil cephalus</i>															
	<i>Nibea albiflora</i>															
	<i>Oxyurichthys tentacularis</i>															
	<i>Otolithes ruber</i>	1.0	98.0													
	<i>Parachaeturichthys polynema</i>															
	<i>Paraplagusia japonica</i>															
	<i>Paralichthys olivaceus</i>															
	<i>Pennahia anea</i>															
	<i>Platycephalus indicus</i>	15.0	1306.0		14.0	1124.0		6.0	184.0		3.0	596.0		1.0	30.0	
	<i>Polydactylus sextarius</i>															
	<i>Pseudorhombus cinnamoneus</i>	1.0	76.0													
	<i>Pseudorhombus sp.</i>															
	<i>Scatophagus argus</i>															
	<i>Sebastiscus marmoratus</i>															
	<i>Siganus canaliculatus</i>															
	<i>Sillago sihama</i>															
	<i>Solea ovata</i>	9.0	102.0		4.0	52.0		5.0	66.0		10.0	188.0		12.0	148.0	
	<i>Sparus latus Houttuyn</i>															
	<i>Takifugu oblongus</i>				2.0	194.0										
	<i>Takifugu poecilonotus</i>															
	<i>Thryssa chefuensis</i>															
	<i>Thryssa hamiltonii</i>															
	<i>Trachycephalus uranoscopa</i>	9.0	110.0		3.0	56.0		1.0	14.0					1.0	14.0	
	<i>Trypauchen vagina</i>	4.0	30.0					2.0	28.0		1.0	4.0				
	<i>Grammoplites scaber</i>															

Demersal Trawling Data in January 2015

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Prawn or shrimp	<i>Uroconger lepturus</i>										1.0	2.0				
	<i>Alpheus distinguendus</i>										1.0	2.0		1.0	2.0	
	<i>Metapenaeopsis barbata</i>															
	<i>Metapenaeus ensis</i>	1.0	18.0													
	<i>Metapenaeus joyneri</i>							1.0	8.0					1.0	6.0	
	<i>Parapenaeopsis hardwickii</i>															
	<i>Parapenaeopsis tenella</i>							2.0	12.0		3.0	18.0				
	<i>Penaeus merguensis</i>	2.0	80.0		2.0	76.0		7.0	320.0		3.0	124.0		3.0	106.0	
	<i>Solenocera crassicornis</i>															
Crab	<i>Charybdis affinis</i>	11.0	206.0		8.0	186.0		4.0	110.0		5.0	80.0		3.0	100.0	
	<i>Charybdis cruciata</i>	2.0	348.0					1.0	74.0							
	<i>Charybdis spp.</i>	22.0	211.0		30.0	296.0	*	30.0	280.0	*	22.0	266.0		15.0	187.0	
	<i>Dorippe polita</i>	3.0	21.4		30.0	371.9	*	15.0	138.4		7.0	63.2		4.0	46.2	
	<i>Eucrate crenata</i>							2.0	12.5							
	<i>Galene bispinosa</i>				1.0	21.4										
	<i>Hermit crab</i>	30.0	121.0	*	36.0	138.0	*	30.0	120.0	*	40.0	152.0	*	30.0	120.0	
	<i>Leucosia craniolaris</i>				1.0	4.2		1.0	4.2							
	<i>Macrophthalmus japonicus</i>															
	<i>Parthenope validus</i>	3.0	29.4		2.0	21.6					5.0	44.6				
	<i>Porcellanella picta</i>				3.0	0.9										
	<i>Portunus pelagicus</i>															
	<i>Portunus trituberculatus</i>															
	<i>Typhlocarcinus sp.</i>								2.0	1.4						
	<i>Arcania heptacontra</i>											1.0	4.3			
Mantis shrimp	<i>Harpisquilla harpax</i>													1.0	22.0	
	<i>Oratosquilla interrupta</i>	1.0	24.0		1.0	16.0		2.0	38.0					1.0	18.0	
	<i>Oratosquilla oratoria</i>	1.0	22.0		2.0	32.0		2.0	48.0		1.0	18.0				
Gastropod	<i>Apollon olivator rubustus</i>													2.0	6.4	
	<i>Bursa rana</i>							1.0	6.2					1.0	22.2	
	<i>Calyptraea sp.</i>				2.0	0.8		5.0	2.1					2.0	0.9	
	<i>Drupa musiva</i>				1.0	5.2					3.0	14.2				
	<i>Hemifusus tuba</i>															
	<i>Inquistor flavidula</i>							5.0	7.2							
	<i>Lophiotoma leucotropis</i>				1.0	3.4		1.0	4.1							
	<i>Murex trapa</i>	30.0	250.0	*	5.0	41.0		10.0	76.4		18.0	93.8		30.0	262.0	
	<i>Nassarius hepaticus</i>													1.0	2.3	
	<i>Nassarius succinctus</i>				4.0	6.3										
	<i>Nassarius sp.</i>							1.0	2.6							
	<i>Natica sp.</i>							1.0	3.9							
	<i>Gemmula deshayesii</i>															
	<i>Philine sp.</i>	1.0	3.6								2.0	6.8				
	<i>Pilosabia pilosa</i>	3.0	0.7					2.0	0.5							
<i>Siphopatella walshi</i>																
<i>Turricula javana</i>																
<i>Turricula nelliae</i>																
<i>Turritella terebra</i>	670.0	6370.0	*	1240.0	11570.0	*	940.0	6280.0	*	880.0	8640.0	*	1320.0	12640.0		
<i>UNID Nudibranch</i>							1.0	7.6								
Bivalve	<i>Anomalodiscus squamosus</i>													1.0	3.1	
	<i>Atrina pectinata</i>															

Demersal Trawling Data in January 2015

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Crassostrea spp.</i>														1.0	46.2
	<i>Chione isabellina</i>															
	<i>Chlamys nobilis</i>				1.0	4.6										
	<i>Ostrea sp.</i>	30.0	62.0	*	5.0	11.6					3.0	7.2				
	<i>Paphia gallus</i>															
	<i>Paphia undulata</i>	6.0	38.0					9.0	55.0		11.0	68.0				
	<i>Parahyotissa sp.</i>													1.0	43.1	
	<i>Perna viridis</i>				1.0	5.1										
	<i>Placuna placenta</i>															
	<i>Ruditapes philippinarum</i>															
	<i>Scapharca subcrenata</i>	4.0	242.0		2.0	165.0					1.0	31.4		5.0	186.0	
	<i>Spondylus violascens</i>															
	<i>Tegillarca nodifera</i>							5.0	29.4					6.0	31.0	
	<i>Vepricardium asiaticum</i>	2.0	9.3													
Cephalopod	<i>Lolingid squid</i>															
	<i>Sepiid cuttlefish</i>													1.0	16.0	
	<i>Octopus sp.</i>	1.0	78.0											1.0	114.0	
Echinoderm	<i>Acaudina molpadioides</i>	3.0	26.4		4.0	171.8		7.0	370.0							
	<i>Temnopleurus toreumaticus</i>	20.0	172.0	*	11.0	72.0		6.0	49.2		16.0	130.0		20.0	180.0	*
Cnidaria	<i>Edwardsia japonica (c.f.)</i>							1.0	3.4							
	<i>Ellisella laevis</i>										1.0	21.4				
	<i>Echinogorgia complexa(c.f.)</i>															
	<i>Gorgonia spp.</i>															
	<i>Carcinactis ichikawai</i>	2.0	0.9		30.0	15.6	*	6.0	2.8		2.0	0.9		4.0	1.6	
	<i>Cavernularia habereri</i>	40.0	220.0	*	50.0	260.0	*	50.0	260.0	*	70.0	416.0	*	50.0	260.0	*
	<i>Pteroeides chinense</i>	11.0	508.0		7.0	330.0		2.0	74.2		6.0	262.0		10.0	420.0	
	<i>Sea anomea</i>										1.0	5.8		1.0	4.2	
	<i>Virgularia gustaviana</i>	1.0	6.4		3.0	19.3								3.0	21.2	
Cirripedia	<i>Balanus spp.(c.f.)</i>	50.0	24.0	*	70.0	35.0	*	60.0	28.0	*	70.0	34.0	*	80.0	37.0	*

Demersal Trawling Data in January 2015

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acentrogobius caninus</i>															
	<i>Arius sinensis</i>															
	<i>Collichthys lucidus</i>															
	<i>Cryptocentrus filifer</i>				1.0	6.0										
	<i>Cynoglossus arel</i>	1.0	144.0		1.0	16.0					1.0	10.0				
	<i>Cynoglossus puncticeps</i>	1.0	18.0		1.0	12.0										
	<i>Cynoglossus sinicus</i>							1.0	50.0							
	<i>Dasyatis akajei</i>															
	<i>Dasyatis zugei</i>															
	<i>Dendrophysa russelii</i>	3.0	104.0		2.0	74.0		1.0	24.0		1.0	22.0		1.0	48.0	
	<i>Drepane longimana</i>															
	<i>Gerres abbreviatus</i>															
	<i>Inimicus japonica</i>															
	<i>Johnius belangerii</i>															
	<i>Inimicus didactylus</i>							1.0	130.0							
	<i>Inegocia japonica</i>															
	<i>Konosirus punctatus</i>															
	<i>Lagocephalus wheeleri</i>															
	<i>Lateolabrax japonicus</i>															
	<i>Leiognathus brevisrostris</i>	3.0	38.0								1.0	6.0				
	<i>Leiognathus nuchalis</i>															
	<i>Lepturacanthus savala</i>															
	<i>Lisa macrolepis</i>	1.0	58.0		1.0	34.0					1.0	58.0				
	<i>Monacanthus chinensis</i>															
	<i>Mugil cephalus</i>															
	<i>Nibea albiflora</i>															
	<i>Oxyurichthys tentacularis</i>															
	<i>Otolithes ruber</i>	1.0	98.0													
	<i>Parachaeturichthys polynema</i>										1.0	8.0				
	<i>Paraplagusia japonica</i>															
	<i>Paralichthys olivaceus</i>															
	<i>Pennahia anea</i>															
	<i>Platycephalus indicus</i>	1.0	48.0		3.0	100.0					5.0	320.0		3.0	150.0	
	<i>Polydactylus sextarius</i>				1.0	20.0										
	<i>Pseudorhombus cinnamomeus</i>													1.0	218.0	
	<i>Pseudorhombus sp.</i>							1.0	92.0							
	<i>Scatophagus argus</i>															
	<i>Sebastiscus marmoratus</i>															
	<i>Siganus canaliculatus</i>															
	<i>Sillago sihama</i>	2.0	64.0													
	<i>Solea ovata</i>	8.0	100.0		7.0	88.0					3.0	36.0		1.0	12.0	
	<i>Sparus latus Houttuyn</i>															
	<i>Takifugu oblongus</i>															
	<i>Takifugu poecilonotus</i>															
	<i>Thryssa chefuensis</i>															
	<i>Thryssa hamiltonii</i>															
	<i>Trachycephalus uranoscopa</i>										2.0	32.0		1.0	10.0	
	<i>Trypauchen vagina</i>	1.0	18.0		1.0	18.0					1.0	2.0				
	<i>Grammoplites scaber</i>	2.0	44.0		1.0	30.0		2.0	50.0		4.0	90.0		2.0	22.0	

Demersal Trawling Data in January 2015

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Uroconger lepturus</i>															
Prawn or shrimp	<i>Alpheus distinguendus</i>				3.0	18.0					1.0	2.0				
	<i>Metapenaeopsis barbata</i>															
	<i>Metapenaeus ensis</i>															
	<i>Metapenaeus joyneri</i>							1.0	6.0							
	<i>Parapenaeopsis hardwickii</i>															
	<i>Parapenaeopsis tenella</i>				1.0	4.0					1.0	6.0				
	<i>Penaeus merguensis</i>	5.0	258.0		5.0	154.0		1.0	78.0				2.0	88.0		
	<i>Solenocera crassicornis</i>															
Crab	<i>Charybdis affinis</i>	5.0	182.0		2.0	56.0										
	<i>Charybdis cruciata</i>				1.0	16.0										
	<i>Charybdis spp.</i>	31.0	934.0	*	17.0	306.4		36.0	370.0	*	30.0	340.0	*	30.0	340.0	*
	<i>Dorippe polita</i>	30.0	362.0	*	62.0	46.4										
	<i>Eucrate crenata</i>				4.0	21.6										
	<i>Galene bispinosa</i>															
	<i>Hermit crab</i>	30.0	104.0	*	10.0	41.2										
	<i>Leucosia craniolaris</i>							1.0	3.8							
	<i>Macrophthalmus japonicus</i>															
	<i>Parthenope validus</i>	2.0	21.3		3.0	36.8		3.0	37.6		12.0	122.4				
	<i>Porcellanella picta</i>															
	<i>Portunus pelagicus</i>															
	<i>Portunus trituberculatus</i>															
	<i>Typhlocarcinus sp.</i>												2.0	1.6		
	<i>Arcania heptacontra</i>															
Mantis shrimp	<i>Harpisquilla harpax</i>															
	<i>Oratosquilla interrupta</i>										1.0	18.0				
	<i>Oratosquilla oratoria</i>	1.0	28.0		3.0	54.0										
Gastropod	<i>Apollon olivator rubustus</i>	1.0	4.6													
	<i>Bursa rana</i>															
	<i>Calyptreaea sp.</i>				2.0	0.9										
	<i>Drupa musiva</i>	1.0	4.2								6.0	21.2				
	<i>Hemifusus tuba</i>															
	<i>Inquistor flavidula</i>				8.0	13.2		2.0	3.6							
	<i>Lophiotoma leucotropis</i>															
	<i>Murex trapa</i>	2.0	13.2					6.0	39.4		4.0	26.2				
	<i>Nassarius hepaticus</i>															
	<i>Nassarius succinctus</i>				4.0	6.2										
	<i>Nassarius sp.</i>															
	<i>Natica sp.</i>															
	<i>Gemmula deshayesii</i>							3.0	4.8							
	<i>Philine sp.</i>							1.0	4.1							
	<i>Pilosabia pilosa</i>	2.0	0.6													
	<i>Siphopatella walshi</i>															
	<i>Turricula javana</i>							2.0	3.6							
	<i>Turricula nelliae</i>												1.0	4.8		
	<i>Turritella terebra</i>	410.0	3960.0	*	870.0	8540.0	*	880.0	8660.0	*	2450.0	23620.0	*	2650.0	25470.0	*
	UNID Nudibranch															
Bivalve	<i>Anomalodiscus squamosus</i>															
	<i>Atrina pectinata</i>										1.0	51.2				

Demersal Trawling Data in January 2015

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Crassostrea spp.</i>															
	<i>Chione isabellina</i>															
	<i>Chlamys nobilis</i>															
	<i>Ostrea sp.</i>	40.0	140.0	*	40.0	140.0	*	30.0	106.0	*	40.0	140.0	*	30.0	106.0	*
	<i>Paphia gallus</i>															
	<i>Paphia undulata</i>				3.0	12.4										
	<i>Parahyotissa sp.</i>															
	<i>Perna viridis</i>															
	<i>Placuna placenta</i>															
	<i>Ruditapes philippinarum</i>										3.0	11.4				
	<i>Scapharca subcrenata</i>															
	<i>Spondylus violascens</i>															
	<i>Tegillarca nodifera</i>															
	<i>Vepricardium asiaticum</i>															
Cephalopod	<i>Lolingid squid</i>															
	<i>Sepiid cuttlefish</i>															
	<i>Octopus sp.</i>	5.0	426.0		3.0	294.0		4.0	354.0		6.0	1092.0		2.0	306.0	
Echinoderm	<i>Acaudina molpadioides</i>				3.0	147.2										
	<i>Temnopleurus toreumaticus</i>	30.0	250.0	*	11.0	68.4		5.0	38.6		30.0	250.0	*	12.0	84.0	
Cnidaria	<i>Edwardsia japonica (c.f.)</i>															
	<i>Ellisella laevis</i>							1.0	12.4							
	<i>Echinogorgia complexa(c.f.)</i>															
	<i>Gorgonia spp.</i>															
	<i>Carcinactis ichikawai</i>	5.0	2.2		3.0	1.6										
	<i>Cavernularia habereri</i>	40.0	210.0	*	30.0	160.0	*	30.0	160.0	*	40.0	210.0	*	40.0	210.0	*
	<i>Pteroeides chinense</i>	30.0	1340.0	*	9.0	420.0		18.0	910.0		5.0	218.0		7.0	316.0	
	<i>Sea anomea</i>	1.0	3.6		1.0	4.1					2.0	260.0	*			
	<i>Virgularia gustaviana</i>	4.0	42.3		1.0	8.2		2.0	14.6		2.0	16.2		4.0	51.0	
Cirripedia	<i>Bananus spp.(c.f.)</i>	60.0	126.2	*	50.0	23.0	*	70.0	34.0	*	120.0	54.0	*	90.0	42.0	*