

Demersal Trawling Data in January 2016

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Takifugu bimaculatus</i>															
	<i>Takifugu oblongus</i>															
	<i>Terapon jarbua</i>				1.0	66.0										
	<i>Thryssa hamiltonii</i>															
	<i>Thryssa kammalensis</i>															
	<i>Trachycephalus uranoscopa</i>				1.0	10.0		2.0	24.0				1.0	12.0		
	<i>Trypauchen vagina</i>															
	<i>Zebrias zebra</i>															
Prawn or shrimp	<i>Alpheus distinguendus</i>				1.0	4.0										
	<i>Alpheus japonica</i>															
	<i>Metapenaeopsis barbata</i>															
	<i>Metapenaeus ensis</i>															
	<i>Metapenaeus joyneri</i>															
	<i>Parapenaeopsis hardwickii</i>															
	<i>Parapenaeopsis tenella</i>															
	<i>Penaeus merguensis</i>															
	<i>Trachypenaeus curvirostris</i>															
Crab	<i>Arcania heptacontra</i>															
	<i>Charybdis acuta</i>															
	<i>Charybdis affinis</i>															
	<i>Charybdis cruciata</i>															
	<i>Charybdis japonica</i>															
	<i>Charybdis variegata</i>	1.0	4.0										2.0	6.0		
	<i>Charybdis spp.</i>	14.0	110.0		20.0	130.0	*	19.0	158.0		20.0	130.0	*	20.0	130.0	*
	<i>Dorippe polita</i>	20.0	230.0	*	11.0	106.0		12.0	140.0		6.0	62.0		3.0	24.0	
	<i>Eucrate crenata</i>															
	<i>Galene bispinosa</i>															
	Hermit crab	20.0	76.0	*	20.0	70.0	*	16.0	54.0		20.0	70.0	*	20.0	76.0	*
	<i>Leucosia craniolaris</i>															
	<i>Parthenope validus</i>										1.0	12.2		2.0	21.6	
	<i>Porcellanella picta</i>															
	<i>Portunus hastatoides</i>															
	<i>Portunus pelagicus</i>							1.0	308.0							
	<i>Portunus trituberculatus</i>							1.0	194.0							
	<i>Scylla serrata (mud crab)</i>															
	<i>Tachypleus tridentatus</i>												1.0	620.0		
	<i>Typhlocarcinus sp.</i>															
Mantis shrimp	<i>Harpisquilla harpax</i>															
	<i>Erugosquilla woodmasoni</i>															
	<i>Oratosquilla interrupta</i>															
	<i>Oratosquilla oratoria</i>															
Gastropod	<i>Bursa rana</i>															
	<i>Calyptreaea sp.</i>										2.0	0.8				
	<i>Drupa musiva</i>				2.0	8.4							1.0	3.6		
	<i>Epitonium scalare</i>															
	<i>Hemifusus tuba</i>															
	<i>Inquistor flavidula</i>							3.0	5.2		7.0	13.0		20.0	51.0	*
	<i>Lophiotoma leucotropis</i>															
	<i>Murex trapa</i>	11.0	82.0		20.0	130.0	*	30.0	140.0	*	20.0	110.0	*	30.0	140.0	*

Demersal Trawling Data in January 2016

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Nassarius hepaticus</i>															
	<i>Nassarius succinctus</i>										5.0	13.4				
	<i>Nassarius sp.</i>															
	<i>Natica tigrina</i>	1.0	3.2													
	<i>Philine sp.</i>															
	<i>Pilosabia pilosa</i>	2.0	0.4								1.0	0.3				
	<i>Siphopatella walshi</i>	1.0	0.3		1.0	3.1		3.0	0.6							
	<i>Thais mutabilis</i>															
	<i>Tonna sulcosa</i>															
	<i>Turricula nelliae</i>												1.0	1.2		
	<i>Turritella terebra</i>	160.0	1530.0	*	170.0	1650.0	*	140.0	1380.0	*	140.0	1360.0	*	120.0	1170.0	*
Bivalve	<i>Timoclea scabra</i>															
	<i>Chione isabellina</i>	20.0	110.0	*	7.0	36.0										
	<i>Chlamys nobilis</i>															
	<i>Macoma candida</i>															
	<i>Ostrea sp.</i>	40.0	150.0	*	50.0	170.0	*	40.0	140.0	*	30.0	34.0	*	40.0	140.0	*
	<i>Crossostrea sp.</i>															
	<i>Paphia undulata</i>	50.0	320.0	*	40.0	170.0	*	30.0	130.0	*	60.0	340.0	*	50.0	330.0	*
	<i>Perna viridis</i>															
	<i>Pinctada martensii</i>				1.0	74.2										
	<i>Ruditapes philippinarum</i>															
	<i>Scapharca subcrenata</i>															
	<i>Vepricardium asiaticum</i>															
	<i>Atrina pectinata</i>															
	<i>Tolonostrea talonata</i>															
Cephalopod	<i>Lolingid squid</i>															
	<i>Sepiid cuttlefish</i>															
	<i>Octopus sp.</i>															
Echinoderm	<i>Acaudina molpadioides</i>															
	Brittle star															
	<i>Temnopleurus toreumaticus</i>	28.0	493.0		20.0	320.0	*	20.0	320.0	*	20.0	330.0	*	12.0	168.0	
Cnidaria	<i>Edwardsia japonica (c.f.)</i>															
	<i>Ellisella laevis</i>													5.3		
	<i>Echinogorgia complexa (c.f.)</i>	1.0	4.2													
	<i>Gorgonia spp.</i>							1.0	12.4							
	<i>Carcinactis ichikawai</i>	1.0	1.1		2.0	1.4		5.0	5.2							
	<i>Cavernularia habereri</i>	11.0	46.0		15.0	62.0							4.0	23.0		
	<i>Pteroeides chinense</i>	9.0	178.0		5.0	110.0		16.0	316.0		3.0	81.6	7.0	146.2		
	Sea anomea															
	<i>Virgularia gustaviana</i>	2.0	16.4					20.0	188.0	*	1.0	8.1	2.0	21.4		
Urochordata	Sea Squirts															
Cirripedia	<i>Balanus spp.(c.f.)</i>	170.0	62.0	*	160.0	72.0	*	160.0	72.0	*	180.0	80.0	*	160.0	78.0	*

Demersal Trawling Data in January 2016

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Takifugu bimaculatus</i>															
	<i>Takifugu oblongus</i>															
	<i>Terapon jarbua</i>															
	<i>Thryssa hamiltonii</i>															
	<i>Thryssa kammalensis</i>															
	<i>Trachycephalus uranoscopa</i>				2.0	42.0		2.0	40.0		6.0	40.0		3.0	32.0	
	<i>Trypauchen vagina</i>							1.0	4.0							
	<i>Zebrias zebra</i>															
Prawn or shrimp	<i>Alpheus distinguendus</i>															
	<i>Alpheus japonica</i>															
	<i>Metapenaeopsis barbata</i>							2.0	4.0							
	<i>Metapenaeus ensis</i>															
	<i>Metapenaeus joyneri</i>															
	<i>Parapenaeopsis hardwickii</i>															
	<i>Parapenaeopsis tenella</i>				1.0	6.0										
	<i>Penaeus merguensis</i>															
	<i>Trachypenaeus curvirostris</i>										1.0	2.0				
Crab	<i>Arcania heptacontra</i>										1.0	4.3				
	<i>Charybdis acuta</i>															
	<i>Charybdis affinis</i>	1.0	26.0		1.0	24.0										
	<i>Charybdis cruciata</i>							1.0	246.0					2.0	514.0	
	<i>Charybdis japonica</i>															
	<i>Charybdis variegata</i>										1.0	8.0				
	<i>Charybdis spp.</i>	30.0	390.0	*	20.0	260.0	*	30.0	390.0	*	20.0	198.0	*	30.0	360.0	
	<i>Dorippe polita</i>	40.0	310.0	*	30.0	270.0	*	40.0	310.0	*	11.0	64.0	*	20.0	130.0	
	<i>Eucrate crenata</i>															
	<i>Galene bispinosa</i>															
	Hermit crab	30.0	120.0	*	40.0	150.0	*	30.0	110.0	*	40.0	170.0	*	30.0	120.0	
	<i>Leucosia craniolearis</i>							5.0	24.8		30.0	121.4	*	2.0	8.1	
	<i>Parthenope validus</i>				3.0	38.2		2.0	26.4		1.0	4.4				
	<i>Porcellanella picta</i>	60.0	20.0	*	80.0	36.0	*	80.0	36.0	*	20.0	63.0	*	30.0	62.0	
	<i>Portunus hastatoides</i>	1.0	2.0		8.0	30.0		12.0	40.0		8.0	18.0				
	<i>Portunus pelagicus</i>	1.0	402.0													
	<i>Portunus trituberculatus</i>							1.0	510.0							
	<i>Scylla serrata (mud crab)</i>															
	<i>Tachypleus tridentatus</i>															
	<i>Typhlocarcinus sp.</i>															
Mantis shrimp	<i>Harpisquilla harpax</i>															
	<i>Erugosquilla woodmasoni</i>															
	<i>Oratosquilla interrupta</i>	2.0	32.0								1.0	8.0				
	<i>Oratosquilla oratoria</i>							1.0	18.0							
Gastropod	<i>Bursa rana</i>	2.0	12.4								2.0	13.2				
	<i>Calyptreaea sp.</i>				4.0	1.2					4.0	1.6				
	<i>Drupa musiva</i>	30.0	170.0	*	9.0	31.0		30.0	170.0	*	20.0	83.0	*	15.0	66.0	
	<i>Epitonium scalare</i>															
	<i>Hemifusus tuba</i>															
	<i>Inquistor flavidula</i>	6.0	12.0		30.0	68.0	*	30.0	68.0	*	30.0	64.0	*	20.0	52.0	
	<i>Lophiotoma leucotropis</i>															
	<i>Murex trapa</i>	5.0	23.0		30.0	144.0	*	9.0	48.0		8.0	42.0		5.0	41.0	

Demersal Trawling Data in January 2016

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Nassarius hepaticus</i>				2.0	4.2		1.0	3.6							
	<i>Nassarius succinctus</i>	60.0	130.0	*	40.0	90.0	*	40.0	90.0	*				4.0	8.4	
	<i>Nassarius sp.</i>															
	<i>Natica tigrina</i>															
	<i>Philine sp.</i>				1.0	6.2										
	<i>Pilosabia pilosa</i>							3.0	0.7							
	<i>Siphopatella walshi</i>															
	<i>Thais mutabilis</i>															
	<i>Tonna sulcosa</i>															
	<i>Turricula nelliae</i>										3.0	5.4				
	<i>Turritella terebra</i>	160.0	1530.0	*	180.0	1790.0	*	120.0	1140.0	*	190.0	1870.0	*	180.0	1760.0	
Bivalve	<i>Timoclea scabra</i>															
	<i>Chione isabellina</i>							20.0	116.0	*	60.0	300.0	*	50.0	290.0	
	<i>Chlamys nobilis</i>				2.0	16.2		1.0	3.8							
	<i>Macoma candida</i>															
	<i>Ostrea sp.</i>	30.0	86.0	*	40.0	110.0	*	30.0	180.0	*	20.0	360.0	*	30.0	290.0	
	<i>Crossostrea sp.</i>							1.0	107.2							
	<i>Paphia undulata</i>	70.0	410.0	*	110.0	670.0	*	50.0	320.0	*	40.0	270.0	*	30.0	210.0	
	<i>Perna viridis</i>															
	<i>Pinctada martensii</i>															
	<i>Ruditapes philippinarum</i>															
	<i>Scapharca subcrenata</i>							2.0	26.4							
	<i>Vepricardium asiaticum</i>										1.0	5.8				
	<i>Atrina pectinata</i>	2.0	72.0					1.0	41.0							
	<i>Tolonostrea talonata</i>															
Cephalopod	<i>Lolingid squid</i>															
	<i>Sepiid cuttlefish</i>	1.0	8.0					1.0	14.0		2.0	32.0				
	<i>Octopus sp.</i>															
Echinoderm	<i>Acaudina molpadioides</i>	4.0	116.0		8.0	210.0		3.0	94.0		20.0	840.0	*	9.0	190.0	
	Brittle star							1.0	4.2							
	<i>Temnopleurus toreumaticus</i>	40.0	480.0	*	30.0	460.0	*	30.0	460.0	*	20.0	310.0	*	14.0	170.0	
Cnidaria	<i>Edwardsia japonica (c.f.)</i>															
	<i>Ellisella laevis</i>				1.0	21.0							2.0	14.0		
	<i>Echinogorgia complexa (c.f.)</i>							1.0	5.2							
	<i>Gorgonia spp.</i>															
	<i>Carcinactis ichikawai</i>	20.0	19.2	*	7.0	6.5		5.0	6.4		1.0	1.2		1.0	0.8	
	<i>Cavernularia habereri</i>	40.0	180.0	*	30.0	150.0	*	30.0	150.0	*	80.0	620.0	*	120.0	690.0	
	<i>Pteroeides chinense</i>	380.0	9560.0	*	870.0	8610.0	*	930.0	8510.0	*	820.0	8160.0	*	1120.0	11100.0	
	Sea anomea															
	<i>Virgularia gustaviana</i>	5.0	82.0		3.0	46.0		4.0	151.0		3.0	24.6				
Urochordata	Sea Squirts															
Cirripedia	<i>Balanus spp.(c.f.)</i>	160.0	70.0	*	180.0	82.0	*	190.0	88.0	*	210.0	92.0	*	190.0	74.0	

Demersal Trawling Data in January 2016

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)		
	<i>Takifugu bimaculatus</i>															
	<i>Takifugu oblongus</i>															
	<i>Terapon jarbua</i>															
	<i>Thryssa hamiltonii</i>	1.0	40.0													
	<i>Thryssa kammalensis</i>															
	<i>Trachycephalus uranoscopa</i>				1.0	16.0										
	<i>Trypauchen vagina</i>															
	<i>Zebrias zebra</i>	2.0	52.0		1.0	24.0		2.0	72.0		3.0	62.0				
Prawn or shrimp	<i>Alpheus distinguendus</i>	1.0	2.0		1.0	2.0		2.0	6.0					1.0	2.0	
	<i>Alpheus japonica</i>															
	<i>Metapenaeopsis barbata</i>															
	<i>Metapenaeus ensis</i>				1.0	26.0										
	<i>Metapenaeus joyneri</i>															
	<i>Parapenaeopsis hardwickii</i>	21.0	90.0		14.0	50.0		38.0	128.0		10.0	28.0		4.0	22.0	
	<i>Parapenaeopsis tenella</i>															
	<i>Penaeus merguensis</i>															
	<i>Trachypenaeus curvirostris</i>				4.0	12.0		18.0	30.0							
Crab	<i>Arcania heptacontra</i>															
	<i>Charybdis acuta</i>	2.0	196.0													
	<i>Charybdis affinis</i>	6.0	110.0		4.0	104.0		7.0	148.0		8.0	236.0		2.0	40.0	
	<i>Charybdis cruciata</i>															
	<i>Charybdis japonica</i>													3.0	48.0	
	<i>Charybdis variegata</i>							1.0	4.0		1.0	4.0				
	<i>Charybdis spp.</i>	40.0	490.0	*	50.0	610.0	*	40.0	490.0	*	40.0	460.0	*	30.0	476.0	
	<i>Dorippe polita</i>	6.0	46.0		20.0	284.0	*	9.0	96.0		20.0	170.0	*	6.0	61.0	
	<i>Eucrate crenata</i>										1.0	8.2				
	<i>Galene bispinosa</i>															
	Hermit crab	50.0	160.0	*	60.0	180.0	*	30.0	110.0	*	30.0	120.0	*	40.0	158.0	
	<i>Leucosia craniolaris</i>										1.0	4.1				
	<i>Parthenope validus</i>							2.0	38.4		3.0	41.6				
	<i>Porcellanella picta</i>				1.0	0.3										
	<i>Portunus hastatoides</i>	4.0	18.0		7.0	30.0		17.0	78.0		3.0	16.0		2.0	10.0	
	<i>Portunus pelagicus</i>															
	<i>Portunus trituberculatus</i>															
	<i>Scylla serrata (mud crab)</i>													1.0	370.0	
	<i>Tachypleus tridentatus</i>															
	<i>Typhlocarcinus sp.</i>															
Mantis shrimp	<i>Harpiosquilla harpax</i>															
	<i>Erugosquilla woodmasoni</i>															
	<i>Oratosquilla interrupta</i>															
	<i>Oratosquilla oratoria</i>	1.0	10.0		1.0	14.0								1.0	6.0	
Gastropod	<i>Bursa rana</i>	2.0	11.4													
	<i>Calyptraea sp.</i>	3.0	1.1					2.0	0.8							
	<i>Drupa musiva</i>	40.0	450.0	*	30.0	310.0	*	40.0	350.0	*	50.0	410.0	*	40.0	360.0	
	<i>Epitonium scalare</i>															
	<i>Hemifusus tuba</i>															
	<i>Inquistor flavidula</i>				8.0	16.0		20.0	43.0	*						
	<i>Lophiotoma leucotropis</i>				1.0	4.2					2.0	6.6				
	<i>Murex trapa</i>	9.0	48.0		20.0	110.0	*	15.0	63.0		20.0	116.0	*	15.0	94.0	

Demersal Trawling Data in January 2016

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)		
	<i>Nassarius hepaticus</i>										1.0	2.2				
	<i>Nassarius succinctus</i>	20.0	46.0	*	7.0	15.0								20.0	42.0	*
	<i>Nassarius sp.</i>															
	<i>Natica tigrina</i>										1.0	3.2				
	<i>Philine sp.</i>							1.0	4.2							
	<i>Pilosabia pilosa</i>				3.0	0.9					1.0	0.2				
	<i>Siphopatella walshi</i>							1.0	0.3							
	<i>Thais mutabilis</i>															
	<i>Tonna sulcosa</i>															
	<i>Turricula nelliae</i>															
	<i>Turritella terebra</i>	240.0	1180	*	350.0	3480.0	*	320.0	2630.0	*	180.0	1760.0	*	120.0	1230.0	*
Bivalve	<i>Timoclea scabra</i>															
	<i>Chione isabellina</i>										2.0	7.8				
	<i>Chlamys nobilis</i>				1.0	6.4		1.0	5.2							
	<i>Macoma candida</i>															
	<i>Ostrea sp.</i>							2.0	3.8		20.0	42.0	*			
	<i>Crossostrea sp.</i>															
	<i>Paphia undulata</i>															
	<i>Perna viridis</i>															
	<i>Pinctada martensii</i>															
	<i>Ruditapes philippinarum</i>															
	<i>Scapharca subcrenata</i>							1.0	40.6							
	<i>Vepricardium asiaticum</i>															
	<i>Atrina pectinata</i>	1.0	47.0													
	<i>Tolonostrea talonata</i>															
Cephalopod	<i>Lolingid squid</i>															
	<i>Sepiid cuttlefish</i>															
	<i>Octopus sp.</i>															
Echinoderm	<i>Acaudina molpadioides</i>	3.0	92.0		6.0	162.0		4.0	49.0		8.0	190.0		4.0	118.0	
	Brittle star															
	<i>Temnopleurus toreumaticus</i>	20.0	460.0	*	30.0	610.0	*	7.0	196.0		5.0	168.0		20.0	250.0	*
Cnidaria	<i>Edwardsia japonica (c.f.)</i>	1.0	3.6											2.0	7.2	
	<i>Ellisella laevis</i>				4.0	72.0					1.0	14.8				
	<i>Echinogorgia complexa (c.f.)</i>															
	<i>Gorgonia spp.</i>	1.0	6.2								2.0	18.0				
	<i>Carcinactis ichikawai</i>	2.0	2.1		3.0	3.2		1.0	0.9		2.0	1.9				
	<i>Cavernularia habereri</i>	7.0	32.0		12.0	27.6		20.0	94.0	*	20.0	80.0	*	12.0	56.0	
	<i>Pteroeides chinense</i>	3.0	51.0		4.0	62.0		3.0	50.0		1.0	6.2		3.0	48.0	
	Sea anomea	2.0	8.4		1.0	4.1								1.0	3.2	
	<i>Virgularia gustaviana</i>							1.0	8.1							
Urochordata	Sea Squirts															
Cirripedia	<i>Bananus spp.(c.f.)</i>	160.0	72.0	*	190.0	80.0	*	90.0	36.0	*	130.0	61.0	*	90.0	42.0	*

Demersal Trawling Data in January 2016

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Takifugu bimaculatus</i>															
	<i>Takifugu oblongus</i>															
	<i>Terapon jarbua</i>															
	<i>Thryssa hamiltonii</i>															
	<i>Thryssa kammalensis</i>										3.0	34.0		2.0	16.0	
	<i>Trachycephalus uranoscopa</i>															
	<i>Trypauchen vagina</i>	1.0	14.0					2.0	14.0							
	<i>Zebrias zebra</i>															
Prawn or shrimp	<i>Alpheus distinguendus</i>															
	<i>Alpheus japonica</i>															
	<i>Metapenaeopsis barbata</i>													1.0	4.0	
	<i>Metapenaeus ensis</i>															
	<i>Metapenaeus joyneri</i>															
	<i>Parapenaeopsis hardwickii</i>				1.0	8.0					4.0	14.0		5.0	26.0	
	<i>Parapenaeopsis tenella</i>															
	<i>Penaeus merguensis</i>	2.0	108.0		3.0	94.0		10.0	426.0		1.0	28.0		2.0	60.0	
	<i>Trachypenaeus curvirostris</i>															
Crab	<i>Arcania heptacontra</i>															
	<i>Charybdis acuta</i>															
	<i>Charybdis affinis</i>	2.0	68.0		2.0	44.0		7.0	136.0		5.0	152.0		5.0	144.0	
	<i>Charybdis cruciata</i>													1.0	26.0	
	<i>Charybdis japonica</i>															
	<i>Charybdis variegata</i>													7.0	30.0	
	<i>Charybdis spp.</i>	30.0	290.0	*	20.0	322.0	*	20.0	344.0	*	30.0	380.0	*	20.0	222.0	
	<i>Dorippe polita</i>	30.0	460.0	*	20.0	260.0	*	27.0	282.0	*	20.0	240.0	*	20.0	240.0	
	<i>Eucrate crenata</i>															
	<i>Galene bispinosa</i>															
	Hermit crab	60.0	210.0	*	50.0	250.0	*	50.0	250.0	*	40.0	120.0	*	50.0	138.0	
	<i>Leucosia craniolaris</i>															
	<i>Parthenope validus</i>															
	<i>Porcellanella picta</i>	4.0	1.1													
	<i>Portunus hastatoides</i>	4.0	10.0		3.0	8.0		15.0	50.0		3.0	12.0				
	<i>Portunus pelagicus</i>															
	<i>Portunus trituberculatus</i>															
	<i>Scylla serrata (mud crab)</i>															
	<i>Tachypleus tridentatus</i>															
	<i>Typhlocarcinus sp.</i>															
Mantis shrimp	<i>Harpisquilla harpax</i>															
	<i>Erugosquilla woodmasoni</i>															
	<i>Oratosquilla interrupta</i>				1.0	14.0					1.0	8.0				
	<i>Oratosquilla oratoria</i>															
Gastropod	<i>Bursa rana</i>							4.0	28.1							
	<i>Calyptraea sp.</i>				1.0	0.4								2.0	0.6	
	<i>Drupa musiva</i>	20.0	214.0	*	8.0	36.0		7.0	34.0		30.0	470.0	*	20.0	240.0	
	<i>Epitonium scalare</i>				1.0	5.2										
	<i>Hemifusus tuba</i>															
	<i>Inquistor flavidula</i>	6.0	13.0		20.0	44.0	*							6.0	13.0	
	<i>Lophiotoma leucotropis</i>										1.0	3.4				
	<i>Murex trapa</i>	40.0	250.0	*	30.0	210.0	*	20.0	140.0	*	20.0	150.0	*	30.0	210.0	

Demersal Trawling Data in January 2016

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Nassarius hepaticus</i>						2.0	5.2								
	<i>Nassarius succinctus</i>	30.0	62.0	*	11.0	23.0		30.0	60.0	*				11.0	24.0	
	<i>Nassarius sp.</i>															
	<i>Natica tigrina</i>															
	<i>Philine sp.</i>										1.0	4.1				
	<i>Pilosabia pilosa</i>						2.0	0.4								
	<i>Siphopatella walshi</i>	1.0	1.6								1.0	0.2				
	<i>Thais mutabilis</i>															
	<i>Tonna sulcosa</i>															
	<i>Turricula nelliae</i>															
	<i>Turritella terebra</i>	880.0	8460.0	*	760.0	7510.0	*	780.0	7780.0	*	410.0	3980.0	*	390.0	3860.0	*
Bivalve	<i>Timoclea scabra</i>															
	<i>Chione isabellina</i>															
	<i>Chlamys nobilis</i>						1.0	6.2								
	<i>Macoma candida</i>															
	<i>Ostrea sp.</i>	30.0	46.0	*	20.0	37.0	*	30.0	46.0	*	20.0	42.0	*	30.0	46.0	*
	<i>Crossostrea sp.</i>															
	<i>Paphia undulata</i>															
	<i>Perna viridis</i>															
	<i>Pinctada martensii</i>															
	<i>Ruditapes philippinarum</i>															
	<i>Scapharca subcrenata</i>	2.0	120.0								1.0	36.0				
	<i>Vepricardium asiaticum</i>															
	<i>Atrina pectinata</i>												1.0	62.0		
	<i>Tolonostrea talonata</i>															
Cephalopod	<i>Lolingid squid</i>															
	<i>Sepiid cuttlefish</i>															
	<i>Octopus sp.</i>															
Echinoderm	<i>Acaudina molpadioides</i>	20.0	460.0	*	9.0	370.0		15.0	380.0		5.0	260.0		2.0	32.0	
	Brittle star															
	<i>Temnopleurus toreumaticus</i>	20.0	660.0	*	20.0	570.0	*	20.0	610.0	*	12.0	230.0		20.0	490.0	*
Cnidaria	<i>Edwardsia japonica (c.f.)</i>							1.0	3.8							
	<i>Ellisella laevis</i>	3.0	62.0		10.0	290.0					1.0	16.0				
	<i>Echinogorgia complexa (c.f.)</i>															
	<i>Gorgonia spp.</i>				1.0	14.0										
	<i>Carcinactis ichikawai</i>	3.0	3.4		2.0	1.8		4.0	4.1		1.0	1.2				
	<i>Cavernularia habereri</i>	11.0	56.0		28.0	150.0		20.0	192.0	*	20.0	190.0	*	30.0	290.0	*
	<i>Pteroeides chinense</i>	3.0	190.0		3.0	52.0		7.0	230.0		3.0	42.0		6.0	160.0	
	Sea anomea	2.0	7.2		5.0	47.0		4.0	22.0							
	<i>Virgularia gustaviana</i>	2.0	46.0		3.0	51.0		1.0	17.0							
Urochordata	Sea Squirts															
Cirripedia	<i>Balanus spp.(c.f.)</i>	90.0	42.0	*	110.0	52.0	*	120.0	58.0	*	120.0	51.0	*	150.0	68.0	*

Demersal Trawling Data in January 2016

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)		
Fish	<i>Acentrogobius caninus</i>													1.0	12.0	
	<i>Apogon kiensis</i>															
	<i>Arius arius</i>															
	<i>Arnoglossus waitei</i>	3.0	16.0													
	<i>Callionymus curvicornis</i>				1.0	4.0		2.0	32.0							
	<i>Caranx kalla</i>															
	<i>Crossorhombus azureus</i>															
	<i>Cryptocentrus filifer</i>															
	<i>Cynoglossus abbreviatus</i>							3.0	172.0					2.0	58.0	
	<i>Cynoglossus arel</i>	1.0	12.0		1.0	8.0					5.0	216.0		1.0	28.0	
	<i>Cynoglossus puncticeps</i>							1.0	8.0							
	<i>Cynoglossus roulei</i>	2.0	60.0								3.0	56.0				
	<i>Dasyatis akajei</i>							1.0	1962.0					1.0	276.0	
	<i>Dasyatis zugei</i>	1.0	182.0													
	<i>Dendrophysa russelii</i>				1.0	32.0					3.0	72.0				
	<i>Epinephelus awoara</i>										1.0	90.0				
	<i>Epinephelus bruneus</i>															
	<i>Epinephelus coioides</i>															
	<i>Gerres abbreviatus</i>	3.0	46.0		2.0	48.0		3.0	66.0							
	<i>Gerres filamentosus</i>															
	<i>Grammolites scaber</i>															
	<i>Gymnura japonica</i>															
	<i>Hoplichthys fasciatus</i>	5.0	112.0		3.0	60.0		3.0	72.0		2.0	38.0		1.0	18.0	
	<i>Inegocia japonica</i>															
	<i>Inimicus japonicus</i>															
	<i>Johnius belangerii</i>															
	<i>Johnius trewavasae</i>										1.0	112.0				
	<i>Konosirus punctatus</i>							1.0	58.0							
	<i>Leiognathus brevirostris</i>	20.0	140.0		12.0	88.0		4.0	28.0		32.0	330.0		17.0	168.0	
	<i>Leiognathus nuchalis</i>	46.0	196.0		15.0	80.0		20.0	98.0		37.0	310.0		14.0	96.0	
	<i>Monacanthus chinensis</i>															
	<i>Mugil cephalus</i>							2.0	92.0							
	<i>Otolithes ruber</i>															
	<i>Oxyurichthys tentacularis</i>															
	<i>Parachaeturichthys polynema</i>													1.0	4.0	
	<i>Paramonacanthus sulcatus</i>															
	<i>Parapercis sp.</i>															
	<i>Parastromateus niger</i>															
	<i>Platycephalus indicus</i>	1.0	24.0		1.0	26.0		1.0	360.0		3.0	144.0		1.0	26.0	
	<i>Plectorhynchus pictus</i>															
	<i>Polydactylus sextarius</i>															
	<i>Pseudorhombus cinnamoneus</i>															
	<i>Saurida elongata</i>															
	<i>Scatophagus argus</i>													1.0	238.0	
	<i>Sebastiscus marmoratus</i>															
	<i>Siganus fuscescens</i>															
	<i>Sillago sihama</i>	3.0	118.0		2.0	52.0		4.0	122.0		1.0	78.0				
	<i>Solea ovata</i>	25.0	142.0		23.0	96.0		23.0	178.0		16.0	120.0		9.0	208.0	
	<i>Stolephorus commersonii</i>							2.0	10.0							

Demersal Trawling Data in January 2016

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)		
	<i>Takifugu bimaculatus</i>	1.0	136.0		2.0	448.0		1.0	358.0		2.0	204.0		1.0	128.0	
	<i>Takifugu oblongus</i>	1.0	206.0		1.0	172.0		3.0	800.0					2.0	348.0	
	<i>Terapon jarbua</i>															
	<i>Thryssa hamiltonii</i>															
	<i>Thryssa kammalensis</i>															
	<i>Trachycephalus uranoscopa</i>	1.0	10.0													
	<i>Trypauchen vagina</i>	1.0	8.0													
	<i>Zebrias zebra</i>															
Prawn or shrimp	<i>Alpheus distinguendus</i>	1.0	2.0								1.0	2.0				
	<i>Alpheus japonica</i>							1.0	6.0							
	<i>Metapenaeopsis barbata</i>	1.0	4.0													
	<i>Metapenaeus ensis</i>															
	<i>Metapenaeus joyneri</i>															
	<i>Parapenaeopsis hardwickii</i>															
	<i>Parapenaeopsis tenella</i>															
	<i>Penaeus merguensis</i>				1.0	48.0					6.0	200.0		6.0	234.0	
	<i>Trachypenaeus curvirostris</i>										1.0	2.0				
Crab	<i>Arcania heptacontra</i>	2.0	13.6													
	<i>Charybdis acuta</i>															
	<i>Charybdis affinis</i>	13.0	196.0		3.0	54.0		3.0	116.0		18.0	490.0		8.0	264.0	
	<i>Charybdis cruciata</i>							1.0	134.0		1.0	72.0		2.0	168.0	
	<i>Charybdis japonica</i>										1.0	20.0				
	<i>Charybdis variegata</i>	3.0	12.0					6.0	42.0							
	<i>Charybdis spp.</i>	20.0	230.0	*	30.0	290.0	*	30.0	290.0	*	30.0	290.0	*	20.0	240.0	*
	<i>Dorippe polita</i>	40.0	440.0	*	40.0	460.0	*	50.0	520.0	*	60.0	510.0	*	30.0	270.0	*
	<i>Eucrete crenata</i>	8.0	32.0		5.0	32.0		7.0	30.0		2.0	26.4		4.0	16.0	
	<i>Galene bispinosa</i>	2.0	86.0								1.0	18.4				
	Hermit crab	30.0	130.0	*	30.0	130.0	*	40.0	160.0	*	50.0	140.0	*	40.0	110.0	*
	<i>Leucosia craniolepis</i>				2.0	6.4		2.0	6.4		4.0	21.6				
	<i>Parthenope validus</i>	50.0	810.0	*	20.0	310.0	*	30.0	510.0	*	30.0	510.0	*	40.0	720.0	*
	<i>Porcellanella picta</i>															
	<i>Portunus hastatooides</i>	7.0	22.0		2.0	8.0		8.0	46.0		5.0	22.0		1.0	6.0	
	<i>Portunus pelagicus</i>							1.0	312.0		1.0	188.0				
	<i>Portunus trituberculatus</i>															
	<i>Scylla serrata (mud crab)</i>															
	<i>Tachypleus tridentatus</i>															
	<i>Typhlocarcinus sp.</i>															
Mantis shrimp	<i>Harpisquilla harpax</i>							1.0	12.0		1.0	28.0				
	<i>Erugosquilla woodmasoni</i>															
	<i>Oratosquilla interrupta</i>	2.0	36.0								1.0	10.0				
	<i>Oratosquilla oratoria</i>															
Gastropod	<i>Bursa rana</i>				1.0	8.2					3.0	26.0				
	<i>Calyptreaea sp.</i>	3.0	0.6					4.0	2.1							
	<i>Drupa musiva</i>	20.0	90.0	*	30.0	130.0	*	30.0	130.0	*	40.0	170.0	*	50.0	270.0	*
	<i>Epitonium scalare</i>															
	<i>Hemifusus tuba</i>	2.0	120.0					1.0	52.0							
	<i>Inquistor flavidula</i>	40.0	78.0	*	30.0	62.0	*	40.0	76.0	*	50.0	110.0	*	40.0	76.0	*
	<i>Lophiotoma leucotropis</i>															
	<i>Murex trapa</i>	40.0	310.0	*	40.0	310.0	*	40.0	310.0	*	50.0	310.0	*	40.0	310.0	*

Demersal Trawling Data in January 2016

		TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
Group	Species Name	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
		number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)
	<i>Nassarius hepaticus</i>	3.0	6.2													
	<i>Nassarius succinctus</i>	50.0	110.0	*	40.0	92.0	*	50.0	110.0	*	70.0	150.0	*	60.0	130.0	*
	<i>Nassarius sp.</i>							20.0	42.0	*						
	<i>Natica tigrina</i>															
	<i>Philine sp.</i>	20.0	246.0	*	1.0	4.6		3.0	17.4		20.0	240.0	*	7.0	51.0	
	<i>Pilosabia pilosa</i>							3.0	0.8							
	<i>Siphopatella walshi</i>				5.0	1.6					2.0	0.8				
	<i>Thais mutabilis</i>				2.0	6.2										
	<i>Tonna sulcosa</i>															
	<i>Turricula nelliae</i>															
	<i>Turritella terebra</i>	960.0	10710.0	*	1310.0	12640.0	*	1200.0	11460.0	*	1500.0	14800.0	*	2310.0	22870.0	*
Bivalve	<i>Timoclea scabra</i>	2100.0	1020.0	*	2200.0	1120.0	*	2400.0	2100.0	*	1960.0	870.0	*	2300.0	1160.0	*
	<i>Chione isabellina</i>	1.0	4.6								20.0	83.0	*	3.0	11.4	
	<i>Chlamys nobilis</i>	3.0	14.4		2.0	14.0		5.0	48.0					2.0	12.0	
	<i>Macoma candida</i>													1.0	1.6	
	<i>Ostrea sp.</i>	40.0	46.0	*	30.0	37.0	*	50.0	64.0	*	40.0	39.0	*	50.0	41.0	*
	<i>Crossostrea sp.</i>															
	<i>Paphia undulata</i>	40.0	270.0	*	30.0	170.0	*	30.0	170.0	*	8.0	46.0		7.0	33.0	
	<i>Perna viridis</i>										1.0	16.6				
	<i>Pinctada martensii</i>															
	<i>Ruditapes philippinarum</i>										3.0	14.0				
	<i>Scapharca subcrenata</i>	6.0	240.0		30.0	420.0	*	4.0	220.0		1.0	94.0		5.0	240.0	
	<i>Vepricardium asiaticum</i>															
	<i>Atrina pectinata</i>	5.0	82.0		8.0	140.0		3.0	110.0		1.0	154.2				
	<i>Tolonostrea talonata</i>							2.0	3.2							
Cephalopod	<i>Lolingid squid</i>										1.0	102.0				
	<i>Sepiid cuttlefish</i>															
	<i>Octopus sp.</i>				1.0	52.0					1.0	58.0				
Echinoderm	<i>Acaudina molpadioides</i>							3.0	162.0					3.0	112.0	
	Brittle star	4.0	25.1					3.0	15.8		4.0	28.6				
	<i>Temnopleurus toreumaticus</i>	1610.0	16130.0	*	1640.0	16380.0	*	1580.0	24718.0	*	1800.0	28640.0	*	3130.0	31610.0	*
Cnidaria	<i>Edwardsia japonica (c.f.)</i>										1.0	6.2				
	<i>Ellisella laevis</i>	1.0	6.4											2.0	26.0	
	<i>Echinogorgia complexa (c.f.)</i>										1.0	3.6				
	<i>Gorgonia spp.</i>															
	<i>Carcinactis ichikawai</i>	6.0	2.8		2.0	1.8		2.0	2.1		6.0	5.2		3.0	2.5	
	<i>Cavernularia habereri</i>							3.0	11.0							
	<i>Pteroeides chinense</i>										1.0	23.0				
	Sea anomea															
	<i>Virgularia gustaviana</i>	3.0	21.4		1.0	8.0										
Urochordata	Sea Squirts				1.0	0.7										
Cirripedia	<i>Balanus spp.(c.f.)</i>	160.0	72.0	*	180.0	72.0	*	210.0	102.0	*	160.0	72.0	*	180.0	74.0	*

Demersal Trawling Data in January 2016

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)		
	<i>Takifugu bimaculatus</i>				1.0	156.0										
	<i>Takifugu oblongus</i>															
	<i>Terapon jarbua</i>															
	<i>Thryssa hamiltonii</i>															
	<i>Thryssa kammalensis</i>															
	<i>Trachycephalus uranoscopa</i>															
	<i>Trypauchen vagina</i>															
	<i>Zebrias zebra</i>															
Prawn or shrimp	<i>Alpheus distinguendus</i>	1.0	4.0					2.0	2.0		1.0	4.0				
	<i>Alpheus japonica</i>															
	<i>Metapenaeopsis barbata</i>										1.0	4.0				
	<i>Metapenaeus ensis</i>															
	<i>Metapenaeus joyneri</i>	1.0	8.0													
	<i>Parapenaeopsis hardwickii</i>															
	<i>Parapenaeopsis tenella</i>										1.0	4.0		1.0	6.0	
	<i>Penaeus merguensis</i>	4.0	162.0		2.0	108.0		7.0	200.0		6.0	294.0		5.0	190.0	
	<i>Trachypenaeus curvirostris</i>															
Crab	<i>Arcania heptacontra</i>															
	<i>Charybdis acuta</i>															
	<i>Charybdis affinis</i>	1.0	20.0		5.0	256.0		2.0	52.0		1.0	32.0		1.0	34.0	
	<i>Charybdis cruciata</i>				2.0	258.0										
	<i>Charybdis japonica</i>															
	<i>Charybdis variegata</i>															
	<i>Charybdis spp.</i>	40.0	490.0	*	30.0	310.0	*	30.0	310.0	*	40.0	420.0	*	36.0	370.0	*
	<i>Dorippe polita</i>	40.0	310.0	*	20.0	190.0	*	30.0	270.0	*	40.0	360.0	*	50.0	420.0	*
	<i>Eucrate crenata</i>				6.0	26.0		2.0	11.2		7.0	21.4				
	<i>Galene bispinosa</i>							4.0	112.0		2.0	152.0		3.0	110.0	
	Hermit crab	40.0	110.0	*	30.0	42.0	*	30.0	42.0	*	40.0	140.0	*	30.0	110.0	*
	<i>Leucosia craniolaris</i>	3.0	15.2					1.0	4.2		1.0	3.4				
	<i>Parthenope validus</i>	50.0	630.0	*	40.0	720.0	*	50.0	630.0	*	40.0	680.0	*	40.0	680.0	*
	<i>Porcellanella picta</i>															
	<i>Portunus hastatoides</i>	7.0	38.0		2.0	12.0		15.0	58.0		18.0	72.0		3.0	14.0	
	<i>Portunus pelagicus</i>													1.0	396.0	
	<i>Portunus trituberculatus</i>															
	<i>Scylla serrata (mud crab)</i>															
	<i>Tachypleus tridentatus</i>															
	<i>Typhlocarcinus sp.</i>										2.0	2.1				
Mantis shrimp	<i>Harpisquilla harpax</i>	2.0	42.0		1.0	16.0										
	<i>Erugosquilla woodmasoni</i>							1.0	22.0							
	<i>Oratosquilla interrupta</i>										2.0	26.0		1.0	14.0	
	<i>Oratosquilla oratoria</i>	1.0	24.0								1.0	28.0				
Gastropod	<i>Bursa rana</i>	5.0	49.0													
	<i>Calyptraea sp.</i>	7.0	4.9		3.0	0.9		20.0	11.2	*				5.0	2.1	
	<i>Drupa musiva</i>	90.0	480.0	*	80.0	410.0	*	130.0	670.0	*	70.0	290.0	*	80.0	410.0	*
	<i>Epitonium scalare</i>															
	<i>Hemifusus tuba</i>										2.0	78.0				
	<i>Inquistor flavidula</i>	80.0	190.0	*	70.0	160.0	*	240.0	510.0	*	40.0	86.0	*	50.0	94.0	*
	<i>Lophiotoma leucotropis</i>	1.0	6.2								3.0	11.2				
	<i>Murex trapa</i>	40.0	310.0	*	60.0	440.0	*	50.0	320.0	*	40.0	390.0	*	40.0	390.0	*

Demersal Trawling Data in January 2016

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)		
	<i>Nassarius hepaticus</i>										1.0	1.9				
	<i>Nassarius succinctus</i>	110.0	230.0	*	90.0	180.0	*	160.0	330.0	*	90.0	188.0	*	70.0	150.0	*
	<i>Nassarius sp.</i>	1.0	1.6													
	<i>Natica tigrina</i>															
	<i>Philine sp.</i>	5.0	32.0					4.0	42.0		3.0	16.0				
	<i>Pilosabia pilosa</i>															
	<i>Siphopatella walshi</i>													5.0	1.9	
	<i>Thais mutabilis</i>				4.0	15.2										
	<i>Tonna sulcosa</i>							1.0	101.0							
	<i>Turricula nelliae</i>															
	<i>Turritella terebra</i>	2400.0	23900.0	*	2100.0	20810.0	*	1980.0	19330.0	*	2100.0	20410.0	*	1800.0	18610.0	*
Bivalve	<i>Timoclea scabra</i>	1800.0	920.0	*	2100.0	1100.0	*	2400.0	1170.0	*	1900.0	930.0	*	2100.0	1040.0	*
	<i>Chione isabellina</i>	5.0	28.0					2.0	9.2							
	<i>Chlamys nobilis</i>				1.0	8.4								3.0	12.4	
	<i>Macoma candida</i>															
	<i>Ostrea sp.</i>	30.0	36.0	*	30.0	36.0	*	40.0	48.0	*	40.0	42.0	*	30.0	33.0	*
	<i>Crossostrea sp.</i>															
	<i>Paphia undulata</i>	5.0	30.0		30.0	160.0	*	11.0	52.0		20.0	140.0	*	6.0	32.0	
	<i>Perna viridis</i>															
	<i>Pinctada martensii</i>	1.0	48.0								1.0	35.1				
	<i>Ruditapes philippinarum</i>							1.0	3.4							
	<i>Scapharca subcrenata</i>	20.0	490.0	*				4.0	172.0		2.0	198.0		2.0	120.0	
	<i>Vepricardium asiaticum</i>	1.0	16.4													
	<i>Atrina pectinata</i>	3.0	114.0					2.0	92.0		1.0	32.0				
	<i>Tolonostrea talonata</i>															
Cephalopod	<i>Lolingid squid</i>															
	<i>Sepiid cuttlefish</i>															
	<i>Octopus sp.</i>															
Echinoderm	<i>Acaudina molpadioides</i>	2.0	31.0								3.0	106.0				
	Brittle star															
	<i>Temnopleurus toreumaticus</i>	1940.0	28900.0	*	1870.0	28360.0	*	2300.0	32740.0	*	2200.0	33460.0	*	2300.0	33710.0	*
Cnidaria	<i>Edwardsia japonica (c.f.)</i>															
	<i>Ellisella laevis</i>															
	<i>Echinogorgia complexa (c.f.)</i>															
	<i>Gorgonia spp.</i>							1.0	16.0							
	<i>Carcinactis ichikawai</i>	6.0	2.8		3.0	1.9		6.0	3.2		3.0	3.3		1.0	1.1	
	<i>Cavernularia habereri</i>				2.0	10.3					2.0	8.4				
	<i>Pteroeides chinense</i>	2.0	39.0								1.0	16.0		4.0	56.0	
	Sea anomea															
	<i>Virgularia gustaviana</i>													1.0	6.4	
Urochordata	Sea Squirts				2.0	1.5										
Cirripedia	<i>Bananus spp.(c.f.)</i>	210.0	110.0	*	160.0	42.0	*	180.0	92.0	*	170.0	62.0	*	110.0	61.0	*