

Demersal Trawling Data in July 2014

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acentrogobius caninus</i>						1.0	26.0								
	<i>Apogon kiensis</i>	1.0	2.0		1.0	2.0		3.0	12.0							
	<i>Apogon lineatus</i>															
	<i>Arius sinensis</i>	1.0	260.0													
	<i>Aetoplatea zonura</i>															
	<i>Acanthopagrus schlegelii</i>															
	<i>Alepes kleinii</i>						3.0	18.0								
	<i>Acanthopagrus latus</i>															
	<i>Butis koilomatodon</i>															
	<i>Callionymus richardsoni</i>															
	<i>Clupanodon thrissa</i>															
	<i>Collichthys lucidus</i>						1.0	6.0					1.0	6.0		
	<i>Cryptocentrus filifer</i>															
	<i>Coilia mystus</i>															
	<i>Chaeturichthys stigmatias</i>															
	<i>Cynoglossus arel</i>	2.0	76.0				1.0	14.0								
	<i>Cynoglossus abbreviatus</i>															
	<i>Cynoglossus puncticeps</i>												1.0	6.0		
	<i>Cynoglossus semilaevis</i>															
	<i>Cynoglossus roulei</i>															
	<i>Dasyatis akajei</i>	1.0	384.0													
	<i>Dasyatis bennettii</i>															
	<i>Dasyatis zugei</i>	1.0	218.0				3.0	978.0		1.0	32.0					
	<i>Dendrophysa russelii</i>															
	<i>Drepane longimana</i>															
	<i>Drepane punctata</i>															
	<i>Epinephelus awoara</i>															
	<i>Epinephelus bruneus</i>															
	<i>Epinephelus quoyanus</i>															
	<i>Eleotridae sp.</i>															
	<i>Gerres abbreviatus</i>															
	<i>Gerres filamentosus</i>															
	<i>Gerres lucidus</i>				1.0	34.0										
	<i>Gymnura japonica</i>															
	<i>Gerreomorpha japonica</i>				1.0	34.0										
	<i>Harpadon nehereus</i>															
	<i>Hippocampus trimaculatus</i>															
	<i>Inegocia japonica</i>															
	<i>Ilisha elongata</i>															
	<i>Johnius amblycephalus</i>															
	<i>Johnius belangerii</i>	2.0	116.0				2.0	158.0		5.0	234.0					
	<i>Johnius heterolepis</i>															
	<i>Inimicus didactylus</i>															
	<i>Inimicus japonicus</i>															
	<i>Konosirus punctatus</i>															
	<i>Lagocephalus wheeleri</i>	1.0	26.0				3.0	98.0		2.0	90.0					
	<i>Larimichthys crocea</i>						1.0	22.0								

Demersal Trawling Data in July 2014

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Leiognathus brevirostris</i>	34.0	222.0		16.0	114.0		83.0	684.0		19.0	176.0		9.0	92.0	
	<i>Leiognathus nuchalis</i>	8.0	116.0					49.0	748.0		6.0	122.0				
	<i>Lepidotrigla japonice</i>															
	<i>Lepturacanthus savala</i>															
	<i>Lutjanus russelli</i>	1.0	160.0													
	<i>Minous sp.</i>															
	<i>Miichthys miiuy</i>															
	<i>Monacanthus chinensis</i>															
	<i>Mugil cephalus</i>															
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>	1.0	8.0		2.0	10.0		2.0	18.0		1.0	4.0		1.0	4.0	
	<i>Nibea albiflora</i>															
	<i>Oxyurichthys tentacularis</i>															
	<i>Otolithes ruber</i>															
	<i>Pampus argenteus</i>							1.0	44.0							
	<i>Parachaeturichthys polynema</i>							1.0	6.0							
	<i>Paracentropogon rubripinnis</i>															
	<i>Pennahia anea</i>							2.0	18.0							
	<i>Pennahia macrocephalus</i>															
	<i>Pennahia pawak</i>															
	<i>Pentaprion longimanus</i>															
	<i>Platycephalus indicus</i>							1.0	136.0							
	<i>Platycephalus sp.</i>															
	<i>Plotosus lineatus</i>															
	<i>Polydactylus sextarius</i>	1.0	8.0					2.0	22.0		3.0	18.0		2.0	12.0	
	<i>Pisodonophis boro</i>															
	<i>Pseudorhombus cinnamomeus</i>															
	<i>Pseudorhombus oligodon</i>															
	<i>Pseudorhombus sp.</i>	1.0	148.0					3.0	44.0		1.0	26.0				
	<i>Paramonacanthus filicauda</i>															
	<i>Rhabdosargus sarba</i>							1.0	42.0							
	<i>Saurida elongata</i>															
	<i>Sardinella sp.</i>															
	<i>Scatophagus argus</i>															
	<i>Scorpaenopsis macrochir</i>															
	<i>Sebastes sp.</i>							1.0	42.0							
	<i>Sebastiscus marmoratus</i>							1.0	12.0							
	<i>Secutor ruconius</i>															
	<i>Setipinna taty</i>															
	<i>Siganus canaliculatus</i>	1.0	6.0		5.0	48.0		3.0	24.0		2.0	6.0				
	<i>Siganus fuscescens</i>															
	<i>Sillago sihama</i>							1.0	34.0							
	<i>Solea ovata</i>	4.0	24.0		1.0	8.0		5.0	38.0		4.0	44.0		4.0	26.0	
	<i>Stolephorus insularis</i>	4.0	20.0		4.0	20.0		5.0	28.0							

Demersal Trawling Data in July 2014

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Syngnathus schlegeli</i>															
	<i>Syngnathus acus</i>															
	<i>Sardina pilchardus</i>															
	<i>Scoliodon sorrakowah</i>															
	<i>Takifugu oblongus</i>															
	<i>Takifugu ocellatus</i>															
	<i>Takifugu xanthopterus</i>															
	<i>Takifugu poecilonotus</i>															
	<i>Terapon jarbua</i>	1.0	20.0		1.0	20.0										
	<i>Terapon theraps</i>							3.0	36.0							
	<i>Thryssa chefuensis</i>															
	<i>Thryssa hamiltonii</i>															
	<i>Trachycephalus uranoscopa</i>							2.0	14.0		2.0	18.0				
	<i>Trypauchen vagina</i>															
	<i>Thryssa kammalensis</i>															
	<i>Johnius heterolepis</i>															
	<i>Grammolites scaber</i>							1.0	4.0							
	<i>Arnoglossus waitei</i>															
	<i>Uranoscopus chinensis</i>															
	<i>Uroconger lepturus</i>	1.0	26.0													
	<i>Zebrias zebra</i>													1.0	2.0	
Prawn or shrimp	<i>Alpheus brevicristatus</i>															
	<i>Alpheus distinguendus</i>															
	<i>Exopalaemon sp.</i>															
	<i>Metapenaeopsis barbata</i>															
	<i>Metapenaeus affinis</i>															
	<i>Metapenaeus ensis</i>															
	<i>Metapenaeus joyneri</i>															
	<i>Metapenaeus moyebi</i>															
	<i>Parapenaeopsis hardwickii</i>															
	<i>Parapenaeopsis tenella</i>										1.0	4.0		1.0	2.0	
	<i>Penaeus japonicus</i>	2.0	18.0													
	<i>Penaeus merguensis</i>															
	<i>Penaeus penicillatus</i>				1.0	6.0		3.0	30.0		4.0	28.0				
	<i>Solenocera crassicornis</i>															
	<i>Penaeus monodon</i>															
Crab	<i>Calappa philargius</i>							1.0	43.0							
	<i>Charybdis affinis</i>	14.0	182.0		6.0	74.0		19.0	330.0		10.0	284.0		11.0	208.0	
	<i>Charybdis cruciata</i>													1.0	2.0	
	<i>Charybdis japonica</i>															
	<i>Charybdis spp.</i>	80.0	650.0	*	60.0	610.0	*	73.0	744.0	*	72.0	824.0	*	60.0	620.0	
	<i>Charybdis feriatius</i>															
	<i>Charybdis truncata</i>															
	<i>Dorippe polita</i>	40.0	360.0	*	30.0	290.0	*	30.0	290.0	*	20.0	180.0	*	40.0	370.0	
	<i>Eucrate crenata</i>	30.0	270.0	*	11.0	62.0	*	40.0	330.0	*	7.0	62.0	*	20.0	130.0	
	<i>Galene bispinosa</i>	2.0	92.0		2.0	1420.0	*	17.0	1370.0							
	Hermit crab	60.0	210.0	*	70.0	290.0	*	50.0	204.0	*	60.0	210.0	*	70.0	290.0	
	<i>Hvastenus pleione</i>															

Demersal Trawling Data in July 2014

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Leucosia craniolaris</i>						1.0	5.2								
	<i>Lithodes sp.</i>															
	<i>Macrophthalmus japonicus</i>				2.0	12.2										
	<i>Parthenope validus</i>	5.0	110.0		3.0	72.0		6.0	140.0		20.0	280.0	*	1.0	11.2	
	<i>Porcellanella picta</i>	3.0	1.1		5.0	1.8		3.0	0.8		6.0	2.9		2.0	0.4	
	<i>Portunus pelagicus</i>	2.0	268.0				1.0	168.0								
	<i>Portunus sanguinolentus</i>															
	<i>Portunus sp.</i>															
	<i>Portunus trituberculatus</i>															
	<i>Raphidopus ciliatus</i>															
	<i>Scylla serrata</i>															
	<i>Tachypleus tridentatus</i>															
	<i>Typhlocarcinus sp.</i>				2.0	1.2		2.0	1.8					2.0	1.1	
	<i>Arcania heptacontra</i>															
Mantis shrimp	<i>Harpisquilla harpax</i>															
	<i>Dictyosquilla foveolata</i>							1.0	6.0							
	<i>Clorida decorata</i>															
	<i>Erugosquilla woodmasoni</i>															
	<i>Oratosquilla interrupta</i>							1.0	8.0		3.0	22.0				
	<i>Oratosquilla oratoria</i>	2.0	20.0													
Gastropod	<i>Apollon olivator rubustus</i>															
	<i>Bursa rana</i>				2.0	14.4								1.0	9.2	
	<i>Calyptraea sp.</i>				2.0	0.8					1.0	0.5				
	<i>Drupa fiscella</i>															
	<i>Drupa musiva</i>				5.0	26.0										
	<i>Epitonium scalare</i>															
	<i>Gemmula deshayesii</i>															
	<i>Hemifusus tuba</i>															
	<i>Inquistor flavidula</i>				30.0	68.0	*							20.0	42.0	
	<i>Lophiotoma leucotropis</i>							2.0	9.3							
	<i>Murex trapa</i>	60.0	590.0	*	50.0	502.0	*	70.0	660.0	*	50.0	510.0	*	70.0	640.0	
	<i>Nassarius hepaticus</i>							2.0	3.6							
	<i>Nassarius succinctus</i>				20.0	44.0	*							30.0	72.0	
	<i>Nassarius sp.</i>															
	<i>Natica onea</i>							1.0	5.8							
	<i>Natica tigrina</i>															
	<i>Gemmula deshayesii</i>															
	<i>Phenacovalva birostris</i>															
	<i>Philina sp.</i>	1.0	4.3								3.0	12.4		1.0	4.6	
	<i>Pilosabia pilosa</i>															
	<i>Siphopatella walshi</i>				4.0	1.2		2.0	0.6							
	<i>Thais mutabilis</i>															
	<i>Tonna sulcosa</i>															
	<i>Turricula javana</i>															
	<i>Turricula nelliae</i>															
	<i>Turritella terebra</i>	590.0	5630.0	*	620.0	5980.0	*	610.0	5970.0	*	720.0	6840.0	*	1240.0	11810.0	
	UNID Nudibranch													2.0	11.4	

Demersal Trawling Data in July 2014

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Bivalve	<i>Anadara ferruginea</i>															
	<i>Anomalodiscus squamosus</i>															
	<i>Anomia chinensis</i>															
	<i>Atrina pectinata</i>															
	<i>Crassostrea spp.</i>															
	<i>Chione isabellina</i>							2.0	9.4							
	<i>Chlamys nobilis</i>				1.0	6.3										
	<i>Macoma candida</i>													1.0	6.4	
	<i>Ostrea sp.</i>	70.0	60.0	*	50.0	56.0	*	40.0	36.0	*	50.0	42.0	*	60.0	63.0	*
	<i>Ostrea Pestigris Hanley</i>															
	<i>Paphia undulata</i>	70.0	530.0	*	20.0	140.0	*	17.0	126.0		50.0	310.0	*	40.0	280.0	*
	<i>Perna viridis</i>															
	<i>Pinctada martensii</i>															
	<i>Placuna placenta</i>															
	<i>Ruditapes philippinarum</i>															
	<i>Scapharca subcrenata</i>	5.0	360.0					1.0	82.0							
	<i>Saccostrea cucullata</i>															
<i>Tegillarca nodifera</i>				3.0	12.0											
<i>Vepricardium asiaticum</i>																
<i>Tolonostrea talonata</i>																
Cephalopod	<i>Lolingid squid</i>															
	<i>Sepiid cuttlefish</i>															
	<i>Octopus sp.</i>															
Echinoderm	<i>Acaudina molpadioides</i>	20.0	840.0	*	12.0	510.0		20.0	850.0	*	30.0	1140.0	*	30.0	1140.0	*
	<i>Colochirus quadrangularis</i>															
	<i>Temnopleurus toreumaticus</i>	20.0	176.0	*	7.0	62.0		5.0	42.0				2.0	8.8		
Cnidaria	<i>Lovenia subcarinata</i>															
	<i>Edwardsia japonica (c.f.)</i>							1.0	3.2							
	<i>Ellisella laevis</i>				1.0	18.4										
	<i>Echinogorgia complexa(c.f.)</i>															
	<i>Gorgonia spp.</i>							1.0	17.0		1.0	14.2				
	<i>Carcinactis ichikawai</i>	4.0	1.6		6.0	2.8		2.0	1.0				2.0	0.9		
	<i>Cavernularia habereri</i>	80.0	260.0	*	50.0	190.0	*	40.0	160.0	*	70.0	240.0	*	30.0	162.0	*
Urochordata	Jelly fish												1.0	460.0		
	<i>Pteroeides chinense</i>	60.0	1640.0	*	10.0	280.0		40.0	1080.0	*	40.0	870.0	*	16.0	230.0	
	Sea anomea	1.0	4.2		1.0	3.2					1.0	6.2		1.0	5.4	
	<i>Virgularia gustaviana</i>	3.0	14.8		4.0	16.3		1.0	5.6				1.0	11.4		
Cirripedia	<i>Balanus spp.(c.f.)</i>	130.0	62.0	*	160.0	76.0	*	130.0	60.0	*	140.0	68.0	*	90.0	46.0	*

Demersal Trawling Data in July 2014

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acentrogobius caninus</i>	3.0	50.0													
	<i>Apogon kiensis</i>	4.0	10.0		5.0	12.0		4.0	8.0		18.0	42.0		5.0	18.0	
	<i>Apogon lineatus</i>															
	<i>Arius sinensis</i>															
	<i>Aetoplatea zonura</i>															
	<i>Acanthopagrus schlegelii</i>															
	<i>Alepes kleinii</i>	2.0	8.0					1.0	4.0							
	<i>Acanthopagrus latus</i>															
	<i>Butis koilomatodon</i>							1.0	6.0							
	<i>Callionymus richardsoni</i>															
	<i>Clupanodon thrissa</i>															
	<i>Collichthys lucidus</i>										1.0	8.0				
	<i>Cryptocentrus filifer</i>															
	<i>Coilia mystus</i>															
	<i>Chaeturichthys stigmatias</i>															
	<i>Cynoglossus arel</i>	3.0	216.0					1.0	46.0					1.0	30.0	
	<i>Cynoglossus abbreviatus</i>															
	<i>Cynoglossus puncticeps</i>															
	<i>Cynoglossus semilaevis</i>															
	<i>Cynoglossus roulei</i>															
	<i>Dasyatis akajei</i>															
	<i>Dasyatis bennettii</i>													2.0	500.0	
	<i>Dasyatis zugei</i>	2.0	70.0					2.0	508.0		7.0	1546.0		3.0	1546.0	
	<i>Dendrophysa russelii</i>	1.0	30.0								1.0	56.0				
	<i>Drepane longimana</i>															
	<i>Drepane punctata</i>										1.0	122.0				
	<i>Epinephelus awoara</i>													1.0	188.0	
	<i>Epinephelus bruneus</i>															
	<i>Epinephelus quoyanus</i>															
	<i>Eleotridae sp.</i>															
	<i>Gerres abbreviatus</i>															
	<i>Gerres filamentosus</i>															
	<i>Gerres lucidus</i>															
	<i>Gymnura japonica</i>							1.0	342.0							
	<i>Gerreomorpha japonica</i>															
	<i>Harpadon nehereus</i>															
	<i>Hippocampus trimaculatus</i>															
	<i>Inegocia japonica</i>															
	<i>Ilisha elongata</i>															
	<i>Johnius amblycephalus</i>															
	<i>Johnius belangerii</i>	1.0	86.0					2.0	148.0		1.0	44.0		2.0	120.0	
	<i>Johnius heterolepis</i>															
	<i>Inimicus didactylus</i>															
	<i>Inimicus japonicus</i>															
	<i>Konosirus punctatus</i>															
	<i>Lagocephalus wheeleri</i>															
	<i>Larimichthys crocea</i>															

Demersal Trawling Data in July 2014

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Leiognathus brevirostris</i>	2.0	26.0		5.0	52.0		29.0	302.0		32.0	462.0		25.0	308.0	
	<i>Leiognathus nuchalis</i>															
	<i>Lepidotrigla japonice</i>															
	<i>Lepturacanthus savala</i>															
	<i>Lutjanus russelli</i>															
	<i>Minous sp.</i>															
	<i>Miichthys miiuy</i>															
	<i>Monacanthus chinensis</i>															
	<i>Mugil cephalus</i>															
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>	5.0	40.0		2.0	14.0		1.0	4.0		6.0	46.0		2.0	18.0	
	<i>Nibea albiflora</i>															
	<i>Oxyurichthys tentacularis</i>													1.0	2.0	
	<i>Otolithes ruber</i>															
	<i>Pampus argenteus</i>															
	<i>Parachaeturichthys polynema</i>															
	<i>Paracentropogon rubripinnis</i>															
	<i>Pennahia anea</i>				3.0	26.0		1.0	6.0		2.0	12.0		2.0	24.0	
	<i>Pennahia macrocephalus</i>	1.0	24.0													
	<i>Pennahia pawak</i>										1.0	6.0				
	<i>Pentaprion longimanus</i>															
	<i>Platycephalus indicus</i>	1.0	74.0													
	<i>Platycephalus sp.</i>															
	<i>Plotosus lineatus</i>															
	<i>Polydactylus sextarius</i>	1.0	6.0		1.0	4.0					10.0	102.0		3.0	46.0	
	<i>Pisodonophis boro</i>													1.0	6.0	
	<i>Pseudorhombus cinnamoneus</i>															
	<i>Pseudorhombus oligodon</i>															
	<i>Pseudorhombus sp.</i>										3.0	36.0		1.0	22.0	
	<i>Paramonacanthus filicauda</i>	1.0	4.0													
	<i>Rhabdosargus sarba</i>															
	<i>Saurida elongata</i>															
	<i>Sardinella sp.</i>															
	<i>Scatophagus argus</i>															
	<i>Scorpaenopsis macrochir</i>															
	<i>Sebastes sp.</i>															
	<i>Sebastiscus marmoratus</i>															
	<i>Secutor ruconius</i>															
	<i>Setipinna taty</i>															
	<i>Siganus canaliculatus</i>	1.0	8.0								1.0	6.0		1.0	6.0	
	<i>Siganus fuscescens</i>															
	<i>Sillago sihama</i>	2.0	80.0													
	<i>Solea ovata</i>										1.0	6.0				
	<i>Stolephorus insularis</i>	1.0	6.0													

Demersal Trawling Data in July 2014

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Syngnathus schlegeli</i>															
	<i>Syngnathus acus</i>				1.0	6.0										
	<i>Sardina pilchardus</i>				2.0	8.0		2.0	4.0		1.0	4.0				
	<i>Scoliodon sorrakowah</i>															
	<i>Takifugu oblongus</i>															
	<i>Takifugu ocellatus</i>															
	<i>Takifugu xanthopterus</i>															
	<i>Takifugu poecilonotus</i>															
	<i>Terapon jarbua</i>				1.0	58.0										
	<i>Terapon theraps</i>															
	<i>Thryssa chefuensis</i>															
	<i>Thryssa hamiltonii</i>															
	<i>Trachycephalus uranoscopa</i>				1.0	10.0		3.0	32.0				1.0	10.0		
	<i>Trypauchen vagina</i>	3.0	54.0													
	<i>Thryssa kammalensis</i>							1.0	2.0		2.0	6.0				
	<i>Johnius heterolepis</i>															
	<i>Grammoplites scaber</i>	2.0	8.0													
	<i>Arnoglossus waitei</i>															
	<i>Uranoscopus chinensis</i>															
	<i>Uroconger lepturus</i>				1.0	22.0										
	<i>Zebrias zebra</i>										1.0	16.0				
Prawn or shrimp	<i>Alpheus brevicristatus</i>															
	<i>Alpheus distinguendus</i>															
	<i>Exopalaemon sp.</i>															
	<i>Metapenaeopsis barbata</i>															
	<i>Metapenaeus affinis</i>	12.0	52.0		9.0	40.0					5.0	24.0		9.0	56.0	
	<i>Metapenaeus ensis</i>															
	<i>Metapenaeus joyneri</i>															
	<i>Metapenaeus moyebi</i>															
	<i>Parapenaeopsis hardwickii</i>															
	<i>Parapenaeopsis tenella</i>										1.0	12.0		3.0	32.0	
	<i>Penaeus japonicus</i>	1.0	10.0		1.0	4.0		2.0	46.0		1.0	10.0		1.0	10.0	
	<i>Penaeus merguensis</i>															
	<i>Penaeus penicillatus</i>													3.0	22.0	
	<i>Solenocera crassicornis</i>															
	<i>Penaeus monodon</i>															
Crab	<i>Calappa philargius</i>				7.0	620.0					3.0	163.0				
	<i>Charybdis affinis</i>	16.0	256.0		10.0	206.0		10.0	170.0		5.0	134.0		11.0	202.0	
	<i>Charybdis cruciata</i>	1.0	34.0		1.0	44.0										
	<i>Charybdis japonica</i>															
	<i>Charybdis spp.</i>	42.0	480.0	*	50.0	470.0	*	51.0	522.0	*	91.0	972.0	*	71.0	744.0	
	<i>Charybdis feriatus</i>															
	<i>Charybdis truncata</i>															
	<i>Dorippe polita</i>	30.0	290.0	*	140.0	1350.0	*	40.0	350.0	*	80.0	980.0	*	80.0	580.0	
	<i>Eucrate crenata</i>	15.0	146.0	*	20.0	180.0	*	30.0	260.0	*	13.0	62.0	*	8.0	74.0	
	<i>Galene bispinosa</i>	15.0	290.0	*	7.0	260.0	*	20.0	1690.0	*	20.0	1860.0	*	2.0	113.0	
	Hermit crab	50.0	230.0	*	40.0	210.0	*	40.0	220.0	*	80.0	430.0	*	40.0	220.0	
	<i>Hvastenus pleione</i>															

Demersal Trawling Data in July 2014

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Leucosia craniolaris</i>				3.0	8.8		3.0	12.6		2.0	9.6				
	<i>Lithodes sp.</i>															
	<i>Macrophthalmus japonicus</i>						2.0	11.2		1.0	8.1					
	<i>Parthenope validus</i>	7.0	160.0				2.0	39.0		3.0	44.0					
	<i>Porcellanella picta</i>				2.0	0.5		5.0	1.9		10.0	3.2	5.0	1.8		
	<i>Portunus pelagicus</i>						2.0	232.0		1.0	784.0		2.0	330.0		
	<i>Portunus sanguinolentus</i>	4.0	78.0		5.0	354.0		2.0	104.0		13.0	396.0	5.0	160.0		
	<i>Portunus sp.</i>															
	<i>Portunus trituberculatus</i>												1.0	10.0		
	<i>Raphidopus ciliatus</i>															
	<i>Scylla serrata</i>															
	<i>Tachypleus tridentatus</i>										1.0	330.0				
	<i>Typhlocarcinus sp.</i>						1.0	1.1								
	<i>Arcania heptacontra</i>															
Mantis shrimp	<i>Harpisquilla harpax</i>	2.0	76.0		2.0	120.0		2.0	90.0		3.0	142.0				
	<i>Dictyosquilla foveolata</i>	1.0	2.0													
	<i>Clorida decorata</i>															
	<i>Erugosquilla woodmasoni</i>															
	<i>Oratosquilla interrupta</i>	4.0	102.0		2.0	6.0		2.0	38.0		1.0	28.0				
	<i>Oratosquilla oratoria</i>	2.0	28.0		4.0	26.0		1.0	12.0		1.0	10.0				
Gastropod	<i>Apollon olivator rubustus</i>															
	<i>Bursa rana</i>	3.0	21.2					1.0	8.8							
	<i>Calyptraea sp.</i>				1.0	0.3										
	<i>Drupa fiscella</i>															
	<i>Drupa musiva</i>				1.0	4.3		6.0	28.2							
	<i>Epitonium scalare</i>															
	<i>Gemmula deshayesii</i>															
	<i>Hemifusus tuba</i>															
	<i>Inquistor flavidula</i>				30.0	62.0	*	7.0	16.0							
	<i>Lophiotoma leucotropis</i>	6.0	34.6										2.0	10.3		
	<i>Murex trapa</i>	50.0	410.0	*	80.0	530.0	*	80.0	530.0	*	110.0	860.0	*	80.0	680.0	*
	<i>Nassarius hepaticus</i>															
	<i>Nassarius succinctus</i>				11.0	25.0		30.0	82.0	*						
	<i>Nassarius sp.</i>							2.0	4.1							
	<i>Natica onea</i>															
	<i>Natica tigrina</i>															
	<i>Gemmula deshayesii</i>										2.0	4.1				
	<i>Phenacovalva birostris</i>															
	<i>Philina sp.</i>	4.0	17.2		1.0	4.2					2.0	7.3	3.0	13.2		
	<i>Pilosabia pilosa</i>				2.0	0.6										
	<i>Siphopatella walshi</i>	1.0	0.2													
	<i>Thais mutabilis</i>															
	<i>Tonna sulcosa</i>	1.0	54.2													
	<i>Turricula javana</i>															
	<i>Turricula nelliae</i>															
	<i>Turritella terebra</i>	740.0	7160.0	*	410.0	3260.0	*	390.0	3570.0	*	510.0	4290.0	*	460.0	4370.0	*
	UNID Nudibranch										1.0	4.2				

Demersal Trawling Data in July 2014

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Bivalve	<i>Anadara ferruginea</i>															
	<i>Anomalodiscus squamosus</i>															
	<i>Anomia chinensis</i>															
	<i>Atrina pectinata</i>															
	<i>Crassostrea spp.</i>															
	<i>Chione isabellina</i>	1.0	4.2		1.0	7.2										
	<i>Chlamys nobilis</i>															
	<i>Macoma candida</i>															
	<i>Ostrea sp.</i>	60.0	72.0	*	40.0	32.0	*	70.0	90.0	*	110.0	140.0	*	90.0	120.0	*
	<i>Ostrea Pestigris Hanley</i>															
	<i>Paphia undulata</i>	5.0	36.0		30.0	210.0	*	120.0	140.0	*	20.0	140.0	*	6.0	41.0	
	<i>Perna viridis</i>															
	<i>Pinctada martensii</i>															
	<i>Placuna placenta</i>															
	<i>Ruditapes philippinarum</i>										2.0	11.2				
	<i>Scapharca subcrenata</i>	3.0	112.0					4.0	310.0		4.0	230.0				
	<i>Saccostrea cucullata</i>															
	<i>Tegillarca nodifera</i>				11.0	62.0										
	<i>Vepricardium asiaticum</i>															
	<i>Tolonostrea talonata</i>															
Cephalopod	<i>Lolingid squid</i>															
	<i>Sepiid cuttlefish</i>	1.0	38.0					5.0	148.0		6.0	100.0		2.0	46.0	
	<i>Octopus sp.</i>	1.0	36.0		2.0	212.0		2.0	58.0							
Echinoderm	<i>Acaudina molpadioides</i>	30.0	1480.0	*	20.0	970.0	*	30.0	1480.0	*	40.0	1670.0	*	20.0	1180.0	*
	<i>Colochirus quadrangularis</i>															
	<i>Temnopleurus toreumaticus</i>	4.0	31.0					15.0	940.0		11.0	78.0		20.0	180.0	*
	<i>Lovenia subcarinata</i>															
Cnidaria	<i>Edwardsia japonica (c.f.)</i>															
	<i>Ellisella laevis</i>							1.0	18.0							
	<i>Echinogorgia complexa(c.f.)</i>										1.0	5.3				
	<i>Gorgonia spp.</i>										2.0	34.2				
	<i>Carcinactis ichikawai</i>	4.0	2.3		3.0	1.1		7.0	2.8		4.0	2.4		4.0	2.6	
	<i>Cavernularia habereri</i>	30.0	140.0	*	40.0	160.0	*	20.0	110.0	*	40.0	170.0	*	80.0	440.0	*
	Jelly fish															
	<i>Pteroeides chinense</i>	250.0	4360.0	*	40.0	1130.0	*	350.0	4860.0	*	60.0	1740.0	*	740.0	8140.0	*
	Sea anomea							1.0	6.3							
	<i>Virgularia gustaviana</i>	1.0	11.2					2.0	16.4		1.0	6.3		4.0	29.3	
Urochordata	Sea Squirts															
Cirripedia	<i>Balanus spp.(c.f.)</i>	210.0	123.0	*	180.0	86.0	*	190.0	92.0	*	160.0	72.0	*	180.0	92.0	*

Demersal Trawling Data in July 2014

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acentrogobius caninus</i>															
	<i>Apogon kiensis</i>							2.0	2.0		2.0	6.0		2.0	14.0	
	<i>Apogon lineatus</i>															
	<i>Arius sinensis</i>															
	<i>Aetoplatea zonura</i>															
	<i>Acanthopagrus schlegelii</i>															
	<i>Alepes kleinii</i>															
	<i>Acanthopagrus latus</i>															
	<i>Butis koilomatodon</i>															
	<i>Callionymus richardsoni</i>															
	<i>Clupanodon thrissa</i>															
	<i>Collichthys lucidus</i>	3.0	16.0		8.0	54.0		21.0	132.0		18.0	76.0		33.0	120.0	
	<i>Cryptocentrus filifer</i>															
	<i>Coilia mystus</i>															
	<i>Chaeturichthys stigmatias</i>															
	<i>Cynoglossus arel</i>				1.0	14.0		3.0	6.0		3.0	56.0		7.0	64.0	
	<i>Cynoglossus abbreviatus</i>															
	<i>Cynoglossus puncticeps</i>							15.0	142.0					1.0	8.0	
	<i>Cynoglossus semilaevis</i>															
	<i>Cynoglossus roulei</i>													1.0	6.0	
	<i>Dasyatis akajei</i>															
	<i>Dasyatis bennettii</i>															
	<i>Dasyatis zugei</i>	1.0	14.0													
	<i>Dendrophysa russelii</i>															
	<i>Drepane longimana</i>															
	<i>Drepane punctata</i>															
	<i>Epinephelus awoara</i>															
	<i>Epinephelus bruneus</i>															
	<i>Epinephelus quoyanus</i>															
	<i>Eleotridae sp.</i>															
	<i>Gerres abbreviatus</i>															
	<i>Gerres filamentosus</i>															
	<i>Gerres lucidus</i>															
	<i>Gymnura japonica</i>															
	<i>Gerreomorpha japonica</i>															
	<i>Harpadon nehereus</i>										1.0	22.0		1.0	42.0	
	<i>Hippocampus trimaculatus</i>															
	<i>Inegocia japonica</i>															
	<i>Ilisha elongata</i>															
	<i>Johnius amblycephalus</i>															
	<i>Johnius belangerii</i>							31.0	938.0					12.0	272.0	
	<i>Johnius heterolepis</i>	1.0	18.0		9.0	50.0										
	<i>Inimicus didactylus</i>															
	<i>Inimicus japonicus</i>															
	<i>Konosirus punctatus</i>															
	<i>Lagocephalus wheeleri</i>															
	<i>Larimichthys crocea</i>															

Demersal Trawling Data in July 2014

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Leiognathus brevirostris</i>											1.0	6.0		1.0	12.0
	<i>Leiognathus nuchalis</i>															
	<i>Lepidotrigla japonice</i>															
	<i>Lepturacanthus savala</i>							1.0	2.0							
	<i>Lufjanus russelli</i>															
	<i>Minous sp.</i>															
	<i>Miichthys miuy</i>															
	<i>Monacanthus chinensis</i>															
	<i>Mugil cephalus</i>															
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>															
	<i>Nibea albiflora</i>															
	<i>Oxyurichthys tentacularis</i>															
	<i>Otolithes ruber</i>													1.0	6.0	
	<i>Pampus argenteus</i>															
	<i>Parachaeturichthys polynema</i>	1.0	4.0													
	<i>Paracentropogon rubripinnis</i>															
	<i>Pennahia anea</i>															
	<i>Pennahia macrocephalus</i>													1.0	12.0	
	<i>Pennahia pawak</i>	2.0	6.0													
	<i>Pentaprion longimanus</i>															
	<i>Platycephalus indicus</i>				1.0	90.0		2.0	68.0					1.0	18.0	
	<i>Platycephalus sp.</i>															
	<i>Plotosus lineatus</i>															
	<i>Polydactylus sextarius</i>							1.0	10.0		1.0	6.0		2.0	18.0	
	<i>Pisodonophis boro</i>															
	<i>Pseudorhombus cinnamoneus</i>															
	<i>Pseudorhombus oligodon</i>															
	<i>Pseudorhombus sp.</i>															
	<i>Paramonacanthus filicauda</i>															
	<i>Rhabdosargus sarba</i>															
	<i>Saurida elongata</i>															
	<i>Sardinella sp.</i>															
	<i>Scatophagus argus</i>															
	<i>Scorpaenopsis macrochir</i>															
	<i>Sebastes sp.</i>															
	<i>Sebastiscus marmoratus</i>															
	<i>Secutor ruconius</i>															
	<i>Setipinna taty</i>															
	<i>Siganus canaliculatus</i>															
	<i>Siganus fuscescens</i>															
	<i>Sillago sihama</i>							6.0	140.0							
	<i>Solea ovata</i>				3.0	24.0		22.0	138.0		11.0	82.0		33.0	244.0	
	<i>Stolephorus insularis</i>															

Demersal Trawling Data in July 2014

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Syngnathus schlegeli</i>															
	<i>Syngnathus acus</i>															
	<i>Sardina pilchardus</i>															
	<i>Scoliodon sorrakowah</i>						1.0	30.0		1.0	22.0					
	<i>Takifugu oblongus</i>															
	<i>Takifugu ocellatus</i>															
	<i>Takifugu xanthopterus</i>															
	<i>Takifugu poecilonotus</i>															
	<i>Terapon jarbua</i>															
	<i>Terapon theraps</i>															
	<i>Thryssa chefuensis</i>															
	<i>Thryssa hamiltonii</i>															
	<i>Trachycephalus uranoscopa</i>															
	<i>Trypauchen vagina</i>	1.0	4.0		6.0	36.0		14.0	124.0		3.0	24.0		1.0	6.0	
	<i>Thryssa kammalensis</i>							1.0	12.0		3.0	48.0		3.0	40.0	
	<i>Johnius heterolepis</i>															
	<i>Grammoplites scaber</i>							15.0	596.0		4.0	182.0		3.0	82.0	
	<i>Arnoglossus waitei</i>															
	<i>Uranoscopus chinensis</i>															
	<i>Uroconger lepturus</i>															
	<i>Zebrias zebra</i>							3.0	62.0					1.0	28.0	
Prawn or shrimp	<i>Alpheus brevicristatus</i>															
	<i>Alpheus distinguendus</i>															
	<i>Exopalaemon sp.</i>													1.0	4.0	
	<i>Metapenaeopsis barbata</i>													1.0	2.0	
	<i>Metapenaeus affinis</i>	270.0	1230.0		85.0	396.0		786.0	4100.0		411.0	2204.0		246.0	1286.0	
	<i>Metapenaeus ensis</i>							16.0	108.0		259.0	1336.0		116.0	708.0	
	<i>Metapenaeus joyneri</i>							1.0	4.0		11.0	46.0		1.0	4.0	
	<i>Metapenaeus moyebi</i>															
	<i>Parapenaeopsis hardwickii</i>	3.0	18.0		1.0	6.0		29.0	178.0		2.0	12.0		17.0	88.0	
	<i>Parapenaeopsis tenella</i>	2.0	8.0		1.0	4.0		17.0	100.0		1.0	4.0		7.0	32.0	
	<i>Penaeus japonicus</i>				1.0	8.0										
	<i>Penaeus merguensis</i>							4.0	60.0							
	<i>Penaeus penicillatus</i>	1.0	10.0					23.0	250.0		15.0	132.0		12.0	108.0	
	<i>Solenocera crassicornis</i>	1.0	2.0		2.0	6.0										
	<i>Penaeus monodon</i>															
Crab	<i>Calappa philargius</i>															
	<i>Charybdis affinis</i>	27.0	356.0		19.0	404.0		35.0	654.0		13.0	270.0		7.0	102.0	
	<i>Charybdis cruciata</i>	2.0	18.0		3.0	30.0		2.0	28.0		2.0	80.0		2.0	48.0	
	<i>Charybdis japonica</i>										3.0	46.0		3.0	102.0	
	<i>Charybdis spp.</i>	60.0	540.0	*	60.0	540.0	*	70.0	670.0	*	40.0	510.0	*	40.0	510.0	
	<i>Charybdis feriatus</i>															
	<i>Charybdis truncata</i>															
	<i>Dorippe polita</i>	12.0	87.0		30.0	230.0	*	50.0	410.0	*	40.0	390.0	*	40.0	390.0	
	<i>Eucrate crenata</i>	5.0	61.0		9.0	44.0		11.0	93.0		3.0	16.0		3.0	52.0	
	<i>Galene bispinosa</i>	2.0	102.0					20.0	310.0	*						
	Hermit crab	70.0	140.0	*	60.0	110.0	*	70.0	140.0	*	30.0	130.0	*	50.0	180.0	
	<i>Hyastenus pleione</i>															

Demersal Trawling Data in July 2014

Group	Species Name	TNA																
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5				
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)		
	<i>Leucosia craniolaris</i>	1.0	5.2													2.0	8.4	
	<i>Lithodes sp.</i>																	
	<i>Macrophthalmus japonicus</i>	1.0	4.2															
	<i>Parthenope validus</i>				2.0	51.0		7.0	114.0		3.0	62.0		1.0	18.0			
	<i>Porcellanella picta</i>				3.0	0.5												
	<i>Portunus pelagicus</i>				1.0	154.0		3.0	234.0		5.0	542.0		2.0	242.0			
	<i>Portunus sanguinolentus</i>				1.0	18.0		3.0	84.0		1.0	50.0						
	<i>Portunus sp.</i>																	
	<i>Portunus trituberculatus</i>																	
	<i>Raphidopus ciliatus</i>																	
	<i>Scylla serrata</i>																	
	<i>Tachypleus tridentatus</i>																	
	<i>Typhlocarcinus sp.</i>																	
	<i>Arcania heptacontra</i>																	
Mantis shrimp	<i>Harpisquilla harpax</i>																	
	<i>Dictyosquilla foveolata</i>																	
	<i>Clorida decorata</i>																	
	<i>Erugosquilla woodmasoni</i>																	
	<i>Oratosquilla interrupta</i>	7.0	178.0		12.0	280.0		19.0	270.0		15.0	248.0		5.0	76.0			
	<i>Oratosquilla oratoria</i>	5.0	38.0		2.0	20.0		3.0	36.0		3.0	58.0		2.0	14.0			
Gastropod	<i>Apollon olivator rubustus</i>																	
	<i>Bursa rana</i>										4.0	42.0						
	<i>Calyptraea sp.</i>				1.0	0.3		4.0	1.6									
	<i>Drupa fiscella</i>																	
	<i>Drupa musiva</i>	3.0	16.0								20.0	120.0	*	20.0	110.0	*		
	<i>Epitonium scalare</i>																	
	<i>Gemmula deshayesii</i>																	
	<i>Hemifusus tuba</i>																	
	<i>Inquistor flavidula</i>				11.0	24.0		6.0	13.0					20.0	46.0	*		
	<i>Lophiotoma leucotropis</i>				4.0	28.0					2.0	9.8						
	<i>Murex trapa</i>	90.0	630.0	*	110.0	740.0	*	60.0	410.0	*	70.0	530.0	*	50.0	360.0	*		
	<i>Nassarius hepaticus</i>				2.0	2.2												
	<i>Nassarius succinctus</i>	50.0	290.0	*	11.0	28.0								30.0	72.0	*		
	<i>Nassarius sp.</i>																	
	<i>Natica onea</i>																	
	<i>Natica tigrina</i>																	
	<i>Gemmula deshayesii</i>																	
	<i>Phenacovalva birostris</i>																	
	<i>Philina sp.</i>				3.0	9.4		1.0	6.4									
	<i>Pilosabia pilosa</i>				2.0	0.8												
	<i>Siphopatella walshi</i>							8.0	2.9									
	<i>Thais mutabilis</i>																	
	<i>Tonna sulcosa</i>	1.0	46.0															
	<i>Turricula javana</i>																	
	<i>Turricula nelliae</i>																	
	<i>Turritella terebra</i>	6300.0	60000.0	*	5200.0	50000.0	*	2890.0	24180.0	*	5200.0	50000.0	*	3840.0	35760.0	*		
	UNID Nudibranch	5.0	22.0		20.0	82.0	*							20.0	80.0	*		

Demersal Trawling Data in July 2014

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Bivalve	<i>Anadara ferruginea</i>															
	<i>Anomalodiscus squamosus</i>							1.0	2.6							
	<i>Anomia chinensis</i>															
	<i>Atrina pectinata</i>															
	<i>Crassostrea spp.</i>															
	<i>Chione isabellina</i>							1.0	5.2							
	<i>Chlamys nobilis</i>							2.0	11.6							
	<i>Macoma candida</i>				20.0	130.0	*				7.0	36.0				
	<i>Ostrea sp.</i>	40.0	32.0	*				30.0	22.0	*						
	<i>Ostrea Pestigris Hanley</i>															
	<i>Paphia undulata</i>	7.0	38.0		30.0	190.0	*							20.0	130.0	*
	<i>Perna viridis</i>															
	<i>Pinctada martensii</i>															
	<i>Placuma placenta</i>															
	<i>Ruditapes philippinarum</i>				20.0	140.0	*	9.0	53.0							
	<i>Scapharca subcrenata</i>	2.0	162.0								4.0	294.0				
<i>Saccostrea cucullata</i>																
<i>Tegillarca nodifera</i>				3.0	11.2								11.0	58.0		
<i>Vepricardium asiaticum</i>																
<i>Tolonostrea talonata</i>																
Cephalopod	<i>Lolingid squid</i>															
	<i>Sepiid cuttlefish</i>												1.0	26.0		
	<i>Octopus sp.</i>															
Echinoderm	<i>Acaudina molpadioides</i>	30.0	680.0	*	11.0	210.0		20.0	490.0	*	40.0	720.0	*	90.0	2150.0	*
	<i>Colochirus quadrangularis</i>															
	<i>Temnopleurus toreumaticus</i>	6.0	44.0		20.0	180.0	*	5.0	42.0		5.0	39.0		7.0	52.0	
	<i>Lovenia subcarinata</i>															
Cnidaria	<i>Edwardsia japonica (c.f.)</i>										2.0	6.9				
	<i>Ellisella laevis</i>													1.0	16.2	
	<i>Echinogorgia complexa(c.f.)</i>															
	<i>Gorgonia spp.</i>							1.0	18.4							
	<i>Carcinactis ichikawai</i>	1.0	0.3		3.0	0.9		2.0	0.8				1.0	0.3		
	<i>Cavernularia habereri</i>	320.0	1290.0	*	460.0	2060.0	*	190.0	970.0	*	450.0	1980.0	*	580.0	2840.0	*
	Jelly fish										1.0	860.0				
	<i>Pteroeides chinense</i>	40.0	152.0	*	20.0	94.0	*	50.0	280.0	*	15.0	52.0		30.0	210.0	*
	<i>Sea anomea</i>															
	<i>Virgularia gustaviana</i>				3.0	16.2					1.0	5.4				
Urochordata	Sea Squirts															
Cirripedia	<i>Balanus spp.(c.f.)</i>	280.0	130.0	*	220.0	110.0	*	340.0	170.0	*	120.0	54.0	*	190.0	78.0	*

Demersal Trawling Data in July 2014

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acetrogobius caninus</i>	3.0	50.0											4.0	14.0	
	<i>Apogon kiensis</i>							3.0	10.0			5.0	18.0			
	<i>Apogon lineatus</i>															
	<i>Arius sinensis</i>															
	<i>Aetoplatea zonura</i>															
	<i>Acanthopagrus schlegelii</i>															
	<i>Alepes kleinii</i>															
	<i>Acanthopagrus latus</i>	1.0	40.0					1.0	34.0							
	<i>Butis koilomatodon</i>											1.0	2.0			
	<i>Callionymus richardsoni</i>															
	<i>Clupanodon thrissa</i>															
	<i>Collichthys lucidus</i>	42.0	248.0		28.0	196.0		19.0	134.0			13.0	70.0		36.0	146.0
	<i>Cryptocentrus filifer</i>															
	<i>Coilia mystus</i>															
	<i>Chaeturichthys stigmatias</i>															
	<i>Cynoglossus arel</i>	4.0	130.0		2.0	58.0		6.0	196.0			3.0	6.0		1.0	8.0
	<i>Cynoglossus abbreviatus</i>															
	<i>Cynoglossus puncticeps</i>															
	<i>Cynoglossus semilaevis</i>															
	<i>Cynoglossus roulei</i>															
	<i>Dasyatis akajei</i>															
	<i>Dasyatis bennettii</i>															
	<i>Dasyatis zugei</i>	8.0	540.0		4.0	134.0		4.0	124.0					1.0	26.0	
	<i>Dendrophysa russelii</i>							1.0	16.0					1.0	32.0	
	<i>Drepane longimana</i>	1.0	28.0													
	<i>Drepane punctata</i>															
	<i>Epinephelus awoara</i>															
	<i>Epinephelus bruneus</i>															
	<i>Epinephelus quoyanus</i>															
	<i>Eleotridae sp.</i>															
	<i>Gerres abbreviatus</i>															
	<i>Gerres filamentosus</i>															
	<i>Gerres lucidus</i>															
	<i>Gymnura japonica</i>															
	<i>Gerreomorpha japonica</i>															
	<i>Harpadon nehereus</i>															
	<i>Hippocampus trimaculatus</i>															
	<i>Inegocia japonica</i>															
	<i>Ilisha elongata</i>	1.0	16.0													
	<i>Johnius amblycephalus</i>															
	<i>Johnius belangerii</i>															
	<i>Johnius heterolepis</i>															
	<i>Inimicus didactylus</i>	1.0	70.0													
	<i>Inimicus japonicus</i>															
	<i>Konosirus punctatus</i>															
	<i>Lagocephalus wheeleri</i>				1.0	74.0		1.0	30.0					1.0	40.0	
	<i>Larimichthys crocea</i>															

Demersal Trawling Data in July 2014

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Leiognathus brevirostris</i>	22.0	376.0		9.0	134.0		8.0	120.0					2.0	30.0	
	<i>Leiognathus nuchalis</i>															
	<i>Lepidotrigla japonice</i>															
	<i>Lepturacanthus savala</i>															
	<i>Lutjanus russelli</i>															
	<i>Minous sp.</i>						1.0	12.0								
	<i>Miichthys miiuy</i>															
	<i>Monacanthus chinensis</i>															
	<i>Mugil cephalus</i>															
	<i>Muraenesox cinereus</i>				1.0	142.0		1.0	116.0							
	<i>Nemipterus japonicus</i>							2.0	10.0							
	<i>Nibea albiflora</i>															
	<i>Oxyurichthys tentacularis</i>	4.0	18.0					3.0	14.0		4.0	14.0				
	<i>Otolithes ruber</i>															
	<i>Pampus argenteus</i>	1.0	34.0													
	<i>Parachaeturichthys polynema</i>										1.0	8.0		2.0	16.0	
	<i>Paracentropogon rubripinnis</i>	7.0	48.0		7.0	62.0		4.0	26.0							
	<i>Pennahia anea</i>	1.0	6.0													
	<i>Pennahia macrocephalus</i>															
	<i>Pennahia pawak</i>										1.0	2.0				
	<i>Pentaprion longimanus</i>							1.0	6.0							
	<i>Platycephalus indicus</i>	11.0	1340.0		6.0	394.0		2.0	312.0		1.0	140.0				
	<i>Platycephalus sp.</i>							4.0	10.0							
	<i>Plotosus lineatus</i>															
	<i>Polydactylus sextarius</i>	10.0	126.0		4.0	34.0		8.0	68.0		9.0	72.0		1.0	8.0	
	<i>Pisodonophis boro</i>															
	<i>Pseudorhombus cinnamoneus</i>															
	<i>Pseudorhombus oligodon</i>															
	<i>Pseudorhombus sp.</i>	4.0	28.0					3.0	20.0		1.0	4.0				
	<i>Paramonacanthus filicauda</i>															
	<i>Rhabdosargus sarba</i>															
	<i>Saurida elongata</i>															
	<i>Sardinella sp.</i>															
	<i>Scatophagus argus</i>				1.0	480.0										
	<i>Scorpaenopsis macrochir</i>	1.0	38.0													
	<i>Sebastes sp.</i>															
	<i>Sebastiscus marmoratus</i>															
	<i>Secutor ruconius</i>															
	<i>Setipinna taty</i>															
	<i>Siganus canaliculatus</i>							2.0	6.0							
	<i>Siganus fuscescens</i>															
	<i>Sillago sihama</i>	2.0	80.0													
	<i>Solea ovata</i>	1.0	6.0					1.0	2.0							
	<i>Stolephorus insularis</i>															

Demersal Trawling Data in July 2014

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Syngnathus schlegeli</i>															
	<i>Syngnathus acus</i>															
	<i>Sardina pilchardus</i>															
	<i>Scoliodon sorrakowah</i>	1.0	10.0													
	<i>Takifugu oblongus</i>															
	<i>Takifugu ocellatus</i>															
	<i>Takifugu xanthopterus</i>															
	<i>Takifugu poecilonotus</i>															
	<i>Terapon jarbua</i>															
	<i>Terapon theraps</i>															
	<i>Thryssa chefuensis</i>															
	<i>Thryssa hamiltonii</i>															
	<i>Trachycephalus uranoscopa</i>	3.0	52.0													
	<i>Trypauchen vagina</i>	3.0	22.0		1.0	10.0		10.0	88.0		6.0	42.0		3.0	46.0	
	<i>Thryssa kammalensis</i>	3.0	26.0		4.0	20.0								2.0	18.0	
	<i>Johnius heterolepis</i>															
	<i>Grammolites scaber</i>							1.0	10.0							
	<i>Arnoglossus waitei</i>															
	<i>Uranoscopus chinensis</i>															
	<i>Uroconger lepturus</i>															
	<i>Zebrias zebra</i>															
Prawn or shrimp	<i>Alpheus brevicristatus</i>															
	<i>Alpheus distinguendus</i>															
	<i>Exopalaemon sp.</i>															
	<i>Metapenaeopsis barbata</i>															
	<i>Metapenaeus affinis</i>	157.0	674.0		98.0	462.0		243.0	1102.0		92.0	358.0		50.0	298.0	
	<i>Metapenaeus ensis</i>	13.0	232.0					11.0	198.0		3.0	70.0				
	<i>Metapenaeus joyneri</i>				4.0	12.0		13.0	44.0		2.0	8.0				
	<i>Metapenaeus moyebi</i>															
	<i>Parapenaeopsis hardwickii</i>															
	<i>Parapenaeopsis tenella</i>	1.0	12.0		1.0	6.0		4.0	12.0		3.0	10.0		3.0	10.0	
	<i>Penaeus japonicus</i>							1.0	4.0							
	<i>Penaeus merguensis</i>															
	<i>Penaeus penicillatus</i>	5.0	44.0		1.0	8.0		5.0	66.0		1.0	18.0				
	<i>Solenocera crassicornis</i>							1.0	4.0		1.0	2.0				
	<i>Penaeus monodon</i>															
Crab	<i>Calappa philargius</i>															
	<i>Charybdis affinis</i>	30.0	568.0		90.0	594.0		33.0	588.0		13.0	270.0		22.0	376.0	
	<i>Charybdis cruciata</i>				1.0	8.0		1.0	2.0		1.0	48.0				
	<i>Charybdis japonica</i>				1.0	12.0										
	<i>Charybdis spp.</i>	52.0	530.0	*	40.0	390.0	*	30.0	260.0	*	40.0	370.0	*	50.0	460.0	
	<i>Charybdis feriatius</i>															
	<i>Charybdis truncata</i>															
	<i>Dorippe polita</i>	9.0	92.0		3.0	34.0		20.0	236.0	*	8.0	62.0		11.0	92.0	
	<i>Eucrete crenata</i>				6.0	58.0					3.0	14.3		6.0	26.0	
	<i>Galene bispinosa</i>				3.0	240.0					3.0	116.0				
	Hermit crab	40.0	140.0	*	80.0	230.0	*	30.0	110.0	*	40.0	130.0	*	60.0	180.0	
	<i>Hvastenus pleione</i>															

Demersal Trawling Data in July 2014

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Leucosia craniolaris</i>				1.0	3.8						1.0	5.2			
	<i>Lithodes sp.</i>															
	<i>Macrophthalmus japonicus</i>															
	<i>Parthenope validus</i>				4.0	58.0								2.0	32.0	
	<i>Porcellanella picta</i>	1.0	0.2											5.0	1.9	
	<i>Portunus pelagicus</i>							1.0	64.0							
	<i>Portunus sanguinolentus</i>				1.0	52.0		1.0	78.0							
	<i>Portunus sp.</i>															
	<i>Portunus trituberculatus</i>	2.0	174.0													
	<i>Raphidopus ciliatus</i>															
	<i>Scylla serrata</i>															
	<i>Tachypleus tridentatus</i>															
	<i>Typhlocarcinus sp.</i>															
	<i>Arcania heptacontra</i>															
Mantis shrimp	<i>Harpisquilla harpax</i>	1.0	56.0													
	<i>Dictyosquilla foveolata</i>							1.0	4.0							
	<i>Clorida decorata</i>															
	<i>Erugosquilla woodmasoni</i>															
	<i>Oratosquilla interrupta</i>	4.0	74.0		1.0	30.0		4.0	60.0		5.0	70.0		4.0	40.0	
	<i>Oratosquilla oratoria</i>										1.0	2.0		2.0	12.0	
Gastropod	<i>Apollon olivator rubustus</i>															
	<i>Bursa rana</i>							1.0	11.4							
	<i>Calyptraea sp.</i>				2.0	0.7										
	<i>Drupa fiscella</i>															
	<i>Drupa musiva</i>							3.0	12.0		7.0	42.0				
	<i>Epitonium scalare</i>															
	<i>Gemmula deshavesii</i>															
	<i>Hemifusus tuba</i>															
	<i>Inquistor flavidula</i>				50.0	110.0	*	30.0	72.0	*				16.0	37.0	
	<i>Lophiotoma leucotropis</i>															
	<i>Murex trapa</i>	70.0	560.0	*	60.0	510.0	*	40.0	360.0	*	40.0	370.0	*	50.0	470.0	*
	<i>Nassarius hepaticus</i>				1.0	1.8										
	<i>Nassarius succinctus</i>							8.0	16.0							
	<i>Nassarius sp.</i>															
	<i>Natica onea</i>															
	<i>Natica tigrina</i>															
	<i>Gemmula deshavesii</i>															
	<i>Phenacovalva birostris</i>															
	<i>Philina sp.</i>				1.0	3.8										
	<i>Pilosabia pilosa</i>													2.0	0.8	
	<i>Siphopatella walshi</i>															
	<i>Thais mutabilis</i>															
	<i>Tonna sulcosa</i>															
	<i>Turricula javana</i>															
	<i>Turricula nelliae</i>															
	<i>Turritella terebra</i>	17600.0	160000.0	*	16800.0	150000.0	*	6300.0	60000.0	*	3640.0	33600.0	*	3460.0	32810.0	*
	UNID Nudibranch				1.0	3.2										

Demersal Trawling Data in July 2014

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Bivalve	<i>Anadara ferruginea</i>															
	<i>Anomalodiscus squamosus</i>															
	<i>Anomia chinensis</i>															
	<i>Atrina pectinata</i>															
	<i>Crassostrea spp.</i>															
	<i>Chione isabellina</i>															
	<i>Chlamys nobilis</i>															
	<i>Macoma candida</i>								12.0	29.8						
	<i>Ostrea sp.</i>											20.0	23.0	*		
	<i>Ostrea Pestigris Hanley</i>															
	<i>Paphia undulata</i>					30.0	130.0	*								
	<i>Perna viridis</i>															
	<i>Pinctada martensii</i>															
	<i>Placuna placenta</i>															
	<i>Ruditapes philippinarum</i>		30.0	220.0	*											
	<i>Scapharca subcrenata</i>		3.0	180.0		4.0	220.0		4.0	272.0					2.0	132.0
<i>Saccostrea cucullata</i>																
<i>Tegillarca nodifera</i>					5.0	25.2										
<i>Vepricardium asiaticum</i>																
<i>Tolonostrea talonata</i>																
Cephalopod	<i>Lolingid squid</i>	1.0	8.0													
	<i>Sepiid cuttlefish</i>				2.0	74.0										
	<i>Octopus sp.</i>										1.0	44.0				
Echinoderm	<i>Acaudina molpadioides</i>	6.0	230.0		8.0	362.0		15.0	1230.0		40.0	2160.0	*	30.0	1860.0	
	<i>Colochirus quadrangularis</i>															
	<i>Temnopleurus toreumaticus</i>	11.0	86.0		20.0	290.0	*	9.0	80.0		30.0	302.0	*	20.0	260.0	
	<i>Lovenia subcarinata</i>															
Cnidaria	<i>Edwardsia japonica (c.f.)</i>							1.0	42.0							
	<i>Ellisella laevis</i>															
	<i>Echinogorgia complexa(c.f.)</i>															
	<i>Gorgonia spp.</i>															
	<i>Carcinactis ichikawai</i>										2.0	0.8		3.0	1.2	
	<i>Cavernularia habereri</i>	180.0	970.0	*	30.0	210.0	*	150.0	346.0	*	30.0	160.0	*	40.0	230.0	
	Jelly fish							1.0	1800.0							
	<i>Pteroeides chinense</i>	11.0	280.0	*	5.0	110.0	*	4.0	90.0		6.0	130.0		30.0	880.0	
	Sea anomea															
	<i>Virgularia gustaviana</i>	1.0	6.2		2.0	11.2										
Urochordata	Sea Squirts															
Cirripedia	<i>Bananus spp.(c.f.)</i>	120.0	54.0	*	90.0	38.0	*	140.0	60.0	*	140.0	60.0	*	160.0	76.0	

Demersal Trawling Data in July 2014

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acentrogobius caninus</i>	4.0	70.0		6.0	124.0								2.0	34.0	
	<i>Apogon kiensis</i>				1.0	2.0		2.0	6.0		2.0	10.0				
	<i>Apogon lineatus</i>															
	<i>Arius sinensis</i>															
	<i>Aetoplatea zonura</i>															
	<i>Acanthopagrus schlegelii</i>															
	<i>Alepes kleinii</i>	1.0	4.0		2.0	8.0		6.0	26.0					1.0	8.0	
	<i>Acanthopagrus latus</i>	1.0	30.0		1.0	34.0		1.0	24.0							
	<i>Butis koilomatodon</i>															
	<i>Callionymus richardsoni</i>															
	<i>Clupanodon thrissa</i>															
	<i>Collichthys lucidus</i>							1.0	12.0							
	<i>Cryptocentrus filifer</i>															
	<i>Coilia mystus</i>															
	<i>Chaeturichthys stigmatias</i>															
	<i>Cynoglossus arel</i>				4.0	234.0		4.0	210.0		2.0	10.0		2.0	62.0	
	<i>Cynoglossus abbreviatus</i>															
	<i>Cynoglossus puncticeps</i>															
	<i>Cynoglossus semilaevis</i>															
	<i>Cynoglossus roulei</i>															
	<i>Dasyatis akajei</i>										1.0	540.0				
	<i>Dasyatis bennettii</i>															
	<i>Dasyatis zugei</i>															
	<i>Dendrophysa russelii</i>							1.0	22.0							
	<i>Drepane longimana</i>															
	<i>Drepane punctata</i>															
	<i>Epinephelus awoara</i>													1.0	30.0	
	<i>Epinephelus bruneus</i>															
	<i>Epinephelus quoyanus</i>															
	<i>Eleotridae sp.</i>															
	<i>Gerres abbreviatus</i>	1.0	12.0								2.0	30.0				
	<i>Gerres filamentosus</i>															
	<i>Gerres lucidus</i>															
	<i>Gymnura japonica</i>															
	<i>Gerreomorpha japonica</i>															
	<i>Harpadon nehereus</i>															
	<i>Hippocampus trimaculatus</i>															
	<i>Inegocia japonica</i>															
	<i>Ilisha elongata</i>															
	<i>Johnius amblycephalus</i>															
	<i>Johnius belangerii</i>															
	<i>Johnius heterolepis</i>															
	<i>Inimicus didactylus</i>															
	<i>Inimicus japonicus</i>															
	<i>Konosirus punctatus</i>															
	<i>Lagocephalus wheeleri</i>															
	<i>Larimichthys crocea</i>															

Demersal Trawling Data in July 2014

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Leiognathus brevirostris</i>	23.0	174.0		36.0	254.0		23.0	186.0		24.0	304.0		21.0	272.0	
	<i>Leiognathus nuchalis</i>	7.0	38.0		16.0	84.0		19.0	112.0		37.0	190.0		18.0	130.0	
	<i>Lepidotrigla japonice</i>															
	<i>Lepturacanthus savala</i>															
	<i>Lutjanus russelli</i>															
	<i>Minous sp.</i>															
	<i>Müchthys müüv</i>															
	<i>Monacanthus chinensis</i>															
	<i>Mugil cephalus</i>															
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>				1.0	4.0		1.0	8.0		1.0	10.0				
	<i>Nibea albiflora</i>															
	<i>Oxyurichthys tentacularis</i>															
	<i>Otolithes ruber</i>															
	<i>Pampus argenteus</i>															
	<i>Parachaeturichthys polynema</i>															
	<i>Paracentropogon rubripinnis</i>	3.0	12.0		13.0	116.0		3.0	34.0							
	<i>Pennahia anea</i>							1.0	18.0		1.0	18.0				
	<i>Pennahia macrocephalus</i>	1.0	10.0													
	<i>Pennahia pawak</i>										2.0	4.0		2.0	8.0	
	<i>Pentaprion longimanus</i>															
	<i>Platycephalus indicus</i>	6.0	404.0		6.0	1220.0		4.0	368.0		3.0	388.0		1.0	126.0	
	<i>Platycephalus sp.</i>															
	<i>Plotosus lineatus</i>															
	<i>Polydactylus sextarius</i>	1.0	6.0		4.0	38.0										
	<i>Pisodonophis boro</i>															
	<i>Pseudorhombus cinnamoneus</i>															
	<i>Pseudorhombus oligodon</i>															
	<i>Pseudorhombus sp.</i>	5.0	30.0		1.0	12.0		5.0	36.0		5.0	36.0		2.0	14.0	
	<i>Paramonacanthus filicauda</i>															
	<i>Rhabdosargus sarba</i>															
	<i>Saurida elongata</i>															
	<i>Sardinella sp.</i>															
	<i>Scatophagus argus</i>															
	<i>Scorpaenopsis macrochir</i>															
	<i>Sebastes sp.</i>															
	<i>Sebastes marmoratus</i>															
	<i>Secutor ruconius</i>															
	<i>Setipinna taty</i>															
	<i>Siganus canaliculatus</i>							3.0	22.0		2.0	26.0				
	<i>Siganus fuscescens</i>															
	<i>Sillago sihama</i>													1.0	62.0	
	<i>Solea ovata</i>	2.0	14.0		3.0	22.0		3.0	34.0		1.0	8.0				
	<i>Stolephorus insularis</i>	1.0	4.0					8.0	34.0					1.0	4.0	

Demersal Trawling Data in July 2014

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Syngnathus schlegeli</i>															
	<i>Syngnathus acus</i>															
	<i>Sardina pilchardus</i>															
	<i>Scoliodon sorrakowah</i>															
	<i>Takifugu oblongus</i>															
	<i>Takifugu ocellatus</i>															
	<i>Takifugu xanthopterus</i>															
	<i>Takifugu poecilonotus</i>															
	<i>Terapon jarbua</i>				1.0	52.0		1.0	48.0					1.0	84.0	
	<i>Terapon theraps</i>															
	<i>Thryssa chefuensis</i>															
	<i>Thryssa hamiltonii</i>															
	<i>Trachycephalus uranoscopa</i>	1.0	122.0		13.0	128.0		5.0	68.0		3.0	26.0		3.0	40.0	
	<i>Trypauchen vagina</i>	1.0	20.0		7.0	94.0		7.0	76.0		2.0	328.0		1.0	6.0	
	<i>Thryssa kammalensis</i>															
	<i>Johnius heterolepis</i>															
	<i>Grammoplites scaber</i>										1.0	2.0				
	<i>Arnoglossus waitei</i>															
	<i>Uranoscopus chinensis</i>															
	<i>Uroconger lepturus</i>															
	<i>Zebrias zebra</i>							1.0	32.0							
Prawn or shrimp	<i>Alpheus brevicristatus</i>															
	<i>Alpheus distinguendus</i>															
	<i>Exopalaemon sp.</i>															
	<i>Metapenaeopsis barbata</i>	2.0	2.0													
	<i>Metapenaeus affinis</i>	115.0	548.0		130.0	702.0		90.0	424.0		37.0	184.0		18.0	88.0	
	<i>Metapenaeus ensis</i>													2.0	18.0	
	<i>Metapenaeus joveri</i>	4.0	34.0											1.0	4.0	
	<i>Metapenaeus moyebi</i>															
	<i>Parapenaeopsis hardwickii</i>															
	<i>Parapenaeopsis tenella</i>	10.0	84.0		10.0	66.0		16.0	66.0		19.0	92.0		13.0	78.0	
	<i>Penaeus japonicus</i>	2.0	14.0		1.0	8.0										
	<i>Penaeus merguensis</i>															
	<i>Penaeus penicillatus</i>	4.0	44.0		13.0	98.0		2.0	16.0		5.0	74.0		5.0	40.0	
	<i>Solenocera crassicornis</i>															
	<i>Penaeus monodon</i>															
Crab	<i>Calappa philargius</i>															
	<i>Charybdis affinis</i>	6.0	148.0		8.0	126.0		10.0	206.0		7.0	138.0		7.0	126.0	
	<i>Charybdis cruciata</i>															
	<i>Charybdis japonica</i>										2.0	90.0				
	<i>Charybdis spp.</i>	50.0	420.0	*	60.0	530.0	*	60.0	660.0	*	50.0	440.0	*	64.0	670.0	
	<i>Charybdis feriatius</i>															
	<i>Charybdis truncata</i>															
	<i>Dorippe polita</i>	40.0	310.0	*	18.0	93.0		20.0	230.0	*	16.0	140.0	*	40.0	380.0	
	<i>Eucrete crenata</i>	13.0	36.2		8.0	36.0		30.0	190.0	*				3.0	18.4	
	<i>Galene bispinosa</i>	7.0	260.0		6.0	250.0								7.0	270.0	
	Hermit crab	30.0	110.0	*	30.0	110.0	*	60.0	180.0	*	50.0	140.0	*	40.0	180.0	
	<i>Hvastenus pleione</i>															

Demersal Trawling Data in July 2014

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Leucosia craniolaris</i>						5.0	23.0		3.0	16.4		1.0	4.2		
	<i>Lithodes sp.</i>															
	<i>Macrophthalmus japonicus</i>															
	<i>Parthenope validus</i>						4.0	57.2		20.0	360.0	*	30.0	540.0	*	
	<i>Porcellanella picta</i>															
	<i>Portunus pelagicus</i>				1.0	180.0										
	<i>Portunus sanguinolentus</i>	2.0	22.0				1.0	8.0					10.0	118.0		
	<i>Portunus sp.</i>															
	<i>Portunus trituberculatus</i>						1.0	108.0		6.0	54.0		1.0	76.0		
	<i>Raphidopus ciliatus</i>															
	<i>Scylla serrata</i>															
	<i>Tachypleus tridentatus</i>															
	<i>Typhlocarcinus sp.</i>	2.0	1.1				1.0	0.8								
	<i>Arcania heptacontra</i>															
Mantis shrimp	<i>Harpisquilla harpax</i>															
	<i>Dictyosquilla foveolata</i>						1.0	2.0		1.0	12.0					
	<i>Clorida decorata</i>															
	<i>Erugosquilla woodmasoni</i>															
	<i>Oratosquilla interrupta</i>				3.0	16.0				3.0	42.0		3.0	36.0		
	<i>Oratosquilla oratoria</i>	1.0	4.0				1.0	1.0		2.0	8.0		4.0	22.0		
Gastropod	<i>Apollon olivator rubustus</i>															
	<i>Bursa rana</i>	1.0	8.2													
	<i>Calyptreaea sp.</i>	7.0	2.8										1.0	0.3		
	<i>Drupa fiscella</i>															
	<i>Drupa musiva</i>															
	<i>Epitonium scalare</i>															
	<i>Gemmula deshavesii</i>															
	<i>Hemifusus tuba</i>															
	<i>Inquistor flavidula</i>	40.0	78.0	*	20.0	46.0	*	8.0	17.0		30.0	68.0	*	5.0	16.0	
	<i>Lophiotoma leucotropis</i>				1.0	2.2										
	<i>Murex trapa</i>	90.0	760.0	*	70.0	560.0	*	50.0	460.0	*	60.0	530.0	*	80.0	710.0	*
	<i>Nassarius hepaticus</i>															
	<i>Nassarius succinctus</i>	40.0	92.0	*	12.0	28.0										
	<i>Nassarius sp.</i>				2.0	4.2										
	<i>Natica onea</i>															
	<i>Natica tigrina</i>															
	<i>Gemmula deshavesii</i>															
	<i>Phenacovalva birostris</i>															
	<i>Philine sp.</i>	2.0	8.4				1.0	4.1								
	<i>Pilosabia pilosa</i>				4.0	1.6										
	<i>Siphopatella walshi</i>															
	<i>Thais mutabilis</i>															
	<i>Tonna sulcosa</i>															
	<i>Turricula javana</i>															
	<i>Turricula nelliae</i>															
	<i>Turritella terebra</i>	940.0	9130.0	*	850.0	8240.0	*	1120.0	10610.0	*	920.0	8970.0	*	880.0	8470.0	*
	UNID Nudibranch										3.0	16.2				

Demersal Trawling Data in July 2014

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Bivalve	<i>Anadara ferruginea</i>															
	<i>Anomalodiscus squamosus</i>															
	<i>Anomia chinensis</i>															
	<i>Atrina pectinata</i>	1.0	175.0													
	<i>Crassostrea spp.</i>															
	<i>Chione isabellina</i>	2.0	9.2					3.0	16.0							
	<i>Chlamys nobilis</i>															
	<i>Macoma candida</i>	10.0	58.0								1.0	8.4				
	<i>Ostrea sp.</i>	60.0	28.0	*	40.0	19.0	*	20.0	42.0	*						
	<i>Ostrea Pestigris Hanley</i>															
	<i>Paphia undulata</i>	70.0	530.0	*	90.0	640.0	*	40.0	310.0	*	50.0	420.0	*	40.0	280.0	*
	<i>Perna viridis</i>															
	<i>Pinctada martensii</i>															
	<i>Placuna placenta</i>															
	<i>Ruditapes philippinarum</i>															
<i>Scapharca subcrenata</i>	2.0	112.0		5.0	230.0		7.0	360.0		2.0	112.0		11.0	1810.0		
<i>Saccostrea cucullata</i>	1.0	48.0														
<i>Tegillarca nodifera</i>	40.0	186.0	*	12.0	44.0		20.0	116.0	*	4.0	9.6		3.0	12.4		
<i>Vepricardium asiaticum</i>	1.0	8.4														
<i>Tolonostrea talonata</i>																
Cephalopod	<i>Lolingid squid</i>															
	<i>Sepiid cuttlefish</i>	1.0	28.0		1.0	18.0										
	<i>Octopus sp.</i>															
Echinoderm	<i>Acaudina molpadioides</i>	5.0	160.0		1.0	44.0										
	<i>Colochirus quadrangularis</i>															
	<i>Temnopleurus toreumaticus</i>	160.0	780.0	*	90.0	710.0	*	230.0	1240.0	*	260.0	1360.0	*	160.0	810.0	*
<i>Lovenia subcarinata</i>																
Cnidaria	<i>Edwardsia japonica (c.f.)</i>															
	<i>Ellisella laevis</i>															
	<i>Echinogorgia complexa(c.f.)</i>										1.0	4.3				
	<i>Gorgonia spp.</i>										1.0	13.2				
	<i>Carcinactis ichikawai</i>	1.0	0.6		6.0	3.2					3.0	1.2		2.0	0.6	
	<i>Cavernularia habereri</i>	6.0	20.0		15.0	76.0					7.0	28.0		20.0	160.0	*
Jelly fish	<i>Pteroeides chinense</i>				2.0	32.0		1.0	13.0					2.0	18.4	
	<i>Sea anomea</i>				2.0	7.4					1.0	8.1				
	<i>Virgularia gustaviana</i>										1.0	2.2				
	<i>Sea Squirts</i>															
Cirripedia	<i>Bananus spp.(c.f.)</i>	120.0	54.0	*	160.0	72.0	*	260.0	120.0	*	220.0	110.0	*	190.0	92.0	*

Demersal Trawling Data in July 2014

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acentrogobius caninus</i>	7.0	156.0		5.0	106.0		4.0	82.0		1.0	14.0		2.0	34.0	
	<i>Apogon kiensis</i>	2.0	18.0													
	<i>Apogon lineatus</i>															
	<i>Arius sinensis</i>															
	<i>Aetoplatea zonura</i>															
	<i>Acanthopagrus schlegelii</i>															
	<i>Alepes kleinii</i>	1.0	4.0		3.0	16.0										
	<i>Acanthopagrus latus</i>	1.0	24.0		1.0	30.0										
	<i>Butis koilomatodon</i>															
	<i>Callionymus richardsoni</i>															
	<i>Clupanodon thrissa</i>	1.0	24.0		1.0	48.0								1.0	54.0	
	<i>Collichthys lucidus</i>															
	<i>Cryptocentrus filifer</i>															
	<i>Coilia mystus</i>															
	<i>Chaeturichthys stigmatias</i>															
	<i>Cynoglossus arel</i>	3.0	470.0		2.0	62.0		2.0	96.0							
	<i>Cynoglossus abbreviatus</i>															
	<i>Cynoglossus puncticeps</i>															
	<i>Cynoglossus semilaevis</i>															
	<i>Cynoglossus roulei</i>							2.0	236.0							
	<i>Dasyatis akajei</i>															
	<i>Dasyatis bennettii</i>															
	<i>Dasyatis zugei</i>							1.0	28.0							
	<i>Dendrophysa russelii</i>				1.0	18.0		1.0	42.0							
	<i>Drepane longimana</i>										2.0	50.0				
	<i>Drepane punctata</i>													1.0	24.0	
	<i>Epinephelus awoara</i>															
	<i>Epinephelus bruneus</i>															
	<i>Epinephelus quoyanus</i>															
	<i>Eleotridae sp.</i>															
	<i>Gerres abbreviatus</i>	2.0	32.0		1.0	22.0										
	<i>Gerres filamentosus</i>															
	<i>Gerres lucidus</i>															
	<i>Gymnura japonica</i>															
	<i>Gerreomorpha japonica</i>															
	<i>Harpadon nehereus</i>															
	<i>Hippocampus trimaculatus</i>															
	<i>Inegocia japonica</i>															
	<i>Ilisha elongata</i>															
	<i>Johnius amblycephalus</i>															
	<i>Johnius belangerii</i>															
	<i>Johnius heterolepis</i>															
	<i>Inimicus didactylus</i>															
	<i>Inimicus japonicus</i>															
	<i>Konosirus punctatus</i>															
	<i>Lagocephalus wheeleri</i>															
	<i>Larimichthys crocea</i>															

Demersal Trawling Data in July 2014

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Leiognathus brevirostris</i>	101.0	1092.0		39.0	420.0		36.0	374.0		28.0	378.0		31.0	426.0	
	<i>Leiognathus nuchalis</i>	49.0	438.0		19.0	184.0		7.0	56.0		2.0	36.0				
	<i>Lepidotrigla japonice</i>															
	<i>Lepturacanthus savala</i>															
	<i>Lutjanus russelli</i>															
	<i>Minous sp.</i>															
	<i>Müchthys müüv</i>															
	<i>Monacanthus chinensis</i>															
	<i>Mugil cephalus</i>															
	<i>Muraenesox cinereus</i>				1.0	164.0		4.0	512.0							
	<i>Nemipterus japonicus</i>	1.0	12.0													
	<i>Nibea albiflora</i>															
	<i>Oxyurichthys tentacularis</i>															
	<i>Otolithes ruber</i>															
	<i>Pampus argenteus</i>															
	<i>Parachaeturichthys polynema</i>	1.0	6.0													
	<i>Paracentropogon rubripinnis</i>															
	<i>Pennahia anea</i>	1.0	16.0		1.0	22.0										
	<i>Pennahia macrocephalus</i>															
	<i>Pennahia pawak</i>	2.0	4.0		3.0	20.0		1.0	32.0		1.0	4.0		1.0	6.0	
	<i>Pentaprion longimanus</i>															
	<i>Platycephalus indicus</i>	3.0	704.0		1.0	120.0		2.0	276.0							
	<i>Platycephalus sp.</i>															
	<i>Plotosus lineatus</i>															
	<i>Polydactylus sextarius</i>	15.0	138.0		10.0	106.0		9.0	86.0		1.0	10.0				
	<i>Pisodonophis boro</i>															
	<i>Pseudorhombus cinnamoneus</i>															
	<i>Pseudorhombus oligodon</i>															
	<i>Pseudorhombus sp.</i>	3.0	48.0		2.0	32.0		6.0	62.0		2.0	22.0		1.0	14.0	
	<i>Paramonacanthus filicauda</i>															
	<i>Rhabdosargus sarba</i>															
	<i>Saurida elongata</i>	1.0	30.0								2.0	64.0				
	<i>Sardinella sp.</i>															
	<i>Scatophagus argus</i>															
	<i>Scorpaenopsis macrochir</i>															
	<i>Sebastes sp.</i>															
	<i>Sebastiscus marmoratus</i>	1.0	16.0													
	<i>Secutor ruconius</i>															
	<i>Setipinna taty</i>															
	<i>Siganus canaliculatus</i>	16.0	116.0		1.0	4.0					3.0	38.0		2.0	10.0	
	<i>Siganus fuscescens</i>															
	<i>Sillago sihama</i>				1.0	18.0		1.0	24.0							
	<i>Solea ovata</i>	2.0	12.0		2.0	26.0										
	<i>Stolephorus insularis</i>	4.0	20.0					5.0	22.0							

Demersal Trawling Data in July 2014

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Syngnathus schlegeli</i>															
	<i>Syngnathus acus</i>															
	<i>Sardina pilchardus</i>															
	<i>Scoliodon sorrakowah</i>															
	<i>Takifugu oblongus</i>															
	<i>Takifugu ocellatus</i>															
	<i>Takifugu xanthopterus</i>															
	<i>Takifugu poecilonotus</i>															
	<i>Terapon jarbua</i>															
	<i>Terapon theraps</i>															
	<i>Thryssa chefuensis</i>															
	<i>Thryssa hamiltonii</i>															
	<i>Trachycephalus uranoscopa</i>	1.0	12.0		2.0	16.0		4.0	44.0					1.0	6.0	
	<i>Trypauchen vagina</i>	7.0	102.0		1.0	12.0		3.0	40.0					3.0	30.0	
	<i>Thryssa kammalensis</i>															
	<i>Johnius heterolepis</i>															
	<i>Grammoplites scaber</i>										1.0	46.0				
	<i>Arnoglossus waitei</i>													1.0	10.0	
	<i>Uranoscopus chinensis</i>															
	<i>Uroconger lepturus</i>															
	<i>Zebrias zebra</i>															
Prawn or shrimp	<i>Alpheus brevicristatus</i>															
	<i>Alpheus distinguendus</i>															
	<i>Exopalaemon sp.</i>															
	<i>Metapenaeopsis barbata</i>															
	<i>Metapenaeus affinis</i>	23.0	156.0		20.0	108.0		13.0	74.0		4.0	20.0		6.0	32.0	
	<i>Metapenaeus ensis</i>							3.0	24.0							
	<i>Metapenaeus joyneri</i>				1.0	4.0										
	<i>Metapenaeus moyebi</i>															
	<i>Parapenaeopsis hardwickii</i>															
	<i>Parapenaeopsis tenella</i>	8.0	78.0		8.0	62.0		4.0	22.0		1.0	4.0		3.0	24.0	
	<i>Penaeus japonicus</i>	1.0	8.0					4.0	40.0							
	<i>Penaeus merguensis</i>															
	<i>Penaeus penicillatus</i>	5.0	40.0		6.0	52.0		1.0	6.0		2.0	16.0		2.0	18.0	
	<i>Solenocera crassicornis</i>															
	<i>Penaeus monodon</i>															
Crab	<i>Calappa philargius</i>															
	<i>Charybdis affinis</i>	8.0	176.0					9.0	184.0		6.0	126.0		7.0	162.0	
	<i>Charybdis cruciata</i>										1.0	16.0				
	<i>Charybdis japonica</i>	1.0	64.0													
	<i>Charybdis spp.</i>	70.0	540.0	*	50.0	460.0	*	60.0	520.0	*	40.0	460.0	*	60.0	580.0	
	<i>Charybdis feriatius</i>															
	<i>Charybdis truncata</i>															
	<i>Dorippe polita</i>	30.0	190.0	*	11.0	53.0		17.0	142.0		36.0	290.0	*	28.0	216.0	
	<i>Eucreta crenata</i>	40.0	176.0	*				4.0	18.0		20.0	70.0	*	6.0	92.0	
	<i>Galene bispinosa</i>	11.0	280.0					4.0	216.0		2.0	148.0				
	Hermit crab	50.0	160.0	*	40.0	130.0	*	30.0	98.0	*	60.0	82.0	*	50.0	140.0	
	<i>Hyastenus pleione</i>															

Demersal Trawling Data in July 2014

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Leucosia craniolaris</i>	11.0	68.4				2.0	9.6								
	<i>Lithodes sp.</i>															
	<i>Macrophthalmus japonicus</i>						1.0	6.8								
	<i>Parthenope validus</i>	5.0	82.0		2.0	36.0	16.0	180.0	*	6.0	72.0		12.0	188.0		
	<i>Porcellanella picta</i>						1.0	0.2								
	<i>Portunus pelagicus</i>												2.0	280.0		
	<i>Portunus sanguinolentus</i>						2.0	32.0								
	<i>Portunus sp.</i>															
	<i>Portunus trituberculatus</i>	4.0	76.0													
	<i>Raphidopus ciliatus</i>															
	<i>Scylla serrata</i>															
	<i>Tachypleus tridentatus</i>				1.0	10.0										
	<i>Typhlocarcinus sp.</i>				2.0	1.2							1.0	0.6		
	<i>Arcania heptacotra</i>															
Mantis shrimp	<i>Harpiosquilla harpax</i>	3.0	148.0		4.0	204.0				2.0	60.0		4.0	152.0		
	<i>Dictyosquilla foveolata</i>				1.0	12.0							2.0	28.0		
	<i>Clorida decorata</i>												1.0	4.0		
	<i>Erugosquilla woodmasoni</i>															
	<i>Oratosquilla interrupta</i>	4.0	104.0				2.0	18.0		3.0	74.0		2.0	54.0		
	<i>Oratosquilla oratoria</i>				1.0	6.0	2.0	12.0								
Gastropod	<i>Apollon olivator rubustus</i>															
	<i>Bursa rana</i>				2.0	11.2	1.0	11.0								
	<i>Calyptreaea sp.</i>	2.0	0.6		30.0	14.0	*	40.0	19.0	*	6.0	2.2				
	<i>Drupa fiscella</i>															
	<i>Drupa musiva</i>															
	<i>Epitonium scalare</i>															
	<i>Gemmula deshavesii</i>															
	<i>Hemifusus tuba</i>															
	<i>Inquistor flavidula</i>				40.0	82.0	*	30.0	70.0	*			20.0	46.0	*	
	<i>Lophiotoma leucotropis</i>	20.0	82.0	*	4.0	18.0										
	<i>Murex trapa</i>	80.0	430.0	*	70.0	402.0	*	90.0	490.0	*	50.0	320.0	*	50.0	320.0	*
	<i>Nassarius hepaticus</i>															
	<i>Nassarius succinctus</i>				11.0	26.0										
	<i>Nassarius sp.</i>															
	<i>Natica onea</i>															
	<i>Natica tigrina</i>															
	<i>Gemmula deshavesii</i>															
	<i>Phenacovalva birostris</i>															
	<i>Philine sp.</i>						4.0	18.2								
	<i>Pilosabia pilosa</i>															
	<i>Siphopatella walshi</i>	4.0	1.6				3.0	1.2								
	<i>Thais mutabilis</i>															
	<i>Tonna sulcosa</i>															
	<i>Turricula javana</i>															
	<i>Turricula nelliae</i>															
	<i>Turritella terebra</i>	720.0	6910.0	*	620.0	6020.0	*	580.0	5410.0	*	1230.0	11240.0	*	1480.0	13410.0	*
	UNID Nudibranch				1.0	4.3										

Demersal Trawling Data in July 2014

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Bivalve	<i>Anadara ferruginea</i>															
	<i>Anomalodiscus squamosus</i>													1.0	2.6	
	<i>Anomia chinensis</i>															
	<i>Atrina pectinata</i>							2.0	92.0							
	<i>Crassostrea spp.</i>															
	<i>Chione isabellina</i>	3.0	11.0													
	<i>Chlamys nobilis</i>															
	<i>Macoma candida</i>	60.0	330.0	*	70.0	380.0	*	50.0	270.0	*	40.0	210.0	*	30.0	180.0	*
	<i>Ostrea sp.</i>	50.0	190.0	*	40.0	120.0	*	30.0	92.0	*	160.0	190.0	*	50.0	160.0	*
	<i>Ostrea Pestigris Hanley</i>															
	<i>Paphia undulata</i>	40.0	320.0	*	15.0	72.0		20.0	114.0	*	30.0	170.0	*	6.0	41.0	
	<i>Perna viridis</i>				1.0	6.1										
	<i>Pinctada martensii</i>															
	<i>Placuna placenta</i>															
	<i>Ruditapes philippinarum</i>															
	<i>Scapharca subcrenata</i>	5.0	430.0		7.0	620.0		4.0	410.0		20.0	1680.0	*	5.0	430.0	
	<i>Saccostrea cucullata</i>															
<i>Tegillarca nodifera</i>				6.0	21.0											
<i>Vepricardium asiaticum</i>																
<i>Tolonostrea talonata</i>																
Cephalopod	<i>Lolingid squid</i>															
	<i>Sepiid cuttlefish</i>															
	<i>Octopus sp.</i>				1.0	24.0							1.0	20.0		
Echinoderm	<i>Acaudina molpadioides</i>							2.0	92.0		4.0	140.0				
	<i>Colochirus quadrangularis</i>															
	<i>Temnopleurus toreumaticus</i>	120.0	670.0	*	90.0	510.0	*	410.0	1630.0	*	310.0	1428.0	*	260.0	1032.0	*
	<i>Lovenia subcarinata</i>															
Cnidaria	<i>Edwardsia japonica (c.f.)</i>															
	<i>Ellisella laevis</i>							1.0	7.0		2.0	25.0				
	<i>Echinogorgia complexa(c.f.)</i>															
	<i>Gorgonia spp.</i>															
	<i>Carcinactis ichikawai</i>	1.0	0.6					3.0	1.2		2.0	0.8		4.0	1.8	
	<i>Cavernularia habereri</i>	30.0	58.0	*	11.0	46.0		8.0	36.0					5.0	18.0	
	Jelly fish															
<i>Pteroeides chinense</i>	2.0	21.6					4.0	86.0		1.0	6.8					
	<i>Sea anomea</i>				1.0	6.6		3.0	1.2							
	<i>Virgularia gustaviana</i>				1.0	6.2										
Urochordata	<i>Sea Squirts</i>															
Cirripedia	<i>Bananus spp.(c.f.)</i>	460.0	220.0	*	320.0	150.0	*	210.0	90.0	*	180.0	102.0	*	200.0	120.0	*