

## Demersal Trawling Data in July 2015

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acentrogobius caninus</i>	1.0	38.0		1.0	20.0										
	<i>Apogon kiensis</i>						1.0	6.0					1.0	4.0		
	<i>Arius sinensis</i>															
	<i>Acanthemblemaria rivasi</i>															
	<i>Arnoglossus waitei</i>															
	<i>Butis koilomatodon</i>															
	<i>Caranx kalla</i>	1.0	12.0													
	<i>Collichthys lucidus</i>															
	<i>Cryptocentrus filifer</i>															
	<i>Coilia mystus</i>															
	<i>Chrysochir aureus</i>															
	<i>Cynoglossus arel</i>						1.0	66.0			2.0	56.0				
	<i>Cynoglossus puncticeps</i>										1.0	6.0				
	<i>Cynoglossus semilaevis</i>															
	<i>Cynoglossus roulei</i>															
	<i>Dasyatis akajei</i>				1.0	174.0		1.0	424.0		1.0	114.0		1.0	1214.0	
	<i>Dasyatis zugei</i>	2.0	386.0										3.0	864.0		
	<i>Dendrophysa russelii</i>						1.0	6.0								
	<i>Drepane punctata</i>				1.0	18.0										
	<i>Epinephelus awoara</i>															
	<i>Epinephelus bruneus</i>															
	<i>Gerres filamentosus</i>				2.0	76.0							2.0	50.0		
	<i>Gymnura japonica</i>															
	<i>Gymnothorax chilospilus</i>															
	<i>Inegocia japonica</i>															
	<i>Johnius belangerii</i>	1.0	62.0					3.0	142.0		6.0	358.0				
	<i>Johnius heterolepis</i>															
	<i>Inimicus japonicus</i>										2.0	46.0				
	<i>Konosirus punctatus</i>															
	<i>Lagocephalus wheeleri</i>				1.0	14.0					1.0	78.0				
	<i>Larimichthys crocea</i>															
	<i>Leiognathus brevisrostris</i>												4.0	42.0		
	<i>Leiognathus nuchalis</i>	10.0	112.0		23.0	324.0		6.0	64.0		31.0	410.0		26.0	344.0	
	<i>Liza macrolepis</i>												1.0	44.0		
	<i>Lutjanus russelli</i>															
	<i>Minous monodactylus</i>															
	<i>Monacanthus chinensis</i>							2.0	16.0		1.0	10.0				
	<i>Muraenesox cinereus</i>															
	<i>Nemipterus japonicus</i>				1.0	6.0					4.0	44.0				
	<i>Oxurichthys tentacularis</i>															
	<i>Otolithes ruber</i>															
	<i>Parachaeturichthys polynema</i>															
	<i>Paracentropogon rubripinnis</i>															
	<i>Parargyrops edita</i>												2.0	48.0		
	<i>Pennahia anea</i>							3.0	48.0		2.0	82.0		1.0	12.0	
	<i>Platycephalus indicus</i>				2.0	86.0		2.0	40.0				1.0	12.0		
	<i>Platycephalus sp.</i>															
	<i>Plotosus lineatus</i>															
	<i>Polydactylus sextarius</i>	2.0	18.0					2.0	10.0		4.0	28.0				



## Demersal Trawling Data in July 2015

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Portunus trituberculatus</i>	1.0	134.0		2.0	120.0		2.0	262.0		2.0	156.0		4.0	378.0	
	<i>Portunus hastatoides</i>															
	<i>Typhlocarcinus sp.</i>															
	<i>Arcania</i>															
	<i>Arcania heptacontra</i>										1.0	35.0		1.0	29.7	
Mantis shrimp	<i>Harpisquilla harpax</i>	2.0	110.0		1.0	46.0		3.0	144.0					1.0	48.0	
	<i>Dictyosquilla foveolata</i>															
	<i>Oratosquilla interrupta</i>	1.0	20.0		2.0	36.0		1.0	28.0		2.0	40.0				
	<i>Oratosquilla oratoria</i>															
Gastropod	<i>Apollon olivator rubustus</i>															
	<i>Bursa rana</i>															
	<i>Calyptrea sp.</i>	4.0	1.6					1.0	0.4		5.0	2.1		20.0	9.6	*
	<i>Drupa fiscella</i>															
	<i>Drupa musiva</i>	3.0	11.2								2.0	8.4				
	<i>Inquistor flavidula</i>										20.0	43.0		*		
	<i>Lophiotoma leucotropis</i>				1.0	3.4										
	<i>Murex trapa</i>	36.0	290.0	*	40.0	310.0	*	30.0	270.0	*	20.0	250.0	*	30.0	280.0	*
	<i>Nassarius hepaticus</i>				2.0	4.2										
	<i>Nassarius succinctus</i>	60.0	78.4	*	30.0	41.0	*	30.0	40.0	*	8.0	16.2		20.0	42.0	*
	<i>Nassarius sp.</i>															
	<i>Gemmula deshavesii</i>															
	<i>Philine sp.</i>				5.0	16.2		20.0	224.0	*				6.0	22.4	
	<i>Pilosabia pilosa</i>	20.0	26.2	*												
	<i>Siphopatella walshi</i>				5.0	1.8					3.0	1.4				
	<i>Tonna olearium</i>															
	<i>Tonna sulcosa</i>															
	<i>Turricula javana</i>							5.0	11.4							
	<i>Turricula nelliae</i>															
	<i>Turritella terebra</i>	620.0	6310.0	*	710.0	7060.0	*	680.0	7110.0	*	420.0	4160.0	*	380.0	3760.0	*
	<i>UNID Nudibranch</i>															
Bivalve	<i>Anadara ferruginea</i>															
	Bivalve Juvenil															
	<i>Crassostrea spp.</i>										1.0	42.0				
	<i>Chione isabellina</i>				1.0	5.2										
	<i>Chlamys nobilis</i>	6.0	57.4					3.0	12.6		4.0	32.0		5.0	38.0	
	<i>Cymatium caudatum</i>															
	<i>Ostrea sp.</i>	70.0	84.0	*	86.0	92.0	*	76.0	91.0	*	80.0	90.0	*	70.0	80.0	*
	<i>Paphia undulata</i>	38.0	310.0	*	30.0	280.0	*	30.0	280.0	*	40.0	360.0	*	30.0	290.0	*
	<i>Perna viridis</i>	30.0	480.0	*												
	<i>Pinctada martensii</i>															
	<i>Ruditapes philippinarum</i>										3.0	11.2				
	<i>Scapharca subcrenata</i>															
	<i>Tegillarca nodifera</i>															
	<i>Vepricardium asiaticum</i>															
	<i>Tolonostrea talonata</i>	3.0	5.2													
Cephalopod	<i>Lolingid squid</i>							1.0	22.0							
	<i>Sepiid cuttlefish</i>	1.0	24.0					1.0	24.0							
	<i>Octopus sp.</i>				2.0	76.0		2.0	68.0		2.0	48.0		4.0	192.0	
Echinoderm	<i>Acaudina molpadioides</i>	3.0	92.0					2.0	66.0		5.0	104.0		7.0	168.0	

## Demersal Trawling Data in July 2015

Group	Species Name	INA														
		INA-1			INA-2			INA-3			INA-4			INA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Colochirus quadrangularis</i>															
	<i>Temnopleurus toreumaticus</i>	36.0	388.0	*	20.0	210.0	*	30.0	360.0	*	30.0	360.0	*	40.0	462.0	*
Cnidaria	<i>Edwardsia japonica (c.f.)</i>															
	<i>Ellisella laevis</i>				1.0	16.2					2.0	26.2				
	<i>Echinogorgia complexa(c.f.)</i>													1.0	14.0	
	<i>Gorgonia spp.</i>	1.0	16.2					1.0	7.6							
	<i>Carcinactis ichikawai</i>	3.0	1.2		5.0	2.6		4.0	2.2		6.0	2.6		1.0	0.2	
	<i>Cavernularia habereri</i>	30.0	156.0	*	26.0	140.0	*	36.0	212.0	*	20.0	108.0	*	30.0	120.0	*
	Jelly fish															
	<i>Pteroeides chinense</i>	11.0	240.0		9.0	260.0		21.0	586.0		30.0	610.0	*	20.0	442.0	*
	Sea anomea				2.0	12.4										
	<i>Virgularia gustaviana</i>	2.0	29.2		4.0	48.4		4.0	39.2					1.0	8.4	
Porifera	<i>Demospongiae</i>															
Urochordata	Sea Squirts										2.0	36.4		2.0	11.2	
Cirripedia	<i>Balanus spp.(c.f.)</i>	90.0	360.0	*	80.0	110.0	*	70.0	92.0	*	90.0	56.0	*	70.0	92.0	*

## Demersal Trawling Data in July 2015

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)		
Fish	<i>Acentrogobius caninus</i>	1.0	12.0		1.0	26.0										
	<i>Apogon kiensis</i>	1.0	6.0		2.0	10.0		2.0	10.0		1.0	6.0		1.0	14.0	
	<i>Arius sinensis</i>															
	<i>Acanthemblemaria rivasi</i>															
	<i>Arnoglossus waitei</i>															
	<i>Butis koilomatodon</i>															
	<i>Caranx kalla</i>															
	<i>Collichthys lucidus</i>															
	<i>Cryptocentrus filifer</i>															
	<i>Coilia mystus</i>															
	<i>Chrysochir aureus</i>															
	<i>Cynoglossus arel</i>	4.0	170.0					6.0	188.0		2.0	114.0		1.0	56.0	
	<i>Cynoglossus puncticeps</i>				1.0	10.0								1.0	16.0	
	<i>Cynoglossus semilaevis</i>															
	<i>Cynoglossus roulei</i>															
	<i>Dasyatis akajei</i>							1.0	1800.0		4.0	2670.0		3.0	2426.0	
	<i>Dasyatis zugei</i>	6.0	192.0		4.0	364.0		7.0	1146.0		3.0	1390.0		4.0	1456.0	
	<i>Dendrophysa russelii</i>				1.0	60.0		1.0	28.0							
	<i>Drepane punctata</i>	2.0	364.0		1.0	38.0					1.0	148.0				
	<i>Epinephelus awoara</i>	1.0	18.0											1.0	14.0	
	<i>Epinephelus bruneus</i>															
	<i>Gerres filamentosus</i>	2.0	50.0		1.0	22.0		1.0	36.0		3.0	166.0		1.0	30.0	
	<i>Gymnura japonica</i>	2.0	1826.0					3.0	3428.0		2.0	4770.0				
	<i>Gymnothorax chilospilus</i>															
	<i>Inegocia japonica</i>	1.0	16.0					1.0	12.0		7.0	184.0		2.0	78.0	
	<i>Johnius belangerii</i>	1.0	16.0		1.0	10.0					1.0	22.0		1.0	44.0	
	<i>Johnius heterolepis</i>	1.0	136.0		2.0	112.0										
	<i>Inimicus japonicus</i>															
	<i>Konosirus punctatus</i>										8.0	582.0		5.0	326.0	
	<i>Lagocephalus wheeleri</i>										1.0	72.0				
	<i>Larimichthys crocea</i>															
	<i>Leiognathus brevirostris</i>															
	<i>Leiognathus nuchalis</i>	43.0	430.0		17.0	138.0		97.0	850.0		104.0	1022.0		61.0	580.0	
	<i>Liza macrolepis</i>															
	<i>Lutjanus russelli</i>															
	<i>Minous monodactylus</i>															
	<i>Monacanthus chinensis</i>															
	<i>Muraenesox cinereus</i>													1.0	104.0	
	<i>Nemipterus japonicus</i>										2.0	52.0				
	<i>Oxyurichthys tentacularis</i>										1.0	6.0				
	<i>Otolithes ruber</i>															
	<i>Parachaeturichthys polynema</i>	1.0	12.0					1.0	6.0							
	<i>Paracentropogon rubripinnis</i>															
	<i>Parargyrops edita</i>							1.0	20.0							
	<i>Pennahia anea</i>	3.0	92.0		4.0	178.0					1.0	72.0		4.0	170.0	
	<i>Platycephalus indicus</i>	1.0	34.0					2.0	470.0		13.0	2320.0		4.0	648.0	
	<i>Platycephalus sp.</i>															
	<i>Plotosus lineatus</i>															
	<i>Polydactylus sextarius</i>	3.0	32.0		2.0	16.0		2.0	26.0							



## Demersal Trawling Data in July 2015

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Portunus trituberculatus</i>						9.0	566.0		9.0	654.0		4.0	300.0		
	<i>Portunus hastatoides</i>															
	<i>Typhlocarcinus sp.</i>															
	<i>Arcania</i>															
	<i>Arcania heptacontra</i>															
Mantis shrimp	<i>Harpiosquilla harpax</i>	3.0	140.0		1.0	72.0	7.0	280.0		5.0	228.0		2.0	54.0		
	<i>Dictyosquilla foveolata</i>				1.0	14.0										
	<i>Oratosquilla interrupta</i>	2.0	50.0		1.0	30.0	9.0	186.0		17.0	506.0		6.0	196.0		
	<i>Oratosquilla oratoria</i>	4.0	36.0		1.0	4.0	2.0	18.0					3.0	30.0		
Gastropod	<i>Apollon olivator rubustus</i>															
	<i>Bursa rana</i>															
	<i>Calyptrea sp.</i>				2.0	1.0	7.0	3.2								
	<i>Drupa fuscilla</i>															
	<i>Drupa musiva</i>				11.0	62.0	3.0	11.2								
	<i>Inquistor flavidula</i>									3.0	4.8					
	<i>Lophiotoma leucotropis</i>															
	<i>Murex trapa</i>	40.0	390.0	*	40.0	402.0	*	30.0	320.0	*	32.0	330.0	*	30.0	310.0	*
	<i>Nassarius hepaticus</i>															
	<i>Nassarius succinctus</i>	30.0	56.0	*	36.0	64.0	*	30.0	52.0	*	26.0	48.0	*	25.0	46.0	*
	<i>Nassarius sp.</i>															
	<i>Gemmula deshayesii</i>				1.0	1.2										
	<i>Philina sp.</i>	2.0	8.1		5.0	84.0	90.0	1740.0	*	40.0	425.0	*	80.0	1230.0	*	
	<i>Pilosabia pilosa</i>				1.0	0.3										
	<i>Siphopatella walshi</i>				2.0	0.8										
	<i>Tonna olearium</i>															
	<i>Tonna sulcosa</i>															
	<i>Turricula javana</i>															
	<i>Turricula nelliae</i>									2.0	3.2					
	<i>Turritella terebra</i>	530.0	5120.0	*	570.0	5630.0	*	540.0	5280.0	*	470.0	4520.0	*	510.0	4960.0	*
	<i>UNID Nudibranch</i>															
Bivalve	<i>Anadara ferruginea</i>															
	<i>Bivalve Juvenil</i>															
	<i>Crassostrea spp.</i>															
	<i>Chione isabellina</i>															
	<i>Chlamys nobilis</i>				1.0	4.3				4.0	38.0					
	<i>Cymatium caudatum</i>															
	<i>Ostrea sp.</i>	70.0	80.0	*	90.0	94.0	*	90.0	88.0	*	80.0	86.0	*	70.0	82.0	*
	<i>Paphia undulata</i>	26.0	230.0	*	14.0	126.0	10.0	48.0		30.0	290.0	*	16.0	142.0		
	<i>Perna viridis</i>															
	<i>Pinctada martensii</i>															
	<i>Ruditapes philippinarum</i>															
	<i>Scapharca subcrenata</i>															
	<i>Tegillarca nodifera</i>															
	<i>Vepricardium asiaticum</i>															
	<i>Tolonostrea talonata</i>						1.0	2.2								
Cephalopod	<i>Lolingid squid</i>															
	<i>Sepiid cuttlefish</i>	1.0	21.0				3.0	190.0		1.0	90.0					
	<i>Octopus sp.</i>						1.0	18.0		1.0	28.0					
Echinoderm	<i>Acaudina molpadioides</i>	3.0	52.0		5.0	120.0	4.0	85.0		5.0	110.0		23.0	451.0		

## Demersal Trawling Data in July 2015

Group	Species Name	INB														
		INB-1			INB-2			INB-3			INB-4			INB-5		
		Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)		
	<i>Colochirus quadrangularis</i>						1.0	29.6								
	<i>Temnopleurus toreumaticus</i>	50.0	920.0	*	40.0	860.0	*	30.0	540.0	*	20.0	386.0	*	20.0	390.0	*
Cnidaria	<i>Edwardsia japonica (c.f.)</i>	1.0	4.4													
	<i>Ellisella laevis</i>				4.0	121.0					2.0	37.6				
	<i>Echinogorgia complexa(c.f.)</i>															
	<i>Gorgonia spp.</i>						12.0	25.0						1.0	6.3	
	<i>Carcinactis ichikawai</i>	5.0	2.4		2.0	1.1	4.0	1.8		2.0	1.2		3.0	1.5		
	<i>Cavernularia habereri</i>	30.0	290.0	*	36.0	310.0	*	38.0	330.0	*	32.0	303.0	*	30.0	280.0	*
	Jelly fish															
	<i>Pteroeides chinense</i>	40.0	1200.0	*	35.0	1100.0	*	140.0	4100.0	*	60.0	2020.0	*	70.0	2100.0	*
	Sea anomea															
	<i>Virgularia gustaviana</i>	4.0	60.0		3.0	40.0		7.0	178.0					2.0	12.2	
Porifera	<i>Demospongiae</i>						1.0	900.0								
Urochordata	Sea Squirts															
Cirripedia	<i>Balanus spp.(c.f.)</i>	140.0	110.0	*	160.0	122.0	*	150.0	135.0	*	120.0	102.0	*	130.0	105.0	*







## Demersal Trawling Data in July 2015

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Portunus trituberculatus</i>	1.0	66.0		5.0	340.0								4.0	328.0	
	<i>Portunus hastatoides</i>															
	<i>Typhlocarcinus sp.</i>															
	<i>Arcania</i>						1.0	29.7								
	<i>Arcania heptacontra</i>										1.0	31.2				
Mantis shrimp	<i>Harpisquilla harpax</i>	1.0	94.0		1.0	48.0								2.0	78.0	
	<i>Dictyosquilla foveolata</i>						1.0	14.0								
	<i>Oratosquilla interrupta</i>	12.0	336.0		13.0	356.0		3.0	68.0		9.0	150.0		11.0	194.0	
	<i>Oratosquilla oratoria</i>	13.0	158.0		14.0	190.0		9.0	104.0		12.0	134.0		7.0	82.0	
Gastropod	<i>Apollon olivator rubustus</i>				1.0	9.0					2.0	21.0				
	<i>Bursa rana</i>	1.0	5.6											1.0	7.0	
	<i>Calyptraea sp.</i>				1.0	0.4										
	<i>Drupa fiscella</i>															
	<i>Drupa musiva</i>															
	<i>Inquistor flavidula</i>															
	<i>Lophiotoma leucotropis</i>															
	<i>Murex trapa</i>	30.0	290.0	*	35.0	340.0	*	40.0	360.0	*	30.0	280.0	*	40.0	350.0	*
	<i>Nassarius hepaticus</i>															
	<i>Nassarius succinctus</i>	26.0	51.0	*	30.0	55.0	*	32.0	57.0	*	23.0	47.0	*	20.0	45.0	*
	<i>Nassarius sp.</i>															
	<i>Gemmula deshayesii</i>															
	<i>Philine sp.</i>	1.0	12.0													
	<i>Pilosabia pilosa</i>				3.0	1.2					15.0	11.0		10.0	8.0	
	<i>Siphopatella walshi</i>															
	<i>Tonna olearium</i>															
	<i>Tonna sulcosa</i>															
	<i>Turricula javana</i>															
	<i>Turricula nelliae</i>															
	<i>Turritella terebra</i>	470.0	4830.0	*	510.0	5320.0	*	530.0	5530.0	*	510.0	5210.0	*	490.0	5020.0	*
	<i>UNID Nudibranch</i>	1.0	6.2													
Bivalve	<i>Anadara ferruginea</i>															
	Bivalve Juvenil															
	<i>Crassostrea spp.</i>															
	<i>Chione isabellina</i>															
	<i>Chlamys nobilis</i>				3.0	24.2										
	<i>Cymatium caudatum</i>															
	<i>Ostrea sp.</i>	70.0	81.0	*	70.0	83.0	*	60.0	74.0	*	50.0	66.0	*	70.0	84.0	*
	<i>Paphia undulata</i>	3.0	18.0		2.0	12.0					2.0	15.0		4.0	21.0	
	<i>Perna viridis</i>															
	<i>Pinctada martensii</i>															
	<i>Ruditapes philippinarum</i>															
	<i>Scapharca subcrenata</i>															
	<i>Tegillarca nodifera</i>															
	<i>Vepricardium asiaticum</i>															
	<i>Tolonostrea talonata</i>															
Cephalopod	<i>Lolingid squid</i>															
	<i>Sepiid cuttlefish</i>	1.0	66.0													
	<i>Octopus sp.</i>						1.0	44.0		2.0	46.0					
Echinoderm	<i>Acaudina molpadioides</i>	8.0	271.0		4.0	185.0		3.0	62.0		4.0	81.0		3.0	73.0	

Demersal Trawling Data in July 2015

Group	Species Name	TNA														
		TNA-1			TNA-2			TNA-3			TNA-4			TNA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Colochirus quadrangularis</i>															
	<i>Temnopleurus toreumaticus</i>	7.0	130.0		2.0	34.6		3.0	80.0							
Cnidaria	<i>Edwardsia japonica (c.f.)</i>															
	<i>Ellisella laevis</i>															
	<i>Echinogorgia complexa(c.f.)</i>										1.0	26.0				
	<i>Gorgonia spp.</i>	1.0	3.2		1.0	26.0		1.0	26.6				1.0	8.1		
	<i>Carcinactis ichikawai</i>	8.0	4.3		2.0	1.1		3.0	1.5		2.0	1.3	2.0	1.1		
	<i>Cavernularia habereri</i>	40.0	325.0	*	35.0	290.0	*	30.0	270.0	*	30.0	280.0	*	40.0	330.0	*
	Jelly fish															
	<i>Pteroeides chinense</i>	40.0	1100.0	*	30.0	820.0	*	30.0	830.0	*	40.0	1200.0	*	35.0	860.0	*
	Sea anomea				1.0	6.1										
	<i>Virgularia gustaviana</i>	1.0	9.2		1.0	12.0		2.0	20.0		1.0	6.6				
Porifera	<i>Demospongiae</i>															
Urochordata	Sea Squirts															
Cirripedia	<i>Balanus spp.(c.f.)</i>	110.0	33.0	*	100.0	58.0	*	120.0	71.0	*	90.0	52.0	*	80.0	50.0	*





## Demersal Trawling Data in July 2015

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)		
	<i>Portunus trituberculatus</i>	7.0	384.0		12.0	760.0		7.0	428.0		9.0	610.0		16.0	1064.0	
	<i>Portunus hastatooides</i>															
	<i>Typhlocarcinus sp.</i>															
	<i>Arcania</i>							1.0	31.6		1.0	28.8				
	<i>Arcania heptacontra</i>															
Mantis shrimp	<i>Harpisquilla harpax</i>							1.0	88.0		1.0	48.0		2.0	74.0	
	<i>Dictyosquilla foveolata</i>	1.0	6.0													
	<i>Oratosquilla interrupta</i>							4.0	50.0		4.0	122.0		7.0	200.0	
	<i>Oratosquilla oratoria</i>				1.0	8.0		3.0	32.0		1.0	6.0		1.0	12.0	
Gastropod	<i>Apollon olivator rubustus</i>															
	<i>Bursa rana</i>															
	<i>Calyptiraea sp.</i>	1.0	0.3					3.0	0.9							
	<i>Drupa fiscella</i>							1.0	10.8							
	<i>Drupa musiva</i>				3.0	35.0										
	<i>Inquistor flavidula</i>							20.0	48.0	*						
	<i>Lophiotoma leucotropis</i>							1.0	3.1							
	<i>Murex trapa</i>	40.0	360.0	*	50.0	410.0	*	30.0	270.0	*	30.0	260.0	*	40.0	380.0	
	<i>Nassarius hepaticus</i>															
	<i>Nassarius succinctus</i>	32.0	56.0	*	30.0	54.0	*	20.0	45.0	*	20.0	45.0	*	30.0	55.0	
	<i>Nassarius sp.</i>															
	<i>Gemmula deshayesii</i>															
	<i>Philine sp.</i>	3.0	11.4		20.0	166.0	*	30.0	460.0	*						
	<i>Pilosabia pilosa</i>															
	<i>Siphopatella walshi</i>	2.0	1.1													
	<i>Tonna olearium</i>															
	<i>Tonna sulcosa</i>															
	<i>Turricula javana</i>															
	<i>Turricula nelliae</i>															
	<i>Turritella terebra</i>	4100.0	40000.0	*	4250.0	45000.0	*	320.0	3300.0	*	310.0	3210.0	*	350.0	3630.0	
	<i>UNID Nudibranch</i>															
Bivalve	<i>Anadara ferruginea</i>							20.0	86.0	*						
	Bivalve Juvenil															
	<i>Crassostrea spp.</i>															
	<i>Chione isabellina</i>															
	<i>Chlamys nobilis</i>				1.0	8.5										
	<i>Cymatium caudatum</i>															
	<i>Ostrea sp.</i>	80.0	92.0	*	80.0	89.0	*	60.0	70.0	*	90.0	95.0	*	80.0	85.0	
	<i>Paphia undulata</i>	5.0	22.0		5.0	22.0		20.0	116.0	*						
	<i>Perna viridis</i>															
	<i>Pinctada martensii</i>															
	<i>Ruditapes philippinarum</i>	2.0	5.0													
	<i>Scapharca subcrenata</i>										1.0	135.0				
	<i>Tegillarca nodifera</i>															
	<i>Vepricardium asiaticum</i>															
	<i>Tolonostrea talonata</i>															
Cephalopod	<i>Lolingid squid</i>													1.0	24.0	
	<i>Sepiid cuttlefish</i>															
	<i>Octopus sp.</i>	1.0	24.0					1.0	38.0		1.0	16.0				
Echinoderm	<i>Acaudina molpadioides</i>	5.0	110.0		7.0	235.0		4.0	90.0		5.0	90.0		8.0	262.0	

Demersal Trawling Data in July 2015

Group	Species Name	TNB														
		TNB-1			TNB-2			TNB-3			TNB-4			TNB-5		
		Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling	Total	Total	Subsampling
number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)	number	weight(g)	(*)		
	<i>Colochirus quadrangularis</i>															
	<i>Temnopleurus toreumaticus</i>				5.0	116.0										
Cnidaria	<i>Edwardsia japonica (c.f.)</i>															
	<i>Ellisella laevis</i>				2.0	33.0										
	<i>Echinogorgia complexa(c.f.)</i>				1.0	20.2										
	<i>Gorgonia spp.</i>										1.0	27.0		1.0	4.3	
	<i>Carcinactis ichikawai</i>	2.0	1.2		4.0	2.1		14.0	8.2		3.0	1.4		5.0	1.6	
	<i>Cavernularia habereri</i>	30.0	280.0	*	35.0	310.0	*	25.0	240.0	*	30.0	290.0	*	40.0	320.0	*
	Jelly fish										1.0	77.0				
	<i>Pteroeides chinense</i>	40.0	1200.0	*	45.0	1300.0	*	30.0	810.0	*	30.0	810.0	*	40.0	1150.0	*
	Sea anomea				2.0	7.5		1.0	13.2							
	<i>Virgularia gustaviana</i>	3.0	42.0		4.0	55.0		2.0	21.0							
Porifera	<i>Demospongiae</i>															
Urochordata	Sea Squirts															
Cirripedia	<i>Bananus spp.(c.f.)</i>	130.0	79.0	*	150.0	85.0	*	110.0	65.0	*	100.0	61.0	*	80.0	52.0	*



## Demersal Trawling Data in July 2015

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acentrogobius caninus</i>															
	<i>Apogon kiensis</i>															
	<i>Arius sinensis</i>	40.0	1266.0		44.0	1426.0		115.0	3500.0							
	<i>Acanthemblemaria rivasi</i>												1.0	4.0		
	<i>Arnoglossus waitei</i>															
	<i>Butis koilomatodon</i>															
	<i>Caranx kalla</i>															
	<i>Collichthys lucidus</i>															
	<i>Cryptocentrus filifer</i>															
	<i>Coilia mystus</i>															
	<i>Chrysochir aureus</i>															
	<i>Cynoglossus arel</i>							1.0	18.0		1.0	36.0		3.0	42.0	
	<i>Cynoglossus puncticeps</i>				3.0	18.0										
	<i>Cynoglossus semilaevis</i>															
	<i>Cynoglossus roulei</i>	1.0	8.0		1.0	172.0		1.0	102.0				2.0	324.0		
	<i>Dasyatis akajei</i>				1.0	128.0										
	<i>Dasyatis zugei</i>	1.0	44.0													
	<i>Dendrophysa russellii</i>	1.0	8.0		1.0	32.0		1.0	24.0		2.0	68.0				
	<i>Drepane punctata</i>	1.0	34.0		1.0	84.0										
	<i>Epinephelus awoara</i>							1.0	30.0							
	<i>Epinephelus bruneus</i>							1.0	28.0							
	<i>Gerres filamentosus</i>	1.0	340.0		4.0	124.0		9.0	368.0		4.0	112.0		2.0	60.0	
	<i>Gymnura japonica</i>															
	<i>Gymnothorax chilospilus</i>															
	<i>Inegocia japonica</i>															
	<i>Johnius belangerii</i>	2.0	44.0		1.0	12.0		5.0	110.0				2.0	40.0		
	<i>Johnius heterolepis</i>															
	<i>Inimicus japonicus</i>															
	<i>Konosirus punctatus</i>	2.0	62.0		3.0	204.0		2.0	56.0		3.0	154.0		3.0	88.0	
	<i>Lagocephalus wheeleri</i>							1.0	18.0		2.0	84.0		2.0	96.0	
	<i>Larimichthys crocea</i>															
	<i>Leiognathus brevirostris</i>	12.0	76.0		13.0	88.0		145.0	994.0		23.0	160.0		64.0	480.0	
	<i>Leiognathus nuchalis</i>	56.0	388.0		46.0	312.0		100.0	738.0		106.0	824.0		235.0	1736.0	
	<i>Liza macrolepis</i>							3.0	142.0		4.0	202.0		7.0	364.0	
	<i>Lutjanus russelli</i>				1.0	108.0										
	<i>Minous monodactylus</i>															
	<i>Monacanthus chinensis</i>															
	<i>Muraenesox cinereus</i>	1.0	54.0											1.0	132.0	
	<i>Nemipterus japonicus</i>							4.0	58.0							
	<i>Oxvurichthys tentacularis</i>															
	<i>Otolithes ruber</i>															
	<i>Parachaeturichthys polynema</i>															
	<i>Paracentropogon rubripinnis</i>															
	<i>Parargyrops edita</i>															
	<i>Pennahia anea</i>							1.0	22.0		2.0	28.0		6.0	98.0	
	<i>Platycephalus indicus</i>	5.0	464.0		3.0	390.0		4.0	816.0		3.0	358.0		4.0	300.0	
	<i>Platycephalus sp.</i>															
	<i>Plotosus lineatus</i>															
	<i>Polydactylus sextarius</i>													1.0	18.0	

## Demersal Trawling Data in July 2015

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Pseudorhombus cinnamoneus</i>	2.0	34.0					1.0	14.0					1.0	14.0	
	<i>Saurida elongata</i>				2.0	118.0		1.0	58.0		3.0	172.0		3.0	186.0	
	<i>Scatophagus argus</i>													1.0	338.0	
	<i>Sebastiscus marmoratus</i>															
	<i>Siganus fuscescens</i>	1.0	12.0								1.0	12.0				
	<i>Sillago sihama</i>	1.0	36.0					2.0	82.0							
	<i>Solea ovata</i>	71.0	740.0		71.0	750.0		26.0	382.0							
	<i>Stephanolepis cirrhifer</i>															
	<i>Stolephorus insularis</i>													1.0	2.0	
	<i>Syngnathus schlegeli</i>															
	<i>Scoliodon sorrakowah</i>															
	<i>Takifugu xanthopterus</i>															
	<i>Terapon jarbua</i>				1.0	18.0										
	<i>Terapon theraps</i>							3.0	48.0					1.0	16.0	
	<i>Thamnaconus hypargyreus</i>															
	<i>Thryssa hamiltonii</i>															
	<i>Thryssa mystax</i>															
	<i>Trachycephalus uranoscopa</i>	4.0	48.0		2.0	32.0		2.0	38.0		1.0	12.0		1.0	18.0	
	<i>Trypauchen vagina</i>				1.0	6.0		1.0	16.0							
	<i>Grammolites scaber</i>				1.0	4.0										
	<i>Zebrias zebra</i>															
Prawn or shrimp	<i>Alpheus japonicus</i>															
	<i>Metapenaeopsis barbata</i>															
	<i>Metapenaeus affinis</i>	5.0	28.0													
	<i>Metapenaeus ensis</i>	2.0	18.0													
	<i>Metapenaeus joyneri</i>				4.0	22.0										
	<i>Parapenaeopsis hardwickii</i>															
	<i>Parapenaeopsis tenella</i>				3.0	18.0		3.0	18.0		1.0	4.0		5.0	40.0	
	<i>Penaeus japonicus</i>	2.0	26.0		2.0	34.0		1.0	20.0							
	<i>Penaeus penicillatus</i>	2.0	24.0		6.0	68.0		4.0	40.0		3.0	48.0				
	<i>Solenocera crassicornis</i>															
	<i>Trachypenaeus curvirostris</i>													2.0	12.0	
Crab	<i>Calappa philargius</i>															
	<i>Charybdis affinis</i>	75.0	1208.0		20.0	238.0		69.0	840.0		17.0	236.0		19.0	226.0	
	<i>Charybdis cruciata</i>															
	<i>Charybdis japonica</i>															
	<i>Charybdis spp.</i>	45.0	516.0	*	43.0	514.0	*	53.0	608.0	*	40.0	460.0	*	50.0	530.0	*
	<i>Charybdis feriatus</i>															
	<i>Dorippe polita</i>	30.0	310.0	*	20.0	220.0	*	20.0	210.0	*	80.0	890.0	*	30.0	380.0	*
	<i>Eucreate crenata</i>	5.0	26.0		2.0	8.4										
	<i>Galene bispinosa</i>															
	Hermit crab	50.0	210.0	*	20.0	182.0	*	20.0	182.0	*	30.0	290.0	*	30.0	290.0	*
	<i>Hyastenus pleione</i>															
	<i>Leucosia craniolaris</i>							3.0	11.4					1.0	4.8	
	<i>Macrophthalmus japonicus</i>															
	<i>Parthenope validus</i>	20.0	330.0	*	6.0	110.0		30.0	530.0	*	30.0	390.0	*	26.0	390.0	*
	<i>Porcellanella picia</i>				3.0	0.9										
	<i>Portunus pelagicus</i>	3.0	392.0		5.0	252.0		2.0	120.0		2.0	250.0		1.0	86.0	
	<i>Portunus sanguinolentus</i>							5.0	102.0		2.0	84.0				

## Demersal Trawling Data in July 2015

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Portunus triuberculatus</i>	7.0	598.0		6.0	372.0		7.0	456.0		22.0	1850.0		25.0	2282.0	
	<i>Portunus hastatooides</i>															
	<i>Typhlocarcinus sp.</i>				2.0	1.4										
	<i>Arcania</i>							1.0	32.4							
	<i>Arcania heptacontra</i>															
Mantis shrimp	<i>Harpisquilla harpax</i>										1.0	34.0		4.0	148.0	
	<i>Dictyosquilla foveolata</i>															
	<i>Oratosquilla interrupta</i>							2.0	18.0				1.0	6.0		
	<i>Oratosquilla oratoria</i>				2.0	26.0		1.0	10.0		1.0	10.0				
Gastropod	<i>Apollon olivator rubustus</i>															
	<i>Bursa rana</i>				1.0	8.1										
	<i>Calyptrea sp.</i>				1.0	0.3		2.0	0.6							
	<i>Drupa fiscella</i>															
	<i>Drupa musiva</i>				3.0	12.6										
	<i>Inquistor flavidula</i>										20.0	36.0	*	6.0	13.4	
	<i>Lophiotoma leucotropis</i>							1.0	4.2							
	<i>Murex trapa</i>	11.0	82.0		13.0	94.0		20.0	158.0	*	30.0	210.0	*	20.0	160.0	*
	<i>Nassarius hepaticus</i>															
	<i>Nassarius succinctus</i>				20.0	32.0	*	60.0	120.0	*						
	<i>Nassarius sp.</i>										1.0	2.1				
	<i>Gemmula deshayesii</i>													1.0	1.8	
	<i>Philine sp.</i>	80.0	530.0	*	210.0	1640.0	*	220.0	1680.0	*	160.0	980.0	*	210.0	1660.0	*
	<i>Pilosabia pilosa</i>				4.0	7.2										
	<i>Siphopatella walshi</i>							3.0	1.6							
	<i>Tonna olearium</i>															
	<i>Tonna sulcosa</i>				1.0	118.0										
	<i>Turricula javana</i>															
	<i>Turricula nelliae</i>															
	<i>Turritella terebra</i>	460.0	4770.0	*	510.0	5280.0	*	390.0	3980.0	*	460.0	4570.0	*	390.0	3880.0	*
	<i>UNID Nudibranch</i>															
Bivalve	<i>Anadara ferruginea</i>															
	Bivalve Juvenil	13820.0	4600.0		21200.0	5200.0		19800.0	5000.0		9600.0	3000.0		6380.0	2000.0	
	<i>Crassostrea spp.</i>															
	<i>Chione isabellina</i>										1.0	5.3				
	<i>Chlamys nobilis</i>				3.0	21.2		30.0	260.0	*	1.0	6.2				
	<i>Cymatium caudatum</i>	1.0	7.3													
	<i>Ostrea sp.</i>	70.0	92.0	*	110.0	120.0	*	80.0	110.0	*	60.0	74.0	*	30.0	31.0	*
	<i>Paphia undulata</i>	6.0	32.0		11.0	64.0		7.0	36.0					20.0	130.0	*
	<i>Perna viridis</i>				1.0	5.9								9.0	210.0	
	<i>Pinctada martensii</i>				2.0	41.2		3.0	64.6		5.0	180.0				
	<i>Ruditapes philippinarum</i>	7.0	39.0													
	<i>Scapharca subcrenata</i>	2.0	86.0		4.0	390.0		1.0	53.0							
	<i>Tegillarca nodifera</i>										5.0	22.0				
	<i>Vepricardium asiaticum</i>	3.0	14.2		1.0	5.3										
	<i>Tolonostrea talonata</i>															
Cephalopod	<i>Lolingid squid</i>															
	<i>Sepiid cuttlefish</i>															
	<i>Octopus sp.</i>										1.0	90.0				
Echinoderm	<i>Acaudina molpadioides</i>	5.0	163.0		6.0	220.0		2.0	82.0					5.0	160.0	

## Demersal Trawling Data in July 2015

Group	Species Name	TSA														
		TSA-1			TSA-2			TSA-3			TSA-4			TSA-5		
		Total number	Total weight(g)	Subsampling (* )	Total number	Total weight(g)	Subsampling (* )	Total number	Total weight(g)	Subsampling (* )	Total number	Total weight(g)	Subsampling (* )	Total number	Total weight(g)	Subsampling (* )
	<i>Colochirus quadrangularis</i>															
	<i>Temnopleurus toreumaticus</i>	480.0	4370.0	*	910.0	11390.0	*	1210.0	12670.0	*	860.0	9340.0	*	790.0	8280.0	*
Cnidaria	<i>Edwardsia japonica (c.f.)</i>										1.0	3.2				
	<i>Ellisella laevis</i>							1.0	16.2		2.0	32.0				
	<i>Echinogorgia complexa(c.f.)</i>															
	<i>Gorgonia spp.</i>	1.0	4.9											1.0	16.0	
	<i>Carcinactis ichikawai</i>	7.0	3.2					4.0	2.5		8.0	3.8		4.0	2.2	
	<i>Cavernularia habereri</i>	9.0	31.0		20.0	130.0	*	20.0	130.0	*	20.0	130.0	*	30.0	150.0	*
	Jelly fish													1.0	230.0	
	<i>Pteroeides chinense</i>	16.0	270.0		5.0	92.0		20.0	360.0	*	7.0	116.0		3.0	38.0	
	Sea anomea				3.0	26.2		1.0	5.8							
	<i>Virgularia gustaviana</i>	1.0	16.8					3.0	31.2		2.0	21.6				
Porifera	<i>Demospongiae</i>															
Urochordata	Sea Squirts										1.0	22.0				
Cirripedia	<i>Bananus spp.(c.f.)</i>	110.0	230.0	*	90.0	52.0	*	80.0	43.0	*	130.0	220.0	*	90.0	52.0	*

## Demersal Trawling Data in July 2015

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
Fish	<i>Acentrogobius caninus</i>							1.0	20.0							
	<i>Apogon kiensis</i>							1.0	2.0							
	<i>Arius sinensis</i>	1.0	38.0		1.0	40.0		1.0	30.0							
	<i>Acanthemblemaria rivasi</i>										1.0	4.0				
	<i>Arnoglossus waitei</i>	2.0	10.0													
	<i>Butis koilomatodon</i>															
	<i>Caranx kalla</i>															
	<i>Collichthys lucidus</i>															
	<i>Cryptocentrus filifer</i>															
	<i>Coilia mystus</i>															
	<i>Chrysochir aureus</i>															
	<i>Cynoglossus arel</i>				1.0	58.0					1.0	64.0		4.0	172.0	
	<i>Cynoglossus puncticeps</i>															
	<i>Cynoglossus semilaevis</i>							1.0	1260.0							
	<i>Cynoglossus roulei</i>				1.0	12.0					1.0	120.0				
	<i>Dasyatis akajei</i>															
	<i>Dasyatis zugei</i>															
	<i>Dendrophysa russelii</i>	1.0	8.0		3.0	54.0					5.0	94.0				
	<i>Drepane punctata</i>															
	<i>Epinephelus awoara</i>															
	<i>Epinephelus bruneus</i>															
	<i>Gerres filamentosus</i>												1.0	18.0		
	<i>Gymnura japonica</i>															
	<i>Gymnothorax chilospilus</i>							1.0	36.0							
	<i>Inegocia japonica</i>															
	<i>Johnius belangerii</i>	5.0	142.0		3.0	94.0		3.0	112.0		2.0	54.0		3.0	68.0	
	<i>Johnius heterolepis</i>															
	<i>Inimicus japonicus</i>															
	<i>Konosirus punctatus</i>															
	<i>Lagocephalus wheeleri</i>	2.0	40.0					1.0	30.0				1.0	18.0		
	<i>Larimichthys crocea</i>										1.0	50.0				
	<i>Leiognathus brevisrostris</i>	23.0	190.0		3.0	30.0		4.0	32.0		16.0	120.0		60.0	472.0	
	<i>Leiognathus nuchalis</i>	77.0	716.0		11.0	132.0		38.0	414.0		57.0	844.0		84.0	916.0	
	<i>Liza macrolepis</i>							2.0	108.0		54.0	278.0		4.0	182.0	
	<i>Lutjanus russelii</i>															
	<i>Minous monodactylus</i>															
	<i>Monacanthus chinensis</i>										1.0	12.0				
	<i>Muraenesox cinereus</i>	1.0	254.0										2.0	734.0		
	<i>Nemipterus japonicus</i>	2.0	22.0		1.0	14.0		4.0	66.0							
	<i>Oxyurichthys tentacularis</i>															
	<i>Otolithes ruber</i>												1.0	276.0		
	<i>Parachaeturichthys polynema</i>															
	<i>Paracentropogon rubripinnis</i>															
	<i>Parargyrops edita</i>															
	<i>Pemahia anea</i>	1.0	54.0													
	<i>Platycephalus indicus</i>	6.0	1650.0		1.0	16.0		3.0	48.0		2.0	370.0		2.0	86.0	
	<i>Platycephalus sp.</i>															
	<i>Plotosus lineatus</i>							1.0	166.0							
	<i>Polydactylus sextarius</i>	1.0	16.0		1.0	16.0					1.0	12.0		8.0	80.0	



## Demersal Trawling Data in July 2015

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Portunus trituberculatus</i>	1.0	272.0		2.0	156.0		3.0	278.0		2.0	136.0				
	<i>Portunus hastatooides</i>										2.0	7.6				
	<i>Typhlocarcinus sp.</i>															
	<i>Arcania</i>															
	<i>Arcania heptacontra</i>															
Mantis shrimp	<i>Harpiosquilla harpax</i>	1.0	58.0		2.0	80.0		5.0	228.0		4.0	198.0		3.0	148.0	
	<i>Dictyosquilla foveolata</i>				1.0	14.0										
	<i>Oratosquilla interrupta</i>	1.0	4.0		1.0	28.0		4.0	96.0		2.0	42.0		3.0	66.0	
	<i>Oratosquilla oratoria</i>										1.0	16.0				
Gastropod	<i>Apollon olivator rubustus</i>															
	<i>Bursa rana</i>				2.0	18.2										
	<i>Calyptrea sp.</i>				3.0	1.2		2.0	0.8							
	<i>Drupa fiscella</i>															
	<i>Drupa musiva</i>															
	<i>Inquistor flavidula</i>	7.0	13.2													
	<i>Lophiotoma leucotropis</i>							3.0	11.6							
	<i>Murex trapa</i>	40.0	360.0	*	36.0	310.0	*	40.0	360.0	*	50.0	420.0	*	30.0	230.0	*
	<i>Nassarius hepaticus</i>															
	<i>Nassarius succinctus</i>	30.0	58.0	*	70.0	124.0	*	30.0	60.0	*	40.0	58.0	*	70.0	124.0	*
	<i>Nassarius sp.</i>															
	<i>Gemmula deshavesii</i>															
	<i>Philine sp.</i>	30.0	210.0	*	80.0	540.0	*	60.0	420.0	*	50.0	390.0	*	50.0	390.0	*
	<i>Pilosabia pilosa</i>													3.0	6.2	
	<i>Siphopatella walshi</i>															
	<i>Tonna olearium</i>							1.0	46.0							
	<i>Tonna sulcosa</i>															
	<i>Turricula javana</i>				2.0	3.8										
	<i>Turricula nelliae</i>															
	<i>Turritella terebra</i>	510.0	5240.0	*	480.0	4690.0	*	540.0	5380.0	*	360.0	3710.0	*	310.0	2980.0	*
	<i>UNID Nudibranch</i>															
Bivalve	<i>Anadara ferruginea</i>															
	Bivalve Juvenil															
	<i>Crassostrea spp.</i>															
	<i>Chione isabellina</i>	2.0	10.2													
	<i>Chlamys nobilis</i>	1.0	7.4		2.0	12.1		25.0	368.0	*						
	<i>Cymatium caudatum</i>															
	<i>Ostrea sp.</i>	50.0	62.0	*	70.0	93.0	*	40.0	56.0	*	50.0	60.0	*	40.0	56.0	*
	<i>Paphia undulata</i>	20.0	150.0	*	16.0	72.0		30.0	210.0	*	30.0	210.0	*	9.0	54.0	
	<i>Perna viridis</i>															
	<i>Pinctada martensii</i>	8.0	192.0					20.0	770.0	*	2.0	33.4		6.0	140.0	
	<i>Ruditapes philippinarum</i>															
	<i>Scapharca subcrenata</i>	4.0	112.0					2.0	76.0							
	<i>Tegillarca nodifera</i>															
	<i>Vepricardium asiaticum</i>				2.0	7.4										
	<i>Tolonostrea talonata</i>															
Cephalopod	<i>Lolingid squid</i>															
	<i>Sepiid cuttlefish</i>													1.0	16.0	
	<i>Octopus sp.</i>															
Echinoderm	<i>Acaudina molpadioides</i>				2.0	72.0		4.0	112.0							

Demersal Trawling Data in July 2015

Group	Species Name	TSB														
		TSB-1			TSB-2			TSB-3			TSB-4			TSB-5		
		Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)	Total number	Total weight(g)	Subsampling (*)
	<i>Colochirus quadrangularis</i>															
	<i>Temnopleurus toreumaticus</i>	1230.0	12610.0	*	330.0	3810.0	*	1280.0	12780.0	*	960.0	10430.0	*	1160.0	12680.0	*
Cnidaria	<i>Edwardsia japonica (c.f.)</i>															
	<i>Ellisella laevis</i>	2.0	42.0								2.0	53.0				
	<i>Echinogorgia complexa(c.f.)</i>															
	<i>Gorgonia spp.</i>															
	<i>Carcinactis ichikawai</i>	5.0	2.8					4.0	1.9		7.0	3.4		2.0	0.8	
	<i>Cavernularia habereri</i>	30.0	150.0	*	9.0	46.0		20.0	110.0	*	30.0	160.0	*	20.0	120.0	*
	Jelly fish															
	<i>Pteroeides chinense</i>	7.0	160.0		3.0	74.0		2.0	46.0		6.0	110.0		8.0	186.0	
	Sea anomea	1.0	6.2					3.0	12.4							
	<i>Virgularia gustaviana</i>				2.0	18.9		5.0	33.0		2.0	16.4				
Porifera	<i>Demospongiae</i>															
Urochordata	Sea Squirts															
Cirripedia	<i>Balanus spp.(c.f.)</i>	90.0	50.0	*	120.0	220.0	*	60.0	46.0	*	50.0	32.0	*	90.0	62.0	*