

Impact Water Quality Monitoring for Dredging Activities at SB CMP 1

| Sampling Date | Tide | Station | Time | Depth | Depth (m) | Current Direction | Current Velocity (m/s) | Water Temp (°C) | Salinity (ppt) | D.O. Saturation (%) | D.O. (mg/L) | Turbidity (NTU) | pH | SS (mg/L) |
|---------------|------|---------|----------|-------|-----------|-------------------|------------------------|-----------------|----------------|---------------------|-------------|-----------------|------|-----------|
| 2013/03/18 | MF | DS1 | 08:52:19 | B | 3.0 | 243.9 | 0.66 | 20.98 | 28.21 | 92.78 | 7.01 | 7.10 | 7.74 | 12.00 |
| 2013/03/18 | MF | DS1 | 08:53:21 | T | 1.1 | 201.7 | 0.33 | 21.11 | 27.68 | 93.39 | 7.07 | 6.90 | 7.75 | 10.00 |
| 2013/03/18 | MF | DS1 | 08:54:10 | B | 3.0 | 131.8 | 0.60 | 20.89 | 28.60 | 92.30 | 6.97 | 6.50 | 7.75 | 10.00 |
| 2013/03/18 | MF | DS1 | 08:55:10 | T | 0.9 | 231.3 | 0.47 | 21.19 | 27.36 | 93.41 | 7.07 | 5.80 | 7.75 | 9.00 |
| 2013/03/18 | MF | DS1 | 08:57:04 | B | 2.9 | 190.5 | 0.49 | 20.97 | 28.26 | 92.83 | 7.02 | 9.40 | 7.77 | 11.00 |
| 2013/03/18 | MF | DS1 | 08:58:12 | T | 1.0 | 71.9 | 0.06 | 21.22 | 27.18 | 93.44 | 7.08 | 6.40 | 7.77 | 11.00 |
| 2013/03/18 | MF | DS2 | 09:04:27 | B | 3.0 | 79.3 | 0.04 | 20.87 | 28.72 | 93.20 | 7.04 | 3.20 | 7.79 | 4.00 |
| 2013/03/18 | MF | DS2 | 09:05:38 | T | 1.0 | 327.8 | 0.25 | 21.09 | 27.79 | 93.91 | 7.10 | 3.00 | 7.79 | 4.00 |
| 2013/03/18 | MF | DS2 | 09:06:58 | B | 2.9 | 263.0 | 0.58 | 21.01 | 28.08 | 93.02 | 7.03 | 3.80 | 7.79 | 3.00 |
| 2013/03/18 | MF | DS2 | 09:08:10 | T | 1.2 | 217.3 | 0.09 | 21.14 | 27.53 | 93.73 | 7.09 | 3.40 | 7.79 | 3.00 |
| 2013/03/18 | MF | DS2 | 09:09:28 | B | 3.1 | 149.7 | 0.28 | 20.90 | 28.59 | 92.64 | 7.00 | 3.60 | 7.79 | 4.00 |
| 2013/03/18 | MF | DS2 | 09:10:41 | T | 1.0 | 330.7 | 0.26 | 21.09 | 27.73 | 93.66 | 7.09 | 3.40 | 7.80 | 3.00 |
| 2013/03/18 | MF | DS3 | 09:14:41 | B | 3.2 | 277.2 | 0.60 | 20.82 | 29.17 | 90.48 | 6.82 | 4.30 | 7.79 | 6.00 |
| 2013/03/18 | MF | DS3 | 09:16:09 | T | 1.0 | 321.0 | 0.31 | 21.05 | 27.99 | 93.91 | 7.10 | 3.50 | 7.81 | 3.00 |
| 2013/03/18 | MF | DS3 | 09:17:11 | B | 3.0 | 270.2 | 0.24 | 20.82 | 29.20 | 90.10 | 6.79 | 3.90 | 7.79 | 6.00 |
| 2013/03/18 | MF | DS3 | 09:18:24 | T | 0.8 | 263.8 | 0.42 | 21.11 | 27.70 | 94.33 | 7.14 | 3.50 | 7.81 | 4.00 |
| 2013/03/18 | MF | DS3 | 09:19:17 | B | 3.1 | 324.4 | 0.28 | 20.81 | 29.15 | 90.22 | 6.80 | 3.80 | 7.79 | 5.00 |
| 2013/03/18 | MF | DS3 | 09:20:17 | T | 0.9 | 258.2 | 0.38 | 21.07 | 27.86 | 93.04 | 7.04 | 3.80 | 7.80 | 3.00 |
| 2013/03/18 | MF | DS4 | 09:29:34 | B | 3.2 | 218.7 | 0.80 | 20.85 | 29.14 | 92.83 | 7.00 | 3.30 | 7.83 | 6.00 |
| 2013/03/18 | MF | DS4 | 09:30:46 | T | 1.2 | 258.4 | 0.27 | 21.04 | 28.13 | 95.05 | 7.18 | 3.30 | 7.83 | 4.00 |
| 2013/03/18 | MF | DS4 | 09:31:54 | B | 3.0 | 211.3 | 0.39 | 20.88 | 29.25 | 92.35 | 6.95 | 4.10 | 7.82 | 6.00 |
| 2013/03/18 | MF | DS4 | 09:32:34 | T | 1.1 | 305.5 | 0.46 | 21.06 | 27.98 | 94.47 | 7.14 | 3.90 | 7.83 | 5.00 |
| 2013/03/18 | MF | DS4 | 09:34:06 | B | 3.1 | 39.5 | 0.45 | 20.88 | 29.21 | 92.27 | 6.95 | 4.10 | 7.82 | 6.00 |
| 2013/03/18 | MF | DS4 | 09:35:21 | T | 1.1 | 184.4 | 0.04 | 21.13 | 27.81 | 94.90 | 7.17 | 3.40 | 7.82 | 5.00 |
| 2013/03/18 | MF | DS5 | 09:40:59 | B | 5.1 | 340.8 | 0.29 | 20.94 | 29.29 | 93.34 | 7.02 | 6.60 | 7.84 | 8.00 |
| 2013/03/18 | MF | DS5 | 09:42:27 | M | 3.6 | 187.9 | 0.28 | 20.96 | 29.28 | 93.75 | 7.05 | 5.20 | 7.83 | 7.00 |
| 2013/03/18 | MF | DS5 | 09:43:10 | T | 1.1 | 223.7 | 0.31 | 21.10 | 28.35 | 95.17 | 7.17 | 4.20 | 7.83 | 4.00 |
| 2013/03/18 | MF | DS5 | 09:45:05 | B | 5.0 | 124.1 | 1.33 | 20.96 | 29.31 | 92.97 | 6.99 | 6.70 | 7.82 | 8.00 |
| 2013/03/18 | MF | DS5 | 09:46:50 | M | 3.3 | 29.2 | 0.20 | 20.99 | 29.29 | 93.59 | 7.03 | 5.90 | 7.83 | 8.00 |
| 2013/03/18 | MF | DS5 | 09:48:37 | T | 0.9 | 258.0 | 0.79 | 21.16 | 28.27 | 95.63 | 7.20 | 3.10 | 7.84 | 4.00 |
| 2013/03/18 | MF | DS5 | 09:49:42 | B | 4.9 | 338.9 | 0.12 | 20.99 | 29.34 | 94.23 | 7.07 | 5.10 | 7.83 | 8.00 |
| 2013/03/18 | MF | DS5 | 09:50:12 | M | 3.4 | 265.0 | 0.40 | 21.00 | 29.34 | 94.43 | 7.09 | 5.00 | 7.83 | 7.00 |
| 2013/03/18 | MF | DS5 | 09:51:10 | T | 1.0 | 228.7 | 0.45 | 21.14 | 28.75 | 95.76 | 7.20 | 3.60 | 7.84 | 3.00 |
| 2013/03/18 | MF | US1 | 10:06:37 | B | 5.1 | 275.3 | 0.59 | 20.95 | 28.36 | 94.49 | 7.14 | 4.00 | 7.87 | 4.00 |
| 2013/03/18 | MF | US1 | 10:08:00 | M | 3.3 | 186.9 | 0.66 | 20.96 | 28.24 | 94.20 | 7.12 | 3.70 | 7.82 | 3.00 |
| 2013/03/18 | MF | US1 | 10:09:15 | T | 1.1 | 319.5 | 0.57 | 21.11 | 27.80 | 94.92 | 7.18 | 3.10 | 7.80 | 3.00 |
| 2013/03/18 | MF | US1 | 10:10:48 | B | 5.1 | 245.7 | 1.04 | 20.85 | 28.42 | 93.32 | 7.05 | 5.20 | 7.79 | 6.00 |
| 2013/03/18 | MF | US1 | 10:13:25 | M | 3.4 | 156.6 | 0.24 | 20.85 | 28.59 | 92.94 | 7.03 | 8.80 | 7.78 | 4.00 |
| 2013/03/18 | MF | US1 | 10:14:38 | T | 1.1 | 235.4 | 0.38 | 21.37 | 27.39 | 94.97 | 7.16 | 3.30 | 7.79 | 4.00 |
| 2013/03/18 | MF | US1 | 10:15:59 | B | 5.0 | 250.5 | 0.50 | 20.85 | 29.10 | 91.98 | 6.96 | 7.80 | 7.80 | 6.00 |
| 2013/03/18 | MF | US1 | 10:19:47 | M | 3.4 | 304.0 | 0.48 | 21.07 | 28.05 | 93.70 | 7.08 | 4.70 | 7.80 | 5.00 |
| 2013/03/18 | MF | US1 | 10:20:13 | T | 0.9 | 1.1 | 0.16 | 21.05 | 28.02 | 94.42 | 7.14 | 3.90 | 7.80 | 4.00 |
| 2013/03/18 | MF | US2 | 10:26:19 | B | 7.0 | 89.7 | 0.44 | 20.31 | 29.95 | 90.53 | 6.86 | 6.00 | 7.81 | 11.00 |
| 2013/03/18 | MF | US2 | 10:27:23 | M | 4.5 | 318.8 | 0.72 | 20.85 | 28.58 | 93.27 | 7.05 | 3.50 | 7.80 | 7.00 |
| 2013/03/18 | MF | US2 | 10:29:52 | T | 1.0 | 201.5 | 0.22 | 21.33 | 27.50 | 97.14 | 7.33 | 2.60 | 7.82 | 4.00 |
| 2013/03/18 | MF | US2 | 10:31:17 | B | 7.2 | 176.1 | 0.79 | 20.34 | 29.86 | 90.37 | 6.85 | 5.60 | 7.79 | 11.00 |
| 2013/03/18 | MF | US2 | 10:32:07 | M | 4.3 | 224.8 | 0.50 | 20.86 | 28.54 | 93.42 | 7.06 | 3.60 | 7.80 | 8.00 |
| 2013/03/18 | MF | US2 | 10:33:09 | T | 1.0 | 301.4 | 0.41 | 21.07 | 27.53 | 96.87 | 7.30 | 2.60 | 7.82 | 3.00 |
| 2013/03/18 | MF | US2 | 10:34:51 | B | 6.8 | 214.9 | 0.77 | 20.32 | 29.90 | 89.79 | 6.80 | 5.10 | 7.79 | 11.00 |
| 2013/03/18 | MF | US2 | 10:35:45 | M | 4.3 | 311.4 | 0.17 | 20.82 | 28.69 | 93.25 | 7.05 | 3.50 | 7.81 | 7.00 |
| 2013/03/18 | MF | US2 | 10:36:45 | T | 1.0 | 281.8 | 0.67 | 21.20 | 27.68 | 96.50 | 7.29 | 2.60 | 7.81 | 3.00 |
| 2013/03/18 | MF | MW1 | 08:41:30 | B | 19.1 | 295.0 | 0.59 | 20.30 | 30.64 | 91.04 | 6.90 | 1.77 | 8.05 | 3.00 |
| 2013/03/18 | MF | MW1 | 08:43:02 | M | 10.2 | 218.0 | 0.37 | 20.10 | 30.54 | 90.82 | 6.88 | 1.57 | 8.01 | 3.00 |
| 2013/03/18 | MF | MW1 | 08:44:15 | T | 1.1 | 216.8 | 0.24 | 20.47 | 29.71 | 93.11 | 7.04 | 1.97 | 8.00 | 3.00 |
| 2013/03/18 | MF | MW1 | 08:46:40 | B | 19.0 | 221.4 | 0.66 | 20.07 | 30.64 | 92.60 | 7.02 | 1.67 | 7.99 | 2.00 |
| 2013/03/18 | MF | MW1 | 08:47:32 | M | 10.0 | 80.7 | 0.34 | 20.10 | 30.53 | 90.59 | 6.87 | 1.47 | 7.99 | 2.00 |
| 2013/03/18 | MF | MW1 | 08:48:23 | T | 1.1 | 296.5 | 0.38 | 20.45 | 29.74 | 92.28 | 6.98 | 1.97 | 7.99 | 2.00 |
| 2013/03/18 | MF | MW1 | 08:49:23 | B | 19.1 | 221.4 | 0.66 | 20.07 | 30.63 | 89.38 | 6.77 | 1.87 | 7.99 | 3.00 |
| 2013/03/18 | MF | MW1 | 08:50:14 | M | 10.0 | 137.0 | 0.04 | 20.11 | 30.51 | 90.67 | 6.87 | 1.87 | 7.99 | 4.00 |
| 2013/03/18 | MF | MW1 | 08:51:11 | T | 1.1 | 185.1 | 0.35 | 20.47 | 29.73 | 92.06 | 6.96 | 2.07 | 7.98 | 2.00 |
| 2013/03/18 | MF | THB1 | 10:02:01 | B | 3.0 | 204.4 | 0.44 | 21.13 | 27.46 | 94.50 | 7.16 | 3.97 | 7.87 | 4.00 |
| 2013/03/18 | MF | THB1 | 10:02:45 | T | 1.0 | 157.5 | 0.52 | 21.25 | 27.08 | 95.09 | 7.20 | 3.57 | 7.90 | 3.00 |
| 2013/03/18 | MF | THB1 | 10:04:29 | B | 3.0 | 317.2 | 0.13 | 21.23 | 27.47 | 94.58 | 7.16 | 4.17 | 7.92 | 4.00 |
| 2013/03/18 | MF | THB1 | 10:05:08 | T | 1.1 | 239.1 | 0.38 | 21.23 | 27.11 | 94.68 | 7.17 | 3.47 | 7.92 | 3.00 |
| 2013/03/18 | MF | THB1 | 10:08:41 | B | 2.5 | 274.9 | 0.80 | 21.07 | 27.78 | 92.77 | 7.02 | 5.67 | 7.93 | 5.00 |
| 2013/03/18 | MF | THB1 | 10:09:32 | T | 1.0 | 232.9 | 0.25 | 21.22 | 27.17 | 94.54 | 7.16 | 3.47 | 7.93 | 3.00 |
| 2013/03/18 | MF | THB2 | 10:13:02 | M | 1.4 | 40.0 | 0.04 | 20.91 | 29.23 | 86.67 | 6.52 | 5.06 | 7.49 | 5.00 |
| 2013/03/18 | MF | THB2 | 10:14:05 | M | 1.4 | 40.0 | 0.04 | 20.96 | 29.23 | 86.36 | 6.49 | 5.25 | 7.50 | 6.00 |
| 2013/03/18 | MF | THB2 | 10:15:08 | M | 1.4 | 40.0 | 0.04 | 20.95 | 29.23 | 86.35 | 6.49 | 5.25 | 7.51 | 5.00 |
| 2013/03/18 | MF | WSR45C | 09:32:22 | B | 12.1 | 193.7 | 0.48 | 20.50 | 29.49 | 89.76 | 6.80 | 6.67 | 7.90 | 7.00 |
| 2013/03/18 | MF | WSR45C | 09:33:19 | M | 6.6 | 273.9 | 0.72 | 20.71 | 28.97 | 91.64 | 6.93 | 4.47 | 7.92 | 5.00 |
| 2013/03/18 | MF | WSR45C | 09:34:20 | T | 1.0 | 161.4 | 0.24 | 21.14 | 27.71 | 95.42 | 7.21 | 2.97 | 7.93 | 4.00 |
| 2013/03/18 | MF | WSR45C | 09:35:18 | B | 12.2 | 243.1 | 0.30 | 20.52 | 29.44 | 90.72 | 6.87 | 7.37 | 7.95 | 6.00 |
| 2013/03/18 | MF | WSR45C | 09:37:11 | M | 6.7 | 182.9 | 0.16 | 20.72 | 28.93 | 91.71 | 6.94 | 4.77 | 7.95 | 5.00 |
| 2013/03/18 | MF | WSR45C | 09:38:02 | T | 1.1 | 37.7 | 0.55 | 21.06 | 27.90 | 94.49 | 7.15 | 3.27 | 7.95 | 4.00 |
| 2013/03/18 | MF | WSR45C | 09:39:01 | B | 12.1 | 223.9 | 0.80 | 20.45 | 29.60 | 89.41 | 6.77 | 7.27 | 7.95 | 7.00 |
| 2013/03/18 | MF | WSR45C | 09:40:01 | M | 6.6 | 215.9 | 0.84 | 20.74 | 28.83 | 91.79 | 6.95 | 3.67 | 7.96 | 4.00 |
| 2013/03/18 | MF | WSR45C | 09:41:03 | T | 0.9 | 271.6 | 1.06 | 21.03 | 28.00 | 94.57 | 7.15 | 3.47 | 7.95 | 3.00 |
| 2013/03/18 | MF | WSR46 | 10:32:38 | B | 9.2 | 23.2 | 0.54 | 20.43 | 29.62 | 89.71 | 6.80 | 11.77 | 7.93 | 16.00 |
| 2013/03/18 | MF | WSR46 | 10:33:27 | M | 4.9 | 301.2 | 0.71 | 20.32 | 28.98 | 91.98 | 6.96 | 2.67 | 7.94 | 4.00 |
| 2013/03/18 | MF | WSR46 | 10:34:16 | T | 1.0 | 220.1 | 0.56 | 21.35 | 27.46 | 95.05 | 7.17 | 2.87 | 7.92 | 4.00 |
| 2013/03/18 | MF | WSR46 | 10:35:43 | B | 9.0 | 358.9 | 0.75 | 20.46 | 29.61 | 91.08 | 6.90 | 10.27 | 7.93 | 16.00 |
| 2013/03/18 | MF | WSR46 | 10:36:34 | M | 4.9 | 299.2 | 0.75 | 20.78 | 28.87 | 90.97 | 6.88 | 3.27 | 7.94 | 5.00 |
| 2013/03/18 | MF | WSR46 | 10:37:17 | T | 0.9 | 295.8 | 0.99 | 21.58 | 27.52 | 95.81 | 7.19 | 2.77 | 7.93 | 3.00 |

Impact Water Quality Monitoring for Dredging Activities at SB CMP 1

| Sampling Date | Tide | Station | Time | Depth | Depth (m) | Current Direction | Current Velocity (m/s) | Water Temp (°C) | Salinity (ppt) | D.O. Saturation (%) | D.O. (mg/L) | Turbidity (NTU) | pH | SS (mg/L) |
|---------------|------|---------|----------|-------|-----------|-------------------|------------------------|-----------------|----------------|---------------------|-------------|-----------------|------|-----------|
| 2013/03/18 | ME | DS1 | 15:56:24 | B | 4.1 | 123.5 | 0.73 | 21.39 | 28.42 | 98.55 | 7.39 | 29.80 | 7.71 | 22.00 |
| 2013/03/18 | ME | DS1 | 15:57:21 | M | 2.9 | 133.4 | 0.46 | 21.39 | 28.41 | 98.54 | 7.39 | 18.20 | 7.73 | 22.00 |
| 2013/03/18 | ME | DS1 | 15:58:26 | T | 0.8 | 195.4 | 0.32 | 21.45 | 28.24 | 99.22 | 7.44 | 12.70 | 7.75 | 12.00 |
| 2013/03/18 | ME | DS1 | 15:59:20 | B | 4.0 | 70.7 | 0.04 | 21.36 | 28.45 | 98.31 | 7.37 | 21.30 | 7.76 | 21.00 |
| 2013/03/18 | ME | DS1 | 16:00:33 | M | 2.8 | 345.9 | 0.34 | 21.41 | 28.33 | 98.89 | 7.41 | 15.10 | 7.78 | 23.00 |
| 2013/03/18 | ME | DS1 | 16:01:20 | T | 0.9 | 191.0 | 0.37 | 21.42 | 28.30 | 99.08 | 7.43 | 9.00 | 7.79 | 11.00 |
| 2013/03/18 | ME | DS1 | 16:02:16 | B | 4.1 | 347.5 | 0.35 | 21.40 | 28.40 | 98.77 | 7.40 | 13.80 | 7.80 | 22.00 |
| 2013/03/18 | ME | DS1 | 16:03:10 | M | 2.9 | 44.4 | 0.49 | 21.44 | 28.31 | 98.76 | 7.40 | 26.20 | 7.81 | 23.00 |
| 2013/03/18 | ME | DS1 | 16:04:10 | T | 0.9 | 22.6 | 0.12 | 21.51 | 28.18 | 99.94 | 7.48 | 9.40 | 7.81 | 12.00 |
| 2013/03/18 | ME | DS2 | 16:19:08 | M | 3.0 | 235.0 | 0.18 | 21.40 | 28.31 | 98.45 | 7.38 | 9.70 | 7.89 | 11.00 |
| 2013/03/18 | ME | DS2 | 16:11:10 | B | 4.0 | 91.8 | 0.16 | 21.48 | 28.31 | 99.55 | 7.45 | 6.90 | 7.87 | 11.00 |
| 2013/03/18 | ME | DS2 | 16:12:51 | M | 3.0 | 139.7 | 0.31 | 21.49 | 28.25 | 100.12 | 7.50 | 6.50 | 7.87 | 11.00 |
| 2013/03/18 | ME | DS2 | 16:13:32 | T | 0.8 | 104.2 | 0.67 | 21.54 | 28.17 | 100.51 | 7.52 | 6.70 | 7.87 | 8.00 |
| 2013/03/18 | ME | DS2 | 16:15:07 | B | 4.0 | 99.9 | 0.55 | 21.35 | 28.49 | 98.60 | 7.39 | 8.30 | 7.87 | 11.00 |
| 2013/03/18 | ME | DS2 | 16:16:09 | M | 3.1 | 120.8 | 0.18 | 21.45 | 28.28 | 99.58 | 7.46 | 7.60 | 7.88 | 10.00 |
| 2013/03/18 | ME | DS2 | 16:17:18 | T | 0.9 | 316.2 | 0.17 | 21.50 | 28.21 | 99.87 | 7.48 | 8.30 | 7.89 | 9.00 |
| 2013/03/18 | ME | DS2 | 16:18:12 | B | 4.1 | 73.0 | 0.60 | 21.27 | 28.51 | 97.37 | 7.31 | 9.00 | 7.88 | 10.00 |
| 2013/03/18 | ME | DS2 | 16:19:58 | T | 0.9 | 353.7 | 0.05 | 21.55 | 28.15 | 100.03 | 7.49 | 8.60 | 7.90 | 8.00 |
| 2013/03/18 | ME | DS3 | 16:26:04 | B | 5.1 | 81.0 | 0.67 | 20.92 | 28.80 | 93.40 | 7.04 | 7.20 | 7.89 | 9.00 |
| 2013/03/18 | ME | DS3 | 16:27:15 | M | 3.7 | 87.9 | 0.30 | 21.25 | 28.12 | 100.43 | 7.56 | 4.70 | 7.92 | 6.00 |
| 2013/03/18 | ME | DS3 | 16:28:42 | T | 0.8 | 83.2 | 0.71 | 21.76 | 28.03 | 103.88 | 7.75 | 4.20 | 7.95 | 5.00 |
| 2013/03/18 | ME | DS3 | 16:29:35 | B | 5.1 | 112.8 | 0.35 | 21.14 | 28.60 | 96.83 | 7.28 | 6.50 | 7.90 | 9.00 |
| 2013/03/18 | ME | DS3 | 16:30:28 | M | 3.6 | 90.1 | 0.33 | 21.46 | 28.07 | 101.28 | 7.60 | 4.90 | 7.93 | 7.00 |
| 2013/03/18 | ME | DS3 | 16:31:26 | T | 0.9 | 73.7 | 0.28 | 21.81 | 28.01 | 103.25 | 7.70 | 4.60 | 7.94 | 6.00 |
| 2013/03/18 | ME | DS3 | 16:32:24 | B | 5.0 | 30.4 | 0.18 | 21.16 | 28.61 | 95.80 | 7.20 | 6.70 | 7.90 | 8.00 |
| 2013/03/18 | ME | DS3 | 16:33:33 | M | 3.6 | 60.5 | 0.72 | 21.47 | 28.06 | 101.43 | 7.61 | 5.00 | 7.93 | 6.00 |
| 2013/03/18 | ME | DS3 | 16:34:35 | T | 0.9 | 155.2 | 0.28 | 21.94 | 27.95 | 104.20 | 7.75 | 4.40 | 7.96 | 5.00 |
| 2013/03/18 | ME | DS4 | 16:40:28 | B | 5.1 | 23.3 | 0.56 | 20.88 | 28.72 | 93.71 | 7.08 | 7.30 | 7.89 | 9.00 |
| 2013/03/18 | ME | DS4 | 16:41:11 | M | 3.6 | 42.1 | 0.56 | 21.02 | 28.46 | 95.88 | 7.23 | 5.90 | 7.90 | 8.00 |
| 2013/03/18 | ME | DS4 | 16:42:21 | T | 0.9 | 105.1 | 0.51 | 22.16 | 27.62 | 105.97 | 7.87 | 2.70 | 7.97 | 4.00 |
| 2013/03/18 | ME | DS4 | 16:43:16 | B | 5.1 | 47.4 | 0.19 | 20.90 | 28.69 | 94.47 | 7.13 | 6.90 | 7.89 | 8.00 |
| 2013/03/18 | ME | DS4 | 16:44:09 | M | 3.7 | 67.1 | 0.18 | 21.05 | 28.40 | 96.24 | 7.26 | 5.60 | 7.90 | 7.00 |
| 2013/03/18 | ME | DS4 | 16:45:16 | T | 0.9 | 297.2 | 0.04 | 22.18 | 27.61 | 105.83 | 7.86 | 2.60 | 7.97 | 3.00 |
| 2013/03/18 | ME | DS4 | 16:46:09 | B | 5.3 | 312.2 | 0.29 | 20.79 | 28.99 | 93.64 | 7.07 | 6.50 | 7.89 | 8.00 |
| 2013/03/18 | ME | DS4 | 16:47:15 | M | 3.6 | 347.4 | 0.22 | 20.94 | 28.61 | 94.52 | 7.13 | 6.40 | 7.88 | 7.00 |
| 2013/03/18 | ME | DS4 | 16:48:12 | T | 1.0 | 96.5 | 0.47 | 22.20 | 27.60 | 105.69 | 7.84 | 2.90 | 7.96 | 4.00 |
| 2013/03/18 | ME | DS5 | 16:54:19 | B | 2.1 | 192.1 | 0.16 | 21.28 | 28.54 | 97.99 | 7.35 | 5.70 | 7.94 | 4.00 |
| 2013/03/18 | ME | DS5 | 16:56:13 | T | 1.0 | 165.4 | 0.49 | 22.24 | 27.72 | 103.80 | 7.69 | 2.90 | 7.95 | 3.00 |
| 2013/03/18 | ME | DS5 | 16:57:05 | B | 2.2 | 301.5 | 0.59 | 22.00 | 27.66 | 99.64 | 7.41 | 3.60 | 7.92 | 4.00 |
| 2013/03/18 | ME | DS5 | 16:58:34 | M | 0.8 | 167.1 | 0.30 | 22.35 | 27.63 | 104.26 | 7.71 | 2.70 | 7.96 | 2.00 |
| 2013/03/18 | ME | DS5 | 16:59:26 | B | 2.1 | 75.1 | 0.27 | 21.95 | 27.92 | 98.81 | 7.35 | 3.80 | 7.93 | 4.00 |
| 2013/03/18 | ME | DS5 | 17:00:13 | T | 1.0 | 330.5 | 0.36 | 22.37 | 27.66 | 104.63 | 7.74 | 2.80 | 7.96 | 3.00 |
| 2013/03/18 | ME | US1 | 17:21:52 | B | 3.0 | 226.5 | 0.39 | 21.39 | 28.32 | 99.21 | 7.44 | 5.50 | 7.89 | 8.00 |
| 2013/03/18 | ME | US1 | 17:23:33 | T | 1.0 | 29.0 | 0.33 | 21.45 | 27.96 | 99.98 | 7.50 | 4.90 | 7.88 | 7.00 |
| 2013/03/18 | ME | US1 | 17:24:20 | B | 2.9 | 78.1 | 0.44 | 21.32 | 28.55 | 98.00 | 7.35 | 7.00 | 7.86 | 9.00 |
| 2013/03/18 | ME | US1 | 17:25:15 | T | 0.9 | 49.6 | 0.29 | 21.43 | 28.00 | 99.26 | 7.45 | 5.20 | 7.87 | 8.00 |
| 2013/03/18 | ME | US1 | 17:26:22 | B | 3.0 | 179.5 | 0.44 | 21.33 | 28.56 | 98.07 | 7.35 | 7.00 | 7.86 | 9.00 |
| 2013/03/18 | ME | US1 | 17:27:14 | T | 1.0 | 110.6 | 0.20 | 21.41 | 28.06 | 99.04 | 7.44 | 5.60 | 7.87 | 8.00 |
| 2013/03/18 | ME | US2 | 17:43:25 | B | 3.0 | 325.8 | 0.58 | 21.24 | 28.66 | 96.18 | 7.22 | 8.90 | 7.88 | 12.00 |
| 2013/03/18 | ME | US2 | 17:45:26 | T | 0.9 | 100.0 | 0.44 | 21.37 | 28.22 | 97.92 | 7.35 | 7.20 | 7.87 | 6.00 |
| 2013/03/18 | ME | US2 | 17:46:31 | B | 3.0 | 118.7 | 0.08 | 21.23 | 28.69 | 96.33 | 7.23 | 9.30 | 7.86 | 13.00 |
| 2013/03/18 | ME | US2 | 17:47:08 | T | 1.0 | 97.3 | 0.33 | 21.50 | 27.97 | 98.78 | 7.41 | 7.00 | 7.86 | 6.00 |
| 2013/03/18 | ME | US2 | 17:48:40 | B | 3.0 | 24.8 | 0.66 | 21.21 | 28.74 | 95.91 | 7.20 | 9.90 | 7.84 | 12.00 |
| 2013/03/18 | ME | US2 | 17:49:30 | T | 1.0 | 296.0 | 0.39 | 21.46 | 27.98 | 98.36 | 7.38 | 6.30 | 7.86 | 7.00 |
| 2013/03/18 | ME | MW1 | 17:36:53 | B | 19.1 | 53.5 | 0.61 | 20.26 | 30.48 | 92.38 | 6.98 | 1.87 | 7.89 | 3.00 |
| 2013/03/18 | ME | MW1 | 17:37:58 | M | 10.1 | 347.1 | 1.01 | 20.84 | 29.71 | 95.32 | 7.16 | 2.07 | 7.94 | 3.00 |
| 2013/03/18 | ME | MW1 | 17:38:50 | T | 1.1 | 230.8 | 0.23 | 21.17 | 29.06 | 98.77 | 7.40 | 2.17 | 7.96 | 3.00 |
| 2013/03/18 | ME | MW1 | 17:40:56 | B | 19.3 | 14.1 | 0.63 | 20.52 | 30.10 | 93.12 | 7.02 | 1.97 | 7.96 | 4.00 |
| 2013/03/18 | ME | MW1 | 17:41:47 | M | 10.0 | 293.5 | 0.64 | 20.67 | 29.85 | 94.54 | 7.12 | 2.17 | 7.97 | 3.00 |
| 2013/03/18 | ME | MW1 | 17:42:38 | T | 1.1 | 49.2 | 0.21 | 21.23 | 28.89 | 98.60 | 7.39 | 2.37 | 7.97 | 3.00 |
| 2013/03/18 | ME | MW1 | 17:43:45 | B | 18.9 | 46.7 | 0.67 | 20.97 | 29.97 | 93.85 | 7.07 | 2.07 | 7.97 | 3.00 |
| 2013/03/18 | ME | MW1 | 17:44:40 | M | 10.0 | 350.1 | 0.10 | 20.67 | 29.87 | 94.46 | 7.11 | 2.17 | 7.98 | 2.00 |
| 2013/03/18 | ME | MW1 | 17:45:54 | T | 1.1 | 132.6 | 0.30 | 21.22 | 29.02 | 99.03 | 7.42 | 2.37 | 7.99 | 3.00 |
| 2013/03/18 | ME | THB1 | 16:17:12 | T | 1.0 | 147.1 | 0.33 | 21.38 | 28.61 | 99.99 | 7.49 | 3.27 | 7.93 | 3.00 |
| 2013/03/18 | ME | THB1 | 16:16:05 | B | 3.1 | 76.8 | 0.56 | 21.22 | 29.08 | 94.66 | 7.09 | 7.07 | 7.90 | 7.00 |
| 2013/03/18 | ME | THB1 | 16:18:08 | B | 3.2 | 312.8 | 0.36 | 21.15 | 29.28 | 94.87 | 7.11 | 6.77 | 7.91 | 6.00 |
| 2013/03/18 | ME | THB1 | 16:18:49 | T | 1.0 | 147.1 | 0.33 | 21.37 | 28.67 | 99.10 | 7.42 | 4.17 | 7.94 | 3.00 |
| 2013/03/18 | ME | THB1 | 16:19:51 | B | 3.0 | 291.0 | 0.09 | 21.14 | 29.31 | 93.98 | 7.04 | 7.67 | 7.92 | 7.00 |
| 2013/03/18 | ME | THB1 | 16:20:55 | T | 0.9 | 147.1 | 0.33 | 21.69 | 28.17 | 100.73 | 7.52 | 3.07 | 7.95 | 3.00 |
| 2013/03/18 | ME | THB2 | 16:20:11 | M | 1.5 | 40.0 | 0.05 | 22.36 | 28.95 | 96.56 | 7.09 | 10.35 | 7.13 | 8.00 |
| 2013/03/18 | ME | THB2 | 16:21:15 | M | 1.5 | 40.0 | 0.05 | 22.32 | 28.96 | 96.46 | 7.09 | 10.65 | 7.28 | 7.00 |
| 2013/03/18 | ME | THB2 | 16:22:16 | M | 1.5 | 40.0 | 0.05 | 22.29 | 28.96 | 96.47 | 7.09 | 10.75 | 7.34 | 7.00 |
| 2013/03/18 | ME | WSR45C | 16:46:08 | B | 12.0 | 83.7 | 0.72 | 20.84 | 28.98 | 90.77 | 6.85 | 8.47 | 7.93 | 8.00 |
| 2013/03/18 | ME | WSR45C | 16:47:31 | M | 6.6 | 287.4 | 0.25 | 21.24 | 28.51 | 93.80 | 7.05 | 6.67 | 7.94 | 9.00 |
| 2013/03/18 | ME | WSR45C | 16:48:37 | T | 1.1 | 325.6 | 1.26 | 22.18 | 27.49 | 102.17 | 7.59 | 4.07 | 7.97 | 5.00 |
| 2013/03/18 | ME | WSR45C | 16:50:16 | B | 11.7 | 34.7 | 0.50 | 20.86 | 28.97 | 94.73 | 7.15 | 8.27 | 7.95 | 8.00 |
| 2013/03/18 | ME | WSR45C | 16:53:04 | M | 6.7 | 42.5 | 0.39 | 21.01 | 28.79 | 91.83 | 6.92 | 7.97 | 7.95 | 8.00 |
| 2013/03/18 | ME | WSR45C | 16:53:58 | T | 0.9 | 332.4 | 0.33 | 21.92 | 27.63 | 99.90 | 7.45 | 4.37 | 7.97 | 5.00 |
| 2013/03/18 | ME | WSR45C | 16:55:01 | B | 12.1 | 91.3 | 0.35 | 20.88 | 28.93 | 91.34 | 6.89 | 8.17 | 7.95 | 9.00 |
| 2013/03/18 | ME | WSR45C | 16:55:55 | M | 6.6 | 287.4 | 0.25 | 21.00 | 28.79 | 92.05 | 6.93 | 7.47 | 7.96 | 8.00 |
| 2013/03/18 | ME | WSR45C | 16:56:55 | T | 1.1 | 52.9 | 0.80 | 21.83 | 27.77 | 99.72 | 7.44 | 5.17 | 7.98 | 4.00 |
| 2013/03/18 | ME | WSR46 | 15:46:55 | B | 9.0 | 154.6 | 0.45 | 20.50 | 29.43 | 90.31 | 6.84 | 8.37 | 7.65 | 8.00 |
| 2013/03/18 | ME | WSR46 | 15:47:54 | M | 5.1 | 289.5 | 0.79 | 20.75 | 28.92 | 91.42 | 6.91 | 5.17 | 7.73 | 8.00 |
| 2013/03/18 | ME | WSR46 | 15:48:50 | T | 0.9 | 24.5 | 0.38 | 20.80 | 27.31 | 99.65 | 7.46 | 4.37 | 7.77 | 2.00 |