

ROUTINE WATER QUALITY MONITORING for CMP 1

Date: 2 November 2013

Pos. No.	Easting	Northing	Tide	Depth (m)	Temp.	Salinity	Turbidity(Ntu)	D.O.(%)	D.O.(mg/l)	pH	Time	Speed	Direction
MW1	823602.1	823634.4	Mid Ebb	10.8	25.57	31.43	8.1	92.2	6.31	7.80	10:20:19	0.32	244.6
MW1	823596.7	823632.0	Mid Ebb	10.7	25.57	31.43	8.0	92.1	6.30	7.82	10:20:43	0.32	131.8
MW1	823594.3	823632.9	Mid Ebb	11.0	25.57	31.44	8.1	92.0	6.30	7.83	10:21:07	0.28	257.2
MW1	823593.1	823635.0	Mid Ebb	11.2	25.57	31.44	8.1	92.0	6.30	7.84	10:21:28	0.39	259.9
MW1	823593.4	823635.8	Mid Ebb	11.2	25.57	31.43	7.2	92.1	6.31	7.85	10:21:52	0.53	149.3
MW1	823594.3	823637.7	Mid Ebb	11.2	25.57	31.43	7.4	92.3	6.31	7.85	10:22:13	0.24	297.3
MW1	823597.2	823638.1	Mid Ebb	11.2	25.57	31.43	7.1	92.4	6.32	7.86	10:22:37	0.33	215.0
MW1	823603.8	823640.5	Mid Ebb	11.2	25.57	31.43	7.2	92.3	6.32	7.86	10:23:01	0.07	119.0
SB-INE1	812311.0	818952.6	Mid Ebb	2.1	25.62	29.56	32.9	127.2	8.79	8.08	12:41:04	0.86	105.1
SB-INE1	812308.8	818950.2	Mid Ebb	2.1	25.63	29.57	27.0	128.1	8.85	8.08	12:41:26	0.86	105.1
SB-INE1	812307.8	818947.1	Mid Ebb	2.1	25.63	29.57	12.5	128.6	8.88	8.09	12:41:48	0.86	105.1
SB-INE1	812307.5	818943.6	Mid Ebb	2.1	25.63	29.57	11.5	128.6	8.89	8.09	12:42:08	0.86	105.1
SB-INE1	812308.8	818939.7	Mid Ebb	2.1	25.63	29.57	8.6	128.9	8.91	8.09	12:42:29	0.86	105.1
SB-INE1	812309.8	818935.3	Mid Ebb	2.1	25.63	29.57	13.5	129.0	8.91	8.09	12:42:50	0.86	105.1
SB-INE1	812310.0	818930.8	Mid Ebb	2.1	25.63	29.57	8.3	129.1	8.92	8.09	12:43:11	0.95	78.4
SB-INE1	812309.7	818925.3	Mid Ebb	2.1	25.63	29.57	8.0	129.2	8.93	8.09	12:43:34	0.38	276.4
SB-INE2	812451.2	818813.8	Mid Ebb	2.0	25.65	29.58	8.9	131.3	9.07	8.10	12:48:24	0.43	313.7
SB-INE2	812449.1	818809.1	Mid Ebb	2.0	25.65	29.58	7.8	131.4	9.08	8.10	12:48:46	0.43	313.7
SB-INE2	812447.8	818803.5	Mid Ebb	2.0	25.65	29.58	8.2	131.5	9.08	8.10	12:49:10	0.43	313.7
SB-INE2	812447.2	818798.0	Mid Ebb	2.0	25.64	29.58	7.1	131.3	9.07	8.10	12:49:33	0.43	313.7
SB-INE2	812447.7	818792.4	Mid Ebb	2.0	25.65	29.58	6.9	131.6	9.09	8.10	12:49:57	0.43	313.7
SB-INE2	812448.5	818787.1	Mid Ebb	2.0	25.64	29.58	6.6	131.7	9.10	8.10	12:50:21	0.43	313.7
SB-INE2	812449.4	818781.8	Mid Ebb	2.0	25.64	29.58	6.4	131.8	9.10	8.10	12:50:45	0.43	313.7
SB-INE2	812450.2	818776.8	Mid Ebb	2.0	25.64	29.58	6.2	132.0	9.12	8.10	12:51:07	0.43	313.7
SB-INE3	812937.3	818317.2	Mid Ebb	2.1	25.72	29.62	7.3	131.0	9.04	8.10	12:56:59	1.02	7.9
SB-INE3	812935.6	818311.9	Mid Ebb	2.0	25.72	29.62	7.5	131.5	9.07	8.10	12:57:20	1.50	306.0
SB-INE3	812933.4	818307.3	Mid Ebb	2.0	25.72	29.62	7.0	131.8	9.09	8.10	12:57:41	0.81	283.9
SB-INE3	812931.0	818303.1	Mid Ebb	2.0	25.72	29.63	7.0	132.1	9.11	8.10	12:58:02	0.81	283.9
SB-INE3	812928.4	818299.4	Mid Ebb	2.0	25.72	29.63	7.2	132.0	9.10	8.10	12:58:23	0.81	283.9
SB-INE3	812925.4	818295.6	Mid Ebb	2.0	25.72	29.63	7.4	131.8	9.09	8.10	12:58:44	0.81	283.9
SB-INE3	812922.2	818292.0	Mid Ebb	2.0	25.72	29.63	6.9	132.0	9.10	8.10	12:59:05	0.19	78.3
SB-INE3	812918.8	818288.0	Mid Ebb	2.0	25.72	29.63	7.5	132.1	9.11	8.10	12:59:28	0.19	78.3
SB-INE4	813242.2	818653.8	Mid Ebb	2.1	25.62	29.44	15.8	118.8	8.22	8.02	13:03:59	0.30	358.6
SB-INE4	813241.1	818654.1	Mid Ebb	2.1	25.63	29.45	16.2	119.3	8.25	8.03	13:04:22	0.52	92.2
SB-INE4	813238.0	818653.7	Mid Ebb	2.1	25.62	29.42	14.8	118.9	8.23	8.02	13:04:45	0.34	220.6
SB-INE4	813234.0	818652.9	Mid Ebb	2.1	25.62	29.40	14.0	118.5	8.20	8.02	13:05:09	0.47	0.6
SB-INE4	813230.0	818652.0	Mid Ebb	2.1	25.62	29.40	14.5	118.5	8.20	8.02	13:05:33	1.06	17.3
SB-INE4	813227.7	818649.6	Mid Ebb	2.1	25.62	29.40	15.0	118.5	8.19	8.02	13:05:54	0.40	232.1
SB-INE4	813226.1	818645.7	Mid Ebb	2.1	25.61	29.39	13.9	118.0	8.16	8.02	13:06:18	0.77	135.3

ROUTINE WATER QUALITY MONITORING for CMP 1

Date: 2 November 2013

Pos. No.	Easting	Northing	Tide	Depth (m)	Temp.	Salinity	Turbidity(Ntu)	D.O.(%)	D.O.(mg/l)	pH	Time	Speed	Direction
SB-INE4	813224.5	818640.6	Mid Ebb	2.1	25.62	29.39	14.7	117.9	8.16	8.02	13:06:42	0.54	176.9
SB-INE5	812580.8	817790.4	Mid Ebb	4.0	25.71	29.66	10.5	123.3	8.50	8.08	12:30:54	0.63	192.1
SB-INE5	812583.1	817790.4	Mid Ebb	4.0	25.72	29.66	10.4	123.8	8.54	8.08	12:31:18	0.63	192.1
SB-INE5	812586.4	817791.8	Mid Ebb	4.1	25.72	29.66	9.9	124.1	8.56	8.08	12:31:42	0.63	192.1
SB-INE5	812589.5	817793.9	Mid Ebb	4.0	25.72	29.66	11.2	124.2	8.57	8.08	12:32:06	0.27	0.0
SB-INE5	812594.9	817793.3	Mid Ebb	3.9	25.71	29.66	13.0	123.7	8.53	8.07	12:32:30	0.15	79.2
SB-INE5	812599.4	817792.2	Mid Ebb	3.9	25.71	29.66	11.9	123.7	8.53	8.07	12:32:52	0.15	79.2
SB-INE5	812602.4	817793.2	Mid Ebb	3.9	25.72	29.66	10.2	124.4	8.58	8.07	12:33:15	0.36	122.2
SB-INE5	812603.0	817794.8	Mid Ebb	3.9	25.73	29.66	9.3	125.0	8.62	8.08	12:33:36	0.39	47.5
SB-IPE1	814970.9	818263.8	Mid Ebb	1.9	25.76	29.50	5.3	133.5	9.21	8.08	11:41:44	0.64	334.4
SB-IPE1	814974.0	818266.0	Mid Ebb	2.3	25.73	29.51	5.1	134.3	9.26	8.09	11:42:06	0.81	154.5
SB-IPE1	814976.0	818268.2	Mid Ebb	2.5	25.71	29.51	6.7	131.4	9.07	8.08	11:42:30	0.08	315.0
SB-IPE1	814972.6	818270.8	Mid Ebb	2.6	25.79	29.49	6.4	135.0	9.31	8.08	11:42:54	0.37	32.4
SB-IPE1	814966.4	818272.6	Mid Ebb	2.6	25.67	29.50	5.7	130.9	9.04	8.09	11:43:18	0.08	315.0
SB-IPE1	814962.0	818273.7	Mid Ebb	2.6	25.64	29.50	6.3	127.3	8.80	8.06	11:43:42	0.37	32.4
SB-IPE1	814958.9	818275.0	Mid Ebb	2.6	25.63	29.51	7.3	125.6	8.68	8.05	11:44:06	0.37	32.4
SB-IPE1	814957.5	818276.3	Mid Ebb	2.6	25.64	29.50	6.5	125.5	8.67	8.05	11:44:27	0.37	32.4
SB-IPE2	815260.7	818549.3	Mid Ebb	2.7	25.64	29.54	10.8	122.0	8.43	8.04	11:30:54	1.08	69.4
SB-IPE2	815261.2	818548.3	Mid Ebb	2.5	25.65	29.54	7.6	124.1	8.57	8.05	11:31:15	0.40	135.6
SB-IPE2	815261.5	818547.1	Mid Ebb	2.3	25.72	29.52	6.8	125.4	8.66	8.05	11:31:36	0.71	353.2
SB-IPE2	815258.7	818546.0	Mid Ebb	2.4	25.68	29.53	6.5	127.8	8.83	8.06	11:31:57	0.29	171.4
SB-IPE2	815257.4	818544.9	Mid Ebb	2.7	25.57	29.54	8.5	121.2	8.39	8.03	11:32:18	0.43	301.8
SB-IPE2	815256.9	818543.4	Mid Ebb	2.6	25.59	29.54	7.2	121.4	8.40	8.04	11:32:39	0.32	71.7
SB-IPE2	815257.6	818543.2	Mid Ebb	2.3	25.59	29.53	7.3	122.7	8.48	8.04	11:33:01	1.03	353.2
SB-IPE2	815258.7	818542.4	Mid Ebb	2.5	25.58	29.54	7.7	121.3	8.39	8.04	11:33:25	0.82	72.9
SB-IPE3	815523.3	818895.6	Mid Ebb	3.1	25.58	29.57	14.2	117.5	8.12	8.03	11:24:24	0.11	278.6
SB-IPE3	815524.2	818894.9	Mid Ebb	3.0	25.56	29.57	15.1	116.3	8.05	8.03	11:24:46	0.31	354.8
SB-IPE3	815526.1	818894.0	Mid Ebb	2.9	25.54	29.58	18.6	115.3	7.98	8.02	11:25:07	0.19	13.8
SB-IPE3	815528.4	818892.3	Mid Ebb	2.9	25.59	29.57	12.3	118.0	8.16	8.03	11:25:28	0.33	140.2
SB-IPE3	815531.6	818890.4	Mid Ebb	2.9	25.62	29.57	10.6	120.1	8.30	8.04	11:25:48	0.33	140.2
SB-IPE3	815535.7	818887.7	Mid Ebb	2.9	25.62	29.57	11.6	120.3	8.31	8.04	11:26:11	0.35	324.9
SB-IPE3	815539.9	818885.0	Mid Ebb	2.9	25.61	29.57	12.3	119.3	8.25	8.04	11:26:32	0.35	324.9
SB-IPE3	815544.4	818882.5	Mid Ebb	2.9	25.62	29.57	11.7	119.9	8.28	8.04	11:26:53	0.35	324.9
SB-IPE4	815789.4	819190.6	Mid Ebb	3.6	25.59	29.90	6.4	111.4	7.69	8.00	11:17:44	0.33	54.4
SB-IPE4	815789.7	819189.5	Mid Ebb	3.7	25.59	29.87	6.5	110.4	7.62	7.99	11:18:07	0.53	350.6
SB-IPE4	815791.9	819188.6	Mid Ebb	3.5	25.58	29.76	6.0	112.7	7.78	8.00	11:18:31	0.38	94.3
SB-IPE4	815794.2	819188.0	Mid Ebb	3.5	25.59	29.67	5.8	115.6	7.99	8.02	11:18:55	0.31	212.5
SB-IPE4	815796.1	819188.2	Mid Ebb	3.5	25.63	29.62	5.1	118.9	8.21	8.03	11:19:16	0.56	162.4
SB-IPE4	815796.6	819189.4	Mid Ebb	3.5	25.59	29.66	5.2	118.7	8.20	8.04	11:19:37	0.72	132.3

ROUTINE WATER QUALITY MONITORING for CMP 1

Date: 2 November 2013

Pos. No.	Easting	Northing	Tide	Depth (m)	Temp.	Salinity	Turbidity(Ntu)	D.O.(%)	D.O.(mg/l)	pH	Time	Speed	Direction
SB-IPE4	815796.1	819190.6	Mid Ebb	3.5	25.58	29.70	6.5	115.7	8.00	8.02	11:20:01	0.62	56.5
SB-IPE4	815797.3	819190.6	Mid Ebb	3.5	25.59	29.72	6.3	115.1	7.95	8.02	11:20:25	0.15	113.4
SB-IPE5	816065.7	819614.7	Mid Ebb	4.7	25.63	29.95	3.4	116.3	8.02	8.02	11:10:39	0.24	173.4
SB-IPE5	816066.4	819614.0	Mid Ebb	4.5	25.64	29.77	3.1	120.8	8.34	8.04	11:11:00	0.33	185.4
SB-IPE5	816064.6	819615.5	Mid Ebb	4.3	25.62	29.81	3.4	119.1	8.22	8.03	11:11:21	0.37	132.2
SB-IPE5	816063.8	819615.5	Mid Ebb	4.4	25.62	30.18	4.3	113.2	7.79	8.00	11:11:42	0.33	185.4
SB-IPE5	816064.3	819615.1	Mid Ebb	4.6	25.62	30.10	4.3	112.7	7.76	8.00	11:12:03	0.52	52.0
SB-IPE5	816065.6	819614.6	Mid Ebb	4.6	25.62	30.02	4.0	114.1	7.86	8.01	11:12:24	0.31	112.0
SB-IPE5	816067.4	819613.6	Mid Ebb	4.6	25.62	29.90	3.9	116.7	8.05	8.02	11:12:47	0.31	112.0
SB-IPE5	816069.6	819612.8	Mid Ebb	4.7	25.62	29.89	3.7	117.0	8.07	8.02	11:13:08	0.77	68.7
SB-RFE1	814210.6	822140.6	Mid Ebb	5.5	25.58	29.45	10.9	112.8	7.80	7.97	13:35:19	0.77	43.3
SB-RFE1	814212.8	822140.2	Mid Ebb	5.4	25.59	29.47	13.3	112.7	7.80	7.97	13:35:39	0.50	47.2
SB-RFE1	814209.3	822142.6	Mid Ebb	5.2	25.58	29.44	10.7	112.9	7.81	7.97	13:36:02	0.30	313.2
SB-RFE1	814209.5	822144.3	Mid Ebb	5.3	25.59	29.45	12.6	112.8	7.81	7.97	13:36:26	0.44	70.8
SB-RFE1	814212.6	822144.9	Mid Ebb	5.5	25.59	29.46	13.8	112.8	7.81	7.97	13:36:48	0.78	65.4
SB-RFE1	814217.7	822144.0	Mid Ebb	5.6	25.59	29.47	15.3	112.8	7.80	7.97	13:37:11	0.64	101.2
SB-RFE1	814220.6	822145.9	Mid Ebb	5.6	25.59	29.46	13.5	112.8	7.80	7.97	13:37:32	0.78	65.4
SB-RFE1	814218.2	822146.6	Mid Ebb	5.4	25.58	29.45	10.4	113.0	7.82	7.97	13:37:56	0.47	38.2
SB-RFE2	814547.6	822467.1	Mid Ebb	6.2	25.59	29.56	7.8	111.6	7.71	7.97	13:42:59	0.26	48.9
SB-RFE2	814542.5	822467.7	Mid Ebb	6.0	25.59	29.53	7.7	111.8	7.73	7.97	13:43:20	0.94	68.7
SB-RFE2	814541.1	822467.7	Mid Ebb	6.7	25.59	29.58	9.1	111.5	7.71	7.96	13:43:41	0.58	108.8
SB-RFE2	814543.3	822467.0	Mid Ebb	6.6	25.59	29.56	8.8	111.5	7.71	7.97	13:44:04	0.63	49.7
SB-RFE2	814547.8	822465.4	Mid Ebb	6.4	25.59	29.55	8.9	111.8	7.73	7.97	13:44:26	1.02	73.4
SB-RFE2	814554.4	822461.3	Mid Ebb	6.4	25.59	29.56	9.7	111.8	7.73	7.97	13:44:49	1.02	73.4
SB-RFE2	814563.4	822456.6	Mid Ebb	6.6	25.59	29.51	8.2	112.0	7.75	7.97	13:45:13	0.61	280.0
SB-RFE2	814571.7	822451.8	Mid Ebb	6.7	25.59	29.50	8.5	112.2	7.76	7.97	13:45:34	0.87	37.9
SB-RFE3	814921.8	822761.4	Mid Ebb	13.6	25.62	30.10	10.5	106.8	7.36	7.93	13:50:59	0.49	269.9
SB-RFE3	814920.1	822761.4	Mid Ebb	13.6	25.62	30.10	10.5	106.8	7.36	7.94	13:51:19	0.59	15.6
SB-RFE3	814918.0	822760.5	Mid Ebb	13.6	25.62	30.10	10.5	106.8	7.36	7.94	13:51:42	0.56	303.5
SB-RFE3	814919.2	822759.0	Mid Ebb	13.6	25.62	30.11	11.4	106.7	7.35	7.94	13:52:03	0.59	15.6
SB-RFE3	814918.9	822757.6	Mid Ebb	13.7	25.62	30.10	11.8	106.7	7.35	7.94	13:52:25	0.23	233.2
SB-RFE3	814918.8	822754.9	Mid Ebb	13.6	25.62	30.10	11.3	106.8	7.36	7.94	13:52:48	0.59	15.6
SB-RFE3	814919.8	822753.8	Mid Ebb	13.7	25.62	30.12	11.4	106.5	7.34	7.93	13:53:10	0.06	179.0
SB-RFE3	814921.2	822755.0	Mid Ebb	13.8	25.62	30.13	11.2	106.5	7.33	7.93	13:53:33	0.68	223.6
SB-RFE4	815368.0	823045.5	Mid Ebb	16.7	25.61	30.52	10.5	102.4	7.04	7.90	13:58:49	0.21	327.3
SB-RFE4	815366.9	823045.1	Mid Ebb	16.9	25.61	30.56	9.5	101.7	6.99	7.90	13:59:11	0.31	117.2
SB-RFE4	815368.1	823044.0	Mid Ebb	17.1	25.61	30.57	9.5	101.4	6.97	7.90	13:59:35	0.35	64.8
SB-RFE4	815370.1	823042.1	Mid Ebb	17.1	25.61	30.58	9.2	101.3	6.96	7.90	13:59:59	0.74	169.7
SB-RFE4	815366.2	823043.3	Mid Ebb	17.0	25.61	30.59	10.1	101.2	6.96	7.90	14:00:23	0.20	351.5

ROUTINE WATER QUALITY MONITORING for CMP 1

Date: 2 November 2013

Pos. No.	Easting	Northing	Tide	Depth (m)	Temp.	Salinity	Turbidity(Ntu)	D.O.(%)	D.O.(mg/l)	pH	Time	Speed	Direction
SB-RFE4	815367.1	823044.1	Mid Ebb	17.0	25.61	30.59	9.7	101.2	6.95	7.90	14:00:47	1.01	346.0
SB-RFE4	815371.1	823042.1	Mid Ebb	17.2	25.61	30.58	8.9	101.2	6.95	7.90	14:01:11	0.49	325.4
SB-RFE4	815376.5	823038.6	Mid Ebb	17.2	25.61	30.59	9.4	101.1	6.95	7.90	14:01:33	0.49	325.4
SB-RFE5	815889.8	823220.7	Mid Ebb	10.7	25.61	30.39	6.6	103.8	7.14	7.91	14:06:59	0.14	99.8
SB-RFE5	815890.3	823223.5	Mid Ebb	10.6	25.61	30.38	6.5	103.7	7.14	7.91	14:07:20	0.60	43.2
SB-RFE5	815892.6	823223.6	Mid Ebb	10.6	25.61	30.41	6.2	103.5	7.12	7.91	14:07:41	0.25	88.9
SB-RFE5	815897.3	823221.8	Mid Ebb	10.7	25.61	30.41	6.4	103.4	7.12	7.91	14:08:04	0.26	69.1
SB-RFE5	815904.0	823219.1	Mid Ebb	10.7	25.61	30.41	6.8	103.4	7.11	7.91	14:08:28	0.76	74.9
SB-RFE5	815910.3	823216.1	Mid Ebb	10.7	25.61	30.41	6.5	103.5	7.12	7.91	14:08:49	0.66	141.6
SB-RFE5	815917.8	823210.7	Mid Ebb	10.7	25.61	30.40	7.0	103.4	7.12	7.91	14:09:13	0.66	141.6
SB-RFE5	815925.1	823205.5	Mid Ebb	10.6	25.61	30.39	7.7	103.7	7.13	7.91	14:09:34	0.45	307.9
THB1	814505.9	817927.4	Mid Ebb	2.6	25.90	29.53	4.5	137.3	9.45	8.12	11:52:59	0.72	27.6
THB1	814505.4	817927.8	Mid Ebb	2.8	25.93	29.53	4.2	139.1	9.57	8.12	11:53:21	0.32	53.5
THB1	814504.9	817927.8	Mid Ebb	2.4	25.94	29.53	4.2	139.3	9.58	8.12	11:53:42	0.44	324.1
THB1	814504.5	817927.8	Mid Ebb	2.1	25.90	29.53	4.2	140.3	9.65	8.13	11:54:05	0.51	330.4
THB1	814504.7	817928.2	Mid Ebb	2.4	25.85	29.54	4.4	138.2	9.52	8.12	11:54:26	0.37	32.5
THB1	814505.6	817929.2	Mid Ebb	2.6	25.86	29.53	4.2	139.1	9.58	8.12	11:54:50	0.50	120.7
THB1	814507.0	817930.0	Mid Ebb	2.6	25.87	29.53	4.3	140.0	9.63	8.12	11:55:14	0.50	120.7
THB1	814507.7	817930.4	Mid Ebb	2.6	25.86	29.54	4.2	139.6	9.61	8.12	11:55:36	0.64	211.9
THB2	815879.3	818036.4	Mid Ebb	1.4	26.01	29.16	8.0	120.7	8.31	8.05	11:50:21	0.03	40
THB2	815878.6	818035.2	Mid Ebb	1.4	26.03	29.15	8.0	121.2	8.34	8.05	11:50:42	0.03	40
THB2	815878.1	818034.5	Mid Ebb	1.4	26.04	29.14	7.9	121.2	8.34	8.05	11:51:04	0.03	40
THB2	815878.2	818034.9	Mid Ebb	1.4	26.05	29.13	7.2	120.8	8.31	8.05	11:51:25	0.03	40
THB2	815878.3	818035.1	Mid Ebb	1.4	26.05	29.14	7.9	120.9	8.31	8.06	11:51:47	0.03	40
THB2	815877.7	818033.9	Mid Ebb	1.4	26.00	29.17	9.1	122.1	8.40	8.08	11:52:09	0.03	40
THB2	815876.7	818033.9	Mid Ebb	1.4	25.97	29.18	8.6	122.9	8.46	8.08	11:52:30	0.03	40
THB2	815875.6	818032.3	Mid Ebb	1.4	25.96	29.18	9.6	123.2	8.48	8.08	11:52:52	0.03	40
WSR45C	817438.0	820215.2	Mid Ebb	7.6	25.61	30.97	5.7	99.1	6.79	7.95	10:58:44	0.47	18.4
WSR45C	817440.6	820215.4	Mid Ebb	7.6	25.62	30.95	6.3	98.7	6.77	7.95	10:59:06	0.47	18.4
WSR45C	817440.4	820216.9	Mid Ebb	7.6	25.63	30.90	7.2	98.7	6.77	7.95	10:59:27	0.60	47.9
WSR45C	817440.5	820218.6	Mid Ebb	7.6	25.63	30.87	6.4	99.1	6.79	7.95	10:59:48	0.69	112.8
WSR45C	817438.5	820223.7	Mid Ebb	7.6	25.63	30.88	6.4	99.1	6.80	7.95	11:00:09	0.69	18.3
WSR45C	817438.3	820225.6	Mid Ebb	7.6	25.62	30.93	6.4	98.7	6.77	7.94	11:00:32	0.72	20.7
WSR45C	817439.6	820226.8	Mid Ebb	7.6	25.62	30.94	5.9	98.5	6.75	7.94	11:00:54	0.93	83.7
WSR45C	817441.7	820228.1	Mid Ebb	7.6	25.61	30.95	5.9	98.5	6.75	7.94	11:01:15	0.64	127.3
WSR46	813880.2	820976.1	Mid Ebb	5.3	25.61	29.40	7.1	112.6	7.79	7.98	13:25:19	0.68	80.5
WSR46	813882.9	820976.5	Mid Ebb	5.4	25.61	29.41	7.4	112.5	7.79	7.98	13:25:43	0.09	0.7
WSR46	813887.8	820974.7	Mid Ebb	5.5	25.60	29.39	7.1	112.8	7.81	7.98	13:26:07	0.11	25.7
WSR46	813894.2	820971.9	Mid Ebb	5.5	25.60	29.37	7.1	113.1	7.83	7.98	13:26:31	0.96	99.0

ROUTINE WATER QUALITY MONITORING for CMP 1**Date: 2 November 2013**

Pos. No.	Easting	Northing	Tide	Depth (m)	Temp.	Salinity	Turbidity(Ntu)	D.O.(%)	D.O.(mg/l)	pH	Time	Speed	Direction
WSR46	813897.3	820970.9	Mid Ebb	5.5	25.60	29.39	7.5	112.8	7.81	7.98	13:26:53	0.44	89.5
WSR46	813895.7	820972.4	Mid Ebb	5.4	25.60	29.45	8.0	112.6	7.79	7.98	13:27:15	0.12	282.4
WSR46	813893.6	820975.0	Mid Ebb	5.3	25.60	29.49	8.0	112.4	7.78	7.97	13:27:39	0.68	80.5
WSR46	813893.5	820976.4	Mid Ebb	5.4	25.60	29.54	8.2	111.9	7.74	7.97	13:28:03	0.68	80.5

Note: SB-INE/INF - Intermediate stations; SB-IPE/IPF - Impact stations; SB-RFE/RFF - Reference stations; MW - Ma Wan station; THB1/2 - Tai Ho Bai stations; WSR45C - Sham Shui Kok station; WSR46 - Tai Mo To station.