

ROUTINE WATER QUALITY MONITORING for CMP 1

Date: 12 November 2013

Pos. No.	Easting	Northing	Tide	Depth (m)	Temp.	Salinity	Turbidity(Ntu)	D.O.(%)	D.O.(mg/l)	pH	Time	Speed	Direction
MW1	823588.6	823650.1	Mid Ebb	11.3	24.86	31.55	4.7	86.2	5.97	7.79	6:38:05	0.27	35.9
MW1	823590.5	823649.8	Mid Ebb	11.0	24.86	31.55	4.2	86.1	5.96	7.80	6:38:26	0.30	153.9
MW1	823593.5	823649.9	Mid Ebb	10.9	24.86	31.55	4.0	86.2	5.97	7.81	6:38:46	0.87	65.9
MW1	823596.3	823652.1	Mid Ebb	10.9	24.86	31.55	4.3	86.5	5.99	7.81	6:39:07	0.76	121.3
MW1	823598.1	823655.9	Mid Ebb	10.9	24.86	31.55	4.0	86.7	6.00	7.82	6:39:28	0.30	231.6
MW1	823599.7	823658.5	Mid Ebb	10.9	24.87	31.55	4.1	86.7	6.00	7.82	6:39:51	0.14	100.0
MW1	823601.8	823660.5	Mid Ebb	10.9	24.87	31.55	4.1	86.9	6.01	7.83	6:40:12	0.29	261.7
MW1	823604.1	823662.0	Mid Ebb	10.9	24.87	31.55	4.1	87.0	6.02	7.83	6:40:33	0.57	116.8
SB-INE1	812317.7	818962.1	Mid Ebb	1.9	24.38	30.46	9.9	95.9	6.74	7.90	8:50:31	0.59	209.1
SB-INE1	812320.2	818969.5	Mid Ebb	1.9	24.37	30.45	10.1	95.8	6.73	7.91	8:50:54	0.30	271.0
SB-INE1	812319.3	818972.9	Mid Ebb	2.0	24.37	30.44	10.4	95.8	6.73	7.91	8:51:18	0.59	209.1
SB-INE1	812319.8	818974.8	Mid Ebb	2.0	24.36	30.43	10.3	95.7	6.73	7.91	8:51:42	0.59	209.1
SB-INE1	812321.2	818974.4	Mid Ebb	2.0	24.37	30.43	14.8	95.7	6.72	7.91	8:52:04	0.59	209.1
SB-INE1	812321.9	818973.4	Mid Ebb	2.0	24.37	30.44	17.0	95.7	6.72	7.91	8:52:25	0.59	209.1
SB-INE1	812320.5	818971.3	Mid Ebb	2.0	24.37	30.44	18.0	95.7	6.72	7.91	8:52:46	0.59	209.1
SB-INE1	812320.0	818968.8	Mid Ebb	2.0	24.37	30.44	16.4	95.7	6.72	7.91	8:53:07	0.16	153.9
SB-INE2	812463.2	818837.7	Mid Ebb	2.1	24.45	30.58	12.8	95.0	6.66	7.90	8:43:09	0.83	126.3
SB-INE2	812464.0	818842.2	Mid Ebb	2.0	24.45	30.58	12.5	94.7	6.64	7.90	8:43:31	0.25	284.5
SB-INE2	812460.2	818846.8	Mid Ebb	2.0	24.45	30.58	13.0	94.6	6.63	7.90	8:43:55	0.74	157.5
SB-INE2	812461.3	818854.3	Mid Ebb	2.0	24.45	30.58	12.1	94.6	6.63	7.90	8:44:19	0.74	157.5
SB-INE2	812457.2	818857.7	Mid Ebb	2.0	24.45	30.57	11.3	94.6	6.63	7.90	8:44:43	0.74	157.5
SB-INE2	812456.5	818864.2	Mid Ebb	2.0	24.45	30.58	11.7	94.7	6.64	7.90	8:45:04	0.74	157.5
SB-INE2	812454.5	818870.4	Mid Ebb	2.0	24.45	30.58	11.6	94.6	6.63	7.90	8:45:28	0.74	157.5
SB-INE2	812454.7	818879.3	Mid Ebb	2.0	24.45	30.58	11.8	94.5	6.63	7.90	8:45:51	0.59	209.1
SB-INE3	812944.6	818345.5	Mid Ebb	2.0	24.40	30.34	16.5	96.0	6.75	7.90	8:33:29	0.15	13.9
SB-INE3	812943.2	818351.6	Mid Ebb	2.1	24.40	30.34	16.9	95.6	6.72	7.90	8:33:50	0.42	243.7
SB-INE3	812942.7	818357.4	Mid Ebb	2.1	24.41	30.35	18.2	95.6	6.72	7.90	8:34:12	1.08	67.7
SB-INE3	812942.2	818362.4	Mid Ebb	2.1	24.41	30.36	16.5	95.6	6.71	7.90	8:34:33	0.22	168.8
SB-INE3	812942.7	818370.4	Mid Ebb	2.1	24.41	30.36	16.8	95.5	6.71	7.90	8:34:54	0.40	70.7
SB-INE3	812942.2	818377.6	Mid Ebb	2.0	24.41	30.36	16.7	95.6	6.71	7.90	8:35:17	0.61	274.4
SB-INE3	812941.0	818383.9	Mid Ebb	2.0	24.41	30.37	16.4	95.5	6.71	7.90	8:35:38	0.77	266.2
SB-INE3	812940.8	818391.5	Mid Ebb	2.1	24.41	30.38	16.9	95.5	6.71	7.90	8:36:02	1.02	351.8
SB-INE4	813242.5	818664.9	Mid Ebb	2.1	24.47	30.53	11.9	95.4	6.69	7.90	9:00:30	0.22	245.1
SB-INE4	813238.0	818669.8	Mid Ebb	2.1	24.47	30.53	11.8	95.1	6.67	7.90	9:00:53	1.20	241.9
SB-INE4	813240.2	818676.0	Mid Ebb	2.1	24.49	30.56	11.6	94.9	6.65	7.90	9:01:17	0.54	318.5
SB-INE4	813241.6	818673.4	Mid Ebb	2.1	24.48	30.54	12.6	94.9	6.65	7.91	9:01:40	0.12	235.5
SB-INE4	813238.1	818670.3	Mid Ebb	2.1	24.50	30.57	15.4	94.8	6.64	7.91	9:02:04	0.19	330.1
SB-INE4	813240.3	818664.3	Mid Ebb	2.1	24.49	30.56	24.5	94.7	6.64	7.91	9:02:28	0.16	291.2
SB-INE4	813242.9	818658.7	Mid Ebb	2.1	24.47	30.53	13.9	94.6	6.63	7.91	9:02:52	0.47	306.8

ROUTINE WATER QUALITY MONITORING for CMP 1

Date: 12 November 2013

Pos. No.	Easting	Northing	Tide	Depth (m)	Temp.	Salinity	Turbidity(Ntu)	D.O.(%)	D.O.(mg/l)	pH	Time	Speed	Direction
SB-INE4	813242.5	818655.0	Mid Ebb	2.1	24.45	30.48	11.1	95.0	6.66	7.91	9:03:16	0.63	136.7
SB-INE5	812590.9	817793.8	Mid Ebb	3.9	24.39	30.22	11.0	95.8	6.74	7.90	8:24:46	0.49	140.8
SB-INE5	812594.0	817799.3	Mid Ebb	3.8	24.40	30.23	11.3	95.6	6.72	7.90	8:25:07	0.21	115.9
SB-INE5	812599.1	817805.6	Mid Ebb	3.8	24.40	30.23	10.6	95.8	6.74	7.90	8:25:28	0.33	137.7
SB-INE5	812601.5	817806.9	Mid Ebb	3.8	24.40	30.23	11.0	95.7	6.73	7.90	8:25:49	0.87	230.7
SB-INE5	812604.1	817809.0	Mid Ebb	3.8	24.40	30.23	10.9	95.6	6.72	7.90	8:26:10	1.00	19.0
SB-INE5	812608.9	817815.8	Mid Ebb	3.8	24.40	30.23	10.8	95.7	6.73	7.90	8:26:33	0.33	276.6
SB-INE5	812608.6	817820.1	Mid Ebb	3.8	24.40	30.23	11.2	95.7	6.73	7.90	8:26:54	0.14	308.8
SB-INE5	812608.7	817825.9	Mid Ebb	3.8	24.40	30.23	11.5	95.8	6.74	7.90	8:27:18	0.34	75.4
SB-IPE1	814960.9	818241.7	Mid Ebb	2.6	24.51	30.55	7.1	93.9	6.58	7.90	7:59:51	0.67	111.8
SB-IPE1	814964.4	818252.3	Mid Ebb	2.4	24.53	30.58	7.1	93.6	6.55	7.90	8:00:13	0.34	324.3
SB-IPE1	814968.2	818261.6	Mid Ebb	2.4	24.52	30.57	7.2	93.7	6.56	7.90	8:00:35	0.41	306.3
SB-IPE1	814969.1	818270.0	Mid Ebb	2.4	24.52	30.57	7.1	93.8	6.57	7.90	8:00:56	0.77	122.0
SB-IPE1	814972.6	818280.8	Mid Ebb	2.3	24.53	30.58	6.9	93.8	6.57	7.90	8:01:17	0.22	341.7
SB-IPE1	814973.2	818287.0	Mid Ebb	2.4	24.54	30.61	6.8	93.5	6.54	7.90	8:01:40	0.85	261.8
SB-IPE1	814974.3	818293.8	Mid Ebb	2.5	24.54	30.61	7.1	93.5	6.54	7.90	8:02:02	0.94	0.9
SB-IPE1	814976.8	818301.9	Mid Ebb	2.5	24.53	30.59	6.7	93.5	6.55	7.90	8:02:25	0.16	200.8
SB-IPE2	815260.8	818560.5	Mid Ebb	2.5	24.63	30.86	6.4	92.0	6.42	7.89	7:51:54	1.37	328.7
SB-IPE2	815257.3	818568.8	Mid Ebb	2.6	24.63	30.86	6.2	92.0	6.42	7.89	7:52:15	0.64	27.4
SB-IPE2	815256.3	818581.0	Mid Ebb	2.6	24.63	30.87	6.3	92.0	6.42	7.89	7:52:36	0.44	345.0
SB-IPE2	815257.2	818592.3	Mid Ebb	2.5	24.63	30.87	6.3	92.0	6.42	7.89	7:52:57	1.27	336.2
SB-IPE2	815255.3	818600.4	Mid Ebb	2.6	24.64	30.89	6.3	91.7	6.40	7.89	7:53:18	0.60	340.1
SB-IPE2	815253.3	818612.1	Mid Ebb	2.7	24.64	30.90	6.0	91.6	6.39	7.89	7:53:41	1.03	332.1
SB-IPE2	815253.0	818624.9	Mid Ebb	2.5	24.64	30.90	6.4	91.7	6.40	7.89	7:54:02	0.28	285.3
SB-IPE2	815252.1	818636.1	Mid Ebb	2.5	24.64	30.91	5.5	91.6	6.39	7.89	7:54:26	0.95	24.9
SB-IPE3	815537.2	818900.5	Mid Ebb	3.0	24.69	31.01	5.0	91.1	6.35	7.88	7:44:01	0.09	202.7
SB-IPE3	815536.8	818906.9	Mid Ebb	2.6	24.71	31.03	5.2	90.7	6.31	7.89	7:44:24	0.33	149.4
SB-IPE3	815535.5	818914.8	Mid Ebb	2.5	24.70	31.02	5.0	90.7	6.31	7.89	7:44:48	0.14	320.9
SB-IPE3	815536.3	818923.9	Mid Ebb	2.5	24.71	31.04	4.8	90.5	6.30	7.89	7:45:10	0.41	220.0
SB-IPE3	815537.0	818931.9	Mid Ebb	2.5	24.70	31.03	4.8	90.6	6.31	7.89	7:45:31	0.35	359.2
SB-IPE3	815537.7	818940.8	Mid Ebb	2.5	24.70	31.03	4.8	90.6	6.31	7.89	7:45:52	0.42	352.3
SB-IPE3	815536.4	818948.3	Mid Ebb	2.5	24.70	31.04	4.7	90.5	6.30	7.89	7:46:13	0.78	86.3
SB-IPE3	815536.1	818959.6	Mid Ebb	2.5	24.71	31.05	4.8	90.6	6.30	7.89	7:46:36	0.22	205.2
SB-IPE4	815793.3	819211.1	Mid Ebb	3.8	24.81	31.30	5.2	90.5	6.28	7.88	7:36:20	0.37	233.7
SB-IPE4	815787.1	819208.6	Mid Ebb	3.8	24.83	31.31	5.8	89.9	6.23	7.88	7:36:42	0.44	288.6
SB-IPE4	815779.9	819205.5	Mid Ebb	3.7	24.81	31.30	5.2	89.9	6.24	7.88	7:37:03	0.28	334.2
SB-IPE4	815770.5	819203.1	Mid Ebb	3.6	24.81	31.30	5.0	90.0	6.24	7.88	7:37:26	1.62	119.6
SB-IPE4	815759.7	819203.4	Mid Ebb	3.4	24.81	31.31	5.1	89.9	6.24	7.88	7:37:48	0.69	223.5
SB-IPE4	815749.2	819206.6	Mid Ebb	3.5	24.81	31.31	5.1	89.9	6.24	7.88	7:38:11	0.25	181.4

ROUTINE WATER QUALITY MONITORING for CMP 1

Date: 12 November 2013

Pos. No.	Easting	Northing	Tide	Depth (m)	Temp.	Salinity	Turbidity(Ntu)	D.O.(%)	D.O.(mg/l)	pH	Time	Speed	Direction
SB-IPE4	815739.6	819209.6	Mid Ebb	3.7	24.81	31.31	4.9	89.9	6.24	7.88	7:38:35	0.29	231.4
SB-IPE4	815730.0	819211.7	Mid Ebb	3.8	24.81	31.31	4.9	89.9	6.24	7.88	7:38:56	0.08	137.1
SB-IPE5	816056.1	819620.7	Mid Ebb	4.6	24.85	31.39	4.9	89.8	6.22	7.88	7:28:01	0.14	159.1
SB-IPE5	816052.6	819630.5	Mid Ebb	4.5	24.85	31.39	4.8	89.5	6.20	7.88	7:28:22	0.36	114.2
SB-IPE5	816051.6	819639.2	Mid Ebb	4.5	24.86	31.39	5.3	89.3	6.19	7.88	7:28:43	0.47	28.9
SB-IPE5	816053.2	819649.6	Mid Ebb	4.6	24.85	31.39	4.7	89.3	6.19	7.88	7:29:04	1.05	67.1
SB-IPE5	816054.0	819657.6	Mid Ebb	4.6	24.86	31.39	4.9	89.2	6.18	7.88	7:29:27	0.72	314.9
SB-IPE5	816056.1	819665.8	Mid Ebb	4.7	24.87	31.40	5.3	89.0	6.16	7.88	7:29:48	0.52	59.3
SB-IPE5	816057.8	819676.3	Mid Ebb	4.6	24.87	31.40	5.0	89.0	6.16	7.88	7:30:09	0.75	264.2
SB-IPE5	816060.1	819686.0	Mid Ebb	4.6	24.87	31.40	5.0	88.9	6.16	7.88	7:30:30	0.75	264.2
SB-RFE1	814220.3	822147.8	Mid Ebb	5.6	24.81	31.18	7.1	91.0	6.32	7.91	9:36:08	0.78	123.5
SB-RFE1	814225.5	822155.1	Mid Ebb	5.8	24.80	31.18	6.8	90.7	6.30	7.91	9:36:30	0.59	42.5
SB-RFE1	814227.9	822161.4	Mid Ebb	5.9	24.81	31.18	6.7	90.6	6.29	7.91	9:36:52	0.91	119.7
SB-RFE1	814233.5	822171.9	Mid Ebb	5.9	24.81	31.18	7.4	90.5	6.28	7.91	9:37:13	0.78	118.2
SB-RFE1	814239.8	822183.2	Mid Ebb	5.6	24.81	31.18	6.9	90.5	6.29	7.91	9:37:36	0.44	54.9
SB-RFE1	814245.2	822190.9	Mid Ebb	5.8	24.81	31.18	6.7	90.6	6.29	7.91	9:37:58	0.47	47.9
SB-RFE1	814247.9	822195.9	Mid Ebb	6.0	24.81	31.18	7.1	90.5	6.28	7.91	9:38:19	0.91	119.7
SB-RFE1	814255.3	822206.6	Mid Ebb	5.9	24.82	31.18	8.0	90.3	6.27	7.91	9:38:42	0.91	119.7
SB-RFE2	814545.0	822468.9	Mid Ebb	7.0	24.81	31.19	8.0	90.6	6.29	7.91	9:43:32	0.78	168.9
SB-RFE2	814543.7	822472.6	Mid Ebb	6.9	24.80	31.18	7.0	90.5	6.29	7.91	9:43:53	0.78	168.9
SB-RFE2	814543.7	822476.2	Mid Ebb	6.8	24.80	31.18	6.8	90.5	6.28	7.91	9:44:15	0.90	85.6
SB-RFE2	814543.1	822482.1	Mid Ebb	6.9	24.81	31.18	7.0	90.4	6.28	7.91	9:44:38	1.58	42.6
SB-RFE2	814548.9	822491.0	Mid Ebb	6.9	24.81	31.19	7.7	90.2	6.27	7.91	9:44:59	1.90	60.6
SB-RFE2	814557.2	822502.8	Mid Ebb	6.9	24.81	31.19	8.1	90.2	6.26	7.91	9:45:23	0.78	168.9
SB-RFE2	814565.3	822513.3	Mid Ebb	6.9	24.81	31.19	7.8	90.1	6.26	7.91	9:45:47	0.92	69.9
SB-RFE2	814567.5	822520.2	Mid Ebb	7.0	24.81	31.19	7.8	90.1	6.26	7.91	9:46:11	0.78	168.9
SB-RFE3	814943.9	822772.7	Mid Ebb	13.7	24.93	31.07	4.7	90.8	6.30	7.90	9:52:11	0.96	70.8
SB-RFE3	814955.5	822778.8	Mid Ebb	13.6	24.94	31.06	4.6	90.8	6.30	7.90	9:52:32	0.43	353.9
SB-RFE3	814961.0	822781.5	Mid Ebb	13.5	24.92	31.08	4.7	90.7	6.29	7.91	9:52:53	0.87	57.0
SB-RFE3	814976.2	822784.8	Mid Ebb	13.5	24.92	31.08	4.7	90.5	6.27	7.90	9:53:16	0.58	201.8
SB-RFE3	814990.4	822786.0	Mid Ebb	13.6	24.90	31.09	4.7	90.4	6.27	7.91	9:53:40	0.27	170.5
SB-RFE3	814999.1	822785.3	Mid Ebb	13.6	24.89	31.10	4.6	90.3	6.27	7.90	9:54:01	0.37	106.6
SB-RFE3	815012.2	822790.7	Mid Ebb	13.5	24.91	31.09	4.7	90.5	6.28	7.91	9:54:25	0.41	77.4
SB-RFE3	815022.5	822797.0	Mid Ebb	13.5	24.90	31.09	4.7	90.4	6.27	7.91	9:54:49	0.84	101.0
SB-RFE4	815372.1	823051.5	Mid Ebb	16.6	24.86	31.18	7.0	89.5	6.21	7.90	10:00:17	1.18	52.8
SB-RFE4	815380.3	823058.2	Mid Ebb	17.2	24.86	31.17	6.8	89.4	6.20	7.90	10:00:41	0.42	129.4
SB-RFE4	815384.0	823062.2	Mid Ebb	17.1	24.86	31.18	7.0	89.4	6.20	7.90	10:01:02	0.47	208.9
SB-RFE4	815388.2	823070.3	Mid Ebb	16.6	24.86	31.17	6.7	89.4	6.20	7.90	10:01:26	0.08	82.8
SB-RFE4	815394.4	823081.7	Mid Ebb	16.4	24.86	31.16	6.2	89.4	6.21	7.90	10:01:50	0.71	89.0

ROUTINE WATER QUALITY MONITORING for CMP 1

Date: 12 November 2013

Pos. No.	Easting	Northing	Tide	Depth (m)	Temp.	Salinity	Turbidity(Ntu)	D.O.(%)	D.O.(mg/l)	pH	Time	Speed	Direction
SB-RFE4	815400.7	823092.2	Mid Ebb	16.1	24.86	31.16	6.5	89.4	6.20	7.90	10:02:14	1.03	45.8
SB-RFE4	815403.1	823095.8	Mid Ebb	16.7	24.86	31.16	6.5	89.4	6.20	7.90	10:02:35	0.52	78.9
SB-RFE4	815403.7	823098.7	Mid Ebb	16.6	24.86	31.15	6.4	89.4	6.21	7.90	10:02:59	0.60	213.4
SB-RFE5	815887.9	823241.4	Mid Ebb	10.2	24.89	31.25	6.5	89.0	6.17	7.90	10:08:40	0.20	89.1
SB-RFE5	815892.3	823248.3	Mid Ebb	10.9	24.89	31.25	6.4	88.8	6.15	7.90	10:09:02	1.24	41.4
SB-RFE5	815897.5	823255.5	Mid Ebb	11.0	24.89	31.24	6.1	88.7	6.15	7.90	10:09:23	0.69	34.6
SB-RFE5	815902.7	823266.4	Mid Ebb	10.2	24.89	31.23	6.0	88.9	6.16	7.90	10:09:44	0.93	101.4
SB-RFE5	815910.6	823277.7	Mid Ebb	10.0	24.89	31.22	6.1	88.9	6.16	7.90	10:10:05	1.42	97.7
SB-RFE5	815914.7	823284.4	Mid Ebb	10.5	24.88	31.22	6.0	88.9	6.16	7.90	10:10:28	0.77	90.3
SB-RFE5	815919.8	823291.5	Mid Ebb	10.5	24.88	31.22	6.1	88.9	6.16	7.90	10:10:52	0.45	278.1
SB-RFE5	815926.5	823300.0	Mid Ebb	10.5	24.88	31.21	6.0	88.9	6.17	7.90	10:11:16	1.04	55.0
THB1	814522.7	817952.3	Mid Ebb	2.6	24.42	30.39	8.5	94.9	6.66	7.89	8:08:53	1.05	73.2
THB1	814526.9	817958.2	Mid Ebb	2.6	24.42	30.38	8.8	94.7	6.65	7.90	8:09:15	1.05	73.2
THB1	814529.7	817964.1	Mid Ebb	2.6	24.42	30.39	8.6	94.6	6.65	7.90	8:09:37	0.85	350.0
THB1	814534.2	817970.8	Mid Ebb	2.6	24.41	30.38	8.2	94.7	6.65	7.90	8:09:58	0.36	192.0
THB1	814533.5	817975.7	Mid Ebb	2.7	24.41	30.39	8.1	94.6	6.65	7.90	8:10:21	0.31	72.6
THB1	814535.9	817981.9	Mid Ebb	2.7	24.41	30.38	8.1	94.6	6.65	7.90	8:10:45	1.16	102.5
THB1	814540.0	817990.8	Mid Ebb	2.6	24.41	30.38	8.5	94.6	6.64	7.90	8:11:09	1.16	102.5
THB1	814541.7	817997.4	Mid Ebb	2.7	24.41	30.38	8.2	94.6	6.64	7.90	8:11:33	0.46	255.1
WSR45C	817412.5	820205.7	Mid Ebb	7.4	24.89	31.41	4.4	89.2	6.17	7.88	7:16:22	0.77	89.6
WSR45C	817407.3	820206.2	Mid Ebb	7.5	24.91	31.42	4.8	88.6	6.13	7.88	7:16:44	0.53	35.8
WSR45C	817403.0	820207.1	Mid Ebb	7.6	24.89	31.41	4.5	88.6	6.14	7.88	7:17:05	0.49	39.6
WSR45C	817397.7	820209.3	Mid Ebb	7.6	24.89	31.41	4.3	88.5	6.13	7.88	7:17:26	0.49	39.6
WSR45C	817391.2	820213.5	Mid Ebb	7.6	24.89	31.41	4.3	88.5	6.13	7.88	7:17:47	0.54	291.6
WSR45C	817385.3	820219.2	Mid Ebb	7.6	24.88	31.40	4.2	88.5	6.13	7.88	7:18:08	0.72	184.3
WSR45C	817378.8	820223.3	Mid Ebb	7.6	24.87	31.40	4.1	88.6	6.14	7.88	7:18:30	0.15	330.1
WSR45C	817370.8	820226.0	Mid Ebb	7.5	24.88	31.41	4.4	88.5	6.13	7.88	7:18:50	0.15	211.0
WSR46	813894.6	820983.8	Mid Ebb	5.5	24.71	30.89	7.7	92.5	6.44	7.91	9:24:43	0.64	150.8
WSR46	813898.8	820991.9	Mid Ebb	5.5	24.71	30.90	8.3	92.1	6.42	7.91	9:25:04	0.64	150.8
WSR46	813906.1	821002.5	Mid Ebb	5.1	24.71	30.90	7.8	92.0	6.41	7.91	9:25:26	0.32	119.6
WSR46	813912.6	821009.7	Mid Ebb	5.3	24.71	30.88	7.6	92.2	6.42	7.91	9:25:47	0.68	146.7
WSR46	813919.1	821018.3	Mid Ebb	5.5	24.70	30.82	7.0	92.5	6.45	7.91	9:26:08	0.64	150.8
WSR46	813927.4	821027.2	Mid Ebb	5.5	24.69	30.83	6.8	92.5	6.45	7.91	9:26:31	0.64	150.8
WSR46	813928.9	821033.4	Mid Ebb	5.5	24.69	30.79	6.7	92.9	6.48	7.91	9:26:55	0.64	150.8
WSR46	813933.8	821044.8	Mid Ebb	5.3	24.70	30.85	7.4	92.5	6.45	7.91	9:27:17	0.20	347.5

Note: SB-INE/INF - Intermediate stations; SB-IPE/IPF - Impact stations; SB-RFE/RFF - Reference stations; MW - Ma Wan station; THB1/2 - Tai Ho Bai stations; WSR45C - Sham Shui Kok station; WSR46 - Tai Mo To station.