

**ROUTINE WATER QUALITY MONITORING for CMP 1**

**Date: 14 November 2013**

Pos. No.	Easting	Northing	Tide	Depth (m)	Temp.	Salinity	Turbidity(Ntu)	D.O.(%)	D.O.(mg/l)	pH	Time	Speed	Direction
MW1	823598.9	823625.3	Mid Ebb	10.6	24.29	31.84	5.5	84.5	5.90	7.84	9:31:24	0.10	189.2
MW1	823597.4	823622.5	Mid Ebb	10.5	24.30	31.85	5.2	84.4	5.89	7.85	9:31:45	0.30	80.9
MW1	823597.6	823618.6	Mid Ebb	10.5	24.30	31.86	5.7	84.6	5.90	7.85	9:32:06	0.73	129.0
MW1	823599.2	823614.0	Mid Ebb	10.6	24.30	31.85	5.5	84.3	5.88	7.85	9:32:27	0.78	39.3
MW1	823602.0	823609.4	Mid Ebb	10.6	24.30	31.85	5.7	84.3	5.88	7.86	9:32:50	0.78	39.3
MW1	823604.4	823607.4	Mid Ebb	10.5	24.30	31.86	5.3	84.6	5.90	7.86	9:33:11	0.37	268.8
MW1	823607.7	823606.5	Mid Ebb	10.4	24.30	31.86	5.0	84.8	5.92	7.86	9:33:35	0.20	88.0
MW1	823611.5	823605.6	Mid Ebb	10.5	24.30	31.85	5.6	84.8	5.92	7.86	9:33:56	0.43	78.3
SB-INE1	812321.6	818973.6	Mid Ebb	1.5	23.67	30.34	7.3	91.4	6.51	7.88	11:40:59	0.06	221.4
SB-INE1	812319.1	818975.8	Mid Ebb	1.5	23.67	30.34	7.2	91.0	6.47	7.88	11:41:20	0.46	222.3
SB-INE1	812316.8	818976.9	Mid Ebb	1.5	23.67	30.34	7.2	90.8	6.46	7.88	11:41:41	0.21	259.7
SB-INE1	812314.2	818977.5	Mid Ebb	1.5	23.71	30.34	6.4	90.9	6.46	7.88	11:42:02	0.53	64.7
SB-INE1	812311.2	818977.7	Mid Ebb	1.5	23.70	30.34	6.6	91.0	6.47	7.88	11:42:23	0.19	191.2
SB-INE1	812308.2	818977.6	Mid Ebb	1.5	23.69	30.34	6.7	90.8	6.46	7.88	11:42:46	0.01	278.1
SB-INE1	812305.7	818977.7	Mid Ebb	1.5	23.74	30.34	5.9	91.0	6.47	7.88	11:43:08	0.47	241.2
SB-INE1	812303.3	818977.7	Mid Ebb	1.5	23.74	30.34	6.1	91.1	6.47	7.88	11:43:30	0.48	209.8
SB-INE2	812444.7	818811.0	Mid Ebb	1.5	23.72	30.31	5.4	92.1	6.55	7.88	11:49:14	0.97	170.6
SB-INE2	812442.2	818805.7	Mid Ebb	1.5	23.73	30.31	5.4	91.9	6.54	7.88	11:49:36	0.97	170.6
SB-INE2	812438.0	818800.9	Mid Ebb	1.5	23.70	30.32	5.5	91.8	6.53	7.88	11:50:00	0.98	33.9
SB-INE2	812433.5	818796.7	Mid Ebb	1.5	23.69	30.32	5.5	91.8	6.53	7.88	11:50:24	0.30	34.0
SB-INE2	812428.9	818792.9	Mid Ebb	1.5	23.69	30.32	5.6	91.8	6.53	7.88	11:50:48	0.27	48.7
SB-INE2	812424.4	818789.3	Mid Ebb	1.5	23.69	30.32	5.8	91.8	6.53	7.88	11:51:12	0.36	41.7
SB-INE2	812420.4	818786.0	Mid Ebb	1.5	23.69	30.32	5.7	91.7	6.52	7.88	11:51:35	0.35	335.8
SB-INE2	812416.5	818782.7	Mid Ebb	1.5	23.68	30.32	5.7	91.8	6.54	7.88	11:51:59	0.24	213.2
SB-INE3	812939.3	818335.5	Mid Ebb	1.4	23.78	30.35	29.3	90.2	6.40	7.87	11:59:59	0.43	136.1
SB-INE3	812941.3	818335.4	Mid Ebb	1.4	23.79	30.35	27.4	90.2	6.41	7.87	12:00:20	0.63	267.7
SB-INE3	812942.8	818335.6	Mid Ebb	1.5	23.80	30.34	27.0	90.1	6.39	7.87	12:00:43	0.42	75.1
SB-INE3	812943.1	818336.0	Mid Ebb	1.5	23.80	30.34	26.2	90.1	6.40	7.87	12:01:05	0.29	16.1
SB-INE3	812943.1	818336.2	Mid Ebb	1.5	23.79	30.34	13.3	90.0	6.39	7.87	12:01:28	0.29	149.4
SB-INE3	812943.1	818336.2	Mid Ebb	1.5	23.78	30.33	11.9	89.6	6.36	7.87	12:01:52	0.30	276.6
SB-INE3	812942.8	818335.9	Mid Ebb	1.5	23.78	30.33	10.7	89.4	6.35	7.87	12:02:16	0.30	276.6
SB-INE3	812942.9	818335.5	Mid Ebb	1.5	23.79	30.35	10.6	89.8	6.38	7.87	12:02:37	0.81	97.1
SB-INE4	813241.7	818657.8	Mid Ebb	2.0	23.91	30.33	38.3	91.6	6.49	7.87	12:08:39	0.59	59.2
SB-INE4	813242.2	818659.9	Mid Ebb	2.0	23.84	30.34	14.1	90.4	6.42	7.87	12:09:00	0.45	288.2
SB-INE4	813242.5	818661.7	Mid Ebb	2.0	23.87	30.33	19.4	90.7	6.43	7.87	12:09:22	1.13	357.0
SB-INE4	813242.5	818663.0	Mid Ebb	2.0	23.86	30.34	32.2	90.6	6.43	7.87	12:09:43	0.46	241.1
SB-INE4	813242.6	818664.0	Mid Ebb	2.1	23.87	30.34	23.4	90.5	6.42	7.87	12:10:04	0.45	288.2
SB-INE4	813242.6	818664.7	Mid Ebb	2.0	23.88	30.34	22.2	90.6	6.42	7.87	12:10:27	0.29	16.2
SB-INE4	813242.7	818664.9	Mid Ebb	2.0	23.89	30.33	19.5	90.4	6.41	7.87	12:10:49	0.61	301.0

**ROUTINE WATER QUALITY MONITORING for CMP 1**

**Date: 14 November 2013**

Pos. No.	Easting	Northing	Tide	Depth (m)	Temp.	Salinity	Turbidity(Ntu)	D.O.(%)	D.O.(mg/l)	pH	Time	Speed	Direction
SB-INE4	813242.7	818664.9	Mid Ebb	2.1	23.88	30.34	24.0	90.3	6.40	7.87	12:11:10	0.48	41.9
SB-INE5	812579.6	817792.5	Mid Ebb	3.4	23.74	30.33	11.4	89.2	6.34	7.87	11:25:34	0.32	34.6
SB-INE5	812579.3	817793.6	Mid Ebb	3.5	23.74	30.32	11.2	88.8	6.31	7.87	11:25:57	0.74	48.4
SB-INE5	812579.2	817795.1	Mid Ebb	3.5	23.75	30.33	11.3	88.6	6.30	7.87	11:26:21	0.74	48.4
SB-INE5	812579.2	817796.7	Mid Ebb	3.5	23.75	30.33	12.1	88.6	6.29	7.87	11:26:45	0.74	48.4
SB-INE5	812579.4	817798.6	Mid Ebb	3.5	23.75	30.33	11.5	88.5	6.29	7.87	11:27:07	0.24	60.4
SB-INE5	812580.1	817801.0	Mid Ebb	3.5	23.75	30.35	13.7	88.5	6.29	7.87	11:27:30	0.24	60.4
SB-INE5	812581.1	817803.5	Mid Ebb	3.5	23.75	30.35	13.1	88.5	6.29	7.87	11:27:54	0.24	60.4
SB-INE5	812582.1	817805.8	Mid Ebb	3.5	23.75	30.34	12.7	88.5	6.29	7.87	11:28:17	0.24	60.4
SB-IPE1	814928.9	818234.1	Mid Ebb	2.1	23.96	30.34	8.2	89.6	6.34	7.87	11:01:44	0.70	171.3
SB-IPE1	814926.6	818226.2	Mid Ebb	2.2	23.93	30.29	7.8	89.1	6.31	7.87	11:02:06	0.70	171.3
SB-IPE1	814925.4	818219.0	Mid Ebb	1.9	23.88	30.24	7.5	88.7	6.30	7.87	11:02:28	0.58	24.2
SB-IPE1	814925.2	818212.0	Mid Ebb	1.7	23.89	30.24	7.3	88.7	6.29	7.87	11:02:51	0.28	211.9
SB-IPE1	814925.4	818205.8	Mid Ebb	1.8	23.90	30.27	7.7	88.7	6.29	7.87	11:03:15	0.24	278.2
SB-IPE1	814924.9	818201.9	Mid Ebb	2.2	23.94	30.33	8.7	88.7	6.28	7.87	11:03:36	0.70	171.3
SB-IPE1	814925.5	818198.2	Mid Ebb	2.1	23.91	30.29	7.5	88.6	6.28	7.87	11:04:00	0.25	8.2
SB-IPE1	814926.8	818194.8	Mid Ebb	1.9	23.90	30.27	7.7	88.4	6.27	7.87	11:04:24	0.09	96.5
SB-IPE2	815249.5	818538.6	Mid Ebb	2.0	24.01	30.35	8.1	90.5	6.40	7.88	10:53:29	0.19	194.3
SB-IPE2	815246.8	818537.1	Mid Ebb	1.9	24.01	30.36	8.5	89.9	6.36	7.88	10:53:50	0.13	191.1
SB-IPE2	815243.7	818537.0	Mid Ebb	2.0	24.01	30.36	8.1	89.6	6.34	7.88	10:54:13	0.56	334.9
SB-IPE2	815240.7	818537.1	Mid Ebb	2.1	24.01	30.36	8.3	89.7	6.34	7.88	10:54:37	0.36	257.4
SB-IPE2	815238.3	818537.9	Mid Ebb	2.0	24.01	30.35	8.2	89.5	6.33	7.88	10:54:58	0.48	203.8
SB-IPE2	815235.5	818538.7	Mid Ebb	1.8	24.01	30.35	8.0	89.5	6.33	7.88	10:55:22	0.32	227.9
SB-IPE2	815233.3	818540.3	Mid Ebb	2.0	24.01	30.35	8.1	89.4	6.32	7.88	10:55:46	0.78	252.0
SB-IPE2	815231.8	818541.7	Mid Ebb	2.1	24.00	30.34	8.0	89.3	6.32	7.88	10:56:10	0.94	62.0
SB-IPE3	815533.0	818876.2	Mid Ebb	2.5	24.05	30.37	8.5	88.8	6.27	7.88	10:41:35	0.25	80.9
SB-IPE3	815533.0	818873.7	Mid Ebb	2.5	24.04	30.37	7.9	88.7	6.27	7.88	10:41:56	0.25	80.9
SB-IPE3	815532.8	818870.4	Mid Ebb	2.5	24.04	30.37	7.8	88.9	6.28	7.88	10:42:20	0.25	80.9
SB-IPE3	815532.4	818867.2	Mid Ebb	2.5	24.03	30.36	7.6	88.8	6.28	7.88	10:42:44	0.42	20.0
SB-IPE3	815531.9	818863.7	Mid Ebb	2.5	24.03	30.36	7.8	88.9	6.29	7.88	10:43:08	0.18	284.0
SB-IPE3	815531.5	818860.6	Mid Ebb	2.5	24.03	30.36	8.1	88.9	6.29	7.88	10:43:29	0.33	20.3
SB-IPE3	815530.9	818857.1	Mid Ebb	2.5	24.03	30.37	8.2	88.8	6.28	7.88	10:43:53	0.73	189.0
SB-IPE3	815530.2	818853.5	Mid Ebb	2.5	24.03	30.37	8.4	88.8	6.28	7.88	10:44:17	0.44	59.6
SB-IPE4	815793.3	819173.9	Mid Ebb	2.9	24.09	30.44	6.0	89.5	6.32	7.88	10:31:29	0.58	41.5
SB-IPE4	815793.7	819171.6	Mid Ebb	2.9	24.11	30.46	6.1	89.2	6.29	7.88	10:31:50	0.65	73.7
SB-IPE4	815794.1	819169.7	Mid Ebb	3.1	24.11	30.46	6.2	88.9	6.28	7.88	10:32:11	0.83	259.1
SB-IPE4	815794.5	819168.4	Mid Ebb	3.0	24.11	30.45	6.0	88.9	6.27	7.88	10:32:32	0.81	69.6
SB-IPE4	815795.0	819167.4	Mid Ebb	2.9	24.11	30.44	6.1	89.0	6.28	7.88	10:32:55	0.56	105.6
SB-IPE4	815796.3	819166.9	Mid Ebb	3.1	24.10	30.44	5.9	89.1	6.29	7.88	10:33:18	0.36	131.9

**ROUTINE WATER QUALITY MONITORING for CMP 1**

**Date: 14 November 2013**

Pos. No.	Easting	Northing	Tide	Depth (m)	Temp.	Salinity	Turbidity(Ntu)	D.O.(%)	D.O.(mg/l)	pH	Time	Speed	Direction
SB-IPE4	815797.6	819166.9	Mid Ebb	3.1	24.09	30.44	6.0	89.1	6.29	7.88	10:33:39	0.26	83.5
SB-IPE4	815798.8	819167.0	Mid Ebb	2.9	24.09	30.43	6.0	89.1	6.29	7.88	10:34:00	0.60	110.3
SB-IPE5	816070.0	819610.6	Mid Ebb	4.0	24.07	30.45	5.5	90.0	6.36	7.88	10:23:29	0.38	29.7
SB-IPE5	816072.3	819610.1	Mid Ebb	4.0	24.07	30.45	5.5	89.8	6.34	7.88	10:23:51	0.38	29.7
SB-IPE5	816075.2	819609.3	Mid Ebb	4.0	24.06	30.45	5.3	89.6	6.33	7.88	10:24:14	0.38	29.7
SB-IPE5	816078.8	819608.7	Mid Ebb	4.0	24.07	30.45	5.3	89.6	6.33	7.88	10:24:38	0.38	29.7
SB-IPE5	816082.4	819608.3	Mid Ebb	4.0	24.07	30.45	5.5	89.6	6.33	7.88	10:24:58	0.50	120.4
SB-IPE5	816086.1	819607.8	Mid Ebb	4.0	24.06	30.45	5.4	89.5	6.32	7.88	10:25:19	0.45	9.1
SB-IPE5	816089.8	819607.1	Mid Ebb	4.0	24.07	30.45	5.4	89.4	6.31	7.88	10:25:40	0.63	104.8
SB-IPE5	816094.4	819606.6	Mid Ebb	4.0	24.07	30.44	5.4	89.4	6.31	7.88	10:26:04	0.54	48.1
SB-RFE1	814231.8	822112.5	Mid Ebb	4.9	24.24	30.07	11.8	90.5	6.38	7.87	12:42:49	1.00	42.0
SB-RFE1	814243.9	822110.1	Mid Ebb	5.1	24.30	30.01	8.7	90.5	6.38	7.86	12:43:13	0.68	22.0
SB-RFE1	814256.3	822108.2	Mid Ebb	5.0	24.25	30.08	11.1	90.3	6.37	7.87	12:43:37	0.53	74.0
SB-RFE1	814268.9	822106.3	Mid Ebb	4.9	24.23	30.11	11.4	90.2	6.37	7.87	12:44:01	0.36	66.7
SB-RFE1	814281.8	822104.2	Mid Ebb	5.0	24.25	30.08	10.6	90.2	6.37	7.87	12:44:25	0.75	114.0
SB-RFE1	814295.3	822101.8	Mid Ebb	5.0	24.29	30.02	9.2	90.3	6.37	7.86	12:44:49	0.62	97.9
SB-RFE1	814309.2	822099.3	Mid Ebb	5.0	24.29	30.02	9.6	90.4	6.37	7.86	12:45:13	0.54	131.9
SB-RFE1	814322.7	822095.6	Mid Ebb	5.0	24.26	30.06	10.4	90.3	6.37	7.86	12:45:37	0.43	332.4
SB-RFE2	814509.5	822468.2	Mid Ebb	6.4	24.24	30.21	11.8	90.2	6.36	7.86	12:52:14	1.42	48.5
SB-RFE2	814520.2	822466.1	Mid Ebb	6.4	24.25	30.21	11.0	90.0	6.35	7.86	12:52:36	0.26	133.1
SB-RFE2	814531.2	822463.4	Mid Ebb	6.4	24.27	30.20	9.6	89.9	6.34	7.86	12:53:00	0.55	103.8
SB-RFE2	814542.2	822461.0	Mid Ebb	6.5	24.27	30.20	9.3	89.6	6.32	7.86	12:53:24	0.74	167.2
SB-RFE2	814552.9	822458.7	Mid Ebb	6.5	24.28	30.19	8.9	89.5	6.31	7.86	12:53:47	0.69	100.6
SB-RFE2	814564.4	822456.5	Mid Ebb	6.5	24.26	30.20	10.3	89.5	6.31	7.86	12:54:11	0.44	135.5
SB-RFE2	814575.7	822454.3	Mid Ebb	6.5	24.25	30.20	11.0	89.5	6.31	7.86	12:54:35	0.67	63.9
SB-RFE2	814586.8	822452.7	Mid Ebb	6.5	24.26	30.20	10.9	89.5	6.31	7.86	12:54:59	0.44	110.3
SB-RFE3	814917.6	822792.3	Mid Ebb	13.4	24.25	30.63	15.2	88.7	6.24	7.87	13:01:59	0.38	155.0
SB-RFE3	814928.6	822794.5	Mid Ebb	13.5	24.25	30.64	15.0	88.7	6.24	7.87	13:02:22	0.14	334.1
SB-RFE3	814939.4	822796.5	Mid Ebb	13.5	24.26	30.69	15.4	88.5	6.22	7.87	13:02:46	0.85	79.1
SB-RFE3	814950.2	822798.3	Mid Ebb	13.5	24.26	30.71	15.5	88.1	6.19	7.87	13:03:10	0.76	154.8
SB-RFE3	814959.8	822799.7	Mid Ebb	13.5	24.24	30.65	15.3	88.5	6.22	7.87	13:03:31	1.47	58.8
SB-RFE3	814970.6	822801.4	Mid Ebb	13.4	24.24	30.66	16.0	88.4	6.22	7.87	13:03:55	0.22	49.5
SB-RFE3	814981.3	822803.3	Mid Ebb	13.4	24.24	30.66	15.9	88.4	6.22	7.87	13:04:19	0.99	202.5
SB-RFE3	814990.6	822805.0	Mid Ebb	13.5	24.25	30.68	15.9	88.5	6.22	7.87	13:04:40	0.31	345.6
SB-RFE4	815361.8	823030.0	Mid Ebb	16.5	24.38	31.40	5.6	86.4	6.03	7.87	13:11:29	0.18	145.8
SB-RFE4	815370.1	823028.7	Mid Ebb	16.5	24.38	31.40	5.9	86.2	6.02	7.87	13:11:49	0.50	54.0
SB-RFE4	815379.0	823027.7	Mid Ebb	16.5	24.38	31.38	5.9	86.1	6.02	7.87	13:12:10	0.94	238.1
SB-RFE4	815387.9	823026.9	Mid Ebb	16.5	24.37	31.37	6.3	86.0	6.01	7.87	13:12:31	0.94	238.1
SB-RFE4	815397.0	823026.3	Mid Ebb	16.5	24.37	31.36	5.9	85.9	6.00	7.87	13:12:52	0.28	259.3

**ROUTINE WATER QUALITY MONITORING for CMP 1**

Date: 14 November 2013

Pos. No.	Easting	Northing	Tide	Depth (m)	Temp.	Salinity	Turbidity(Ntu)	D.O.(%)	D.O.(mg/l)	pH	Time	Speed	Direction
SB-RFE4	815407.0	823025.9	Mid Ebb	16.5	24.37	31.37	5.7	85.9	6.00	7.87	13:13:15	0.18	249.2
SB-RFE4	815416.0	823025.7	Mid Ebb	16.5	24.38	31.38	5.7	85.9	6.00	7.87	13:13:36	0.11	106.7
SB-RFE4	815426.0	823025.7	Mid Ebb	16.5	24.38	31.38	5.9	85.9	6.00	7.87	13:14:00	0.80	303.8
SB-RFE5	815826.5	823208.4	Mid Ebb	10.0	24.33	30.93	8.2	87.9	6.16	7.87	13:21:59	0.21	129.1
SB-RFE5	815836.0	823206.4	Mid Ebb	10.0	24.33	30.98	8.5	87.5	6.13	7.87	13:22:23	0.21	129.1
SB-RFE5	815845.4	823204.4	Mid Ebb	10.0	24.33	30.95	8.2	87.4	6.13	7.87	13:22:47	0.19	234.3
SB-RFE5	815854.6	823202.4	Mid Ebb	10.0	24.33	30.95	8.3	87.3	6.12	7.87	13:23:11	0.21	108.7
SB-RFE5	815863.6	823200.4	Mid Ebb	10.0	24.33	30.96	8.2	87.3	6.12	7.87	13:23:35	0.08	101.0
SB-RFE5	815872.5	823198.5	Mid Ebb	10.0	24.33	30.98	8.6	87.3	6.12	7.87	13:23:59	0.42	90.4
SB-RFE5	815881.2	823196.9	Mid Ebb	10.0	24.33	30.95	8.2	87.3	6.12	7.87	13:24:23	0.47	102.3
SB-RFE5	815889.8	823195.6	Mid Ebb	10.0	24.32	30.92	8.3	87.3	6.12	7.87	13:24:46	0.53	97.1
THB1	814498.3	817928.6	Mid Ebb	2.5	23.76	30.36	9.0	89.8	6.38	7.88	11:09:59	0.45	253.9
THB1	814495.0	817925.5	Mid Ebb	2.5	23.76	30.36	8.9	89.6	6.37	7.88	11:10:21	0.45	253.9
THB1	814492.0	817923.1	Mid Ebb	2.5	23.76	30.37	9.2	89.5	6.36	7.88	11:10:42	0.45	253.9
THB1	814488.6	817920.9	Mid Ebb	2.5	23.76	30.36	9.0	89.3	6.34	7.88	11:11:05	0.45	253.9
THB1	814484.9	817919.5	Mid Ebb	2.5	23.76	30.37	9.1	89.3	6.34	7.88	11:11:29	0.45	253.9
THB1	814481.5	817918.7	Mid Ebb	2.5	23.76	30.37	9.3	89.3	6.34	7.88	11:11:51	0.36	173.7
THB1	814478.5	817918.6	Mid Ebb	2.5	23.76	30.37	9.4	89.2	6.34	7.88	11:12:13	0.36	173.7
THB1	814475.3	817918.9	Mid Ebb	2.5	23.76	30.37	8.9	89.3	6.34	7.88	11:12:37	0.36	173.7
WSR45C	817442.0	820191.5	Mid Ebb	7.1	24.41	31.54	5.1	85.9	5.99	7.88	10:11:34	0.23	33.4
WSR45C	817444.0	820185.6	Mid Ebb	7.0	24.40	31.52	5.1	85.6	5.98	7.87	10:11:55	0.54	88.5
WSR45C	817447.2	820180.4	Mid Ebb	7.0	24.41	31.52	5.3	85.5	5.96	7.87	10:12:16	0.13	125.9
WSR45C	817450.7	820175.6	Mid Ebb	7.0	24.42	31.54	5.2	85.4	5.96	7.88	10:12:37	0.91	87.6
WSR45C	817456.0	820171.2	Mid Ebb	7.1	24.41	31.53	5.1	85.3	5.95	7.88	10:13:01	0.14	62.7
WSR45C	817461.4	820168.3	Mid Ebb	7.1	24.40	31.51	5.2	85.3	5.95	7.88	10:13:22	0.83	92.2
WSR45C	817468.1	820166.7	Mid Ebb	7.1	24.40	31.51	5.2	85.3	5.95	7.88	10:13:46	0.83	92.2
WSR45C	817474.8	820165.6	Mid Ebb	7.1	24.40	31.50	5.3	85.3	5.95	7.88	10:14:10	0.83	92.2
WSR46	813900.4	820960.4	Mid Ebb	4.9	24.11	30.37	8.7	91.0	6.43	7.87	12:31:25	0.36	55.7
WSR46	813905.5	820957.3	Mid Ebb	4.9	24.13	30.28	8.3	91.1	6.44	7.88	12:31:47	0.46	147.8
WSR46	813911.1	820954.2	Mid Ebb	4.9	24.15	30.17	7.5	91.0	6.43	7.87	12:32:09	0.46	147.8
WSR46	813917.7	820950.5	Mid Ebb	4.9	24.12	30.35	8.9	90.5	6.39	7.87	12:32:32	0.67	216.5
WSR46	813925.8	820946.3	Mid Ebb	4.9	24.11	30.37	9.4	90.3	6.37	7.87	12:32:56	0.67	58.5
WSR46	813934.2	820942.5	Mid Ebb	4.9	24.09	30.46	10.4	90.0	6.35	7.87	12:33:18	0.28	96.2
WSR46	813943.5	820938.8	Mid Ebb	4.9	24.09	30.45	10.3	89.9	6.35	7.87	12:33:41	0.47	19.6
WSR46	813953.7	820935.5	Mid Ebb	4.9	24.09	30.42	9.6	90.0	6.36	7.87	12:34:05	0.44	282.2

Note: SB-INE/INF - Intermediate stations; SB-IPE/IPF - Impact stations; SB-RFE/RF - Reference stations; MW - Ma Wan station; THB1/2 - Tai Ho Bai stations; WSR45C - Sham Shui Kok station; WSR46 - Tai Mo To station.