

ROUTINE WATER QUALITY MONITORING for CMP 1

Date: 16 November 2013

Pos. No.	Easting	Northing	Tide	Depth (m)	Temp.	Salinity	Turbidity(Ntu)	D.O.(%)	D.O.(mg/l)	pH	Time	Speed	Direction
MW1	823599.4	823653.6	Mid Ebb	10.6	23.98	32.02	7.8	86.5	6.06	7.82	9:45:29	0.25	347.6
MW1	823599.1	823657.4	Mid Ebb	10.5	23.98	32.02	7.9	86.7	6.08	7.84	9:45:52	0.58	323.8
MW1	823600.0	823662.1	Mid Ebb	10.5	23.98	32.03	8.0	86.6	6.07	7.85	9:46:16	0.13	334.8
MW1	823601.7	823666.3	Mid Ebb	10.6	23.98	32.03	8.3	86.4	6.06	7.86	9:46:37	1.03	68.8
MW1	823604.6	823669.7	Mid Ebb	10.6	23.98	32.02	8.0	86.7	6.08	7.86	9:46:58	1.03	68.8
MW1	823609.4	823672.8	Mid Ebb	10.6	23.98	32.03	7.0	86.7	6.07	7.87	9:47:22	0.34	30.9
MW1	823615.0	823675.4	Mid Ebb	10.6	23.98	32.03	8.4	87.0	6.10	7.87	9:47:45	0.71	353.1
MW1	823619.7	823677.5	Mid Ebb	10.6	23.98	32.03	9.8	87.1	6.10	7.87	9:48:06	0.30	69.2
SB-INE1	812305.0	818965.6	Mid Ebb	2.2	23.62	30.57	7.7	96.7	6.88	7.85	11:43:59	0.47	59.3
SB-INE1	812303.3	818967.1	Mid Ebb	2.2	23.89	30.55	7.1	97.3	6.89	7.85	11:44:21	0.47	59.3
SB-INE1	812301.7	818967.0	Mid Ebb	1.9	23.93	30.55	7.2	97.0	6.87	7.85	11:44:45	0.26	341.5
SB-INE1	812300.8	818965.4	Mid Ebb	1.9	23.77	30.56	16.4	96.4	6.84	7.85	11:45:09	0.65	301.2
SB-INE1	812301.1	818962.8	Mid Ebb	1.9	23.57	30.54	11.4	94.7	6.74	7.84	11:45:33	0.65	301.2
SB-INE1	812299.8	818955.2	Mid Ebb	1.9	23.77	30.54	8.2	96.4	6.84	7.85	11:45:55	0.49	4.3
SB-INE1	812300.5	818948.0	Mid Ebb	1.9	23.45	30.51	10.8	94.3	6.73	7.84	11:46:18	0.49	4.3
SB-INE1	812301.9	818942.0	Mid Ebb	1.9	23.48	30.53	10.0	94.5	6.74	7.84	11:46:42	0.66	9.4
SB-INE2	812456.5	818833.7	Mid Ebb	2.1	23.76	30.52	8.4	97.2	6.90	7.84	11:38:24	0.25	317.6
SB-INE2	812452.2	818836.3	Mid Ebb	2.0	23.61	30.55	33.6	95.4	6.79	7.84	11:38:45	0.50	323.2
SB-INE2	812444.5	818839.5	Mid Ebb	2.0	23.57	30.56	8.0	95.4	6.79	7.85	11:39:06	0.16	320.2
SB-INE2	812438.4	818841.2	Mid Ebb	2.0	23.58	30.56	7.8	95.6	6.81	7.85	11:39:27	0.16	320.2
SB-INE2	812433.0	818841.4	Mid Ebb	2.0	23.60	30.56	7.7	95.7	6.81	7.85	11:39:48	0.27	261.8
SB-INE2	812428.4	818840.0	Mid Ebb	2.0	23.55	30.55	8.0	95.1	6.77	7.85	11:40:09	0.27	261.8
SB-INE2	812424.2	818837.9	Mid Ebb	2.0	23.89	30.51	6.8	96.9	6.86	7.85	11:40:32	0.27	261.8
SB-INE2	812420.8	818834.7	Mid Ebb	2.0	23.85	30.54	7.1	96.8	6.86	7.85	11:40:56	0.27	261.8
SB-INE3	812942.2	818346.8	Mid Ebb	2.0	23.99	30.54	8.2	96.5	6.82	7.85	11:30:19	0.09	230.8
SB-INE3	812944.6	818349.7	Mid Ebb	2.1	23.97	30.54	9.9	96.0	6.79	7.85	11:30:40	0.36	342.5
SB-INE3	812947.3	818350.9	Mid Ebb	2.0	23.97	30.54	12.2	95.7	6.76	7.85	11:31:02	0.09	230.8
SB-INE3	812950.3	818351.3	Mid Ebb	2.0	23.87	30.56	23.1	94.9	6.72	7.84	11:31:23	0.09	230.8
SB-INE3	812953.8	818351.3	Mid Ebb	2.0	23.79	30.57	25.0	94.5	6.70	7.84	11:31:44	0.09	230.8
SB-INE3	812957.4	818350.5	Mid Ebb	2.0	23.79	30.56	24.1	94.4	6.69	7.84	11:32:05	0.09	230.8
SB-INE3	812962.0	818349.1	Mid Ebb	2.0	23.73	30.56	17.9	93.8	6.66	7.84	11:32:28	0.25	58.0
SB-INE3	812967.3	818347.6	Mid Ebb	2.0	23.82	30.54	14.3	94.4	6.70	7.84	11:32:52	0.09	230.8
SB-INE4	813250.2	818649.7	Mid Ebb	1.8	23.67	30.48	16.9	93.9	6.68	7.83	11:52:49	0.62	143.4
SB-INE4	813251.3	818642.8	Mid Ebb	2.5	23.66	30.48	15.6	93.4	6.64	7.83	11:53:11	1.62	157.4
SB-INE4	813245.8	818636.4	Mid Ebb	2.3	23.53	30.50	10.6	92.2	6.57	7.83	11:53:35	0.46	345.4
SB-INE4	813235.8	818637.4	Mid Ebb	2.0	23.55	30.49	8.1	93.4	6.65	7.84	11:53:59	0.13	125.8
SB-INE4	813229.6	818640.4	Mid Ebb	1.8	23.55	30.49	8.2	93.4	6.65	7.84	11:54:21	0.38	15.2
SB-INE4	813226.0	818643.3	Mid Ebb	2.0	23.54	30.49	8.2	93.3	6.65	7.84	11:54:44	0.35	5.5
SB-INE4	813223.9	818646.2	Mid Ebb	2.1	23.54	30.49	8.1	93.5	6.66	7.84	11:55:08	0.45	74.6

ROUTINE WATER QUALITY MONITORING for CMP 1

Date: 16 November 2013

Pos. No.	Easting	Northing	Tide	Depth (m)	Temp.	Salinity	Turbidity(Ntu)	D.O.(%)	D.O.(mg/l)	pH	Time	Speed	Direction
SB-INE4	813223.1	818648.6	Mid Ebb	2.1	23.55	30.49	8.2	93.1	6.63	7.83	11:55:32	0.08	25.0
SB-INE5	812577.5	817795.9	Mid Ebb	4.4	23.53	30.49	12.6	92.6	6.60	7.83	11:23:19	0.72	162.5
SB-INE5	812580.2	817799.2	Mid Ebb	3.9	23.54	30.50	12.3	92.0	6.55	7.83	11:23:41	1.14	6.6
SB-INE5	812584.6	817802.7	Mid Ebb	4.0	23.53	30.50	12.8	91.4	6.52	7.83	11:24:03	0.46	72.1
SB-INE5	812589.6	817805.9	Mid Ebb	4.2	23.53	30.50	13.2	91.4	6.51	7.83	11:24:24	0.81	134.8
SB-INE5	812595.7	817809.5	Mid Ebb	4.0	23.52	30.50	14.8	91.0	6.49	7.83	11:24:47	0.46	72.1
SB-INE5	812602.1	817812.8	Mid Ebb	3.9	23.53	30.50	13.4	90.9	6.48	7.83	11:25:09	0.46	72.1
SB-INE5	812609.0	817815.4	Mid Ebb	4.1	23.53	30.50	13.6	90.8	6.47	7.83	11:25:30	0.19	341.2
SB-INE5	812616.1	817818.6	Mid Ebb	4.1	23.53	30.50	13.2	90.8	6.47	7.83	11:25:53	0.30	351.9
SB-IPE1	814947.0	818248.4	Mid Ebb	2.4	23.85	30.56	6.5	95.9	6.79	7.85	11:02:29	0.78	39.6
SB-IPE1	814945.9	818246.7	Mid Ebb	2.5	23.75	30.61	7.1	93.9	6.66	7.85	11:02:50	0.30	159.0
SB-IPE1	814945.1	818245.1	Mid Ebb	2.5	23.75	30.62	7.3	93.0	6.60	7.85	11:03:14	0.34	108.9
SB-IPE1	814942.3	818243.9	Mid Ebb	2.5	23.74	30.63	7.9	92.2	6.54	7.85	11:03:36	0.34	108.9
SB-IPE1	814940.8	818242.4	Mid Ebb	2.5	23.74	30.63	7.6	91.9	6.52	7.85	11:03:59	0.25	97.5
SB-IPE1	814940.3	818241.0	Mid Ebb	2.5	23.74	30.63	7.5	92.1	6.53	7.85	11:04:23	0.32	320.8
SB-IPE1	814940.6	818239.4	Mid Ebb	2.5	23.76	30.60	6.7	93.4	6.62	7.86	11:04:45	0.10	91.8
SB-IPE1	814941.4	818237.9	Mid Ebb	2.5	23.80	30.59	6.7	94.2	6.68	7.86	11:05:07	0.14	220.2
SB-IPE2	815256.8	818545.7	Mid Ebb	2.4	23.90	30.64	7.3	94.2	6.67	7.84	10:55:59	0.16	279.2
SB-IPE2	815256.5	818543.7	Mid Ebb	2.6	23.89	30.68	13.9	93.2	6.59	7.84	10:56:21	0.65	72.8
SB-IPE2	815256.6	818542.3	Mid Ebb	2.6	23.93	30.68	12.6	92.8	6.56	7.85	10:56:43	0.09	285.5
SB-IPE2	815257.1	818540.8	Mid Ebb	2.6	23.90	30.69	10.8	92.5	6.54	7.85	10:57:04	0.09	285.5
SB-IPE2	815258.1	818539.3	Mid Ebb	2.5	23.85	30.67	7.4	92.0	6.51	7.85	10:57:25	0.58	16.0
SB-IPE2	815259.6	818537.9	Mid Ebb	2.5	23.79	30.67	7.6	91.6	6.49	7.85	10:57:45	0.58	16.0
SB-IPE2	815258.7	818534.1	Mid Ebb	2.5	23.77	30.69	7.6	91.5	6.49	7.85	10:58:08	0.58	16.0
SB-IPE2	815258.4	818530.8	Mid Ebb	2.5	23.78	30.70	7.5	91.7	6.50	7.85	10:58:32	0.58	16.0
SB-IPE3	815528.6	818884.3	Mid Ebb	2.4	24.00	30.72	6.2	93.8	6.62	7.85	10:49:29	0.72	284.9
SB-IPE3	815531.4	818882.9	Mid Ebb	2.4	23.90	30.76	7.7	92.7	6.56	7.85	10:49:51	0.81	240.4
SB-IPE3	815534.4	818881.2	Mid Ebb	2.5	23.92	30.75	8.0	92.5	6.54	7.85	10:50:13	0.81	240.4
SB-IPE3	815537.5	818879.5	Mid Ebb	2.6	23.95	30.75	7.0	92.7	6.55	7.85	10:50:34	0.84	201.2
SB-IPE3	815541.3	818877.5	Mid Ebb	2.6	23.96	30.75	6.8	92.5	6.53	7.85	10:50:55	0.50	253.1
SB-IPE3	815546.0	818875.7	Mid Ebb	2.6	23.96	30.74	6.5	92.5	6.53	7.85	10:51:16	0.34	65.5
SB-IPE3	815551.1	818874.1	Mid Ebb	2.6	23.97	30.74	6.5	92.7	6.55	7.85	10:51:37	0.15	37.7
SB-IPE3	815556.6	818872.5	Mid Ebb	2.5	23.96	30.74	6.3	92.9	6.56	7.86	10:52:00	0.22	307.3
SB-IPE4	815790.5	819181.2	Mid Ebb	3.2	23.82	30.80	9.9	91.0	6.44	7.84	10:42:29	0.24	44.2
SB-IPE4	815791.5	819177.8	Mid Ebb	3.1	23.81	30.82	10.8	90.3	6.39	7.84	10:42:50	0.73	205.9
SB-IPE4	815793.3	819175.3	Mid Ebb	3.0	23.81	30.82	11.6	90.1	6.38	7.85	10:43:11	0.48	320.6
SB-IPE4	815795.8	819173.3	Mid Ebb	3.0	23.82	30.82	11.1	89.9	6.36	7.85	10:43:32	0.48	320.6
SB-IPE4	815798.7	819171.5	Mid Ebb	3.0	23.82	30.83	11.4	89.9	6.36	7.85	10:43:55	0.71	19.0
SB-IPE4	815802.0	819169.6	Mid Ebb	3.0	23.82	30.83	10.5	89.7	6.35	7.85	10:44:17	0.53	350.6

ROUTINE WATER QUALITY MONITORING for CMP 1

Date: 16 November 2013

Pos. No.	Easting	Northing	Tide	Depth (m)	Temp.	Salinity	Turbidity(Ntu)	D.O.(%)	D.O.(mg/l)	pH	Time	Speed	Direction
SB-IPE4	815805.5	819168.1	Mid Ebb	3.0	23.82	30.83	10.1	89.8	6.36	7.85	10:44:40	0.58	38.5
SB-IPE4	815808.9	819166.4	Mid Ebb	3.0	23.82	30.83	9.2	89.9	6.36	7.85	10:45:02	0.58	38.5
SB-IPE5	816068.8	819603.9	Mid Ebb	4.8	24.00	31.53	7.4	88.1	6.19	7.86	10:34:59	0.58	342.0
SB-IPE5	816070.6	819603.1	Mid Ebb	4.5	23.99	31.50	7.5	87.6	6.16	7.86	10:35:20	0.10	108.3
SB-IPE5	816072.6	819602.0	Mid Ebb	4.5	23.94	31.25	7.5	88.1	6.20	7.86	10:35:41	0.43	36.3
SB-IPE5	816071.1	819600.0	Mid Ebb	4.6	23.89	31.00	7.5	89.3	6.31	7.86	10:36:02	0.38	87.2
SB-IPE5	816070.5	819598.6	Mid Ebb	4.6	23.94	31.23	7.9	88.9	6.26	7.86	10:36:23	1.09	280.0
SB-IPE5	816071.1	819597.2	Mid Ebb	4.6	23.98	31.40	7.7	87.7	6.17	7.86	10:36:47	1.09	280.0
SB-IPE5	816072.6	819596.4	Mid Ebb	4.6	24.01	31.47	7.7	87.1	6.12	7.86	10:37:11	0.21	77.0
SB-IPE5	816075.1	819595.8	Mid Ebb	4.5	24.00	31.47	7.8	87.0	6.11	7.86	10:37:32	0.23	83.9
SB-RFE1	814201.3	822117.6	Mid Ebb	5.0	23.83	30.70	7.1	95.0	6.73	7.84	12:25:14	0.87	91.1
SB-RFE1	814213.3	822108.0	Mid Ebb	5.1	23.85	30.72	8.3	94.7	6.71	7.84	12:25:36	0.94	76.7
SB-RFE1	814228.1	822099.1	Mid Ebb	5.1	23.85	30.74	9.2	94.4	6.68	7.84	12:25:58	1.20	72.1
SB-RFE1	814243.5	822091.5	Mid Ebb	5.1	23.86	30.75	9.4	93.9	6.64	7.84	12:26:19	0.38	54.3
SB-RFE1	814260.2	822084.3	Mid Ebb	5.0	23.85	30.78	9.5	93.9	6.64	7.84	12:26:40	1.36	345.8
SB-RFE1	814279.0	822077.6	Mid Ebb	5.0	23.85	30.77	9.4	93.8	6.64	7.84	12:27:03	1.36	345.8
SB-RFE1	814297.8	822071.5	Mid Ebb	5.0	23.82	30.84	10.6	93.0	6.58	7.84	12:27:25	1.36	345.8
SB-RFE1	814317.9	822065.4	Mid Ebb	5.0	23.80	30.87	10.5	92.1	6.52	7.84	12:27:48	1.36	345.8
SB-RFE2	814550.3	822439.4	Mid Ebb	6.5	23.75	30.73	7.0	94.2	6.68	7.84	12:32:54	0.94	80.8
SB-RFE2	814563.5	822430.6	Mid Ebb	6.5	23.75	30.72	7.3	93.8	6.65	7.84	12:33:15	0.94	80.8
SB-RFE2	814578.8	822422.0	Mid Ebb	6.5	23.74	30.71	7.5	93.9	6.66	7.84	12:33:36	0.94	80.8
SB-RFE2	814595.5	822413.7	Mid Ebb	6.5	23.74	30.71	7.2	93.7	6.64	7.84	12:33:57	0.94	80.8
SB-RFE2	814612.9	822406.8	Mid Ebb	6.5	23.74	30.70	7.4	93.8	6.65	7.84	12:34:18	0.94	80.8
SB-RFE2	814632.9	822399.5	Mid Ebb	6.5	23.75	30.73	7.4	93.5	6.63	7.84	12:34:41	0.94	80.8
SB-RFE2	814652.9	822393.2	Mid Ebb	6.5	23.76	30.75	7.4	93.4	6.62	7.84	12:35:03	0.94	80.8
SB-RFE2	814674.8	822387.3	Mid Ebb	6.5	23.77	30.76	7.4	93.4	6.62	7.84	12:35:26	0.35	214.1
SB-RFE3	814949.1	822739.0	Mid Ebb	13.6	23.96	31.59	8.2	89.1	6.26	7.84	12:40:39	0.49	87.4
SB-RFE3	814965.6	822732.3	Mid Ebb	13.6	23.95	31.58	10.3	88.7	6.23	7.84	12:41:01	0.39	165.3
SB-RFE3	814982.0	822726.8	Mid Ebb	13.6	23.95	31.58	12.0	88.7	6.23	7.84	12:41:23	0.66	62.9
SB-RFE3	814998.6	822722.4	Mid Ebb	13.6	23.95	31.56	12.9	88.7	6.24	7.84	12:41:44	0.68	109.3
SB-RFE3	815017.0	822718.5	Mid Ebb	13.4	23.97	31.63	14.2	88.4	6.21	7.84	12:42:05	0.15	224.2
SB-RFE3	815036.6	822715.3	Mid Ebb	13.2	23.95	31.58	13.2	88.6	6.23	7.84	12:42:26	0.54	57.1
SB-RFE3	815056.2	822713.0	Mid Ebb	13.2	23.94	31.50	11.6	88.7	6.24	7.84	12:42:47	0.54	57.1
SB-RFE3	815074.5	822711.7	Mid Ebb	13.7	23.95	31.54	13.6	88.9	6.25	7.84	12:43:08	1.22	45.0
SB-RFE4	815387.4	823017.2	Mid Ebb	16.3	24.05	31.83	4.8	88.9	6.23	7.84	12:48:59	0.21	85.6
SB-RFE4	815401.0	823012.0	Mid Ebb	16.3	24.05	31.83	4.8	88.5	6.20	7.84	12:49:19	0.48	310.5
SB-RFE4	815415.7	823007.3	Mid Ebb	16.3	24.05	31.83	5.0	88.4	6.19	7.84	12:49:40	0.06	213.7
SB-RFE4	815432.2	823002.3	Mid Ebb	16.3	24.05	31.84	5.1	88.4	6.19	7.84	12:50:03	0.06	213.7
SB-RFE4	815448.8	822998.0	Mid Ebb	16.3	24.05	31.84	5.1	88.3	6.19	7.84	12:50:25	0.62	97.3

ROUTINE WATER QUALITY MONITORING for CMP 1

Date: 16 November 2013

Pos. No.	Easting	Northing	Tide	Depth (m)	Temp.	Salinity	Turbidity(Ntu)	D.O.(%)	D.O.(mg/l)	pH	Time	Speed	Direction
SB-RFE4	815467.5	822993.7	Mid Ebb	16.3	24.05	31.84	5.2	88.3	6.19	7.84	12:50:48	0.06	213.7
SB-RFE4	815485.8	822989.8	Mid Ebb	16.5	24.05	31.84	5.1	88.4	6.20	7.84	12:51:10	0.27	55.5
SB-RFE4	815505.2	822986.3	Mid Ebb	16.4	24.06	31.83	5.1	88.5	6.20	7.84	12:51:33	0.59	273.4
SB-RFE5	815899.4	823215.8	Mid Ebb	10.1	24.05	31.82	4.5	89.9	6.30	7.84	12:56:49	0.24	131.0
SB-RFE5	815910.6	823215.8	Mid Ebb	10.0	24.06	31.83	4.3	88.9	6.23	7.84	12:57:11	0.57	78.4
SB-RFE5	815923.8	823216.4	Mid Ebb	10.0	24.05	31.84	4.4	88.5	6.20	7.84	12:57:35	0.48	38.8
SB-RFE5	815938.4	823217.5	Mid Ebb	10.0	24.05	31.83	4.4	88.4	6.19	7.84	12:57:59	0.57	78.4
SB-RFE5	815953.6	823218.4	Mid Ebb	10.1	24.05	31.83	4.5	88.4	6.20	7.84	12:58:23	0.84	91.7
SB-RFE5	815970.0	823219.6	Mid Ebb	10.0	24.05	31.84	4.2	88.3	6.19	7.84	12:58:47	0.82	138.6
SB-RFE5	815986.9	823220.8	Mid Ebb	9.9	24.05	31.84	4.5	88.1	6.18	7.84	12:59:11	0.51	197.2
SB-RFE5	816003.9	823221.2	Mid Ebb	9.9	24.05	31.83	4.5	88.3	6.19	7.84	12:59:35	0.56	97.0
THB1	814516.0	817927.8	Mid Ebb	2.4	23.95	30.49	7.0	93.2	6.59	7.83	11:09:39	0.06	149.7
THB1	814514.9	817926.7	Mid Ebb	2.5	23.74	30.50	9.3	91.7	6.51	7.83	11:10:01	0.06	149.7
THB1	814511.8	817927.7	Mid Ebb	2.6	23.73	30.51	11.2	91.1	6.47	7.83	11:10:25	0.32	346.4
THB1	814510.3	817928.6	Mid Ebb	2.6	23.74	30.53	11.8	90.6	6.43	7.83	11:10:49	0.65	146.2
THB1	814510.0	817929.3	Mid Ebb	2.6	23.74	30.52	11.1	90.4	6.42	7.83	11:11:13	0.61	239.3
THB1	814511.1	817929.6	Mid Ebb	2.6	23.73	30.52	10.8	90.4	6.42	7.84	11:11:37	0.48	85.0
THB1	814513.2	817929.7	Mid Ebb	2.6	23.73	30.52	10.9	90.6	6.43	7.84	11:12:01	0.44	122.5
THB1	814515.9	817929.5	Mid Ebb	2.6	23.73	30.54	10.4	90.6	6.43	7.84	11:12:22	0.40	15.3
WSR45C	817439.0	820200.7	Mid Ebb	7.6	23.97	31.74	6.8	88.0	6.18	7.87	10:23:14	0.25	152.7
WSR45C	817439.4	820201.7	Mid Ebb	7.6	23.98	31.76	6.4	87.7	6.15	7.87	10:23:38	0.25	152.7
WSR45C	817441.2	820203.3	Mid Ebb	7.6	23.97	31.76	6.7	87.3	6.13	7.87	10:23:59	0.25	152.7
WSR45C	817443.5	820205.2	Mid Ebb	7.6	23.97	31.76	6.9	87.2	6.12	7.87	10:24:20	0.25	152.7
WSR45C	817444.2	820208.4	Mid Ebb	7.6	23.98	31.78	6.9	87.0	6.11	7.87	10:24:44	0.25	152.7
WSR45C	817446.0	820210.6	Mid Ebb	7.6	23.98	31.79	6.4	86.9	6.10	7.87	10:25:06	0.25	152.7
WSR45C	817447.2	820212.4	Mid Ebb	7.6	23.98	31.78	6.5	86.8	6.09	7.87	10:25:27	0.25	152.7
WSR45C	817446.0	820213.8	Mid Ebb	7.6	23.98	31.79	6.7	86.6	6.08	7.87	10:25:48	0.25	152.7
WSR46	813887.3	820970.5	Mid Ebb	5.6	23.79	30.78	8.6	92.3	6.53	7.84	12:14:34	0.41	137.1
WSR46	813895.9	820968.0	Mid Ebb	5.6	23.79	30.78	8.1	91.3	6.47	7.83	12:14:56	0.76	82.1
WSR46	813907.9	820965.4	Mid Ebb	5.6	23.79	30.77	8.3	91.0	6.45	7.83	12:15:20	0.77	75.3
WSR46	813922.0	820962.6	Mid Ebb	5.5	23.80	30.73	8.0	91.7	6.49	7.83	12:15:44	0.62	113.1
WSR46	813938.4	820959.6	Mid Ebb	5.5	23.81	30.83	10.2	90.8	6.42	7.83	12:16:08	0.62	113.1
WSR46	813956.0	820956.4	Mid Ebb	5.5	23.81	30.83	10.2	90.5	6.41	7.83	12:16:32	0.77	76.6
WSR46	813974.1	820953.1	Mid Ebb	5.5	23.81	30.82	9.9	90.6	6.41	7.83	12:16:56	0.43	308.3
WSR46	813992.0	820949.9	Mid Ebb	5.5	23.80	30.80	9.0	90.7	6.42	7.83	12:17:20	0.34	19.5

Note: SB-INE/INF - Intermediate stations; SB-IPE/IPF - Impact stations; SB-RFE/RFF - Reference stations; MW - Ma Wan station; THB1/2 - Tai Ho Bai stations; WSR45C - Sham Shui Kok station; WSR46 - Tai Mo To station.