

ROUTINE WATER QUALITY MONITORING for CMP 1

Date: 23 January 2014

Pos. No.	Easting	Northing	Tide	Depth (m)	Temp.	Salinity	Turbidity(Ntu)	D.O.(%)	D.O.(mg/l)	pH	Time	Speed	Direction
MW1	823627.0	823649.7	Mid Flood	18.5	16.29	32.49	1.9	94.8	7.63	7.93	10:16:14	0.18	59.3
MW1	823617.6	823656.7	Mid Flood	10.0	16.30	32.51	1.6	94.9	7.64	7.97	10:17:10	0.74	43.6
MW1	823607.2	823662.8	Mid Flood	17.7	16.30	32.52	1.5	94.7	7.63	7.98	10:18:03	0.10	8.9
MW1	823601.1	823660.1	Mid Flood	9.8	16.30	32.52	1.8	94.8	7.63	7.98	10:18:43	0.56	134.1
MW1	823602.2	823658.5	Mid Flood	18.2	16.30	32.53	1.6	94.7	7.62	7.99	10:19:25	0.55	249.4
MW1	823604.8	823659.2	Mid Flood	10.3	16.30	32.53	1.7	94.8	7.63	7.99	10:20:06	0.64	39.2
MW1	823608.0	823662.6	Mid Flood	18.4	16.30	32.54	1.8	94.7	7.62	7.99	10:20:48	0.49	29.7
MW1	823608.7	823667.2	Mid Flood	10.4	16.30	32.54	1.4	94.8	7.63	8.00	10:21:31	1.18	5.2
MW1	823611.7	823663.5	Mid Flood	17.9	16.30	32.55	1.8	94.7	7.62	8.00	10:22:18	0.27	106.5
MW1	823615.2	823659.7	Mid Flood	10.2	16.30	32.55	1.6	94.9	7.63	8.00	10:23:04	0.88	200.0
MW1	823615.2	823656.9	Mid Flood	17.9	16.30	32.56	1.5	94.8	7.63	8.00	10:23:52	0.43	340.7
MW1	823617.5	823657.8	Mid Flood	10.2	16.30	32.56	1.6	94.8	7.63	8.00	10:24:33	1.01	25.3
MW1	823622.4	823662.3	Mid Flood	18.2	16.30	32.56	1.7	94.8	7.63	8.00	10:25:17	0.49	10.7
MW1	823625.8	823666.5	Mid Flood	10.3	16.30	32.56	1.4	94.8	7.63	8.01	10:25:59	0.54	342.8
MW1	823626.5	823665.3	Mid Flood	17.9	16.30	32.56	1.5	94.8	7.63	8.01	10:26:44	0.82	333.8
MW1	823624.0	823669.1	Mid Flood	10.1	16.30	32.56	1.5	94.9	7.63	8.01	10:27:22	0.38	301.4
SB-INF1	812908.3	822416.8	Mid Flood	10.1	16.23	32.39	2.8	96.9	7.82	7.98	13:27:16	0.49	221.4
SB-INF1	812907.6	822426.7	Mid Flood	5.9	16.24	32.40	2.5	96.9	7.81	7.98	13:28:03	0.29	198.7
SB-INF1	812908.2	822432.4	Mid Flood	10.1	16.24	32.41	2.8	96.2	7.76	7.98	13:28:38	0.38	273.8
SB-INF1	812910.2	822433.9	Mid Flood	5.8	16.25	32.41	2.9	96.3	7.76	7.98	13:29:11	0.91	303.7
SB-INF1	812913.0	822432.7	Mid Flood	10.1	16.24	32.41	3.3	96.0	7.74	7.97	13:29:43	0.11	190.6
SB-INF1	812912.1	822431.3	Mid Flood	6.0	16.24	32.42	3.3	96.0	7.75	7.97	13:30:07	0.44	315.4
SB-INF1	812908.3	822430.0	Mid Flood	10.2	16.24	32.42	3.2	96.0	7.74	7.97	13:30:42	0.34	249.9
SB-INF1	812908.3	822424.8	Mid Flood	6.0	16.25	32.42	3.0	96.1	7.75	7.97	13:31:09	0.16	127.5
SB-INF1	812906.0	822420.3	Mid Flood	10.2	16.24	32.42	2.8	95.9	7.74	7.97	13:31:46	0.31	40.0
SB-INF1	812903.1	822418.3	Mid Flood	6.1	16.25	32.42	3.4	96.0	7.74	7.97	13:32:13	0.32	238.5
SB-INF1	812903.6	822414.4	Mid Flood	10.2	16.25	32.42	3.0	95.9	7.73	7.97	13:32:46	0.31	40.0
SB-INF1	812904.2	822411.0	Mid Flood	5.9	16.25	32.42	3.2	96.0	7.74	7.97	13:33:22	0.08	290.3
SB-INF1	812902.8	822409.2	Mid Flood	10.3	16.25	32.42	3.2	95.9	7.73	7.97	13:33:53	0.50	229.4
SB-INF1	812900.0	822408.3	Mid Flood	6.1	16.25	32.43	3.3	95.9	7.73	7.97	13:34:24	0.86	189.8
SB-INF1	812894.8	822405.5	Mid Flood	10.3	16.25	32.43	3.2	95.7	7.72	7.97	13:35:07	0.51	335.2
SB-INF1	812895.9	822401.0	Mid Flood	5.8	16.26	32.42	2.8	96.0	7.74	7.97	13:35:32	0.27	126.8
SB-INF2	814117.8	822921.7	Mid Flood	20.9	16.27	32.54	1.9	95.7	7.70	7.97	13:44:00	0.48	298.1
SB-INF2	814116.4	822921.1	Mid Flood	11.7	16.27	32.52	1.8	95.8	7.71	7.97	13:44:45	0.86	200.8
SB-INF2	814112.4	822919.9	Mid Flood	21.4	16.27	32.55	1.8	95.3	7.67	7.97	13:45:30	0.55	319.3
SB-INF2	814113.4	822916.7	Mid Flood	11.6	16.27	32.53	1.9	95.6	7.70	7.97	13:46:15	0.28	308.8
SB-INF2	814109.2	822916.7	Mid Flood	21.1	16.27	32.56	1.9	95.1	7.66	7.96	13:47:02	0.46	239.5
SB-INF2	814109.9	822914.9	Mid Flood	11.7	16.27	32.51	2.0	95.6	7.70	7.97	13:47:48	0.34	143.8
SB-INF2	814108.0	822918.2	Mid Flood	21.4	16.27	32.55	1.8	95.2	7.67	7.96	13:48:31	0.53	1.4

ROUTINE WATER QUALITY MONITORING for CMP 1

Date: 23 January 2014

Pos. No.	Easting	Northing	Tide	Depth (m)	Temp.	Salinity	Turbidity(Ntu)	D.O.(%)	D.O.(mg/l)	pH	Time	Speed	Direction
SB-INF2	814111.1	822919.8	Mid Flood	11.6	16.27	32.53	1.6	95.5	7.69	7.97	13:49:12	0.46	251.8
SB-INF2	814108.9	822920.9	Mid Flood	21.4	16.27	32.55	2.4	95.1	7.66	7.96	13:49:56	0.41	322.6
SB-INF2	814110.6	822919.2	Mid Flood	11.2	16.27	32.54	1.7	95.3	7.67	7.96	13:50:39	0.66	321.8
SB-INF2	814110.6	822919.6	Mid Flood	21.2	16.27	32.55	1.8	95.1	7.66	7.96	13:51:20	0.34	228.6
SB-INF2	814109.7	822922.0	Mid Flood	11.8	16.27	32.54	1.5	95.2	7.67	7.96	13:52:21	0.46	158.5
SB-INF2	814111.1	822925.9	Mid Flood	21.2	16.27	32.55	1.8	95.0	7.65	7.96	13:53:09	0.02	106.4
SB-INF2	814116.1	822929.1	Mid Flood	11.6	16.27	32.55	1.6	95.2	7.66	7.96	13:53:53	0.78	275.2
SB-INF2	814118.7	822931.0	Mid Flood	21.0	16.27	32.55	1.9	95.1	7.66	7.96	13:54:41	0.48	274.3
SB-INF2	814119.4	822930.4	Mid Flood	11.8	16.27	32.55	1.7	95.2	7.66	7.96	13:55:24	0.18	310.9
SB-INF3	815415.9	823321.2	Mid Flood	15.9	16.34	32.60	1.3	96.1	7.73	7.97	14:03:36	0.60	312.2
SB-INF3	815412.3	823310.7	Mid Flood	9.3	16.35	32.60	1.3	95.9	7.71	7.97	14:04:30	0.32	260.3
SB-INF3	815413.8	823307.2	Mid Flood	15.8	16.34	32.60	1.3	95.7	7.70	7.96	14:05:14	0.28	123.1
SB-INF3	815414.8	823312.3	Mid Flood	9.3	16.34	32.59	1.4	95.8	7.70	7.96	14:06:02	0.50	231.2
SB-INF3	815410.7	823315.3	Mid Flood	16.1	16.34	32.59	1.4	95.5	7.68	7.96	14:06:44	0.51	277.2
SB-INF3	815409.5	823316.6	Mid Flood	9.2	16.33	32.59	1.3	95.5	7.68	7.96	14:07:20	0.55	261.6
SB-INF3	815415.1	823318.0	Mid Flood	15.6	16.33	32.60	1.6	95.4	7.67	7.96	14:08:07	0.69	235.5
SB-INF3	815418.4	823318.3	Mid Flood	9.4	16.33	32.59	1.3	95.5	7.68	7.96	14:08:56	0.70	225.4
SB-INF3	815415.7	823318.5	Mid Flood	16.1	16.33	32.60	1.4	95.3	7.66	7.96	14:09:49	0.58	252.1
SB-INF3	815417.3	823317.4	Mid Flood	9.0	16.39	32.61	1.4	96.0	7.71	7.96	14:10:31	0.51	227.3
SB-INF3	815416.8	823317.2	Mid Flood	15.7	16.33	32.60	1.6	95.4	7.67	7.96	14:11:06	0.89	263.8
SB-INF3	815416.9	823315.8	Mid Flood	8.8	16.36	32.61	1.4	95.8	7.70	7.96	14:11:48	0.83	245.5
SB-INF3	815418.0	823312.1	Mid Flood	16.2	16.34	32.60	1.3	95.4	7.67	7.96	14:12:30	0.44	182.5
SB-INF3	815414.6	823306.2	Mid Flood	9.2	16.39	32.62	1.4	95.9	7.70	7.96	14:13:12	0.10	52.9
SB-INF3	815408.8	823299.9	Mid Flood	16.0	16.38	32.62	1.5	95.9	7.71	7.96	14:13:51	0.26	94.1
SB-INF3	815401.8	823295.1	Mid Flood	9.2	16.39	32.62	1.5	96.1	7.72	7.97	14:14:32	0.06	113.3
SB-IPF1	814712.3	820064.3	Mid Flood	10.1	15.97	32.14	5.1	98.5	8.00	8.01	12:33:57	0.35	202.4
SB-IPF1	814715.1	820075.1	Mid Flood	5.9	15.96	32.14	5.5	98.1	7.97	8.00	12:34:42	0.12	78.4
SB-IPF1	814714.8	820079.5	Mid Flood	10.4	15.96	32.14	5.1	97.9	7.95	7.99	12:35:19	0.58	91.7
SB-IPF1	814712.3	820083.4	Mid Flood	6.0	15.99	32.15	5.1	98.0	7.95	7.99	12:35:58	0.23	182.2
SB-IPF1	814709.5	820085.0	Mid Flood	10.2	15.98	32.15	5.3	97.9	7.95	7.99	12:36:29	0.46	278.6
SB-IPF1	814709.8	820082.6	Mid Flood	6.0	15.98	32.14	5.3	97.9	7.95	7.99	12:36:58	0.18	127.3
SB-IPF1	814709.1	820077.4	Mid Flood	10.2	15.97	32.14	4.9	97.8	7.94	7.99	12:37:35	0.46	278.6
SB-IPF1	814707.2	820074.7	Mid Flood	5.8	15.98	32.15	5.2	97.8	7.94	7.99	12:38:06	1.42	207.7
SB-IPF1	814706.0	820071.6	Mid Flood	10.2	15.98	32.14	4.9	97.8	7.94	7.99	12:38:41	0.28	352.6
SB-IPF1	814703.2	820068.1	Mid Flood	6.0	15.99	32.15	5.0	97.9	7.95	7.99	12:39:19	0.81	295.6
SB-IPF1	814702.4	820064.7	Mid Flood	10.1	15.97	32.14	4.8	97.7	7.94	7.99	12:39:55	0.64	257.5
SB-IPF1	814698.4	820061.8	Mid Flood	6.0	15.98	32.15	5.4	97.8	7.94	7.99	12:40:42	0.47	233.5
SB-IPF1	814701.2	820058.8	Mid Flood	10.1	15.96	32.14	5.0	97.7	7.94	7.99	12:41:16	0.64	257.5
SB-IPF1	814705.3	820057.6	Mid Flood	6.0	15.97	32.14	5.1	97.8	7.94	7.99	12:41:46	0.47	233.5

ROUTINE WATER QUALITY MONITORING for CMP 1

Date: 23 January 2014

Pos. No.	Easting	Northing	Tide	Depth (m)	Temp.	Salinity	Turbidity(Ntu)	D.O.(%)	D.O.(mg/l)	pH	Time	Speed	Direction
SB-IPF1	814707.4	820058.7	Mid Flood	10.2	15.96	32.14	5.8	97.7	7.93	7.99	12:42:29	0.44	88.8
SB-IPF1	814705.6	820060.0	Mid Flood	6.0	15.98	32.15	5.3	97.7	7.93	7.99	12:42:57	0.47	233.5
SB-IPF2	813955.1	818983.6	Mid Flood	5.9	15.96	32.16	9.9	99.0	8.04	8.03	12:15:47	0.42	113.9
SB-IPF2	813955.2	818990.9	Mid Flood	3.9	15.98	32.15	8.3	98.8	8.02	8.02	12:16:18	0.22	149.3
SB-IPF2	813955.3	818997.5	Mid Flood	5.9	15.96	32.15	7.8	98.6	8.01	8.01	12:16:55	0.46	258.7
SB-IPF2	813957.4	819001.1	Mid Flood	4.0	15.97	32.15	7.3	98.6	8.00	8.01	12:17:21	0.65	268.2
SB-IPF2	813958.2	819002.1	Mid Flood	6.0	15.97	32.15	7.6	98.6	8.00	8.01	12:17:50	0.45	205.9
SB-IPF2	813957.1	819000.2	Mid Flood	4.1	15.97	32.15	7.3	98.5	8.00	8.00	12:18:20	0.74	17.2
SB-IPF2	813962.0	818995.3	Mid Flood	5.9	15.96	32.15	7.4	98.5	8.00	7.99	12:18:47	0.46	258.7
SB-IPF2	813965.0	818989.9	Mid Flood	4.0	15.99	32.15	6.5	98.6	8.01	7.99	12:19:28	0.62	0.8
SB-IPF2	813964.9	818986.7	Mid Flood	6.1	15.95	32.15	8.7	98.5	8.00	7.99	12:19:56	0.14	57.4
SB-IPF2	813962.5	818981.1	Mid Flood	4.1	15.98	32.15	7.0	98.4	7.99	7.99	12:20:41	0.66	1.4
SB-IPF2	813959.3	818976.4	Mid Flood	6.0	15.95	32.15	9.8	98.5	8.00	7.99	12:21:17	0.15	110.1
SB-IPF2	813955.0	818970.8	Mid Flood	4.0	15.99	32.15	7.3	98.5	8.00	7.99	12:21:59	0.36	291.8
SB-IPF2	813950.9	818966.9	Mid Flood	6.1	15.96	32.15	11.9	98.5	8.00	7.99	12:22:31	0.66	104.6
SB-IPF2	813946.4	818963.9	Mid Flood	4.1	15.98	32.15	8.5	98.5	8.00	7.99	12:22:58	0.52	259.2
SB-IPF2	813938.8	818960.1	Mid Flood	6.1	15.97	32.15	12.2	98.4	7.99	7.99	12:23:36	0.59	45.3
SB-IPF2	813931.3	818959.0	Mid Flood	4.2	15.99	32.15	7.7	98.5	8.00	7.99	12:24:09	0.40	86.0
SB-IPF3	815180.3	820294.2	Mid Flood	9.8	16.20	32.41	5.1	97.0	7.83	8.00	12:49:07	0.49	314.8
SB-IPF3	815181.4	820295.2	Mid Flood	5.8	16.20	32.42	4.0	96.8	7.81	7.99	12:49:35	0.36	277.8
SB-IPF3	815184.0	820295.9	Mid Flood	10.1	16.20	32.42	4.5	96.6	7.80	7.99	12:50:11	0.20	275.4
SB-IPF3	815186.1	820297.8	Mid Flood	6.1	16.22	32.42	3.7	96.8	7.81	7.99	12:50:52	0.59	319.4
SB-IPF3	815187.5	820299.6	Mid Flood	10.0	16.20	32.42	4.4	96.6	7.79	7.99	12:51:23	0.64	156.6
SB-IPF3	815189.0	820301.8	Mid Flood	5.9	16.20	32.42	4.2	96.6	7.79	7.99	12:52:03	0.56	119.3
SB-IPF3	815189.7	820303.0	Mid Flood	10.0	16.20	32.42	4.2	96.4	7.78	7.99	12:52:37	0.43	321.1
SB-IPF3	815189.6	820303.6	Mid Flood	5.9	16.22	32.42	3.8	96.6	7.79	7.99	12:53:07	0.42	202.0
SB-IPF3	815190.0	820304.1	Mid Flood	10.1	16.20	32.42	4.4	96.4	7.78	7.99	12:53:48	0.81	263.9
SB-IPF3	815190.2	820304.2	Mid Flood	5.9	16.21	32.42	3.7	96.6	7.79	7.98	12:54:21	0.49	317.7
SB-IPF3	815190.1	820304.1	Mid Flood	10.1	16.20	32.42	4.2	96.4	7.78	7.98	12:55:03	0.12	331.1
SB-IPF3	815189.4	820303.8	Mid Flood	5.8	16.23	32.42	3.6	96.6	7.79	7.98	12:55:32	0.42	317.6
SB-IPF3	815188.4	820303.2	Mid Flood	10.0	16.20	32.43	3.7	96.4	7.78	7.98	12:56:06	0.52	220.8
SB-IPF3	815188.2	820302.6	Mid Flood	6.0	16.23	32.42	3.4	96.8	7.80	7.98	12:56:34	0.83	227.2
SB-IPF3	815188.2	820302.2	Mid Flood	9.9	16.21	32.42	4.4	96.5	7.79	7.98	12:57:05	0.58	5.9
SB-IPF3	815188.4	820302.1	Mid Flood	5.9	16.25	32.41	3.7	96.8	7.81	7.98	12:57:33	0.82	323.7
SB-RFF1	815146.6	818391.1	Mid Flood	2.7	16.05	32.16	4.8	99.4	8.06	8.03	11:43:11	0.23	251.6
SB-RFF1	815148.1	818389.5	Mid Flood	2.5	16.06	32.16	5.0	99.1	8.03	8.01	11:43:46	0.20	298.1
SB-RFF1	815148.2	818388.8	Mid Flood	2.4	16.06	32.16	4.7	99.0	8.03	8.01	11:44:12	0.47	195.7
SB-RFF1	815147.5	818388.9	Mid Flood	2.4	16.06	32.16	4.7	99.0	8.03	8.01	11:44:36	0.35	193.8
SB-RFF1	815145.4	818389.8	Mid Flood	2.4	16.06	32.15	4.7	99.0	8.03	8.01	11:45:03	0.41	244.6

ROUTINE WATER QUALITY MONITORING for CMP 1

Date: 23 January 2014

Pos. No.	Easting	Northing	Tide	Depth (m)	Temp.	Salinity	Turbidity(Ntu)	D.O.(%)	D.O.(mg/l)	pH	Time	Speed	Direction
SB-RFF1	815141.6	818391.1	Mid Flood	2.4	16.06	32.15	4.8	99.0	8.03	8.01	11:45:33	0.23	255.2
SB-RFF1	815138.0	818392.1	Mid Flood	2.4	16.07	32.15	4.8	99.0	8.03	8.00	11:45:57	0.45	243.3
SB-RFF1	815136.9	818397.9	Mid Flood	2.4	16.08	32.15	4.9	99.1	8.03	8.00	11:46:19	0.32	331.8
SB-RFF2	815622.0	818957.5	Mid Flood	2.7	15.99	32.14	4.3	99.0	8.03	8.02	11:31:42	0.17	35.2
SB-RFF2	815622.6	818954.9	Mid Flood	2.4	16.00	32.15	4.1	98.4	7.99	8.02	11:32:12	0.44	33.8
SB-RFF2	815628.2	818954.1	Mid Flood	2.4	16.01	32.15	4.0	98.4	7.98	8.01	11:32:35	0.19	3.1
SB-RFF2	815631.4	818955.4	Mid Flood	2.4	16.01	32.16	4.0	98.3	7.98	8.01	11:33:01	0.13	337.5
SB-RFF2	815631.8	818957.5	Mid Flood	2.4	15.99	32.16	4.0	98.2	7.97	8.01	11:33:27	0.47	286.5
SB-RFF2	815631.1	818959.0	Mid Flood	2.4	15.99	32.16	4.1	98.2	7.97	8.01	11:33:51	0.44	33.8
SB-RFF2	815628.4	818961.0	Mid Flood	2.4	15.99	32.15	4.2	98.2	7.97	8.01	11:34:27	0.44	33.8
SB-RFF2	815629.3	818965.1	Mid Flood	2.4	16.00	32.16	4.1	98.2	7.97	8.01	11:34:50	0.16	176.5
SB-RFF3	816144.6	819425.4	Mid Flood	5.1	15.95	32.16	4.1	97.6	7.93	8.01	11:17:06	0.47	212.5
SB-RFF3	816147.1	819427.4	Mid Flood	3.6	16.00	32.16	4.0	97.6	7.92	8.01	11:17:33	0.20	287.1
SB-RFF3	816148.5	819430.2	Mid Flood	5.1	15.96	32.17	4.1	97.4	7.91	8.01	11:18:00	0.54	170.0
SB-RFF3	816147.0	819431.8	Mid Flood	3.8	16.00	32.17	3.9	97.4	7.90	8.00	11:18:29	0.84	121.3
SB-RFF3	816147.4	819437.6	Mid Flood	4.9	15.97	32.17	4.1	97.2	7.89	8.00	11:19:13	0.38	179.9
SB-RFF3	816149.3	819438.6	Mid Flood	3.6	16.01	32.18	4.0	97.3	7.90	8.00	11:19:40	0.20	287.1
SB-RFF3	816148.4	819438.4	Mid Flood	5.1	15.98	32.17	4.3	97.2	7.89	8.00	11:20:14	0.41	37.6
SB-RFF3	816143.6	819436.2	Mid Flood	3.7	16.01	32.17	3.9	97.3	7.90	8.00	11:20:54	0.57	198.3
SB-RFF3	816146.9	819435.7	Mid Flood	5.1	15.96	32.17	4.1	97.0	7.88	8.00	11:21:33	0.47	221.2
SB-RFF3	816145.8	819436.0	Mid Flood	3.5	15.99	32.17	4.1	97.2	7.89	8.00	11:22:02	0.45	310.1
SB-RFF3	816145.9	819436.9	Mid Flood	5.1	15.96	32.17	4.1	97.0	7.88	8.00	11:22:45	0.15	70.1
SB-RFF3	816144.7	819437.8	Mid Flood	3.6	15.99	32.17	4.1	97.1	7.88	8.00	11:23:10	0.45	310.1
SB-RFF3	816145.1	819441.3	Mid Flood	5.2	15.99	32.17	4.0	97.0	7.88	8.00	11:23:54	0.35	324.9
SB-RFF3	816145.2	819443.1	Mid Flood	3.6	15.99	32.18	4.0	97.1	7.88	8.00	11:24:38	0.45	310.1
SB-RFF3	816147.3	819442.5	Mid Flood	5.2	15.97	32.18	4.2	96.9	7.87	8.00	11:25:07	0.34	219.3
SB-RFF3	816146.4	819440.8	Mid Flood	3.6	16.03	32.18	4.0	97.2	7.88	8.00	11:25:37	0.45	310.1
THB1	814512.4	817932.4	Mid Flood	2.6	16.05	32.12	3.0	100.9	8.18	8.02	11:52:31	0.25	239.8
THB1	814514.5	817933.4	Mid Flood	2.6	16.12	32.14	2.9	100.5	8.13	8.01	11:53:00	0.41	132.6
THB1	814515.4	817934.5	Mid Flood	2.6	16.11	32.14	2.9	100.3	8.12	8.01	11:53:26	0.25	325.0
THB1	814514.6	817936.0	Mid Flood	2.6	16.06	32.14	3.1	100.5	8.15	8.01	11:53:52	0.33	118.4
THB1	814508.9	817937.4	Mid Flood	2.6	16.06	32.14	3.0	100.4	8.14	8.01	11:54:32	0.33	118.4
THB1	814503.2	817937.0	Mid Flood	2.6	16.06	32.14	3.0	100.5	8.15	8.01	11:55:02	0.33	118.4
THB1	814498.8	817936.3	Mid Flood	2.6	16.05	32.14	3.3	100.5	8.15	8.01	11:55:26	0.33	118.4
THB1	814490.7	817933.9	Mid Flood	2.6	16.04	32.14	2.9	100.6	8.16	8.01	11:56:07	0.16	52.3
THB2	815872.6	818044.9	Mid Flood	1.5	15.58	31.75	5.4	102.8	8.44	8.03	11:53:46	0.03	40
THB2	815872.5	818045.3	Mid Flood	1.4	15.58	31.75	5.4	103.1	8.46	8.04	11:54:07	0.03	40
THB2	815871.1	818045.9	Mid Flood	1.4	15.56	31.75	5.3	103.3	8.48	8.04	11:54:28	0.03	40
THB2	815868.7	818046.8	Mid Flood	1.4	15.57	31.75	5.2	103.4	8.48	8.04	11:54:49	0.03	40

ROUTINE WATER QUALITY MONITORING for CMP 1

Date: 23 January 2014

Pos. No.	Easting	Northing	Tide	Depth (m)	Temp.	Salinity	Turbidity(Ntu)	D.O.(%)	D.O.(mg/l)	pH	Time	Speed	Direction
THB2	815865.6	818045.6	Mid Flood	1.4	15.54	31.74	5.5	103.4	8.49	8.05	11:55:10	0.03	40
THB2	815864.3	818044.3	Mid Flood	1.4	15.56	31.75	4.8	103.4	8.49	8.05	11:55:31	0.03	40
THB2	815862.9	818042.3	Mid Flood	1.4	15.51	31.72	4.3	103.2	8.48	8.05	11:55:52	0.03	40
THB2	815862.5	818041.0	Mid Flood	1.4	15.54	31.74	4.8	103.2	8.47	8.06	11:56:13	0.03	40
WSR45C	817425.9	820207.5	Mid Flood	12.2	16.09	32.31	5.0	96.5	7.81	8.01	10:57:51	0.26	241.1
WSR45C	817424.2	820202.7	Mid Flood	7.0	16.11	32.32	3.8	96.3	7.79	8.01	10:58:37	0.35	263.5
WSR45C	817428.0	820201.6	Mid Flood	12.1	16.11	32.33	4.8	95.9	7.75	8.01	10:59:23	0.43	261.7
WSR45C	817424.7	820203.7	Mid Flood	7.0	16.11	32.33	5.0	95.9	7.75	8.01	10:59:54	0.35	212.9
WSR45C	817420.6	820210.5	Mid Flood	12.1	16.11	32.34	4.9	95.8	7.75	8.01	11:00:32	0.44	276.6
WSR45C	817418.4	820211.8	Mid Flood	7.0	16.12	32.34	6.6	95.9	7.75	8.01	11:01:13	0.56	239.1
WSR45C	817420.2	820208.5	Mid Flood	12.2	16.11	32.34	5.1	95.6	7.74	8.01	11:01:49	0.36	210.3
WSR45C	817422.6	820206.1	Mid Flood	6.9	16.13	32.35	5.1	95.9	7.75	8.01	11:02:20	0.33	273.6
WSR45C	817422.8	820205.5	Mid Flood	12.2	16.13	32.35	5.4	95.6	7.73	8.01	11:03:03	0.05	14.3
WSR45C	817415.9	820205.7	Mid Flood	7.0	16.13	32.36	6.0	95.7	7.74	8.01	11:03:45	0.39	221.1
WSR45C	817420.1	820208.9	Mid Flood	11.7	16.15	32.36	5.1	96.1	7.76	8.01	11:04:25	0.73	204.2
WSR45C	817419.1	820207.5	Mid Flood	7.0	16.15	32.36	4.5	96.3	7.78	8.01	11:05:05	0.75	203.0
WSR45C	817424.9	820206.2	Mid Flood	11.9	16.14	32.37	5.8	96.1	7.77	8.01	11:05:48	0.23	235.1
WSR45C	817423.7	820206.7	Mid Flood	7.0	16.13	32.36	5.3	96.1	7.77	8.01	11:06:22	0.76	282.1
WSR45C	817420.2	820208.0	Mid Flood	12.3	16.14	32.38	5.9	96.0	7.76	8.01	11:07:07	0.05	184.9
WSR45C	817421.1	820209.3	Mid Flood	6.9	16.18	32.37	5.0	96.4	7.79	8.01	11:07:49	0.48	159.7
WSR46	813887.9	820977.7	Mid Flood	8.8	16.01	32.18	6.8	97.8	7.93	7.99	13:08:20	0.39	4.3
WSR46	813888.4	820988.6	Mid Flood	4.2	16.08	32.20	6.1	97.7	7.92	7.98	13:08:52	0.44	266.6
WSR46	813888.4	820997.4	Mid Flood	9.4	16.03	32.20	6.5	97.3	7.89	7.98	13:09:26	0.21	77.6
WSR46	813890.9	821001.7	Mid Flood	4.3	16.16	32.23	6.2	97.8	7.91	7.98	13:09:59	0.63	322.2
WSR46	813896.4	821001.7	Mid Flood	8.9	16.08	32.22	6.8	97.4	7.89	7.98	13:10:32	0.31	352.1
WSR46	813898.7	821005.1	Mid Flood	4.6	16.14	32.24	7.0	97.5	7.89	7.98	13:11:06	0.46	313.7
WSR46	813897.1	821008.7	Mid Flood	9.4	16.21	32.29	6.6	97.6	7.88	7.98	13:11:42	0.91	254.1
WSR46	813899.3	821005.6	Mid Flood	5.8	16.21	32.27	5.6	97.8	7.90	7.98	13:13:06	0.59	255.8
WSR46	813898.3	821003.9	Mid Flood	9.4	16.23	32.29	5.9	97.7	7.89	7.98	13:13:40	0.73	311.8
WSR46	813895.8	821003.7	Mid Flood	5.5	16.20	32.28	6.1	97.7	7.89	7.98	13:14:08	0.68	293.2
WSR46	813895.6	821000.6	Mid Flood	9.4	16.23	32.30	6.7	97.6	7.88	7.98	13:14:41	0.35	0.5
WSR46	813894.5	820999.1	Mid Flood	5.5	16.21	32.28	5.7	97.6	7.88	7.98	13:15:11	0.59	273.7
WSR46	813891.7	820999.0	Mid Flood	9.3	16.24	32.31	6.2	97.7	7.88	7.98	13:15:42	0.32	281.4
WSR46	813887.8	820998.9	Mid Flood	5.3	16.22	32.29	5.5	97.6	7.88	7.98	13:16:21	0.15	128.5
WSR46	813886.2	820998.3	Mid Flood	9.4	16.24	32.30	6.3	97.7	7.88	7.98	13:16:59	0.38	285.8
WSR46	813881.1	820999.8	Mid Flood	5.3	16.20	32.27	6.1	97.6	7.88	7.98	13:17:39	0.13	278.5

Note: SB-INE/INF - Intermediate stations; SB-IPE/IPF - Impact stations; SB-RFE/RFF - Reference stations; MW - Ma Wan station; THB1/2 - Tai Ho Bai stations; WSR45C - Sham Shui Kok station; WSR46 - Tai Mo To station.