

ROUTINE WATER QUALITY MONITORING for CMP 1

Date: 17 February 2014

Pos. No.	Easting	Northing	Tide	Depth (m)	Temp.	Salinity	Turbidity(Ntu)	D.O.(%)	D.O.(mg/l)	pH	Time	Speed	Direction
MW1	823588.5	823662.5	Mid Flood	17.8	16.31	32.98	5.3	88.8	7.13	7.93	7:22:47	0.46	33.6
MW1	823589.0	823672.6	Mid Flood	10.6	16.32	32.99	6.5	89.4	7.17	7.95	7:23:36	0.43	96.2
MW1	823590.1	823679.7	Mid Flood	18.2	16.31	33.00	7.9	88.6	7.11	7.96	7:24:20	0.71	39.3
MW1	823591.5	823678.9	Mid Flood	10.2	16.33	33.00	6.9	89.1	7.15	7.96	7:25:06	1.02	58.6
MW1	823596.3	823673.7	Mid Flood	18.0	16.33	33.01	6.0	88.6	7.11	7.97	7:25:54	0.25	164.5
MW1	823603.9	823674.4	Mid Flood	10.3	16.33	33.02	5.9	89.1	7.15	7.97	7:26:40	0.31	41.7
MW1	823615.1	823680.5	Mid Flood	18.2	16.32	33.03	5.5	88.6	7.11	7.97	7:27:43	0.41	77.4
MW1	823622.9	823686.8	Mid Flood	10.5	16.32	33.03	7.3	89.2	7.16	7.98	7:28:29	0.65	42.5
MW1	823630.7	823694.4	Mid Flood	17.9	16.29	33.03	5.4	88.8	7.13	7.98	7:29:15	0.20	81.2
MW1	823628.6	823685.4	Mid Flood	10.1	16.32	33.04	5.7	89.2	7.16	7.98	7:29:59	0.28	56.9
MW1	823623.4	823678.7	Mid Flood	17.8	16.32	33.05	6.4	88.7	7.11	7.98	7:30:48	0.18	115.3
MW1	823615.8	823672.1	Mid Flood	10.2	16.32	33.05	4.3	89.3	7.16	7.98	7:31:47	0.17	294.3
MW1	823610.0	823668.1	Mid Flood	17.6	16.31	33.06	5.0	88.8	7.12	7.98	7:32:34	0.70	49.4
MW1	823610.5	823667.1	Mid Flood	10.4	16.32	33.06	4.6	89.3	7.16	7.99	7:33:22	0.31	41.7
MW1	823614.6	823666.7	Mid Flood	17.8	16.31	33.06	6.3	88.8	7.13	7.99	7:34:08	0.59	91.0
MW1	823611.4	823659.8	Mid Flood	10.0	16.34	33.07	6.7	89.2	7.15	7.99	7:34:46	0.14	24.0
SB-INF1	812910.8	822415.5	Mid Flood	10.0	16.06	33.20	4.3	93.3	7.51	7.99	10:36:41	0.51	4.8
SB-INF1	812907.8	822421.2	Mid Flood	6.1	16.07	33.19	4.1	93.7	7.54	7.98	10:37:22	0.45	259.0
SB-INF1	812901.6	822429.6	Mid Flood	10.0	16.05	33.20	4.4	93.1	7.50	7.98	10:38:07	0.91	264.8
SB-INF1	812900.1	822434.5	Mid Flood	6.2	16.08	33.18	3.9	93.4	7.52	7.98	10:38:50	0.55	256.5
SB-INF1	812897.2	822429.8	Mid Flood	9.8	16.05	33.20	4.5	93.1	7.50	7.98	10:39:31	0.15	247.8
SB-INF1	812896.0	822416.4	Mid Flood	6.2	16.09	33.18	3.7	93.4	7.52	7.98	10:40:17	0.33	330.5
SB-INF1	812894.5	822411.2	Mid Flood	9.8	16.05	33.20	4.3	93.1	7.50	7.98	10:41:00	0.35	326.0
SB-INF1	812893.3	822411.0	Mid Flood	6.0	16.09	33.18	3.5	93.4	7.52	7.98	10:41:35	0.84	230.5
SB-INF1	812890.5	822414.0	Mid Flood	10.0	16.07	33.19	3.8	93.1	7.50	7.98	10:42:07	0.42	276.9
SB-INF1	812891.3	822422.1	Mid Flood	6.0	16.07	33.19	3.7	93.3	7.52	7.98	10:42:53	0.38	168.9
SB-INF1	812891.0	822427.6	Mid Flood	9.9	16.06	33.19	4.2	93.0	7.49	7.98	10:43:37	0.82	193.3
SB-INF1	812895.7	822423.3	Mid Flood	6.0	16.09	33.18	3.9	93.2	7.50	7.98	10:44:22	0.50	207.7
SB-INF1	812889.7	822407.5	Mid Flood	9.9	16.08	33.19	3.7	93.0	7.49	7.98	10:45:11	0.75	296.5
SB-INF1	812884.1	822395.8	Mid Flood	6.2	16.07	33.19	4.0	93.5	7.53	7.98	10:45:59	0.67	294.3
SB-INF1	812881.6	822388.7	Mid Flood	9.9	16.05	33.19	4.2	93.2	7.51	7.98	10:46:41	0.75	296.5
SB-INF1	812878.7	822386.6	Mid Flood	5.9	16.15	33.18	3.5	93.6	7.53	7.98	10:47:22	0.50	315.9
SB-INF2	814108.6	822898.9	Mid Flood	21.3	16.18	33.18	3.4	90.4	7.26	7.98	10:56:26	0.28	309.3
SB-INF2	814097.8	822885.1	Mid Flood	11.8	16.19	33.17	3.3	90.8	7.30	7.97	10:57:19	0.26	322.9
SB-INF2	814089.9	822879.2	Mid Flood	20.9	16.18	33.18	3.2	90.1	7.24	7.97	10:58:14	0.91	184.8
SB-INF2	814094.5	822888.4	Mid Flood	11.7	16.20	33.17	3.8	90.6	7.28	7.97	10:58:59	0.70	258.9
SB-INF2	814092.5	822901.0	Mid Flood	20.8	16.17	33.18	3.4	90.1	7.24	7.97	10:59:44	0.99	286.7
SB-INF2	814097.4	822911.7	Mid Flood	11.8	16.20	33.17	3.8	90.6	7.28	7.97	11:00:26	0.24	224.0
SB-INF2	814100.5	822915.8	Mid Flood	21.0	16.19	33.18	4.2	90.0	7.23	7.97	11:01:10	0.25	195.9

ROUTINE WATER QUALITY MONITORING for CMP 1

Date: 17 February 2014

Pos. No.	Easting	Northing	Tide	Depth (m)	Temp.	Salinity	Turbidity(Ntu)	D.O.(%)	D.O.(mg/l)	pH	Time	Speed	Direction
SB-INF2	814106.7	822912.8	Mid Flood	11.7	16.20	33.17	3.6	90.6	7.28	7.97	11:01:52	0.70	258.9
SB-INF2	814106.6	822913.4	Mid Flood	20.9	16.18	33.18	3.2	90.0	7.23	7.97	11:02:37	0.20	270.3
SB-INF2	814108.4	822910.7	Mid Flood	11.3	16.19	33.17	3.9	90.7	7.29	7.97	11:03:18	0.45	31.3
SB-INF2	814113.2	822910.2	Mid Flood	20.8	16.18	33.18	3.3	90.0	7.23	7.97	11:04:08	0.58	155.4
SB-INF2	814107.3	822909.6	Mid Flood	11.5	16.19	33.17	4.1	90.6	7.28	7.97	11:04:54	0.28	26.3
SB-INF2	814091.8	822908.8	Mid Flood	20.8	16.18	33.18	3.5	90.0	7.23	7.97	11:05:40	0.34	237.2
SB-INF2	814071.4	822907.5	Mid Flood	11.6	16.19	33.17	4.1	90.6	7.28	7.97	11:06:25	0.48	287.9
SB-INF2	814049.5	822907.9	Mid Flood	20.7	16.18	33.18	3.7	90.0	7.23	7.97	11:07:10	0.25	231.5
SB-INF2	814027.4	822910.1	Mid Flood	11.7	16.19	33.17	3.4	90.6	7.28	7.97	11:07:54	0.29	297.1
SB-INF3	815418.6	823326.7	Mid Flood	16.9	16.34	33.20	3.6	89.4	7.16	7.97	11:17:22	0.34	175.3
SB-INF3	815404.8	823333.0	Mid Flood	8.8	16.44	33.21	2.9	89.2	7.13	7.96	11:18:12	0.56	195.4
SB-INF3	815398.3	823342.8	Mid Flood	16.9	16.32	33.20	2.5	88.9	7.12	7.97	11:19:23	0.23	152.6
SB-INF3	815396.0	823330.3	Mid Flood	9.5	16.42	33.21	3.4	89.1	7.12	7.96	11:20:28	0.69	157.5
SB-INF3	815396.9	823320.6	Mid Flood	17.0	16.34	33.20	3.1	88.8	7.11	7.96	11:21:21	0.68	201.1
SB-INF3	815403.4	823322.3	Mid Flood	9.5	16.40	33.21	3.3	89.1	7.13	7.95	11:21:57	0.60	250.8
SB-INF3	815408.1	823323.6	Mid Flood	16.9	16.35	33.20	3.4	88.5	7.09	7.95	11:22:40	0.15	301.7
SB-INF3	815410.2	823320.0	Mid Flood	9.4	16.39	33.21	3.2	89.0	7.13	7.95	11:23:25	0.79	212.3
SB-INF3	815413.8	823315.7	Mid Flood	17.0	16.34	33.20	2.9	88.6	7.10	7.95	11:24:25	0.40	119.6
SB-INF3	815416.7	823313.7	Mid Flood	9.6	16.42	33.21	3.5	88.9	7.11	7.95	11:25:07	0.55	121.3
SB-INF3	815414.9	823318.5	Mid Flood	17.0	16.38	33.20	3.0	88.5	7.09	7.95	11:26:02	0.40	141.3
SB-INF3	815417.5	823324.4	Mid Flood	9.5	16.40	33.21	3.5	88.9	7.11	7.95	11:26:56	1.12	287.5
SB-INF3	815421.3	823322.6	Mid Flood	17.0	16.36	33.20	3.0	88.4	7.08	7.95	11:27:42	0.40	119.6
SB-INF3	815413.5	823320.8	Mid Flood	9.6	16.43	33.21	3.2	88.7	7.10	7.95	11:28:26	0.34	225.4
SB-INF3	815404.4	823306.6	Mid Flood	17.2	16.42	33.21	3.4	88.3	7.06	7.95	11:29:21	0.73	190.1
SB-INF3	815401.8	823299.7	Mid Flood	9.4	16.51	33.22	3.2	88.5	7.06	7.95	11:30:08	0.31	246.1
SB-IPF1	814692.0	820047.6	Mid Flood	9.1	16.11	33.27	4.8	94.0	7.56	8.00	9:35:12	0.85	179.3
SB-IPF1	814680.3	820048.7	Mid Flood	5.4	16.10	33.25	4.8	93.9	7.56	8.00	9:36:07	0.36	303.3
SB-IPF1	814670.6	820041.0	Mid Flood	8.9	16.11	33.27	5.1	93.8	7.54	8.00	9:36:54	0.85	179.3
SB-IPF1	814668.0	820038.4	Mid Flood	5.4	16.09	33.24	5.4	93.9	7.56	8.00	9:37:32	0.36	303.3
SB-IPF1	814674.0	820046.8	Mid Flood	9.1	16.11	33.26	5.3	93.7	7.54	8.00	9:38:11	0.58	258.8
SB-IPF1	814677.2	820054.2	Mid Flood	5.4	16.07	33.22	5.1	93.9	7.56	8.00	9:38:54	0.18	312.0
SB-IPF1	814681.1	820057.6	Mid Flood	8.8	16.11	33.26	5.4	93.7	7.53	8.00	9:39:29	0.39	341.9
SB-IPF1	814685.2	820056.4	Mid Flood	5.5	16.10	33.25	5.1	93.9	7.55	8.00	9:40:02	0.94	326.8
SB-IPF1	814686.8	820060.7	Mid Flood	9.1	16.11	33.26	5.3	93.6	7.53	8.00	9:40:33	0.58	258.8
SB-IPF1	814684.3	820067.0	Mid Flood	5.5	16.07	33.21	5.1	93.8	7.55	8.00	9:41:10	0.94	326.8
SB-IPF1	814677.1	820074.1	Mid Flood	8.9	16.10	33.26	5.5	93.6	7.53	8.00	9:41:45	0.39	341.9
SB-IPF1	814669.9	820087.9	Mid Flood	5.5	16.07	33.22	5.4	93.7	7.55	8.00	9:42:26	0.72	312.5
SB-IPF1	814669.1	820097.8	Mid Flood	9.1	16.10	33.25	5.5	93.5	7.53	8.00	9:42:56	0.58	258.8
SB-IPF1	814666.4	820101.1	Mid Flood	5.5	16.10	33.25	5.2	93.8	7.55	8.00	9:43:35	0.94	326.8

ROUTINE WATER QUALITY MONITORING for CMP 1

Date: 17 February 2014

Pos. No.	Easting	Northing	Tide	Depth (m)	Temp.	Salinity	Turbidity(Ntu)	D.O.(%)	D.O.(mg/l)	pH	Time	Speed	Direction
SB-IPF1	814669.0	820086.9	Mid Flood	8.6	16.10	33.25	5.4	93.5	7.53	8.00	9:44:12	0.79	30.1
SB-IPF1	814674.4	820076.5	Mid Flood	5.4	16.08	33.24	5.3	93.7	7.55	8.00	9:44:48	0.18	312.0
SB-IPF2	813952.8	818937.1	Mid Flood	5.1	15.93	33.02	5.5	93.0	7.52	7.99	9:16:28	0.64	359.8
SB-IPF2	813949.8	818937.7	Mid Flood	3.5	15.92	33.01	5.3	93.0	7.52	7.99	9:17:17	0.50	42.7
SB-IPF2	813945.7	818939.2	Mid Flood	5.0	15.94	33.03	5.7	92.8	7.50	7.99	9:18:04	0.27	229.9
SB-IPF2	813939.5	818941.0	Mid Flood	3.5	15.93	33.03	5.7	92.9	7.51	7.99	9:18:59	1.16	169.7
SB-IPF2	813932.6	818939.0	Mid Flood	5.1	15.93	33.03	5.7	92.7	7.50	7.99	9:19:44	0.27	198.1
SB-IPF2	813920.9	818938.2	Mid Flood	3.5	15.92	33.02	4.7	92.9	7.51	7.99	9:20:47	0.46	294.7
SB-IPF2	813907.7	818940.8	Mid Flood	4.9	15.94	33.02	5.6	92.9	7.51	7.99	9:21:56	0.39	224.3
SB-IPF2	813907.5	818948.5	Mid Flood	3.4	15.94	33.01	5.2	93.3	7.54	7.99	9:22:46	0.46	228.8
SB-IPF2	813914.1	818951.8	Mid Flood	5.0	15.94	33.02	5.4	93.2	7.53	7.99	9:23:13	0.55	202.9
SB-IPF2	813920.5	818954.9	Mid Flood	3.4	15.92	33.01	4.6	93.1	7.53	7.99	9:23:38	0.53	250.8
SB-IPF2	813928.7	818958.4	Mid Flood	5.0	15.94	33.03	5.5	92.8	7.50	7.99	9:24:02	0.49	273.1
SB-IPF2	813938.3	818959.8	Mid Flood	3.6	15.93	33.03	5.3	92.7	7.50	7.99	9:24:28	0.65	323.5
SB-IPF2	813947.0	818957.7	Mid Flood	5.0	15.94	33.04	5.3	92.6	7.48	7.99	9:24:52	0.64	44.3
SB-IPF2	813955.6	818954.3	Mid Flood	3.5	15.93	33.03	5.2	92.7	7.49	7.99	9:25:32	0.94	23.3
SB-IPF2	813959.6	818952.6	Mid Flood	4.9	15.94	33.04	5.5	92.5	7.48	7.99	9:26:08	0.42	103.9
SB-IPF2	813962.4	818951.6	Mid Flood	3.6	15.93	33.02	5.4	92.7	7.49	7.99	9:26:50	0.16	308.3
SB-IPF3	815128.1	820371.0	Mid Flood	9.9	16.12	33.19	5.7	92.9	7.48	7.99	9:55:08	0.60	181.2
SB-IPF3	815124.3	820378.2	Mid Flood	6.1	16.11	33.19	5.1	93.2	7.50	7.99	9:55:42	0.19	245.4
SB-IPF3	815122.0	820384.8	Mid Flood	10.1	16.11	33.19	5.9	92.6	7.45	7.99	9:56:19	0.59	328.3
SB-IPF3	815127.9	820380.7	Mid Flood	6.1	16.11	33.19	5.3	92.9	7.48	7.99	9:57:01	0.75	240.2
SB-IPF3	815127.9	820377.3	Mid Flood	9.8	16.11	33.19	5.5	92.6	7.45	7.99	9:57:34	0.29	312.5
SB-IPF3	815122.2	820373.8	Mid Flood	6.1	16.11	33.19	5.4	92.9	7.48	7.99	9:58:30	0.24	236.7
SB-IPF3	815118.6	820374.5	Mid Flood	9.8	16.11	33.19	5.1	92.6	7.45	7.99	9:59:10	0.23	108.9
SB-IPF3	815120.7	820378.5	Mid Flood	6.1	16.12	33.19	5.3	92.9	7.48	7.99	9:59:52	0.24	236.7
SB-IPF3	815124.6	820375.2	Mid Flood	9.8	16.11	33.19	6.0	92.5	7.45	7.99	10:00:31	0.66	224.7
SB-IPF3	815125.4	820368.2	Mid Flood	6.3	16.12	33.19	5.0	92.9	7.47	7.99	10:01:33	0.38	257.4
SB-IPF3	815118.8	820366.9	Mid Flood	9.8	16.11	33.19	6.6	92.5	7.44	7.99	10:02:17	0.04	162.4
SB-IPF3	815109.5	820367.3	Mid Flood	6.1	16.11	33.19	6.1	92.8	7.47	7.99	10:02:56	0.15	10.5
SB-IPF3	815098.1	820356.8	Mid Flood	9.8	16.12	33.19	5.4	92.5	7.44	7.99	10:03:58	0.30	255.3
SB-IPF3	815093.3	820356.3	Mid Flood	6.1	16.12	33.19	4.4	92.8	7.47	7.99	10:04:26	0.09	259.3
SB-IPF3	815098.3	820363.0	Mid Flood	9.8	16.12	33.19	5.8	92.5	7.44	7.99	10:05:19	0.54	207.9
SB-IPF3	815104.0	820370.3	Mid Flood	5.9	16.13	33.19	4.8	92.8	7.47	7.99	10:06:01	0.39	284.3
SB-RFF1	815099.3	818417.4	Mid Flood	2.4	16.08	33.12	4.5	92.4	7.45	7.99	8:54:54	0.81	196.7
SB-RFF1	815098.4	818421.5	Mid Flood	2.4	16.08	33.11	4.5	92.3	7.44	7.99	8:55:19	0.81	196.7
SB-RFF1	815096.6	818424.9	Mid Flood	2.4	16.07	33.12	4.5	92.1	7.42	7.99	8:55:43	0.81	196.7
SB-RFF1	815094.1	818427.9	Mid Flood	2.4	16.07	33.12	4.5	92.2	7.43	7.99	8:56:08	0.81	196.7
SB-RFF1	815092.2	818430.4	Mid Flood	2.4	16.07	33.11	4.5	92.1	7.42	7.99	8:56:31	0.81	196.7

ROUTINE WATER QUALITY MONITORING for CMP 1

Date: 17 February 2014

Pos. No.	Easting	Northing	Tide	Depth (m)	Temp.	Salinity	Turbidity(Ntu)	D.O.(%)	D.O.(mg/l)	pH	Time	Speed	Direction
SB-RFF1	815090.4	818432.7	Mid Flood	2.4	16.07	33.12	4.3	92.1	7.42	7.99	8:56:53	0.81	196.7
SB-RFF1	815088.5	818435.2	Mid Flood	2.4	16.07	33.12	4.3	92.2	7.43	7.99	8:57:16	0.81	196.7
SB-RFF1	815086.6	818437.3	Mid Flood	2.4	16.06	33.12	4.8	92.3	7.44	7.99	8:57:39	0.81	196.7
SB-RFF2	815624.1	818977.6	Mid Flood	2.6	16.16	33.24	5.2	94.3	7.58	8.00	8:44:05	0.19	154.9
SB-RFF2	815620.9	818980.1	Mid Flood	2.6	16.16	33.23	5.1	93.6	7.52	8.01	8:44:29	0.19	154.9
SB-RFF2	815622.1	818984.5	Mid Flood	2.6	16.15	33.23	5.1	93.5	7.52	8.00	8:44:52	0.19	154.9
SB-RFF2	815623.8	818985.0	Mid Flood	2.6	16.15	33.22	5.1	93.4	7.51	8.00	8:45:18	0.19	154.9
SB-RFF2	815624.6	818983.5	Mid Flood	2.6	16.15	33.23	5.0	93.3	7.50	8.00	8:45:41	0.19	154.9
SB-RFF2	815624.4	818978.7	Mid Flood	2.6	16.15	33.23	5.4	93.2	7.50	8.00	8:46:22	0.69	286.6
SB-RFF2	815622.9	818974.3	Mid Flood	2.6	16.14	33.22	5.2	93.3	7.50	8.00	8:46:55	0.11	93.7
SB-RFF2	815620.7	818970.7	Mid Flood	2.6	16.15	33.23	5.1	93.3	7.50	8.00	8:47:19	1.09	204.2
SB-RFF3	816142.8	819426.4	Mid Flood	5.0	16.04	33.12	8.1	92.8	7.49	8.00	8:24:29	0.38	317.9
SB-RFF3	816137.7	819428.9	Mid Flood	3.5	16.04	33.10	8.3	92.5	7.46	8.00	8:25:30	0.13	293.3
SB-RFF3	816142.1	819433.5	Mid Flood	4.9	16.04	33.10	8.8	92.3	7.44	8.00	8:26:19	0.86	260.6
SB-RFF3	816145.4	819433.8	Mid Flood	2.9	16.03	33.10	9.0	92.5	7.46	8.00	8:26:46	0.60	250.8
SB-RFF3	816144.9	819432.6	Mid Flood	5.1	16.03	33.10	9.0	92.3	7.44	8.00	8:27:17	0.88	297.9
SB-RFF3	816141.1	819430.2	Mid Flood	3.6	16.03	33.10	8.8	92.4	7.45	8.00	8:27:51	0.30	289.9
SB-RFF3	816133.1	819427.0	Mid Flood	5.0	16.04	33.10	8.4	92.3	7.44	8.00	8:28:35	0.72	218.0
SB-RFF3	816123.7	819424.7	Mid Flood	3.4	16.04	33.09	7.6	92.4	7.45	8.00	8:29:17	0.70	243.7
SB-RFF3	816121.2	819422.4	Mid Flood	4.7	16.04	33.10	9.1	92.4	7.45	8.00	8:29:48	0.27	309.4
SB-RFF3	816122.8	819421.7	Mid Flood	3.8	16.03	33.10	10.0	92.3	7.45	8.00	8:30:16	0.38	296.2
SB-RFF3	816128.1	819422.9	Mid Flood	5.2	16.04	33.10	11.4	92.2	7.43	8.00	8:31:04	0.44	249.3
SB-RFF3	816128.4	819423.2	Mid Flood	3.5	16.03	33.10	10.9	92.3	7.44	8.00	8:31:33	0.77	266.1
SB-RFF3	816129.7	819422.1	Mid Flood	4.9	16.04	33.10	10.6	92.2	7.43	8.00	8:31:59	0.52	158.9
SB-RFF3	816128.1	819422.4	Mid Flood	3.6	16.03	33.10	8.6	92.4	7.45	8.00	8:32:53	0.43	317.8
SB-RFF3	816124.3	819418.5	Mid Flood	5.0	16.03	33.10	9.6	92.2	7.44	8.00	8:33:44	0.60	249.5
SB-RFF3	816122.4	819416.1	Mid Flood	3.5	16.03	33.10	8.6	92.3	7.45	8.00	8:34:14	0.42	134.8
THB1	814500.3	817940.6	Mid Flood	2.4	16.00	33.06	3.9	92.6	7.48	7.98	9:03:58	0.28	104.3
THB1	814493.0	817949.2	Mid Flood	2.3	15.99	33.05	3.4	91.6	7.40	7.98	9:04:39	0.24	358.6
THB1	814484.9	817958.1	Mid Flood	2.3	16.00	33.06	3.8	91.5	7.38	7.98	9:05:22	0.59	183.2
THB1	814480.4	817963.0	Mid Flood	2.3	16.00	33.06	4.0	91.5	7.39	7.98	9:05:44	0.59	183.2
THB1	814477.0	817969.4	Mid Flood	2.3	16.00	33.07	4.2	91.6	7.39	7.98	9:06:27	0.39	165.9
THB1	814474.7	817972.1	Mid Flood	2.3	16.00	33.07	3.3	91.6	7.40	7.98	9:06:51	0.39	165.9
THB1	814468.0	817976.7	Mid Flood	2.3	16.00	33.07	3.3	91.7	7.40	7.98	9:07:34	0.28	287.6
THB1	814462.7	817979.8	Mid Flood	2.3	16.00	33.06	3.7	91.5	7.39	7.98	9:08:02	0.28	287.6
THB2	815876.9	818041.0	Mid Flood	1.3	15.89	32.61	3.1	84.6	6.86	7.99	8:49:17	0.06	40
THB2	815876.7	818040.4	Mid Flood	1.3	15.89	32.60	3.7	84.6	6.86	7.99	8:49:56	0.06	40
THB2	815874.7	818042.0	Mid Flood	1.3	15.89	32.60	3.4	84.5	6.85	8.00	8:50:22	0.06	40
THB2	815872.9	818042.9	Mid Flood	1.3	15.89	32.61	3.4	84.5	6.86	7.99	8:50:46	0.06	40

ROUTINE WATER QUALITY MONITORING for CMP 1

Date: 17 February 2014

Pos. No.	Easting	Northing	Tide	Depth (m)	Temp.	Salinity	Turbidity(Ntu)	D.O.(%)	D.O.(mg/l)	pH	Time	Speed	Direction
THB2	815871.7	818043.3	Mid Flood	1.3	15.90	32.62	3.7	84.4	6.84	7.99	8:51:08	0.06	40
THB2	815871.0	818043.7	Mid Flood	1.3	15.89	32.59	3.6	84.5	6.85	7.99	8:51:36	0.06	40
THB2	815873.1	818042.9	Mid Flood	1.3	15.90	32.64	3.5	84.4	6.84	7.99	8:51:57	0.06	40
THB2	815875.8	818041.5	Mid Flood	1.3	15.90	32.62	3.3	84.6	6.86	7.99	8:52:21	0.06	40
WSR45C	817425.5	820213.0	Mid Flood	12.0	16.11	33.10	8.5	91.3	7.35	8.00	8:03:34	0.38	181.4
WSR45C	817421.0	820215.6	Mid Flood	7.1	16.12	33.11	7.5	91.6	7.37	8.00	8:04:38	0.33	274.9
WSR45C	817421.3	820217.4	Mid Flood	11.8	16.13	33.12	10.2	91.1	7.33	8.00	8:05:24	0.65	246.1
WSR45C	817423.7	820216.3	Mid Flood	7.1	16.13	33.12	9.1	91.5	7.37	8.00	8:06:09	0.51	258.5
WSR45C	817420.1	820215.2	Mid Flood	11.9	16.13	33.13	8.8	91.1	7.33	8.00	8:07:06	0.97	255.0
WSR45C	817420.0	820213.7	Mid Flood	6.9	16.14	33.14	7.1	91.8	7.38	8.00	8:08:13	1.17	284.8
WSR45C	817422.7	820215.2	Mid Flood	11.8	16.14	33.14	10.2	91.4	7.35	8.00	8:09:00	0.45	313.9
WSR45C	817422.9	820214.7	Mid Flood	7.0	16.14	33.14	9.2	91.8	7.39	8.00	8:09:47	0.25	252.4
WSR45C	817425.8	820214.0	Mid Flood	11.9	16.14	33.14	13.0	91.3	7.35	8.00	8:10:40	0.90	253.6
WSR45C	817422.9	820210.9	Mid Flood	7.6	16.13	33.14	11.6	91.8	7.39	8.00	8:11:26	0.67	231.9
WSR45C	817412.2	820207.1	Mid Flood	12.1	16.14	33.14	11.9	91.4	7.35	8.00	8:12:11	0.40	13.5
WSR45C	817400.2	820201.3	Mid Flood	6.9	16.13	33.14	8.9	91.8	7.39	8.00	8:12:49	0.19	158.5
WSR45C	817391.7	820191.1	Mid Flood	11.9	16.13	33.15	9.1	91.5	7.36	8.00	8:13:35	0.55	252.5
WSR45C	817392.5	820187.4	Mid Flood	7.0	16.13	33.15	10.5	91.8	7.39	8.00	8:14:19	0.17	154.2
WSR45C	817380.9	820188.4	Mid Flood	12.0	16.13	33.15	12.8	91.4	7.36	8.00	8:15:05	0.46	204.1
WSR45C	817362.2	820186.2	Mid Flood	7.0	16.13	33.15	9.7	91.9	7.40	8.00	8:15:55	0.81	261.2
WSR46	813891.0	820981.7	Mid Flood	9.0	16.12	33.28	5.5	93.9	7.55	8.01	10:15:51	0.19	289.9
WSR46	813882.9	820992.1	Mid Flood	5.4	16.12	33.27	5.3	94.0	7.56	8.00	10:16:34	0.41	314.8
WSR46	813885.5	820988.7	Mid Flood	8.6	16.12	33.28	5.7	93.8	7.55	8.00	10:17:11	0.36	188.1
WSR46	813884.8	820983.0	Mid Flood	5.5	16.11	33.27	5.5	94.0	7.56	8.00	10:17:50	0.33	282.1
WSR46	813881.2	820978.2	Mid Flood	9.0	16.12	33.28	5.6	93.7	7.53	8.00	10:18:23	0.42	243.1
WSR46	813878.4	820975.8	Mid Flood	5.4	16.10	33.25	5.2	93.9	7.56	8.00	10:19:07	0.91	2.0
WSR46	813880.7	820978.8	Mid Flood	8.9	16.11	33.27	5.5	93.8	7.54	8.00	10:19:49	0.49	289.0
WSR46	813881.9	820981.5	Mid Flood	5.4	16.10	33.25	5.3	93.9	7.56	8.00	10:20:31	0.27	143.2
WSR46	813892.1	820976.6	Mid Flood	9.0	16.11	33.27	5.5	93.7	7.53	8.00	10:21:18	0.40	206.2
WSR46	813889.1	820977.2	Mid Flood	5.7	16.10	33.25	5.0	93.9	7.55	8.00	10:22:01	0.44	36.4
WSR46	813882.4	820975.5	Mid Flood	9.2	16.11	33.27	5.3	93.6	7.53	8.00	10:22:44	0.41	3.0
WSR46	813880.3	820975.7	Mid Flood	5.6	16.10	33.25	5.4	93.9	7.56	8.00	10:23:32	0.17	210.1
WSR46	813886.5	820975.4	Mid Flood	8.7	16.10	33.26	5.7	93.6	7.53	8.00	10:24:35	0.56	309.1
WSR46	813889.4	820969.6	Mid Flood	5.5	16.10	33.25	5.1	93.8	7.55	8.00	10:25:18	0.46	9.8
WSR46	813888.3	820970.1	Mid Flood	9.3	16.10	33.26	5.3	93.6	7.53	7.99	10:25:50	0.47	304.0
WSR46	813882.9	820973.6	Mid Flood	5.6	16.09	33.24	5.1	93.8	7.55	7.99	10:26:29	0.48	15.8

Note: SB-INE/INF - Intermediate stations; SB-IPE/IPF - Impact stations; SB-RFE/RFF - Reference stations; MW - Ma Wan station; THB1/2 - Tai Ho Bai stations; WSR45C - Sham Shui Kok station; WSR46 - Tai Mo To station.