

ROUTINE WATER QUALITY MONITORING for CMP 1

Date: 21 February 2014

Pos. No.	Easting	Northing	Tide	Depth (m)	Temp.	Salinity	Turbidity(Ntu)	D.O.(%)	D.O.(mg/l)	pH	Time	Speed	Direction
MW1	823624.5	823665.0	Mid Flood	18.2	16.48	32.83	4.9	89.7	7.18	7.98	9:06:56	0.44	358.2
MW1	823637.4	823666.0	Mid Flood	10.0	16.48	32.82	3.6	89.8	7.19	7.99	9:07:40	0.61	82.6
MW1	823633.6	823666.1	Mid Flood	17.7	16.48	32.83	3.4	89.3	7.15	8.00	9:08:27	0.35	326.9
MW1	823624.1	823670.2	Mid Flood	10.1	16.48	32.83	3.6	89.5	7.17	8.01	9:09:11	0.42	10.4
MW1	823614.6	823670.2	Mid Flood	17.6	16.49	32.84	3.2	89.0	7.13	8.01	9:09:55	0.84	6.5
MW1	823610.2	823666.8	Mid Flood	10.4	16.49	32.85	3.3	89.4	7.16	8.02	9:10:34	0.52	44.0
MW1	823604.1	823666.4	Mid Flood	18.3	16.49	32.85	2.7	88.8	7.11	8.02	9:11:17	0.34	87.5
MW1	823602.7	823667.7	Mid Flood	9.9	16.49	32.85	2.5	89.3	7.15	8.01	9:11:53	0.63	64.7
MW1	823606.5	823658.0	Mid Flood	18.1	16.48	32.85	2.8	88.7	7.10	8.01	9:12:50	0.18	294.5
MW1	823608.2	823658.7	Mid Flood	10.0	16.48	32.86	2.7	88.8	7.11	8.02	9:13:30	0.67	69.4
MW1	823610.8	823657.4	Mid Flood	18.0	16.49	32.86	2.5	88.8	7.11	8.02	9:14:12	0.45	39.9
MW1	823612.9	823655.6	Mid Flood	10.0	16.48	32.86	2.5	89.4	7.16	8.02	9:14:52	0.31	78.9
MW1	823619.6	823656.8	Mid Flood	17.8	16.48	32.86	3.0	88.7	7.10	8.02	9:15:43	0.36	294.9
MW1	823622.8	823653.3	Mid Flood	10.1	16.48	32.86	3.2	89.3	7.15	8.02	9:16:26	0.35	251.3
MW1	823618.3	823643.4	Mid Flood	17.5	16.48	32.86	2.8	88.7	7.10	8.02	9:17:24	0.10	309.9
MW1	823604.2	823652.6	Mid Flood	10.2	16.49	32.86	3.0	89.2	7.14	8.02	9:18:20	0.52	36.2
SB-INF1	812897.2	822427.8	Mid Flood	9.9	16.30	32.77	2.9	93.1	7.48	7.97	12:52:40	0.51	217.6
SB-INF1	812912.1	822428.0	Mid Flood	6.3	16.33	32.77	2.9	91.7	7.37	7.96	12:53:31	0.22	214.9
SB-INF1	812908.9	822427.0	Mid Flood	10.0	16.32	32.77	2.7	90.8	7.30	7.96	12:54:02	0.78	270.8
SB-INF1	812905.3	822424.7	Mid Flood	6.0	16.31	32.77	2.6	90.9	7.31	7.96	12:54:36	0.80	252.6
SB-INF1	812900.3	822418.7	Mid Flood	9.8	16.31	32.78	2.7	90.5	7.27	7.96	12:55:19	0.08	198.4
SB-INF1	812900.4	822412.3	Mid Flood	6.1	16.32	32.78	2.8	90.8	7.30	7.96	12:55:56	0.54	244.4
SB-INF1	812901.6	822414.2	Mid Flood	9.6	16.31	32.78	2.9	90.5	7.27	7.96	12:56:33	0.52	291.8
SB-INF1	812906.5	822420.8	Mid Flood	6.2	16.31	32.78	2.7	90.7	7.29	7.96	12:57:13	0.67	303.2
SB-INF1	812905.9	822415.3	Mid Flood	10.1	16.31	32.78	2.7	90.3	7.26	7.96	12:57:52	0.42	239.5
SB-INF1	812898.8	822413.0	Mid Flood	5.7	16.32	32.78	2.6	90.3	7.26	7.96	12:58:19	0.27	72.7
SB-INF1	812904.4	822406.8	Mid Flood	10.0	16.31	32.78	2.8	90.3	7.26	7.96	12:59:03	0.24	225.7
SB-INF1	812897.4	822408.4	Mid Flood	5.8	16.32	32.78	3.0	90.8	7.30	7.96	12:59:44	0.46	261.6
SB-INF1	812879.2	822413.0	Mid Flood	9.8	16.31	32.78	2.9	90.4	7.27	7.96	13:00:24	0.17	233.4
SB-INF1	812863.0	822414.5	Mid Flood	5.8	16.32	32.78	3.1	90.7	7.29	7.96	13:00:57	1.05	251.5
SB-INF1	812855.9	822451.8	Mid Flood	9.9	16.31	32.78	2.7	90.3	7.26	7.96	13:01:41	0.60	254.0
SB-INF1	812865.8	822486.7	Mid Flood	5.9	16.32	32.78	2.6	90.7	7.29	7.96	13:02:36	0.40	11.3
SB-INF2	814107.2	822916.5	Mid Flood	22.1	16.45	32.84	2.8	89.9	7.20	7.96	13:11:39	0.28	245.6
SB-INF2	814112.9	822918.5	Mid Flood	12.0	16.46	32.84	2.6	89.9	7.20	7.96	13:12:26	0.36	312.8
SB-INF2	814112.8	822914.8	Mid Flood	22.1	16.46	32.84	2.6	89.2	7.15	7.96	13:13:19	0.09	81.4
SB-INF2	814106.7	822918.5	Mid Flood	12.1	16.46	32.84	2.2	89.5	7.17	7.97	13:14:02	0.61	285.9
SB-INF2	814116.9	822916.6	Mid Flood	22.2	16.46	32.84	2.6	88.7	7.11	7.96	13:14:51	0.09	81.4
SB-INF2	814114.7	822917.6	Mid Flood	11.9	16.47	32.85	2.2	89.8	7.19	7.97	13:15:49	0.39	226.7
SB-INF2	814117.9	822917.5	Mid Flood	22.2	16.47	32.85	2.3	89.1	7.13	7.97	13:16:46	0.09	81.4

ROUTINE WATER QUALITY MONITORING for CMP 1

Date: 21 February 2014

Pos. No.	Easting	Northing	Tide	Depth (m)	Temp.	Salinity	Turbidity(Ntu)	D.O.(%)	D.O.(mg/l)	pH	Time	Speed	Direction
SB-INF2	814120.3	822913.7	Mid Flood	12.0	16.47	32.85	2.3	89.7	7.18	7.96	13:17:41	0.33	291.7
SB-INF2	814127.1	822923.3	Mid Flood	22.3	16.47	32.85	2.3	89.5	7.16	7.96	13:18:33	0.09	81.4
SB-INF2	814116.6	822930.8	Mid Flood	12.1	16.48	32.85	2.1	89.7	7.18	7.96	13:19:17	0.28	209.4
SB-INF2	814115.4	822930.9	Mid Flood	21.1	16.47	32.85	2.2	89.1	7.13	7.96	13:20:03	0.12	208.2
SB-INF2	814125.4	822926.4	Mid Flood	11.8	16.47	32.85	2.3	89.7	7.18	7.96	13:20:45	0.62	255.1
SB-INF2	814110.6	822898.1	Mid Flood	21.8	16.47	32.85	3.3	90.5	7.24	7.95	13:29:06	0.21	122.7
SB-INF2	814109.8	822904.4	Mid Flood	12.3	16.48	32.85	2.1	90.4	7.24	7.95	13:29:50	0.14	304.1
SB-INF2	814110.5	822912.4	Mid Flood	22.0	16.47	32.85	2.3	89.3	7.15	7.96	13:30:47	0.91	114.3
SB-INF2	814110.2	822910.0	Mid Flood	12.1	16.48	32.86	2.3	89.9	7.19	7.96	13:31:28	0.61	249.0
SB-INF3	815433.0	823334.9	Mid Flood	17.0	16.47	32.87	1.9	90.8	7.27	7.97	13:40:48	0.64	258.2
SB-INF3	815433.6	823338.1	Mid Flood	9.7	16.48	32.87	1.7	90.4	7.24	7.97	13:41:31	0.67	244.4
SB-INF3	815429.2	823333.7	Mid Flood	17.0	16.47	32.87	2.2	89.5	7.16	7.96	13:42:14	0.76	311.0
SB-INF3	815417.5	823332.2	Mid Flood	9.4	16.47	32.87	1.9	90.0	7.21	7.96	13:43:07	0.96	342.8
SB-INF3	815409.8	823322.6	Mid Flood	17.0	16.47	32.87	1.8	89.3	7.15	7.96	13:43:51	0.64	258.2
SB-INF3	815409.6	823311.2	Mid Flood	9.5	16.47	32.87	2.4	89.9	7.20	7.96	13:44:30	0.82	219.4
SB-INF3	815400.5	823298.8	Mid Flood	16.7	16.46	32.86	2.2	89.6	7.18	7.95	13:45:14	0.45	245.9
SB-INF3	815405.6	823290.3	Mid Flood	9.7	16.47	32.87	2.0	90.4	7.24	7.95	13:46:19	0.24	175.0
SB-INF3	815407.5	823296.5	Mid Flood	16.9	16.44	32.84	2.1	89.8	7.20	7.95	13:46:59	0.58	277.5
SB-INF3	815409.9	823302.3	Mid Flood	9.7	16.47	32.87	1.8	90.1	7.21	7.95	13:47:40	0.35	141.4
SB-INF3	815408.8	823315.7	Mid Flood	16.7	16.48	32.87	2.1	89.8	7.19	7.95	13:48:23	0.43	350.1
SB-INF3	815415.5	823329.9	Mid Flood	9.6	16.47	32.87	2.6	89.8	7.19	7.95	13:49:05	0.59	335.1
SB-INF3	815426.5	823341.5	Mid Flood	17.1	16.48	32.88	2.2	89.3	7.15	7.95	13:49:49	0.20	355.1
SB-INF3	815432.9	823347.8	Mid Flood	9.6	16.49	32.88	3.3	89.9	7.19	7.95	13:50:35	0.09	340.8
SB-INF3	815426.1	823358.2	Mid Flood	16.7	16.50	32.88	2.7	89.3	7.15	7.95	13:51:17	0.38	308.7
SB-INF3	815409.4	823371.6	Mid Flood	9.6	16.49	32.88	3.7	89.9	7.20	7.95	13:52:11	1.35	313.0
SB-IPF1	814688.4	820088.0	Mid Flood	10.0	16.04	32.66	5.7	94.1	7.61	7.99	11:55:29	0.93	202.7
SB-IPF1	814697.3	820080.6	Mid Flood	6.1	16.06	32.66	6.0	92.6	7.48	7.99	11:56:16	0.33	231.2
SB-IPF1	814693.9	820068.0	Mid Flood	10.0	16.04	32.66	6.2	91.9	7.43	7.99	11:56:59	0.51	246.3
SB-IPF1	814699.4	820068.3	Mid Flood	6.2	16.05	32.66	5.9	92.0	7.44	7.99	11:57:31	0.18	344.8
SB-IPF1	814698.9	820068.9	Mid Flood	10.0	16.04	32.66	5.7	91.6	7.41	7.99	11:58:11	0.23	286.6
SB-IPF1	814708.1	820065.9	Mid Flood	5.8	16.05	32.66	6.8	91.7	7.41	7.99	11:58:53	0.30	337.7
SB-IPF1	814717.7	820058.6	Mid Flood	9.8	16.04	32.66	5.9	91.4	7.39	7.99	11:59:34	0.20	171.3
SB-IPF1	814731.4	820052.1	Mid Flood	6.2	16.04	32.66	6.1	91.6	7.41	7.99	12:00:15	0.41	10.9
SB-IPF1	814737.3	820054.6	Mid Flood	10.1	16.04	32.66	6.4	91.1	7.37	7.99	12:00:54	0.44	335.4
SB-IPF1	814735.3	820061.8	Mid Flood	6.0	16.06	32.67	6.4	91.5	7.40	7.99	12:01:28	0.70	230.5
SB-IPF1	814736.5	820071.8	Mid Flood	10.1	16.04	32.66	6.4	91.1	7.37	7.99	12:02:10	0.36	249.2
SB-IPF1	814735.8	820076.6	Mid Flood	6.1	16.09	32.68	6.5	91.5	7.39	7.99	12:02:52	0.27	144.4
SB-IPF1	814745.7	820079.6	Mid Flood	10.0	16.05	32.67	6.4	91.4	7.39	7.98	12:03:34	0.23	18.3
SB-IPF1	814754.1	820075.8	Mid Flood	6.4	16.07	32.68	6.2	91.3	7.38	7.99	12:04:14	0.54	159.6

ROUTINE WATER QUALITY MONITORING for CMP 1

Date: 21 February 2014

Pos. No.	Easting	Northing	Tide	Depth (m)	Temp.	Salinity	Turbidity(Ntu)	D.O.(%)	D.O.(mg/l)	pH	Time	Speed	Direction
SB-IPF1	814753.3	820071.2	Mid Flood	9.9	16.10	32.68	6.6	91.0	7.35	7.98	12:04:54	0.14	175.6
SB-IPF1	814765.9	820074.6	Mid Flood	5.9	16.11	32.71	6.8	91.3	7.37	7.98	12:05:36	0.53	177.4
SB-IPF2	813937.3	818977.9	Mid Flood	6.0	15.98	32.66	10.8	95.8	7.75	8.01	11:40:16	0.17	67.3
SB-IPF2	813945.5	818993.3	Mid Flood	4.1	15.99	32.64	10.2	92.7	7.50	8.01	11:41:04	0.24	215.3
SB-IPF2	813953.3	818992.3	Mid Flood	6.0	15.99	32.64	10.1	92.0	7.44	8.01	11:41:38	0.06	181.9
SB-IPF2	813958.0	818989.7	Mid Flood	4.1	16.01	32.65	10.6	92.0	7.44	8.00	11:42:06	0.65	258.1
SB-IPF2	813963.2	818990.2	Mid Flood	5.9	16.00	32.65	10.1	91.8	7.43	8.00	11:42:33	0.50	278.2
SB-IPF2	813969.0	818989.3	Mid Flood	4.1	16.03	32.66	10.6	91.9	7.43	8.00	11:42:58	0.47	358.3
SB-IPF2	813974.8	818988.1	Mid Flood	6.1	16.01	32.65	10.3	91.9	7.43	8.00	11:43:30	0.51	195.2
SB-IPF2	813978.0	818987.8	Mid Flood	4.1	16.03	32.66	11.1	91.5	7.40	8.00	11:43:58	0.57	187.1
SB-IPF2	813978.2	818986.5	Mid Flood	5.8	16.02	32.66	10.8	91.5	7.40	8.00	11:44:24	0.39	268.1
SB-IPF2	813978.9	818990.1	Mid Flood	4.0	16.03	32.66	11.1	91.6	7.41	8.00	11:44:47	0.18	50.6
SB-IPF2	813979.7	818997.7	Mid Flood	6.0	16.04	32.67	10.9	91.6	7.40	8.00	11:45:12	0.31	170.2
SB-IPF2	813985.9	818998.5	Mid Flood	3.8	16.06	32.67	10.6	92.0	7.43	8.00	11:45:35	0.31	118.0
SB-IPF2	813998.4	818994.9	Mid Flood	6.1	16.05	32.67	11.3	91.9	7.43	8.00	11:45:58	0.33	248.3
SB-IPF2	814004.4	819000.4	Mid Flood	3.9	16.04	32.67	12.1	91.8	7.42	8.00	11:46:31	0.58	13.8
SB-IPF2	814002.5	819004.7	Mid Flood	6.0	16.04	32.67	11.8	91.8	7.42	8.00	11:46:54	0.26	45.0
SB-IPF2	814000.4	819011.7	Mid Flood	4.0	16.02	32.67	10.0	91.6	7.41	7.99	11:47:17	0.65	50.1
SB-IPF3	815132.6	820435.5	Mid Flood	10.0	16.44	32.83	5.7	90.6	7.26	7.99	12:13:20	0.63	4.6
SB-IPF3	815137.4	820437.1	Mid Flood	6.1	16.46	32.83	4.1	90.2	7.23	7.99	12:14:03	0.15	280.0
SB-IPF3	815139.2	820434.0	Mid Flood	10.0	16.45	32.83	5.1	89.8	7.20	7.99	12:14:35	0.41	317.3
SB-IPF3	815144.6	820431.6	Mid Flood	6.1	16.45	32.83	4.1	90.2	7.22	7.99	12:15:07	0.46	266.2
SB-IPF3	815145.6	820431.6	Mid Flood	10.0	16.45	32.83	4.9	89.8	7.19	7.99	12:15:50	0.65	352.0
SB-IPF3	815148.0	820430.0	Mid Flood	6.1	16.45	32.83	4.5	90.1	7.21	7.99	12:16:20	0.22	166.9
SB-IPF3	815147.9	820422.1	Mid Flood	10.1	16.44	32.83	4.6	89.7	7.18	7.99	12:17:02	0.56	287.0
SB-IPF3	815145.4	820420.4	Mid Flood	6.0	16.45	32.83	5.1	90.1	7.21	7.99	12:17:46	0.30	310.1
SB-IPF3	815151.3	820420.1	Mid Flood	9.8	16.45	32.83	5.1	89.8	7.19	7.99	12:18:16	0.56	245.3
SB-IPF3	815160.0	820428.1	Mid Flood	6.1	16.46	32.83	4.6	89.9	7.20	7.99	12:18:56	0.23	244.3
SB-IPF3	815162.5	820430.8	Mid Flood	10.1	16.44	32.83	4.4	89.6	7.18	7.99	12:19:37	0.39	166.3
SB-IPF3	815163.1	820430.5	Mid Flood	6.0	16.45	32.83	4.6	90.0	7.21	7.99	12:20:14	0.72	118.7
SB-IPF3	815164.0	820433.0	Mid Flood	9.9	16.45	32.83	4.3	89.8	7.19	7.99	12:21:00	0.53	257.6
SB-IPF3	815164.8	820438.2	Mid Flood	6.0	16.45	32.83	4.2	90.1	7.21	7.99	12:21:33	0.48	292.2
SB-IPF3	815162.8	820438.3	Mid Flood	9.8	16.45	32.83	4.5	89.7	7.18	7.99	12:22:02	0.32	93.5
SB-IPF3	815161.5	820428.8	Mid Flood	6.2	16.45	32.83	4.3	90.1	7.21	7.98	12:22:49	0.41	267.1
SB-RFF1	815079.9	818520.8	Mid Flood	2.6	16.01	32.66	5.3	95.6	7.73	8.01	10:51:08	0.25	256.9
SB-RFF1	815089.7	818513.5	Mid Flood	2.4	16.02	32.67	5.0	93.8	7.59	8.01	10:51:44	0.34	266.6
SB-RFF1	815096.2	818508.8	Mid Flood	2.5	16.02	32.67	5.1	93.4	7.55	8.01	10:52:07	0.34	266.6
SB-RFF1	815110.9	818510.6	Mid Flood	2.4	16.02	32.67	5.0	93.1	7.53	8.01	10:52:42	0.22	348.4
SB-RFF1	815122.6	818512.7	Mid Flood	2.4	16.02	32.67	4.9	93.0	7.52	8.01	10:53:07	1.25	238.3

ROUTINE WATER QUALITY MONITORING for CMP 1

Date: 21 February 2014

Pos. No.	Easting	Northing	Tide	Depth (m)	Temp.	Salinity	Turbidity(Ntu)	D.O.(%)	D.O.(mg/l)	pH	Time	Speed	Direction
SB-RFF1	815133.2	818519.8	Mid Flood	2.5	16.02	32.67	4.9	93.0	7.52	8.01	10:53:38	0.25	166.3
SB-RFF1	815136.6	818522.3	Mid Flood	2.5	16.02	32.68	4.7	92.7	7.50	8.01	10:54:00	0.20	297.0
SB-RFF1	815136.6	818525.5	Mid Flood	2.5	16.02	32.68	4.8	92.8	7.50	8.01	10:54:28	0.25	166.3
SB-RFF2	815615.3	818991.1	Mid Flood	3.1	16.05	32.67	4.3	95.2	7.69	8.00	10:37:15	0.31	241.6
SB-RFF2	815619.6	818994.6	Mid Flood	3.0	16.07	32.68	4.2	91.9	7.42	8.00	10:38:13	0.18	137.2
SB-RFF2	815622.8	818994.1	Mid Flood	3.0	16.07	32.68	4.2	91.9	7.42	8.00	10:38:36	0.58	271.2
SB-RFF2	815625.4	818997.4	Mid Flood	3.1	16.08	32.68	4.1	91.0	7.35	8.00	10:38:59	0.16	232.9
SB-RFF2	815630.1	818992.0	Mid Flood	3.0	16.08	32.68	4.0	91.1	7.36	8.00	10:39:27	0.39	333.8
SB-RFF2	815630.4	818985.6	Mid Flood	3.0	16.08	32.68	3.9	91.2	7.36	8.00	10:39:54	0.18	259.7
SB-RFF2	815630.3	818982.2	Mid Flood	3.1	16.08	32.68	3.9	91.1	7.36	8.00	10:40:15	0.51	230.3
SB-RFF2	815629.1	818980.6	Mid Flood	3.0	16.09	32.68	3.9	91.0	7.35	8.00	10:40:38	0.37	210.4
SB-RFF3	816138.6	819435.8	Mid Flood	4.8	16.08	32.67	4.5	95.4	7.70	8.01	10:24:21	0.69	250.4
SB-RFF3	816146.4	819443.0	Mid Flood	4.1	16.07	32.67	4.3	92.6	7.48	8.01	10:24:45	0.57	25.2
SB-RFF3	816151.8	819449.9	Mid Flood	5.2	16.09	32.68	4.2	91.5	7.39	8.01	10:25:15	0.17	318.4
SB-RFF3	816145.4	819451.4	Mid Flood	3.4	16.10	32.67	4.2	91.2	7.36	8.01	10:25:47	0.21	235.2
SB-RFF3	816140.7	819452.9	Mid Flood	5.0	16.08	32.67	4.2	90.9	7.34	8.01	10:26:10	0.62	95.9
SB-RFF3	816146.8	819458.0	Mid Flood	3.4	16.09	32.68	4.3	90.9	7.34	8.01	10:26:39	0.21	235.2
SB-RFF3	816154.2	819456.9	Mid Flood	5.2	16.08	32.68	4.5	90.7	7.32	8.01	10:27:06	0.17	318.4
SB-RFF3	816152.0	819455.5	Mid Flood	3.6	16.10	32.68	4.2	90.8	7.33	8.01	10:27:30	0.25	183.3
SB-RFF3	816147.2	819455.9	Mid Flood	5.0	16.10	32.68	4.3	90.7	7.32	8.01	10:27:55	0.18	216.7
SB-RFF3	816144.2	819458.5	Mid Flood	3.5	16.09	32.68	4.2	90.7	7.32	8.01	10:28:20	0.13	328.5
SB-RFF3	816151.7	819461.0	Mid Flood	5.1	16.09	32.68	4.4	90.4	7.30	8.01	10:29:01	0.05	65.7
SB-RFF3	816151.0	819461.0	Mid Flood	3.6	16.09	32.68	4.3	90.7	7.32	8.01	10:29:26	0.84	266.3
SB-RFF3	816151.0	819463.0	Mid Flood	5.1	16.08	32.68	4.3	90.5	7.31	8.01	10:29:49	0.57	267.4
SB-RFF3	816143.5	819462.2	Mid Flood	3.6	16.09	32.68	4.2	90.6	7.31	8.01	10:30:14	0.79	188.0
SB-RFF3	816138.3	819463.4	Mid Flood	5.0	16.08	32.68	4.2	90.5	7.31	8.01	10:30:39	0.18	216.7
SB-RFF3	816144.9	819461.8	Mid Flood	3.7	16.09	32.68	4.5	90.7	7.32	8.01	10:31:02	0.13	223.8
THB1	814487.9	817933.2	Mid Flood	2.5	16.03	32.65	5.2	96.0	7.77	7.97	11:05:42	0.56	350.9
THB1	814479.6	817935.0	Mid Flood	2.4	16.04	32.65	5.9	93.3	7.55	7.98	11:06:07	0.46	72.2
THB1	814472.8	817940.6	Mid Flood	2.4	16.04	32.66	5.4	92.6	7.49	7.98	11:06:32	0.06	135.7
THB1	814470.9	817945.4	Mid Flood	2.4	16.05	32.66	5.3	92.3	7.46	7.99	11:06:55	0.48	200.7
THB1	814473.6	817955.5	Mid Flood	2.4	16.07	32.67	5.3	92.1	7.44	7.99	11:07:31	0.48	200.7
THB1	814473.2	817958.4	Mid Flood	2.4	16.07	32.67	5.5	92.0	7.44	7.99	11:07:53	0.52	37.3
THB1	814470.7	817963.3	Mid Flood	2.4	16.07	32.67	5.3	91.8	7.42	7.99	11:08:14	0.10	282.8
THB1	814469.3	817969.3	Mid Flood	2.4	16.08	32.68	5.3	91.8	7.42	7.99	11:08:37	0.68	72.7
THB2	815868.4	818043.9	Mid Flood	1.4	15.99	32.54	4.3	96.5	7.82	7.93	11:13:51	0.03	40
THB2	815867.8	818043.5	Mid Flood	1.4	16.00	32.60	4.7	95.3	7.71	7.93	11:14:13	0.03	40
THB2	815865.4	818040.4	Mid Flood	1.4	16.04	32.68	5.0	94.3	7.62	7.94	11:15:24	0.03	40
THB2	815865.5	818039.2	Mid Flood	1.4	16.00	32.67	4.9	94.1	7.62	7.94	11:15:46	0.03	40

ROUTINE WATER QUALITY MONITORING for CMP 1

Date: 21 February 2014

Pos. No.	Easting	Northing	Tide	Depth (m)	Temp.	Salinity	Turbidity(Ntu)	D.O.(%)	D.O.(mg/l)	pH	Time	Speed	Direction
THB2	815866.8	818040.0	Mid Flood	1.4	16.04	32.69	5.1	94.1	7.61	7.94	11:16:07	0.03	40
THB2	815868.9	818043.1	Mid Flood	1.4	15.90	32.53	4.4	94.5	7.66	7.94	11:17:00	0.03	40
THB2	815867.2	818041.6	Mid Flood	1.4	15.89	32.51	4.2	94.7	7.68	7.95	11:17:22	0.03	40
THB2	815866.1	818039.9	Mid Flood	1.4	15.83	32.50	4.0	94.8	7.70	7.95	11:17:43	0.03	40
WSR45C	817423.6	820213.4	Mid Flood	12.0	16.29	32.75	5.0	90.8	7.30	8.05	10:04:27	0.27	132.0
WSR45C	817427.5	820216.1	Mid Flood	7.0	16.32	32.74	5.3	89.6	7.20	8.03	10:05:35	0.53	212.9
WSR45C	817438.1	820207.3	Mid Flood	12.3	16.30	32.74	4.8	88.9	7.15	8.02	10:06:24	0.56	206.7
WSR45C	817427.1	820198.4	Mid Flood	7.0	16.33	32.74	4.3	89.3	7.18	8.02	10:07:10	0.72	215.5
WSR45C	817419.3	820198.3	Mid Flood	11.7	16.31	32.74	4.3	88.9	7.15	8.01	10:07:52	0.17	59.6
WSR45C	817423.9	820208.1	Mid Flood	6.9	16.34	32.75	4.1	88.9	7.14	8.01	10:08:47	0.20	33.5
WSR45C	817421.8	820213.4	Mid Flood	12.0	16.32	32.75	4.7	88.6	7.12	8.01	10:09:29	0.20	152.1
WSR45C	817427.4	820218.1	Mid Flood	7.1	16.34	32.76	4.3	89.2	7.17	8.01	10:10:08	0.11	204.9
WSR45C	817427.9	820221.0	Mid Flood	12.0	16.32	32.75	5.1	88.7	7.13	8.01	10:10:39	0.29	281.2
WSR45C	817418.0	820230.9	Mid Flood	7.1	16.34	32.76	4.5	89.1	7.16	8.01	10:11:20	0.34	269.2
WSR45C	817419.9	820238.2	Mid Flood	12.1	16.35	32.77	5.8	88.6	7.12	8.01	10:12:01	0.32	136.8
WSR45C	817423.1	820242.7	Mid Flood	7.2	16.34	32.77	4.9	88.9	7.14	8.01	10:12:34	0.58	240.1
WSR45C	817426.1	820245.6	Mid Flood	12.2	16.35	32.77	6.1	88.7	7.12	8.01	10:13:05	0.08	111.3
WSR45C	817420.0	820246.6	Mid Flood	7.1	16.34	32.77	6.1	88.7	7.13	8.01	10:13:42	0.39	51.4
WSR45C	817415.7	820250.1	Mid Flood	11.9	16.36	32.78	5.3	88.6	7.12	8.01	10:14:24	0.50	32.0
WSR45C	817417.3	820244.8	Mid Flood	7.0	16.34	32.76	4.3	89.1	7.16	8.01	10:15:12	0.70	272.7
WSR46	813870.2	820967.9	Mid Flood	8.6	16.06	32.67	5.4	93.8	7.58	7.98	12:32:25	0.49	24.2
WSR46	813877.5	820973.4	Mid Flood	5.3	16.07	32.67	5.2	93.0	7.51	7.98	12:33:13	0.48	299.6
WSR46	813878.9	820983.6	Mid Flood	8.9	16.05	32.67	5.2	91.9	7.43	7.98	12:33:56	0.32	271.1
WSR46	813890.7	820980.6	Mid Flood	5.5	16.06	32.67	5.3	92.3	7.46	7.98	12:34:34	0.42	359.7
WSR46	813890.7	820985.5	Mid Flood	8.9	16.05	32.67	5.5	91.9	7.43	7.98	12:35:03	0.50	16.7
WSR46	813903.3	820998.5	Mid Flood	6.0	16.06	32.67	5.7	92.1	7.44	7.98	12:35:36	0.47	200.4
WSR46	813893.9	821015.8	Mid Flood	8.8	16.06	32.67	5.5	91.8	7.42	7.98	12:36:23	0.20	15.7
WSR46	813897.3	821025.0	Mid Flood	5.1	16.07	32.67	5.4	92.2	7.45	7.98	12:37:05	0.35	278.2
WSR46	813905.5	821022.0	Mid Flood	9.4	16.07	32.68	5.5	91.8	7.42	7.97	12:37:40	0.27	262.6
WSR46	813907.5	821017.9	Mid Flood	5.7	16.07	32.67	5.4	92.0	7.43	7.98	12:38:18	0.63	316.2
WSR46	813902.9	821012.2	Mid Flood	8.8	16.07	32.68	5.2	91.6	7.40	7.97	12:38:46	0.69	115.1
WSR46	813893.4	821008.0	Mid Flood	5.6	16.06	32.67	5.2	91.9	7.43	7.97	12:39:27	0.29	37.5
WSR46	813881.5	821006.5	Mid Flood	8.9	16.06	32.67	5.4	91.6	7.40	7.97	12:40:09	0.83	272.3
WSR46	813885.4	821006.2	Mid Flood	5.8	16.06	32.67	5.4	91.9	7.43	7.97	12:40:51	0.24	359.3
WSR46	813886.2	821007.1	Mid Flood	9.1	16.07	32.68	5.3	91.6	7.40	7.97	12:41:28	0.84	329.5
WSR46	813887.6	821001.2	Mid Flood	5.6	16.06	32.68	5.2	91.9	7.43	7.97	12:42:07	0.63	307.6

Note: SB-INE/INF - Intermediate stations; SB-IPE/IPF - Impact stations; SB-RFE/RFF - Reference stations; MW - Ma Wan station; THB1/2 - Tai Ho Bai stations; WSR45C - Sham Shui Kok station; WSR46 - Tai Mo To station.